

Report of Analysis

Client:	Sciacca General Contractors, LLC	Date Collected:	09/03/25
Project:	29-35 Frelinghuysen Ave, Newark	Date Received:	09/03/25
Client Sample ID:	2	SDG No.:	Q3012
Lab Sample ID:	Q3012-04	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	93.3
Sample Wt/Vol:	30.07 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

Prep Date :	Date Analyzed :	Prep Batch ID
09/04/25 09:05	09/04/25 19:34	PB169545

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units(Dry Weight)	
TARGETS								
Aliphatic C9-C28	Aliphatic C9-C28	3.13	J	1	0.97	4.28	mg/kg	FE055672.D
Total EPH	Total EPH	3.13	J		0.97	4.28	mg/kg	

* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C28 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C28 concentration for the sample is reported as the Total EPH.

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	Sciacca General Contractors, LLC	Date Collected:	09/03/25
Project:	29-35 Frelinghuysen Ave, Newark	Date Received:	09/03/25
Client Sample ID:	2	SDG No.:	Q3012
Lab Sample ID:	Q3012-04	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	93.3
Sample Wt/Vol:	30.07 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FE055672.D	1	09/04/25	09/04/25	PB169545

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C28	Aliphatic C9-C28	3.13	J	0.97	4.28	mg/kg
Aliphatic C28-C40	Aliphatic C28-C40	5.30		1.26	2.14	mg/kg
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	29.2		40 - 140	58%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	29.1		40 - 140	58%	SPK: 50

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q3012-04	Acq On:	04 Sep 2025 19:34
Client Sample ID:	2	Operator:	YP\AJ
Data file:	FE055672.D	Misc:	
Instrument:	FID_E	ALS Vial:	23
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.312	6.946	794192	6.185	300	ug/ml
Aliphatic C12-C16	6.947	10.398	1150039	8.513	200	ug/ml
Aliphatic C16-C21	10.399	13.777	1826491	12.665	300	ug/ml
Aliphatic C21-C28	13.778	17.448	2368744	16.537	400	ug/ml
Aliphatic C28-C40	17.449	22.463	10244219	74.385	600	ug/ml
Aliphatic EPH	3.312	22.463	16383685	118.285		ug/ml
ortho-Terphenyl (SURR)	12.073	12.073	4782977	29.11		ug/ml
1-chlorooctadecane (SURR)	13.510	13.510	3652543	29.21		ug/ml
Aliphatic C9-C28	3.312	17.448	6139466	43.9	1200	ug/ml