

Report of Analysis

Client:	Sciaccia General Contractors, LLC	Date Collected:	
Project:	29-35 Frelinghuysen Ave, Newark	Date Received:	
Client Sample ID:	3MS	SDG No.:	Q3012
Lab Sample ID:	Q3011-05MS	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	92.7
Sample Wt/Vol:	30.07 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

Prep Date :	Date Analyzed :	Prep Batch ID
09/04/25 09:05	09/04/25 16:31	PB169545

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units(Dry Weight)	
TARGETS								
Aliphatic C9-C28	Aliphatic C9-C28	93.3	E	1	0.98	4.31	mg/kg	FE055666.D
Total EPH	Total EPH	93.3			0.98	4.31	mg/kg	

* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C28 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C28 concentration for the sample is reported as the Total EPH.

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	Sciacca General Contractors, LLC	Date Collected:	
Project:	29-35 Frelinghuysen Ave, Newark	Date Received:	
Client Sample ID:	3MS	SDG No.:	Q3012
Lab Sample ID:	Q3011-05MS	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	92.7
Sample Wt/Vol:	30.07 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FE055666.D	1	09/04/25	09/04/25	PB169545

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C28	Aliphatic C9-C28	93.3	E	0.98	4.31	mg/kg
Aliphatic C28-C40	Aliphatic C28-C40	32.8		1.27	2.15	mg/kg
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	33.6		40 - 140	67%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	32.7		40 - 140	65%	SPK: 50

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q3011-05MS	Acq On:	04 Sep 2025 16:31
Client Sample ID:	Q3011-05MS	Operator:	YP\AJ
Data file:	FE055666.D	Misc:	
Instrument:	FID_E	ALS Vial:	17
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.312	6.946	31293681	243.713	300	ug/ml
Aliphatic C12-C16	6.947	10.398	42506792	314.643	200	ug/ml
Aliphatic C16-C21	10.399	13.777	46840001	324.788	300	ug/ml
Aliphatic C21-C28	13.778	17.448	59682329	416.672	400	ug/ml
Aliphatic C28-C40	17.449	22.463	62894526	456.685	600	ug/ml
Aliphatic EPH	3.312	22.463	243217329	1760		ug/ml
ortho-Terphenyl (SURR)	12.074	12.074	5372251	32.7		ug/ml
1-chlorooctadecane (SURR)	13.511	13.511	4201650	33.6		ug/ml
Aliphatic C9-C28	3.312	17.448	180322803	1300	1200	ug/ml