



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Hit Summary Sheet
SW-846

SDG No.: Q3012
Client: Sciacca General Contractors, LLC

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID:				0				
Total Voc :								
Total Concentration:								

A
B
C
D



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	Sciacca General Contractors, LLC		Date Collected:	09/03/25	
Project:	29-35 Frelinghuysen Ave, Newark		Date Received:	09/03/25	
Client Sample ID:	VOC		SDG No.:	Q3012	
Lab Sample ID:	Q3012-02		Matrix:	SOIL	
Analytical Method:	8260D		% Solid:	95.6	
Sample Wt/Vol:	5	Units: g	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VY023284.D	1	09/04/25 13:09	VY090425

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
75-71-8	Dichlorodifluoromethane	1.20	U	1.20	5.20	ug/Kg
74-87-3	Chloromethane	1.20	U	1.20	5.20	ug/Kg
75-01-4	Vinyl Chloride	0.83	U	0.83	5.20	ug/Kg
74-83-9	Bromomethane	1.10	U	1.10	5.20	ug/Kg
75-00-3	Chloroethane	1.30	U	1.30	5.20	ug/Kg
75-69-4	Trichlorofluoromethane	1.30	U	1.30	5.20	ug/Kg
76-13-1	1,1,2-Trichlorotrifluoroethane	1.10	U	1.10	5.20	ug/Kg
75-35-4	1,1-Dichloroethene	1.00	U	1.00	5.20	ug/Kg
67-64-1	Acetone	5.00	U	5.00	26.2	ug/Kg
75-15-0	Carbon Disulfide	1.10	U	1.10	5.20	ug/Kg
1634-04-4	Methyl tert-butyl Ether	0.76	U	0.76	5.20	ug/Kg
79-20-9	Methyl Acetate	1.60	U	1.60	5.20	ug/Kg
75-09-2	Methylene Chloride	3.70	U	3.70	10.5	ug/Kg
156-60-5	trans-1,2-Dichloroethene	0.90	U	0.90	5.20	ug/Kg
75-34-3	1,1-Dichloroethane	0.84	U	0.84	5.20	ug/Kg
110-82-7	Cyclohexane	0.83	U	0.83	5.20	ug/Kg
78-93-3	2-Butanone	6.80	U	6.80	26.2	ug/Kg
56-23-5	Carbon Tetrachloride	1.00	U	1.00	5.20	ug/Kg
156-59-2	cis-1,2-Dichloroethene	0.78	U	0.78	5.20	ug/Kg
74-97-5	Bromochloromethane	1.20	U	1.20	5.20	ug/Kg
67-66-3	Chloroform	0.88	U	0.88	5.20	ug/Kg
71-55-6	1,1,1-Trichloroethane	0.97	U	0.97	5.20	ug/Kg
108-87-2	Methylcyclohexane	0.95	U	0.95	5.20	ug/Kg
71-43-2	Benzene	0.83	U	0.83	5.20	ug/Kg
107-06-2	1,2-Dichloroethane	0.83	U	0.83	5.20	ug/Kg
79-01-6	Trichloroethene	0.85	U	0.85	5.20	ug/Kg
78-87-5	1,2-Dichloropropane	0.95	U	0.95	5.20	ug/Kg
75-27-4	Bromodichloromethane	0.82	U	0.82	5.20	ug/Kg
108-10-1	4-Methyl-2-Pentanone	3.70	U	3.70	26.2	ug/Kg
108-88-3	Toluene	0.82	U	0.82	5.20	ug/Kg

Report of Analysis

Client:	Sciacca General Contractors, LLC		Date Collected:	09/03/25	
Project:	29-35 Frelinghuysen Ave, Newark		Date Received:	09/03/25	
Client Sample ID:	VOC		SDG No.:	Q3012	
Lab Sample ID:	Q3012-02		Matrix:	SOIL	
Analytical Method:	8260D		% Solid:	95.6	
Sample Wt/Vol:	5	Units: g	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VY023284.D	1	09/04/25 13:09	VY090425

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
10061-02-6	t-1,3-Dichloropropene	0.68	U	0.68	5.20	ug/Kg
10061-01-5	cis-1,3-Dichloropropene	0.65	U	0.65	5.20	ug/Kg
79-00-5	1,1,2-Trichloroethane	0.96	U	0.96	5.20	ug/Kg
591-78-6	2-Hexanone	3.90	U	3.90	26.2	ug/Kg
124-48-1	Dibromochloromethane	0.91	U	0.91	5.20	ug/Kg
106-93-4	1,2-Dibromoethane	0.92	U	0.92	5.20	ug/Kg
127-18-4	Tetrachloroethene	1.10	U	1.10	5.20	ug/Kg
108-90-7	Chlorobenzene	0.95	U	0.95	5.20	ug/Kg
100-41-4	Ethyl Benzene	0.70	U	0.70	5.20	ug/Kg
179601-23-1	m/p-Xylenes	1.30	U	1.30	10.5	ug/Kg
95-47-6	o-Xylene	0.86	U	0.86	5.20	ug/Kg
100-42-5	Styrene	0.74	U	0.74	5.20	ug/Kg
75-25-2	Bromoform	0.90	U	0.90	5.20	ug/Kg
98-82-8	Isopropylbenzene	0.82	U	0.82	5.20	ug/Kg
79-34-5	1,1,2,2-Tetrachloroethane	1.30	U	1.30	5.20	ug/Kg
541-73-1	1,3-Dichlorobenzene	1.80	U	1.80	5.20	ug/Kg
106-46-7	1,4-Dichlorobenzene	1.60	U	1.60	5.20	ug/Kg
95-50-1	1,2-Dichlorobenzene	1.50	U	1.50	5.20	ug/Kg
96-12-8	1,2-Dibromo-3-Chloropropane	1.90	U	1.90	5.20	ug/Kg
120-82-1	1,2,4-Trichlorobenzene	3.10	U	3.10	5.20	ug/Kg
87-61-6	1,2,3-Trichlorobenzene	3.30	U	3.30	5.20	ug/Kg
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	59.3		63 - 155	119%	SPK: 50
1868-53-7	Dibromofluoromethane	58.0		70 - 134	116%	SPK: 50
2037-26-5	Toluene-d8	51.1		74 - 123	102%	SPK: 50
460-00-4	4-Bromofluorobenzene	46.1		17 - 146	92%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	342000	7.713			
540-36-3	1,4-Difluorobenzene	619000	8.615			
3114-55-4	Chlorobenzene-d5	570000	11.414			
3855-82-1	1,4-Dichlorobenzene-d4	227000	13.346			

Report of Analysis

Client:	Sciacca General Contractors, LLC		Date Collected:	09/03/25	
Project:	29-35 Frelinghuysen Ave, Newark		Date Received:	09/03/25	
Client Sample ID:	VOC		SDG No.:	Q3012	
Lab Sample ID:	Q3012-02		Matrix:	SOIL	
Analytical Method:	8260D		% Solid:	95.6	
Sample Wt/Vol:	5	Units: g	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VY023284.D	1	09/04/25 13:09	VY090425

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

LAB CHRONICLE

OrderID:	Q3012	OrderDate:	9/3/2025 3:58:00 PM
Client:	Sciacca General Contractors, LLC	Project:	29-35 Frelinghuysen Ave, Newark
Contact:	Rosanne Scirica	Location:	J42,VOA Lab

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q3012-02	VOC	SOIL	VOC-TCLVOA-10	8260D	09/03/25		09/04/25	09/03/25