

Report of Analysis

Client:	ATC Group Services LLC		Date Collected:	09/03/25	
Project:	Hazmat survey-Bellevue hospital CPEP		Date Received:	09/04/25	
Client Sample ID:	Red Firestop Sealant		SDG No.:	Q3014	
Lab Sample ID:	Q3014-01		Matrix:	SOIL	
Analytical Method:	8082A		% Solid:	100	Decanted:
Sample Wt/Vol:	3.6	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB Group1	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO113765.D	1	09/16/25 10:35	09/16/25 15:41	PB169705

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	32.9	U	32.9	142	ug/kg
11104-28-2	Aroclor-1221	33.6	U	33.6	142	ug/kg
11141-16-5	Aroclor-1232	31.0	U	31.0	142	ug/kg
53469-21-9	Aroclor-1242	33.4	U	33.4	142	ug/kg
12672-29-6	Aroclor-1248	49.3	U	49.3	142	ug/kg
11097-69-1	Aroclor-1254	1600		26.8	142	ug/kg
37324-23-5	Aroclor-1262	41.8	U	41.8	142	ug/kg
11100-14-4	Aroclor-1268	30.0	U	30.0	142	ug/kg
11096-82-5	Aroclor-1260	955		26.9	142	ug/kg
Total PCBs	Total PCBs	2600		53.7	142	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	18.6		32 - 144	93%	SPK: 20
2051-24-3	Decachlorobiphenyl	18.6		32 - 175	93%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit