

Report of Analysis

Client:	Alliance Technical Group, LLC - Newark		Date Collected:	
Project:	NJ Waste Water PT		Date Received:	
Client Sample ID:	PB169584BS		SDG No.:	Q3015
Lab Sample ID:	PB169584BS		Matrix:	WATER
Analytical Method:	8151A		% Solid:	0 Decanted:
Sample Wt/Vol:	1000	Units: mL	Final Vol:	10000 uL
Soil Aliquot Vol:		uL	Test:	Herbicide group1
Extraction Type:			Injection Volume :	
GPC Factor :	1.0	PH :		
Prep Method :	SW3510C			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PS031678.D	1	09/05/25 09:20	09/09/25 15:33	PB169584

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
93-65-2	MCPP	0.49		0.079	0.20	ug/L
1918-00-9	DICAMBA	4.90		0.65	2.00	ug/L
75-99-0	DALAPON	4.70		0.98	2.00	ug/L
94-74-6	MCPA	0.47		0.10	0.20	ug/L
120-36-5	DICHLORPROP	4.90		0.76	2.00	ug/L
94-75-7	2,4-D	5.50		0.92	2.00	ug/L
93-72-1	2,4,5-TP (Silvex)	5.00		0.78	2.00	ug/L
93-76-5	2,4,5-T	4.90		0.71	2.00	ug/L
94-82-6	2,4-DB	4.80		0.65	2.00	ug/L
88-85-7	DINOSEB	5.20		0.89	2.00	ug/L
87-86-5	Pentachlorophenol	5.30		0.70	2.00	ug/L
100-02-7	4-Nitrophenol	5.10		0.83	2.00	ug/L
1918-02-1	PICLORAM	4.60		0.63	2.00	ug/L
1861-32-1	DCPA	5.10		0.82	2.00	ug/L
51-36-5	3,5-DICHLOROBENZOIC AC	4.90		0.70	2.00	ug/L
SURROGATES						
19719-28-9	2,4-DCAA	527		61 - 136	105%	SPK: 500

Report of Analysis

Client:	Alliance Technical Group, LLC - Newark		Date Collected:	
Project:	NJ Waste Water PT		Date Received:	
Client Sample ID:	PB169584BS		SDG No.:	Q3015
Lab Sample ID:	PB169584BS		Matrix:	WATER
Analytical Method:	8151A		% Solid:	0
Sample Wt/Vol:	1000	Units: mL	Decanted:	
Soil Aliquot Vol:		uL	Final Vol:	10000 uL
Extraction Type:			Test:	Herbicide group1
GPC Factor :	1.0	PH :	Injection Volume :	
Prep Method :	SW3510C			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PS031678.D	1	09/05/25 09:20	09/09/25 15:33	PB169584

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

Comments:

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 P = Indicates >25% difference for detected concentrations between the two GC columns
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.
 () = Laboratory InHouse Limit