

Analytical Sequence

Client: Alliance Technical Group, LLC - Newark	SDG No.: Q3015
Project: NJ Waste Water PT	Instrument ID: ECD_D
GC Column: ZB-MR1	ID: 0.32 (mm) Inst. Calib. Date(s): 08/18/2025 08/18/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

CLIENT ID	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
IBLK	IBLK	08/18/2025	10:44	PD089961.D	9.07	3.55
PEM	PEM	08/18/2025	10:57	PD089962.D	9.07	3.55
RESCHK	RESCHK	08/18/2025	11:11	PD089963.D	9.07	3.55
PSTDICCC100	PSTDICCC100	08/18/2025	11:25	PD089964.D	9.07	3.55
PSTDICCC075	PSTDICCC075	08/18/2025	11:39	PD089965.D	9.07	3.55
PSTDICCC050	PSTDICCC050	08/18/2025	11:53	PD089966.D	9.07	3.55
PSTDICCC025	PSTDICCC025	08/18/2025	12:06	PD089967.D	9.07	3.55
PSTDICCC005	PSTDICCC005	08/18/2025	12:20	PD089968.D	9.07	3.55
PTOXICCC500	PTOXICCC500	08/18/2025	15:31	PD089976.D	9.07	3.55
PCHLORICCC500	PCHLORICCC500	08/19/2025	11:24	PD089988.D	9.07	3.55
PEM	PEM	09/08/2025	09:56	PD090183.D	9.07	3.55
IBLK	IBLK	09/08/2025	15:52	PD090194.D	9.07	3.55
PSTDCCCC050	PSTDCCCC050	09/08/2025	16:26	PD090195.D	9.08	3.56
PB169601BL	PB169601BL	09/08/2025	16:40	PD090196.D	9.07	3.55
WP0925-PT-PEST-WP	Q3015-09	09/08/2025	16:54	PD090197.D	9.07	3.55
WP0925-PT-PEST-WPDL	Q3015-09DL	09/08/2025	17:46	PD090198.D	9.08	3.56
WP0925-PT-PEST-WPDL2	Q3015-09DL2	09/08/2025	18:00	PD090199.D	0.00	0.00
PB169601BS	PB169601BS	09/08/2025	18:16	PD090200.D	9.07	3.55
PB169601BSD	PB169601BSD	09/08/2025	18:29	PD090201.D	9.07	3.55
IBLK	IBLK	09/08/2025	18:43	PD090202.D	9.07	3.55
PSTDCCCC050	PSTDCCCC050	09/08/2025	18:59	PD090203.D	9.07	3.55

Analytical Sequence

Client: Alliance Technical Group, LLC - Newark	SDG No.: Q3015
Project: NJ Waste Water PT	Instrument ID: ECD_D
GC Column: ZB-MR2	ID: 0.32 (mm) Inst. Calib. Date(s): 08/18/2025 08/18/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

CLIENT ID	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
IBLK	IBLK	08/18/2025	10:44	PD089961.D	8.06	2.88
PEM	PEM	08/18/2025	10:57	PD089962.D	8.07	2.88
RESCHK	RESCHK	08/18/2025	11:11	PD089963.D	8.07	2.88
PSTDICC100	PSTDICC100	08/18/2025	11:25	PD089964.D	8.07	2.88
PSTDICC075	PSTDICC075	08/18/2025	11:39	PD089965.D	8.07	2.88
PSTDICC050	PSTDICC050	08/18/2025	11:53	PD089966.D	8.07	2.88
PSTDICC025	PSTDICC025	08/18/2025	12:06	PD089967.D	8.06	2.88
PSTDICC005	PSTDICC005	08/18/2025	12:20	PD089968.D	8.07	2.88
PTOXICC500	PTOXICC500	08/18/2025	15:31	PD089976.D	8.07	2.88
PCHLORICC500	PCHLORICC500	08/19/2025	11:24	PD089988.D	8.06	2.88
PEM	PEM	09/08/2025	09:56	PD090183.D	8.06	2.88
IBLK	IBLK	09/08/2025	15:52	PD090194.D	8.06	2.88
PSTDCCC050	PSTDCCC050	09/08/2025	16:26	PD090195.D	8.07	2.88
PB169601BL	PB169601BL	09/08/2025	16:40	PD090196.D	8.06	2.88
WP0925-PT-PEST-WP	Q3015-09	09/08/2025	16:54	PD090197.D	8.06	2.88
WP0925-PT-PEST-WPDL	Q3015-09DL	09/08/2025	17:46	PD090198.D	8.06	2.88
WP0925-PT-PEST-WPDL2	Q3015-09DL2	09/08/2025	18:00	PD090199.D	0.00	0.00
PB169601BS	PB169601BS	09/08/2025	18:16	PD090200.D	8.06	2.88
PB169601BSD	PB169601BSD	09/08/2025	18:29	PD090201.D	8.06	2.88
IBLK	IBLK	09/08/2025	18:43	PD090202.D	8.06	2.88
PSTDCCC050	PSTDCCC050	09/08/2025	18:59	PD090203.D	8.06	2.88