

## Report of Analysis

|                    |                                        |                  |                 |               |
|--------------------|----------------------------------------|------------------|-----------------|---------------|
| Client:            | Alliance Technical Group, LLC - Newark |                  | Date Collected: |               |
| Project:           | NJ Waste Water PT                      |                  | Date Received:  |               |
| Client Sample ID:  | PB169719BSD                            |                  | SDG No.:        | Q3015         |
| Lab Sample ID:     | PB169719BSD                            |                  | Matrix:         | Water         |
| Analytical Method: | 8270E                                  |                  | % Solid:        | 0             |
| Sample Wt/Vol:     | 1000                                   | Units: mL        | Final Vol:      | 1000 uL       |
| Soil Aliquot Vol:  |                                        | uL               | Test:           | SVOCMS Group1 |
| Extraction Type :  |                                        | Decanted : N     | Level :         | LOW           |
| Injection Volume : |                                        | GPC Factor : 1.0 | GPC Cleanup :   | N PH :        |
| Prep Method :      |                                        |                  |                 |               |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BP025775.D        | 1         | 09/17/25 09:05 | 09/17/25 21:16 | PB169719      |

| CAS Number     | Parameter                   | Conc. | Qualifier | MDL  | LOQ / CRQL | Units |
|----------------|-----------------------------|-------|-----------|------|------------|-------|
| <b>TARGETS</b> |                             |       |           |      |            |       |
| 62-75-9        | n-Nitrosodimethylamine      | 36.9  |           | 0.86 | 10.0       | ug/L  |
| 110-86-1       | Pyridine                    | 32.9  |           | 1.30 | 5.00       | ug/L  |
| 62-53-3        | Aniline                     | 26.2  |           | 1.50 | 5.00       | ug/L  |
| 111-44-4       | bis(2-Chloroethyl)ether     | 38.1  |           | 0.81 | 5.00       | ug/L  |
| 95-50-1        | 1,2-Dichlorobenzene         | 37.5  |           | 0.68 | 5.00       | ug/L  |
| 541-73-1       | 1,3-Dichlorobenzene         | 37.8  |           | 0.59 | 5.00       | ug/L  |
| 106-46-7       | 1,4-Dichlorobenzene         | 38.0  |           | 0.53 | 5.00       | ug/L  |
| 100-51-6       | Benzyl Alcohol              | 35.7  |           | 1.60 | 10.0       | ug/L  |
| 108-60-1       | 2,2-oxybis(1-Chloropropane) | 37.0  |           | 1.30 | 5.00       | ug/L  |
| 621-64-7       | n-Nitroso-di-n-propylamine  | 36.4  |           | 1.40 | 2.50       | ug/L  |
| 67-72-1        | Hexachloroethane            | 38.0  |           | 0.65 | 5.00       | ug/L  |
| 98-95-3        | Nitrobenzene                | 38.9  |           | 0.76 | 5.00       | ug/L  |
| 78-59-1        | Isophorone                  | 36.9  |           | 0.75 | 5.00       | ug/L  |
| 111-91-1       | bis(2-Chloroethoxy)methane  | 38.3  |           | 0.68 | 5.00       | ug/L  |
| 120-82-1       | 1,2,4-Trichlorobenzene      | 39.0  |           | 0.54 | 5.00       | ug/L  |
| 91-20-3        | Naphthalene                 | 38.1  |           | 0.50 | 5.00       | ug/L  |
| 106-47-8       | 4-Chloroaniline             | 20.1  |           | 0.84 | 5.00       | ug/L  |
| 87-68-3        | Hexachlorobutadiene         | 38.7  |           | 0.54 | 5.00       | ug/L  |
| 91-57-6        | 2-Methylnaphthalene         | 37.6  |           | 0.56 | 5.00       | ug/L  |
| 77-47-4        | Hexachlorocyclopentadiene   | 76.9  |           | 3.60 | 10.0       | ug/L  |
| 91-58-7        | 2-Chloronaphthalene         | 38.8  |           | 0.61 | 5.00       | ug/L  |
| 88-74-4        | 2-Nitroaniline              | 40.3  |           | 1.30 | 5.00       | ug/L  |
| 131-11-3       | Dimethylphthalate           | 38.7  |           | 0.61 | 5.00       | ug/L  |
| 208-96-8       | Acenaphthylene              | 39.7  |           | 0.75 | 5.00       | ug/L  |
| 606-20-2       | 2,6-Dinitrotoluene          | 39.5  |           | 0.92 | 5.00       | ug/L  |
| 99-09-2        | 3-Nitroaniline              | 27.5  |           | 1.10 | 5.00       | ug/L  |
| 83-32-9        | Acenaphthene                | 38.4  |           | 0.55 | 5.00       | ug/L  |
| 132-64-9       | Dibenzofuran                | 38.3  |           | 0.61 | 5.00       | ug/L  |
| 121-14-2       | 2,4-Dinitrotoluene          | 40.5  |           | 1.20 | 5.00       | ug/L  |

## Report of Analysis

|                    |                                        |                  |                 |               |
|--------------------|----------------------------------------|------------------|-----------------|---------------|
| Client:            | Alliance Technical Group, LLC - Newark |                  | Date Collected: |               |
| Project:           | NJ Waste Water PT                      |                  | Date Received:  |               |
| Client Sample ID:  | PB169719BSD                            |                  | SDG No.:        | Q3015         |
| Lab Sample ID:     | PB169719BSD                            |                  | Matrix:         | Water         |
| Analytical Method: | 8270E                                  |                  | % Solid:        | 0             |
| Sample Wt/Vol:     | 1000                                   | Units: mL        | Final Vol:      | 1000 uL       |
| Soil Aliquot Vol:  |                                        | uL               | Test:           | SVOCMS Group1 |
| Extraction Type :  |                                        | Decanted : N     | Level :         | LOW           |
| Injection Volume : |                                        | GPC Factor : 1.0 | GPC Cleanup :   | N PH :        |
| Prep Method :      |                                        |                  |                 |               |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BP025775.D        | 1         | 09/17/25 09:05 | 09/17/25 21:16 | PB169719      |

| CAS Number | Parameter                  | Conc. | Qualifier | MDL  | LOQ / CRQL | Units |
|------------|----------------------------|-------|-----------|------|------------|-------|
| 84-66-2    | Diethylphthalate           | 38.9  |           | 0.69 | 5.00       | ug/L  |
| 7005-72-3  | 4-Chlorophenyl-phenylether | 37.9  |           | 0.68 | 5.00       | ug/L  |
| 86-73-7    | Fluorene                   | 38.1  |           | 0.63 | 5.00       | ug/L  |
| 100-01-6   | 4-Nitroaniline             | 39.3  |           | 1.50 | 5.00       | ug/L  |
| 86-30-6    | n-Nitrosodiphenylamine     | 40.0  |           | 0.58 | 5.00       | ug/L  |
| 101-55-3   | 4-Bromophenyl-phenylether  | 39.9  |           | 0.40 | 5.00       | ug/L  |
| 118-74-1   | Hexachlorobenzene          | 38.5  |           | 0.52 | 5.00       | ug/L  |
| 85-01-8    | Phenanthrene               | 39.0  |           | 0.50 | 5.00       | ug/L  |
| 120-12-7   | Anthracene                 | 39.1  |           | 0.61 | 5.00       | ug/L  |
| 86-74-8    | Carbazole                  | 39.4  |           | 0.72 | 5.00       | ug/L  |
| 84-74-2    | Di-n-butylphthalate        | 39.1  |           | 1.20 | 5.00       | ug/L  |
| 206-44-0   | Fluoranthene               | 39.3  |           | 0.82 | 5.00       | ug/L  |
| 92-87-5    | Benzidine                  | 34.5  |           | 4.30 | 10.0       | ug/L  |
| 129-00-0   | Pyrene                     | 41.3  |           | 0.50 | 5.00       | ug/L  |
| 85-68-7    | Butylbenzylphthalate       | 42.1  |           | 1.90 | 5.00       | ug/L  |
| 91-94-1    | 3,3-Dichlorobenzidine      | 27.6  |           | 0.93 | 10.0       | ug/L  |
| 56-55-3    | Benzo(a)anthracene         | 40.2  |           | 0.45 | 5.00       | ug/L  |
| 218-01-9   | Chrysene                   | 39.5  |           | 0.44 | 5.00       | ug/L  |
| 117-81-7   | Bis(2-ethylhexyl)phthalate | 41.0  |           | 1.60 | 5.00       | ug/L  |
| 117-84-0   | Di-n-octyl phthalate       | 39.2  |           | 2.30 | 10.0       | ug/L  |
| 205-99-2   | Benzo(b)fluoranthene       | 41.7  |           | 0.49 | 5.00       | ug/L  |
| 207-08-9   | Benzo(k)fluoranthene       | 42.5  |           | 0.48 | 5.00       | ug/L  |
| 50-32-8    | Benzo(a)pyrene             | 40.7  |           | 0.55 | 5.00       | ug/L  |
| 193-39-5   | Indeno(1,2,3-cd)pyrene     | 42.6  |           | 0.59 | 5.00       | ug/L  |
| 53-70-3    | Dibenzo(a,h)anthracene     | 42.6  |           | 0.67 | 5.00       | ug/L  |
| 191-24-2   | Benzo(g,h,i)perylene       | 43.3  |           | 0.69 | 5.00       | ug/L  |
| 95-94-3    | 1,2,4,5-Tetrachlorobenzene | 41.4  |           | 0.52 | 5.00       | ug/L  |
| 123-91-1   | 1,4-Dioxane                | 32.7  |           | 1.00 | 5.00       | ug/L  |
| 90-12-0    | 1-Methylnaphthalene        | 37.1  |           | 0.66 | 5.00       | ug/L  |

**SURROGATES**

## Report of Analysis

|                    |                                        |                  |                 |               |
|--------------------|----------------------------------------|------------------|-----------------|---------------|
| Client:            | Alliance Technical Group, LLC - Newark |                  | Date Collected: |               |
| Project:           | NJ Waste Water PT                      |                  | Date Received:  |               |
| Client Sample ID:  | PB169719BSD                            |                  | SDG No.:        | Q3015         |
| Lab Sample ID:     | PB169719BSD                            |                  | Matrix:         | Water         |
| Analytical Method: | 8270E                                  |                  | % Solid:        | 0             |
| Sample Wt/Vol:     | 1000                                   | Units: mL        | Final Vol:      | 1000 uL       |
| Soil Aliquot Vol:  |                                        | uL               | Test:           | SVOCMS Group1 |
| Extraction Type :  |                                        | Decanted : N     | Level :         | LOW           |
| Injection Volume : |                                        | GPC Factor : 1.0 | GPC Cleanup :   | N PH :        |
| Prep Method :      |                                        |                  |                 |               |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BP025775.D        | 1         | 09/17/25 09:05 | 09/17/25 21:16 | PB169719      |

| CAS Number | Parameter            | Conc. | Qualifier | MDL      | LOQ / CRQL | Units    |
|------------|----------------------|-------|-----------|----------|------------|----------|
| 367-12-4   | 2-Fluorophenol       | 116   |           | 23 - 138 | 78%        | SPK: 150 |
| 13127-88-3 | Phenol-d6            | 110   |           | 10 - 134 | 74%        | SPK: 150 |
| 4165-60-0  | Nitrobenzene-d5      | 69.8  |           | 67 - 132 | 70%        | SPK: 100 |
| 321-60-8   | 2-Fluorobiphenyl     | 69.9  |           | 52 - 132 | 70%        | SPK: 100 |
| 118-79-6   | 2,4,6-Tribromophenol | 113   |           | 44 - 137 | 76%        | SPK: 150 |
| 1718-51-0  | Terphenyl-d14        | 72.7  |           | 42 - 152 | 73%        | SPK: 100 |

### INTERNAL STANDARDS

|            |                        |        |        |
|------------|------------------------|--------|--------|
| 3855-82-1  | 1,4-Dichlorobenzene-d4 | 165000 | 7.755  |
| 1146-65-2  | Naphthalene-d8         | 637000 | 10.525 |
| 15067-26-2 | Acenaphthene-d10       | 414000 | 14.372 |
| 1517-22-2  | Phenanthrene-d10       | 845000 | 17.178 |
| 1719-03-5  | Chrysene-d12           | 850000 | 21.63  |
| 1520-96-3  | Perylene-d12           | 857000 | 24.983 |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products