

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP091725\
 Data File : BP025771.D
 Acq On : 17 Sep 2025 15:07
 Operator : CG/JU
 Sample : Q3015-03
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 WP0925-PT-BN-WP

Quant Time: Sep 18 11:09:00 2025
 Quant Title :
 QLast Update : Thu Sep 11 16:45:04 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.755	152	149132	20.000	ng	0.00
21) Naphthalene-d8	10.519	136	575399	20.000	ng	0.00
39) Acenaphthene-d10	14.372	164	371831	20.000	ng	0.00
64) Phenanthrene-d10	17.189	188	750039	20.000	ng	0.00
76) Chrysene-d12	21.630	240	803351	20.000	ng	-0.01
86) Perylene-d12	24.989	264	873816	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.378	112	1337573	144.720	ng	0.00
7) Phenol-d6	6.943	99	1711168	139.290	ng	0.00
23) Nitrobenzene-d5	8.896	82	1171497	89.809	ng	0.00
42) 2,4,6-Tribromophenol	15.895	330	696920	150.268	ng	-0.01
45) 2-Fluorobiphenyl	12.984	172	2577463	92.297	ng	0.00
79) Terphenyl-d14	19.907	244	4118502	92.228	ng	0.00
Target Compounds						
4) n-Nitrosodimethylamine	3.614	42	545225	108.176	ng	96
12) 1,3-Dichlorobenzene	7.643	146	1145415	99.258	ng	98
13) 1,4-Dichlorobenzene	7.790	146	539399	45.887	ng	99
16) 2,2'-oxybis(1-Chloropr...	8.266	45	1312243	77.102	ng	100
18) Hexachloroethane	8.819	117	648636	144.463	ng	99
19) n-Nitroso-di-n-propyla...	8.549	70	511764	59.726	ng	98
24) Nitrobenzene	8.943	77	1678343	143.423	ng	97
28) bis(2-Chloroethoxy)met...	9.931	93	1838342	138.708	ng	99
30) 1,2,4-Trichlorobenzene	10.384	180	968354	94.547	ng	99
31) Naphthalene	10.566	128	3304359	106.503	ng	99
34) Hexachlorobutadiene	10.849	225	373186	56.601	ng	99
37) 2-Methylnaphthalene	12.178	142	2328311	116.840	ng	99
38) 1-Methylnaphthalene	12.407	142	3119555	146.802	ng	100
49) Acenaphthylene	14.101	152	4407403	123.780	ng	100
52) Acenaphthene	14.443	154	3163333	154.052	ng	99
55) Dibenzofuran	14.784	168	2577619	77.020	ng	97
57) 2,4-Dinitrotoluene	14.754	165	1056282	123.406	ng	94
58) Fluorene	15.448	166	3221512	121.054	ng	100
61) 4-Chlorophenyl-phenyle...	15.437	204	1934631	144.248	ng	97
62) 4-Nitroaniline	15.472	138	329623	50.872	ng	97
67) 4-Bromophenyl-phenylether	16.354	248	1159664	140.739	ng	98
68) Hexachlorobenzene	16.472	284	1501362	163.390	ng	94
71) Phenanthrene	17.231	178	1543082	36.268	ng	99
72) Anthracene	17.325	178	4655512	107.844	ng	99
75) Fluoranthene	19.325	202	7294850	142.961	ng	99
78) Pyrene	19.695	202	3268427	60.974	ng	100
80) Butylbenzylphthalate	20.636	149	2123285	90.340	ng	99
83) Chrysene	21.677	228	2352407	44.869	ng	100
84) Bis(2-ethylhexyl)phtha...	21.542	149	1499177	43.598	ng	99
85) Di-n-octyl phthalate	22.824	149	9289201	151.868	ng	99
88) Benzo(b)fluoranthene	23.919	252	1545994	28.932	ng	99
90) Benzo(a)pyrene	24.848	252	7733999	147.794	ng	99
91) Dibenzo(a,h)anthracene	28.924	278	7216633	138.778	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP091725\
Data File : BP025771.D
Acq On : 17 Sep 2025 15:07
Operator : CG/JU
Sample : Q3015-03
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
WP0925-PT-BN-WP

Quant Time: Sep 18 11:09:00 2025
Quant Title :
QLast Update : Thu Sep 11 16:45:04 2025
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.755 min Scan# 81
Delta R.T. -0.005 min
Lab File: BP025771.D
Acq: 17 Sep 2025 15:07




Instrument :
BNA_P
ClientSampleId :
WP0925-PT-BN-WP


Tgt Ion:152 Resp: 149132
Ion Ratio Lower Upper
152 100
150 157.5 124.3 186.5
115 61.1 50.3 75.5



#4
n-Nitrosodimethylamine
Concen: 108.176 ng
RT: 3.614 min Scan# 115
Delta R.T. 0.000 min
Lab File: BP025771.D
Acq: 17 Sep 2025 15:07

Tgt Ion: 42 Resp: 545225
Ion Ratio Lower Upper
42 100
74 128.2 99.2 148.8
44 7.0 6.4 9.6









#5
2-Fluorophenol
Concen: 144.720 ng
RT: 5.378 min Scan# 416
Delta R.T. -0.006 min
Lab File: BP025771.D
Acq: 17 Sep 2025 15:07




Instrument :
BNA_P
ClientSampleId :
WP0925-PT-BN-WP


Tgt Ion:112 Resp: 1337573
Ion Ratio Lower Upper
112 100
64 62.2 50.2 75.4
63 31.7 26.7 40.1



#7
Phenol-d6
Concen: 139.290 ng
RT: 6.943 min Scan# 681
Delta R.T. -0.006 min
Lab File: BP025771.D
Acq: 17 Sep 2025 15:07

Tgt Ion: 99 Resp: 1711168
Ion Ratio Lower Upper
99 100
42 19.3 15.6 23.4
71 34.7 28.6 43.0





#12

1,3-Dichlorobenzene

Concen: 99.258 ng

RT: 7.643 min Scan# 801

Delta R.T. -0.006 min

Lab File: BP025771.D

Acq: 17 Sep 2025 15:07

Instrument :

BNA_P

ClientSampleId :

WP0925-PT-BN-WP





Tgt Ion:146 Resp: 1145415

Ion Ratio Lower Upper

146 100

148 63.9 52.7 79.1

75 32.2 26.4 39.6



#13

1,4-Dichlorobenzene

Concen: 45.887 ng

RT: 7.790 min Scan# 825

Delta R.T. 0.000 min

Lab File: BP025771.D

Acq: 17 Sep 2025 15:07




Tgt Ion:146 Resp: 539399


Ion Ratio Lower Upper

146 100

148 64.8 52.0 78.0

111 41.1 33.9 50.9









#16
2,2'-oxybis(1-Chloropropane)
Concen: 77.102 ng
RT: 8.266 min Scan# 908
Delta R.T. -0.012 min
Lab File: BP025771.D
Acq: 17 Sep 2025 15:07




Instrument :
BNA_P
ClientSampleId :
WP0925-PT-BN-WP


Tgt Ion: 45 Resp: 1312243
Ion Ratio Lower Upper
45 100
77 13.2 0.0 33.1
79 9.9 0.0 30.0



#18
Hexachloroethane
Concen: 144.463 ng
RT: 8.819 min Scan# 1000
Delta R.T. -0.006 min
Lab File: BP025771.D
Acq: 17 Sep 2025 15:07

Tgt Ion: 117 Resp: 648636
Ion Ratio Lower Upper
117 100
119 96.5 77.1 115.7
201 108.2 85.6 128.4









#19
n-Nitroso-di-n-propylamine
Concen: 59.726 ng
RT: 8.549 min Scan# 91
Delta R.T. -0.006 min
Lab File: BP025771.D
Acq: 17 Sep 2025 15:07




Instrument :
BNA_P
ClientSampleId :
WP0925-PT-BN-WP


Tgt Ion:	70	Resp:	511764
Ion	Ratio	Lower	Upper
70	100		
42	58.9	49.0	73.4
101	10.1	7.9	11.9
130	20.9	16.6	25.0



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.519 min Scan# 1289
Delta R.T. -0.006 min
Lab File: BP025771.D
Acq: 17 Sep 2025 15:07

Tgt Ion:	136	Resp:	575399
Ion	Ratio	Lower	Upper
136	100		
137	10.6	8.7	13.1
54	9.0	7.5	11.3
68	6.2	5.0	7.6









#23
Nitrobenzene-d5
Concen: 89.809 ng
RT: 8.896 min Scan# 1013
Delta R.T. -0.006 min
Lab File: BP025771.D
Acq: 17 Sep 2025 15:07




Instrument :
BNA_P
ClientSampleId :
WP0925-PT-BN-WP


Tgt Ion: 82 Resp: 1171497
Ion Ratio Lower Upper
82 100
128 41.4 32.9 49.3
54 52.4 43.4 65.2



#24
Nitrobenzene
Concen: 143.423 ng
RT: 8.943 min Scan# 1021
Delta R.T. -0.006 min
Lab File: BP025771.D
Acq: 17 Sep 2025 15:07

Tgt Ion: 77 Resp: 1678343
Ion Ratio Lower Upper
77 100
123 44.9 34.4 51.6
65 14.1 10.8 16.2









#28
bis(2-Chloroethoxy)methane
Concen: 138.708 ng
RT: 9.931 min Scan# 1189
Delta R.T. -0.012 min
Lab File: BP025771.D
Acq: 17 Sep 2025 15:07




Instrument :
BNA_P
ClientSampleId :
WP0925-PT-BN-WP


Tgt Ion: 93 Resp: 1838342
Ion Ratio Lower Upper
93 100
95 32.7 25.6 38.4
123 11.3 9.2 13.8



#30
1,2,4-Trichlorobenzene
Concen: 94.547 ng
RT: 10.384 min Scan# 1266
Delta R.T. -0.006 min
Lab File: BP025771.D
Acq: 17 Sep 2025 15:07

Tgt Ion:180 Resp: 968354
Ion Ratio Lower Upper
180 100
182 96.3 76.0 114.0
145 30.4 24.7 37.1









#31
Naphthalene
Concen: 106.503 ng
RT: 10.566 min Scan# 1297
Delta R.T. -0.012 min
Lab File: BP025771.D
Acq: 17 Sep 2025 15:07




Instrument :
BNA_P
ClientSampleId :
WP0925-PT-BN-WP


Tgt Ion:128 Resp: 3304359
Ion Ratio Lower Upper
128 100
129 11.1 8.6 12.8
127 13.1 10.2 15.4



#34
Hexachlorobutadiene
Concen: 56.601 ng
RT: 10.849 min Scan# 1345
Delta R.T. -0.012 min
Lab File: BP025771.D
Acq: 17 Sep 2025 15:07

Tgt Ion:225 Resp: 373186
Ion Ratio Lower Upper
225 100
223 63.9 50.1 75.1
227 63.0 51.2 76.8









#37
2-Methylnaphthalene
Concen: 116.840 ng
RT: 12.178 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025771.D
Acq: 17 Sep 2025 15:07




Instrument :
BNA_P
ClientSampleId :
WP0925-PT-BN-WP


Tgt Ion:142 Resp: 2328311
Ion Ratio Lower Upper
142 100
141 86.0 69.6 104.4
115 36.9 30.0 45.0



#38
1-Methylnaphthalene
Concen: 146.802 ng
RT: 12.407 min Scan# 1610
Delta R.T. 0.006 min
Lab File: BP025771.D
Acq: 17 Sep 2025 15:07

Tgt Ion:142 Resp: 3119555
Ion Ratio Lower Upper
142 100
141 91.3 72.7 109.1
116 4.0 3.5 5.3









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.372 min Scan# 1945
Delta R.T. -0.006 min
Lab File: BP025771.D
Acq: 17 Sep 2025 15:07




Instrument :
BNA_P
ClientSampleId :
WP0925-PT-BN-WP


Tgt Ion:164 Resp: 371831
Ion Ratio Lower Upper
164 100
162 100.5 80.6 120.8
160 44.6 35.0 52.6



#42
2,4,6-Tribromophenol
Concen: 150.268 ng
RT: 15.895 min Scan# 2203
Delta R.T. -0.012 min
Lab File: BP025771.D
Acq: 17 Sep 2025 15:07

Tgt Ion:330 Resp: 696920
Ion Ratio Lower Upper
330 100
332 96.7 76.9 115.3
141 34.3 31.0 46.4









#45
2-Fluorobiphenyl
Concen: 92.297 ng
RT: 12.984 min Scan# 1708
Delta R.T. -0.006 min
Lab File: BP025771.D
Acq: 17 Sep 2025 15:07




Instrument :
BNA_P
ClientSampleId :
WP0925-PT-BN-WP


Tgt Ion:172 Resp: 2577463
Ion Ratio Lower Upper
172 100
171 34.5 27.8 41.6
170 23.0 18.6 27.8



#49
Acenaphthylene
Concen: 123.780 ng
RT: 14.101 min Scan# 1898
Delta R.T. 0.000 min
Lab File: BP025771.D
Acq: 17 Sep 2025 15:07

Tgt Ion:152 Resp: 4407403
Ion Ratio Lower Upper
152 100
151 19.8 15.8 23.6
153 13.1 10.5 15.7





#52

Acenaphthene

Concen: 154.052 ng

RT: 14.443 min Scan# 1958

Delta R.T. -0.012 min

Lab File: BP025771.D

Acq: 17 Sep 2025 15:07

Instrument :

BNA_P

ClientSampleId :

WP0925-PT-BN-WP





Tgt Ion:154 Resp: 3163333

Ion Ratio Lower Upper

154 100

153 112.3 89.4 134.0

152 53.5 42.5 63.7



#55

Dibenzofuran

Concen: 77.020 ng

RT: 14.784 min Scan# 2014

Delta R.T. -0.006 min

Lab File: BP025771.D

Acq: 17 Sep 2025 15:07




Tgt Ion:168 Resp: 2577619


Ion Ratio Lower Upper

168 100

139 37.3 31.7 47.5

169 13.4 10.8 16.2









#57
2,4-Dinitrotoluene
Concen: 123.406 ng
RT: 14.754 min Scan# 2009
Delta R.T. 0.000 min
Lab File: BP025771.D
Acq: 17 Sep 2025 15:07




Instrument :
BNA_P
ClientSampleId :
WP0925-PT-BN-WP


Tgt Ion:165 Resp: 1056282
Ion Ratio Lower Upper
165 100
63 43.7 37.7 56.5
89 70.5 61.0 91.6
182 3.0 2.4 3.6



#58
Fluorene
Concen: 121.054 ng
RT: 15.448 min Scan# 2127
Delta R.T. -0.006 min
Lab File: BP025771.D
Acq: 17 Sep 2025 15:07

Tgt Ion:166 Resp: 3221512
Ion Ratio Lower Upper
166 100
165 96.6 77.7 116.5
167 13.4 10.6 16.0









#61
4-Chlorophenyl-phenylether
Concen: 144.248 ng
RT: 15.437 min Scan# 2125
Delta R.T. -0.006 min
Lab File: BP025771.D
Acq: 17 Sep 2025 15:07




Instrument :
BNA_P
ClientSampleId :
WP0925-PT-BN-WP


Tgt Ion:204 Resp: 1934631
Ion Ratio Lower Upper
204 100
206 33.1 26.0 39.0
141 59.3 49.7 74.5



#62
4-Nitroaniline
Concen: 50.872 ng
RT: 15.472 min Scan# 2131
Delta R.T. -0.006 min
Lab File: BP025771.D
Acq: 17 Sep 2025 15:07

Tgt Ion:138 Resp: 329623
Ion Ratio Lower Upper
138 100
92 51.6 33.3 73.3
108 83.4 66.7 106.7









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.189 min Scan# 2422
Delta R.T. 0.006 min
Lab File: BP025771.D
Acq: 17 Sep 2025 15:07




Instrument :
BNA_P
ClientSampleId :
WP0925-PT-BN-WP


Tgt Ion:188 Resp: 750039
Ion Ratio Lower Upper
188 100
94 8.8 7.4 11.0
80 9.8 7.7 11.5



#67
4-Bromophenyl-phenylether
Concen: 140.739 ng
RT: 16.354 min Scan# 2281
Delta R.T. 0.000 min
Lab File: BP025771.D
Acq: 17 Sep 2025 15:07

Tgt Ion:248 Resp: 1159664
Ion Ratio Lower Upper
248 100
250 97.6 77.5 116.3
141 71.5 60.2 90.4









#68
Hexachlorobenzene
Concen: 163.390 ng
RT: 16.472 min Scan# 21
Delta R.T. 0.000 min
Lab File: BP025771.D
Acq: 17 Sep 2025 15:07




Instrument :
BNA_P
ClientSampleId :
WP0925-PT-BN-WP


Tgt Ion:284 Resp: 1501362
Ion Ratio Lower Upper
284 100
142 33.8 31.3 46.9
249 32.8 27.3 40.9



#71
Phenanthrene
Concen: 36.268 ng
RT: 17.231 min Scan# 2430
Delta R.T. 0.006 min
Lab File: BP025771.D
Acq: 17 Sep 2025 15:07

Tgt Ion:178 Resp: 1543082
Ion Ratio Lower Upper
178 100
176 18.9 15.4 23.2
179 15.1 12.2 18.4









#72
 Anthracene
 Concen: 107.844 ng
 RT: 17.325 min Scan# 2445
 Delta R.T. 0.006 min
 Lab File: BP025771.D
 Acq: 17 Sep 2025 15:07




Instrument :
 BNA_P
 ClientSampleId :
 WP0925-PT-BN-WP


Tgt Ion:178 Resp: 4655512
 Ion Ratio Lower Upper
 178 100
 176 19.0 14.8 22.2
 179 15.8 12.2 18.4



#75
 Fluoranthene
 Concen: 142.961 ng
 RT: 19.325 min Scan# 2786
 Delta R.T. 0.012 min
 Lab File: BP025771.D
 Acq: 17 Sep 2025 15:07

Tgt Ion:202 Resp: 7294850
 Ion Ratio Lower Upper
 202 100
 101 10.2 0.0 30.4
 203 17.6 0.0 37.4





#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.630 min Scan# 31

Delta R.T. -0.012 min

Lab File: BP025771.D

Acq: 17 Sep 2025 15:07

Instrument :

BNA_P

ClientSampleId :

WP0925-PT-BN-WP





Tgt Ion:240 Resp: 803351

Ion Ratio Lower Upper

240 100

120 9.5 8.0 12.0

236 25.3 20.7 31.1



#78

Pyrene

Concen: 60.974 ng

RT: 19.695 min Scan# 2849

Delta R.T. 0.006 min

Lab File: BP025771.D

Acq: 17 Sep 2025 15:07




Tgt Ion:202 Resp: 3268427


Ion Ratio Lower Upper

202 100

200 21.0 17.0 25.6

203 17.6 13.9 20.9









#79
 Terphenyl-d14
 Concen: 92.228 ng
 RT: 19.907 min Scan# 21
 Delta R.T. -0.006 min
 Lab File: BP025771.D
 Acq: 17 Sep 2025 15:07




Instrument :
 BNA_P
 ClientSampleId :
 WP0925-PT-BN-WP


Tgt Ion:244 Resp: 4118502
 Ion Ratio Lower Upper
 244 100
 212 7.4 5.9 8.9
 122 9.9 7.1 10.7



#80
 Butylbenzylphthalate
 Concen: 90.340 ng
 RT: 20.636 min Scan# 3009
 Delta R.T. -0.006 min
 Lab File: BP025771.D
 Acq: 17 Sep 2025 15:07

Tgt Ion:149 Resp: 2123285
 Ion Ratio Lower Upper
 149 100
 91 71.5 56.6 85.0
 206 22.1 17.4 26.0









#83
Chrysene
Concen: 44.869 ng
RT: 21.677 min Scan# 3186
Delta R.T. -0.012 min
Lab File: BP025771.D
Acq: 17 Sep 2025 15:07




Instrument :
BNA_P
ClientSampleId :
WP0925-PT-BN-WP


Tgt Ion:228 Resp: 2352407
Ion Ratio Lower Upper
228 100
226 29.9 23.8 35.6
229 19.8 15.6 23.4



#84
Bis(2-ethylhexyl)phthalate
Concen: 43.598 ng
RT: 21.542 min Scan# 3163
Delta R.T. -0.006 min
Lab File: BP025771.D
Acq: 17 Sep 2025 15:07

Tgt Ion:149 Resp: 1499177
Ion Ratio Lower Upper
149 100
167 28.1 22.9 34.3
279 4.9 3.8 5.8









#85
Di-n-octyl phthalate
Concen: 151.868 ng
RT: 22.824 min Scan# 31
Delta R.T. -0.006 min
Lab File: BP025771.D
Acq: 17 Sep 2025 15:07




Instrument :
BNA_P
ClientSampleId :
WP0925-PT-BN-WP


Tgt Ion:149 Resp: 9289201
Ion Ratio Lower Upper
149 100
167 1.6 1.3 1.9
43 9.5 8.0 12.0



#86
Perylene-d12
Concen: 20.000 ng
RT: 24.989 min Scan# 3749
Delta R.T. -0.012 min
Lab File: BP025771.D
Acq: 17 Sep 2025 15:07

Tgt Ion:264 Resp: 873816
Ion Ratio Lower Upper
264 100
260 23.3 18.3 27.5
265 21.9 17.3 25.9





#88

Benzo(b)fluoranthene

Concen: 28.932 ng

RT: 23.919 min Scan# 31

Delta R.T. -0.012 min

Lab File: BP025771.D

Acq: 17 Sep 2025 15:07

Instrument :

BNA_P

ClientSampleId :

WP0925-PT-BN-WP





Tgt Ion:252 Resp: 1545994

Ion Ratio Lower Upper

252 100

253 21.9 17.9 26.9

125 8.8 7.3 10.9



#90

Benzo(a)pyrene

Concen: 147.794 ng

RT: 24.848 min Scan# 3725

Delta R.T. 0.006 min

Lab File: BP025771.D

Acq: 17 Sep 2025 15:07




Tgt Ion:252 Resp: 7733999


Ion Ratio Lower Upper

252 100

253 22.1 17.2 25.8


125 9.7 8.3 12.5





#91
 Dibenzo(a,h)anthracene
 Concen: 138.778 ng
 RT: 28.924 min Scan# 441
 Delta R.T. 0.006 min
 Lab File: BP025771.D
 Acq: 17 Sep 2025 15:07

Instrument :
 BNA_P
 ClientSampleId :
 WP0925-PT-BN-WP



Tgt Ion:278 Resp: 7216633

Ion	Ratio	Lower	Upper
278	100		
139	14.4	12.1	18.1
279	24.0	19.6	29.4

