

Report of Analysis

Client:	Alliance Technical Group, LLC - Newark		Date Collected:	
Project:	NJ Waste Water PT		Date Received:	
Client Sample ID:	PB169719BL		SDG No.:	Q3015
Lab Sample ID:	PB169719BL		Matrix:	Water
Analytical Method:	8270E		% Solid:	0
Sample Wt/Vol:	1000	Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:		uL	Test:	SVOCMS Group6
Extraction Type :		Decanted : N	Level :	LOW
Injection Volume :		GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025776.D	1	09/17/25 09:05	09/17/25 21:56	PB169719

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
1912-24-9	Atrazine	1.00	U	1.00	5.00	ug/L
SURROGATES						
4165-60-0	Nitrobenzene-d5	73.4		67 - 132	73%	SPK: 100
321-60-8	2-Fluorobiphenyl	75.1		52 - 132	75%	SPK: 100
1718-51-0	Terphenyl-d14	71.7		42 - 152	72%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	179000	7.754			
1146-65-2	Naphthalene-d8	669000	10.525			
15067-26-2	Acenaphthene-d10	415000	14.372			
1517-22-2	Phenanthrene-d10	827000	17.172			
1719-03-5	Chrysene-d12	913000	21.613			
1520-96-3	Perylene-d12	985000	24.971			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products