

DATA PACKAGE
SEMI-VOLATILE ORGANICS

PROJECT NAME : NJ WASTE WATER PT

ALLIANCE TECHNICAL GROUP, LLC - NEWARK

284 Sheffiled Stree

Suite 1

Mountainside, NJ - 07092

Phone No: 908-789-8900

ORDER ID : Q3015

ATTENTION : Mohammad Ahmed



Laboratory Certification ID # 20012



1) SEMI-VOLATILE DATA	2
2) Signature Page	3
3) Case Narrative	4
4) Qualifier Page	6
5) Conformance/Non Conformance	7
6) QA Checklist	9
7) Chronicle	10
8) Hit Summary	11
9) QC Data Summary For SVOCMS Group6	12
9.1) Deuterated Monitoring Compound Summary	13
9.2) LCS/LCSD Summary	14
9.3) Method Blank Summary	16
9.4) GS/MS Tune Summary	17
9.5) Internal Standard Area and RT Summary	19
10) Sample Data	21
10.1) WP0925-RR-TRIAZINE-WP	22
11) Calibration Data Summary	32
11.1) Initial Calibration Data	33
11.1.1) BP091225	33
11.2) Continued Calibration Data	436
11.2.1) BP025769.D	436
12) QC Sample Data	492
12.1) Tune Raw Data	493
12.2) Method Blank Data	501
12.3) LCS Data	510
12.4) LCSD Data	560
13) Manual Integration	610
14) Analytical Runlogs	613
15) Extraction Logs	618
15.1) PB169719.pdf	618
15.2) PB169719IC.pdf	620
16) Standard Prep Logs	621
17) Shipping Document	701
17.1) Chain Of Custody	702
17.2) Lab Certificate	705

Cover Page

Order ID : Q3015

Project ID : NJ Waste Water PT

Client : Alliance Technical Group, LLC - Newark

Lab Sample Number

Q3015-01
Q3015-02
Q3015-03
Q3015-04
Q3015-05
Q3015-06
Q3015-07
Q3015-08
Q3015-09
Q3015-10
Q3015-11
Q3015-12
Q3015-13
Q3015-14
Q3015-15
Q3015-16
Q3015-17
Q3015-18
Q3015-19
Q3015-20
Q3015-21
Q3015-22

Client Sample Number

WP0925-PT-VOA-WP
WP0925-PT-VOA-WP
WP0925-PT-BN-WP
WP0925-PT-BN-WP
WP0925-PT-BN-WP
WP0925-PT-ACIDS-WP
WP0925-PT-ACIDS-WP
WP0925-PT-ACIDS-WP
WP0925-PT-PEST-WP
WP0925-PT-PEST-WP
WP0925-PT-CHLR-WP
WP0925-PT-CHLR-WP
WP0925-PT-TXP-WP
WP0925-PT-TXP-WP
WP0925-PT-PCBW-WP
WP0925-PT-PCBW-WP
WP0925-PT-HERB-WP
WP0925-RR-GAS-WP
WP0925-RR-DIES-WP
WP0925-RR-8011-WP
WP0925-RR-PAH-WP
WP0925-RR-TRIAZINE-WP

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : _____

Date: 9/23/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

CASE NARRATIVE

Alliance Technical Group, LLC - Newark

Project Name: NJ Waste Water PT

Project # N/A

Order ID # Q3015

Test Name: SVOCMS Group6

A. Number of Samples and Date of Receipt:

1 Water sample was received on 09/09/2025.

B. Parameters

According to the Chain of Custody document, the following analyses were requested: SVOCMS Group6. This data package contains results for SVOCMS Group6.

C. Analytical Techniques:

The samples were analyzed on instrument BNA_P using GC Column ZB-SemiVolatiles Guardian which is 30 meters, 0.25 mm ID, 0.5 um df, Catalog # 7HG-G027-17-GGA. The analysis of SVOCMS Group6 was based on method 8270E and extraction was done based on method 3510.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Surrogate recoveries were met for all analysis.

The Internal Standards Areas were met for all analysis.

The Retention Times were met for all analysis.

The RPD were met for all analysis.

The Blank Spike met requirements for all compounds.

The Blank Spike Duplicate met requirements for all compounds.

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements.

The Continuous Calibration met the requirements.

The Tuning criteria met requirements.

E. Additional Comments:

The Form 6 is not included in the data package because the Initial Calibration was performed using 7 points.

Please use %D calculated based on Avg RF and CCRF for all compounds using Average Response Factor when the %RSD value for a compound is <20% for the Initial Calibration curve and use %D calculated based on Amount added and Calculated amount for all compounds using Linear Regression when the %RSD value for a compound is > 20% for the Initial Calibration curve for SW-846 analysis.



284 Sheffield Street, Mountainside, NJ 07092
Phone: 908 789 8900 Fax: 908 789 8922

F. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17

DATA REPORTING QUALIFIERS- ORGANIC

For reporting results, the following “ Results Qualifiers” are used:

Value	If the result is a value greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. “10 U”. This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
ND	Indicates the analyte was analyzed for, but not detected
J	Indicates an estimated value. This flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3 ug/L was calculated report as 3 J. This flag is used when similar situation arise on any organic parameter i.e. Pest, PCB and others.
B	Indicates the analyte was found in the blank as well as the sample report as “12 B”.
E	Indicates the analyte ‘s concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide/PCB target analyte when there is >25% difference for detected concentrations between the two GC columns. The lower of the two values is reported on Form 1 and flagged with a “P”.
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
A	This flag indicates that a Tentatively Identified Compound is a suspected aldol-condensation product.
Q	Indicates the LCS did not meet the control limits requirements

GC/MS SEMI-VOLATILE ANALYSIS CONFORMANCE/NON-CONFORMANCE SUMMARY

ORDER ID: Q3015

MATRIX: Water

METHOD: 8270E/3510

		NA	NO	YES
1.	Chromatograms Labeled/Compounds Identified. (Field samples and Method Blanks)			✓
2.	GC/MS Tuning Specifications. DFTPP Meet Criteria. (NOTE THAT THERE ARE DIFFERENT CRITERIA FOR NY ASP CLP, CLP AND NJ)			✓
3.	GC/MS Tuning Frequency - Performed every 24 hours for 600 series and 12 hours for 8000 Series.			✓
4.	GC/MS Calibration - Initial Calibration performed within 30 days before sample analysis and continuing calibration performed within 24 hours of sample analysis for 600 series and 12 hours for 8000 series.			✓
5.	GC/MS Calibration Requirements. The Initial Calibration met the requirements. The Continuous Calibration met the requirements.			✓
6.	Blank Contamination - If yes, list compounds and concentrations in each blank:		✓	
7.	Surrogate Recoveries Meet Criteria If not met, list those compounds and their recoveries which fall outside the acceptable ranges.			✓
8.	Matrix Spike/Matrix Spike Duplicate Recoveries Meet Criteria If not met, list those compounds and their recoveries which fall outside the acceptable range. The Blank Spike met requirements for all compounds. The Blank Spike Duplicate met requirements for all compounds.			✓

GC/MS SEMI-VOLATILE ANALYSIS CONFORMANCE/NON-CONFORMANCE SUMMARY
(CONTINUED)

		NA	NO	YES
9.	Internal Standard Area/Retention Time Shift Meet Criteria			✓
	Comments:			
10.	Extraction Holding Time Met		✓	
	If not met, list number of days exceeded for each sample:			
11.	Analysis Holding Time Met		✓	
	If not met, list number of days exceeded for each sample:			
	The Holding Times were met for all analysis.			

ADDITIONAL COMMENTS:

The Form 6 is not included in the data package because the Initial Calibration was performed using 7 points.
 Please use %D calculated based on Avg RF and CCRF for all compounds using Average Response Factor when the %RSD value for a compound is <20% for the Initial Calibration curve and use %D calculated based on Amount added and Calculated amount for all compounds using Linear Regression when the %RSD value for a compound is > 20% for the Initial Calibration curve for SW-846 analysis.

 QA REVIEW

 Date

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: Q3015

Completed

For thorough review, the report must have the following:

GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Castody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: SOHIL JODHANI

Date: 09/23/2025

LAB CHRONICLE

OrderID:	Q3015	OrderDate:	9/4/2025 10:14:00 AM
Client:	Alliance Technical Group, LLC - Newark	Project:	NJ Waste Water PT
Contact:	Mohammad Ahmed	Location:	QA Office,VOA Lab

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q3015-22	WP0925-RR-TRIAZIN E-WP	Water	SVOCMS Group6	8270E	09/05/25	09/17/25	09/17/25	09/09/25



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Hit Summary Sheet SW-846

SDG No.: Q3015
Client: Alliance Technical Group, LLC - Newark

Sample ID	Client ID	Parameter	Concentration	C	MDL	RDL	Units
Client ID :	WP0925-RR-TRIAZINE-WP						
Q3015-22	WP0925-RR-TRIAZINE- WATER	Atrazine	18.600	1		5	ug/L
		Total Svoc :		18.60			
		Total Concentration:		18.60			



QC SUMMARY

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17

Surrogate Summary

SW-846

SDG No.: Q3015

Client: Alliance Technical Group, LLC - Newark

Analytical Method: 8270E

Lab Sample ID	Client ID	Parameter	Spike (PPM)	Result (PPM)	Recovery (%)	Qual	Limits (%)	
							Low	High
PB169719BL	PB169719BL	Nitrobenzene-d5	100	73.4	73		67	132
		2-Fluorobiphenyl	100	75.1	75		52	132
		Terphenyl-d14	100	71.7	72		42	152
PB169719BS	PB169719BS	Nitrobenzene-d5	100	69.0	69		67	132
		2-Fluorobiphenyl	100	68.9	69		52	132
		Terphenyl-d14	100	72.6	73		42	152
PB169719BSD	PB169719BSD	Nitrobenzene-d5	100	69.8	70		67	132
		2-Fluorobiphenyl	100	69.9	70		52	132
		Terphenyl-d14	100	72.7	73		42	152
Q3015-22	WP0925-RR-TRIAZINE-WP	Nitrobenzene-d5	100	86.5	86		67	132
		2-Fluorobiphenyl	100	90.1	90		52	132
		Terphenyl-d14	100	89.0	89		42	152

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.:	<u>Q3015</u>	Analytical Method:	<u>8270E</u>
Client:	<u>Alliance Technical Group, LLC - Newark</u>	DataFile:	<u>BP025774.D</u>

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	RPD		Limits		RPD
								Qual	Low	High		
PB169719BS	Atrazine	50	40.7	ug/L	81				76	120		

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.:	<u>Q3015</u>	Analytical Method:	<u>8270E</u>
Client:	<u>Alliance Technical Group, LLC - Newark</u>	DataFile:	<u>BP025775.D</u>

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	RPD		Limits		RPD
								Qual	Low	High		
PB169719BSD	Atrazine	50	39.9	ug/L	80	2			76	120		20

4B

SEMIVOLATILE METHOD BLANK SUMMARY

Client ID

PB169719BL

Lab Name: Alliance

Contract: ALLI03

Lab Code: ACE

SDG NO.: Q3015

Lab File ID: BP025776.D

Lab Sample ID: PB169719BL

Instrument ID: BNA_P

Date Extracted: 09/17/2025

Matrix: (soil/water) Water

Date Analyzed: 09/17/2025

Level: (low/med) LOW

Time Analyzed: 21:56

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS AND MSD:

EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED
PB169719BS	PB169719BS	BP025774.D	09/17/2025
WP0925-RR-TRIAZINE-WP	Q3015-22	BP025773.D	09/17/2025
PB169719BSD	PB169719BSD	BP025775.D	09/17/2025

COMMENTS: _____



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

5B

SEMIVOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK
DECAFLUOROTRIPHENYLPHOSPHINE (DFTPP)

Lab Name: Alliance
Lab Code: ACE
Lab File ID: BP025724.D
Instrument ID: BNA_P

Contract: ALLI03
SDG NO.: Q3015
DFTPP Injection Date: 09/11/2025
DFTPP Injection Time: 08:09

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
68	Less than 2.0% of mass 69	0.6 (1.6) 1
69	Mass 69 relative abundance	100.0
70	Less than 2.0% of mass 69	0.2 (0.5) 1
197	Less than 2.0% of mass 198	0.6
198	Base Peak, 100% relative abundance	100
199	5.0 to 9.0% of mass 198	6.6
365	Greater than 1% of mass 198	3.3
441	Present, but less than mass 443	79.1
442	Greater than 50% of mass 198	100.0
443	15.0 - 24.0% of mass 442	13.7 (19.7) 2

1-Value is % mass 69

2-Value is % mass 442

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
SSTDICC2.5	SSTDICC2.5	BP025725.D	09/11/2025	08:56
SSTDICC005	SSTDICC005	BP025726.D	09/11/2025	09:37
SSTDICC010	SSTDICC010	BP025727.D	09/11/2025	10:18
SSTDICC020	SSTDICC020	BP025728.D	09/11/2025	10:59
SSTDICCC040	SSTDICCC040	BP025729.D	09/11/2025	12:21
SSTDICC060	SSTDICC060	BP025731.D	09/11/2025	13:43
SSTDICC080	SSTDICC080	BP025732.D	09/11/2025	14:24
SSTDICC050	SSTDICC050	BP025733.D	09/11/2025	15:20



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

5B

SEMIVOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK
DECAFLUOROTRIPHENYLPHOSPHINE (DFTPP)

Lab Name: Alliance
Lab Code: ACE
Lab File ID: BP025768.D
Instrument ID: BNA_P

Contract: ALLI03
SDG NO.: Q3015
DFTPP Injection Date: 09/17/2025
DFTPP Injection Time: 11:22

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
68	Less than 2.0% of mass 69	0.6 (1.7) 1
69	Mass 69 relative abundance	100.0
70	Less than 2.0% of mass 69	0.2 (0.5) 1
197	Less than 2.0% of mass 198	0.6
198	Base Peak, 100% relative abundance	100
199	5.0 to 9.0% of mass 198	6.5
365	Greater than 1% of mass 198	3.4
441	Present, but less than mass 443	78.8
442	Greater than 50% of mass 198	100.0
443	15.0 - 24.0% of mass 442	14.9 (19.5) 2

1-Value is % mass 69

2-Value is % mass 442

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
SSTDCCC040	SSTDCCC040	BP025769.D	09/17/2025	12:03
WP0925-RR-TRIAZINE-WP	Q3015-22	BP025773.D	09/17/2025	19:13
PB169719BS	PB169719BS	BP025774.D	09/17/2025	20:35
PB169719BSD	PB169719BSD	BP025775.D	09/17/2025	21:16
PB169719BL	PB169719BL	BP025776.D	09/17/2025	21:56

8B

SEMIVOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: Alliance

Lab Code: ACE

SDG NO.: Q3015

Client ID : SSTDCCC040

Date Analyzed: 09/17/2025

Lab File ID: BP025769.D

Time Analyzed: 12:03

Instrument ID: BNA_P

GC Column: ZB-GR ID: 0.25 (mm)

	IS1 (DCB) AREA #	RT #	IS2 (NPT) AREA #	RT #	IS3 (ANT) AREA #	RT #
12 HOUR STD	173185	7.755	666754	10.53	429441	14.37
UPPER LIMIT	346370	8.255	1333510	11.025	858882	14.872
LOWER LIMIT	86592.5	7.255	333377	10.025	214721	13.872
EPA SAMPLE NO.						
01 PB169719BL	179386	7.75	669415	10.53	415180	14.37
02 PB169719BS	164300	7.76	643426	10.52	416776	14.37
03 PB169719BSD	164703	7.76	637233	10.53	413759	14.37
04 WP0925-RR-TRIAZINE-WP	132300	7.76	496704	10.53	311195	14.38

IS1 (DCB) = 1,4-Dichlorobenzene-d4

IS2 (NPT) = Naphthalene-d8

IS3 (ANT) = Acenaphthene-d10

AREA UPPER LIMIT = +100% of internal standard area

AREA LOWER LIMIT = -50% of internal standard area

RT UPPER LIMIT = +0.50 minutes of internal standard RT

RT UPPER LIMIT = -0.50 minutes of internal standard RT

Column used to flag values outside QC limits with an asterisk.

* Values outside of QC limits.

8C

SEMIVOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: Alliance

Lab Code: ACE

SDG NO.: Q3015

Client ID: SSTDCCC040

Date Analyzed: 09/17/2025

Lab File ID: BP025769.D

Time Analyzed: 12:03

Instrument ID: BNA_P

GC Column: ZB-GR ID: 0.25 (mm)

	IS4 (PHN) AREA #	RT #	IS5 (CRY) AREA #	RT #	IS6 (PRY) AREA #	RT #
12 HOUR STD	869670	17.172	945078	21.625	1090690	24.989
UPPER LIMIT	1739340	17.672	1890160	22.125	2181380	25.489
LOWER LIMIT	434835	16.672	472539	21.125	545345	24.489
EPA SAMPLE NO.						
01 PB169719BL	826588	17.17	912511	21.61	985422	24.97
02 PB169719BS	849137	17.17	847157	21.62	873039	24.97
03 PB169719BSD	845328	17.18	850188	21.63	857103	24.98
04 WP0925-RR-TRIAZINE-WP	639539	17.18	671156	21.62	738005	24.98

IS4 (PHN) = Phenanthrene-d10

IS5 (CRY) = Chrysene-d12

IS6 (PRY) = Perylene-d12

AREA UPPER LIMIT = +100% of internal standard area

AREA LOWER LIMIT = -50% of internal standard area

RT UPPER LIMIT = +0.50 minutes of internal standard RT

RT UPPER LIMIT = -0.50 minutes of internal standard RT

Column used to flag values outside QC limits with an asterisk.

* Values outside of QC limits.



SAMPLE DATA

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17

Report of Analysis

Client:	Alliance Technical Group, LLC - Newark	Date Collected:	09/05/25
Project:	NJ Waste Water PT	Date Received:	09/09/25
Client Sample ID:	WP0925-RR-TRIAZINE-WP	SDG No.:	Q3015
Lab Sample ID:	Q3015-22	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOCMS Group6
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025773.D	1	09/17/25 09:05	09/17/25 19:13	PB169719

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
1912-24-9	Atrazine	18.6		1.00	5.00	ug/L
SURROGATES						
4165-60-0	Nitrobenzene-d5	86.5		67 - 132	86%	SPK: 100
321-60-8	2-Fluorobiphenyl	90.1		52 - 132	90%	SPK: 100
1718-51-0	Terphenyl-d14	89.0		42 - 152	89%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	132000	7.761			
1146-65-2	Naphthalene-d8	497000	10.531			
15067-26-2	Acenaphthene-d10	311000	14.384			
1517-22-2	Phenanthrene-d10	640000	17.184			
1719-03-5	Chrysene-d12	671000	21.624			
1520-96-3	Perylene-d12	738000	24.977			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP091725\
Data File : BP025773.D
Acq On : 17 Sep 2025 19:13
Operator : CG/JU
Sample : Q3015-22
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
WP0925-RR-TRIAZINE-WP

Quant Time: Sep 18 10:56:28 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP091225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Sep 11 16:45:04 2025
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.761	152	132300	20.000	ng	0.00
21) Naphthalene-d8	10.531	136	496704	20.000	ng	0.00
39) Acenaphthene-d10	14.384	164	311195	20.000	ng	0.00
64) Phenanthrene-d10	17.184	188	639539	20.000	ng	0.00
76) Chrysene-d12	21.624	240	671156	20.000	ng	-0.02
86) Perylene-d12	24.977	264	738005	20.000	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.384	112	1192522	145.442	ng	0.00
7) Phenol-d6	6.943	99	1490175	136.733	ng	0.00
23) Nitrobenzene-d5	8.902	82	973528	86.456	ng	0.00
42) 2,4,6-Tribromophenol	15.901	330	541785	139.580	ng	0.00
45) 2-Fluorobiphenyl	12.990	172	2105480	90.087	ng	0.00
79) Terphenyl-d14	19.907	244	3319720	88.983	ng	0.00
Target Compounds						Qvalue
69) Atrazine	16.631	200	138810	18.555	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP091725\
Data File : BP025773.D
Acq On : 17 Sep 2025 19:13
Operator : CG/JU
Sample : Q3015-22
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
WP0925-RR-TRIAZINE-WP

Quant Time: Sep 18 10:56:28 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP091225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Sep 11 16:45:04 2025
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.761 min Scan# 81
Delta R.T. 0.001 min
Lab File: BP025773.D
Acq: 17 Sep 2025 19:13




Instrument :
BNA_P
ClientSampleId :
WP0925-RR-TRIAZINE-WP


Tgt Ion:152 Resp: 132300
Ion Ratio Lower Upper
152 100
150 148.6 124.3 186.5
115 57.9 50.3 75.5



#5
2-Fluorophenol
Concen: 145.442 ng
RT: 5.384 min Scan# 416
Delta R.T. 0.000 min
Lab File: BP025773.D
Acq: 17 Sep 2025 19:13

Tgt Ion:112 Resp: 1192522
Ion Ratio Lower Upper
112 100
64 61.9 50.2 75.4
63 32.5 26.7 40.1









#7
Phenol-d6
Concen: 136.733 ng
RT: 6.943 min Scan# 61
Delta R.T. -0.006 min
Lab File: BP025773.D
Acq: 17 Sep 2025 19:13




Instrument :
BNA_P
ClientSampleId :
WP0925-RR-TRIAZINE-WP


Tgt Ion: 99 Resp: 1490175
Ion Ratio Lower Upper
99 100
42 19.8 15.6 23.4
71 35.8 28.6 43.0



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.531 min Scan# 1291
Delta R.T. 0.006 min
Lab File: BP025773.D
Acq: 17 Sep 2025 19:13

Tgt Ion: 136 Resp: 496704
Ion Ratio Lower Upper
136 100
137 10.6 8.7 13.1
54 9.4 7.5 11.3
68 6.2 5.0 7.6









#23
Nitrobenzene-d5
Concen: 86.456 ng
RT: 8.902 min Scan# 1014
Delta R.T. 0.000 min
Lab File: BP025773.D
Acq: 17 Sep 2025 19:13




Instrument :
BNA_P
ClientSampleId :
WP0925-RR-TRIAZINE-WP


Tgt Ion: 82 Resp: 973528
Ion Ratio Lower Upper
82 100
128 40.6 32.9 49.3
54 54.9 43.4 65.2



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.384 min Scan# 1946
Delta R.T. 0.006 min
Lab File: BP025773.D
Acq: 17 Sep 2025 19:13

Tgt Ion: 164 Resp: 311195
Ion Ratio Lower Upper
164 100
162 102.1 80.6 120.8
160 44.5 35.0 52.6









#42
2,4,6-Tribromophenol
Concen: 139.580 ng
RT: 15.901 min Scan# 21
Delta R.T. -0.006 min
Lab File: BP025773.D
Acq: 17 Sep 2025 19:13




Instrument :
BNA_P
ClientSampleId :
WP0925-RR-TRIAZINE-WP


Tgt Ion	330	Resp	541785
Ion Ratio	Lower	Upper	
330	100		
332	98.7	76.9	115.3
141	38.3	31.0	46.4



#45
2-Fluorobiphenyl
Concen: 90.087 ng
RT: 12.990 min Scan# 1709
Delta R.T. 0.000 min
Lab File: BP025773.D
Acq: 17 Sep 2025 19:13

Tgt Ion	172	Resp	2105480
Ion Ratio	Lower	Upper	
172	100		
171	34.8	27.8	41.6
170	23.3	18.6	27.8









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.184 min Scan# 2422
Delta R.T. 0.000 min
Lab File: BP025773.D
Acq: 17 Sep 2025 19:13




Instrument :
BNA_P
ClientSampleId :
WP0925-RR-TRIAZINE-WP


Tgt Ion	Ratio	Lower	Upper
188	100		
94	9.2	7.4	11.0
80	10.5	7.7	11.5



#69
Atrazine
Concen: 18.555 ng
RT: 16.631 min Scan# 2328
Delta R.T. -0.006 min
Lab File: BP025773.D
Acq: 17 Sep 2025 19:13

Tgt Ion	Ratio	Lower	Upper
200	100		
173	24.9	4.2	44.2
215	47.8	27.3	67.3









#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.624 min Scan# 3180
Delta R.T. -0.018 min
Lab File: BP025773.D
Acq: 17 Sep 2025 19:13




Instrument :
BNA_P
ClientSampleId :
WP0925-RR-TRIAZINE-WP


Tgt Ion:240 Resp: 671156
Ion Ratio Lower Upper
240 100
120 10.5 8.0 12.0
236 25.2 20.7 31.1



#79
Terphenyl-d14
Concen: 88.983 ng
RT: 19.907 min Scan# 2885
Delta R.T. -0.006 min
Lab File: BP025773.D
Acq: 17 Sep 2025 19:13

Tgt Ion:244 Resp: 3319720
Ion Ratio Lower Upper
244 100
212 7.6 5.9 8.9
122 9.9 7.1 10.7





#86

Perylene-d12

Concen: 20.000 ng

RT: 24.977 min Scan# 31

Delta R.T. -0.023 min

Lab File: BP025773.D


Acq: 17 Sep 2025 19:13

Instrument :

BNA_P

ClientSampleId :

WP0925-RR-TRIAZINE-WP





Tgt Ion:264 Resp: 738005

Ion Ratio Lower Upper

264 100

260 23.1 18.3 27.5

265 22.2 17.3 25.9





CALIBRATION SUMMARY

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17

Method Path : Z:\svoasrv\HPCHEM1\BNA_P\Methods\
Method File : 8270E-BP091225.M
Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
Last Update : Thu Sep 11 16:45:04 2025
Response Via : Initial Calibration

Calibration Files

2.5 =BP025725.D 5 =BP025726.D 10 =BP025727.D 20 =BP025728.D 40 =BP025729.D 50 =BP025733.D 60 =BP025731.D 80 =BP025732.D

Compound	2.5	5	10	20	40	50	60	80	Avg	%RSD
1) I 1,4-Dichlorobenzen...	-----ISTD-----									
2) 1,4-Dioxane	0.565	0.497	0.558	0.546	0.514	0.493	0.469	0.520	7.02	
3) Pyridine	1.376	1.317	1.526	1.566	1.464	1.400	1.380	1.432	6.23	
4) n-Nitrosodimet...		0.639	0.715	0.721	0.680	0.652	0.648	0.676	5.26	
5) S 2-Fluorophenol	1.139	1.123	1.320	1.362	1.282	1.238	1.213	1.240	7.19	
6) Aniline	1.980	1.981	2.462	2.509	2.372	2.265	2.263	2.262	9.42	
7) S Phenol-d6	1.391	1.460	1.793	1.861	1.726	1.658	1.643	1.648	10.33	
8) 2-Chlorophenol	1.229	1.196	1.448	1.508	1.410	1.366	1.361	1.360	8.28	
9) Benzaldehyde		1.037	0.748	0.875	1.207	1.077	0.981	0.987	16.23	
10) C Phenol	1.512	1.525	1.848	1.964	1.819	1.751	1.741	1.737	9.59	
11) bis(2-Chloroet...	1.313	1.222	1.508	1.555	1.438	1.368	1.365	1.396	8.20	
12) 1,3-Dichlorobe...	1.550	1.447	1.662	1.674	1.548	1.489	1.464	1.548	5.87	
13) C 1,4-Dichlorobe...	1.550	1.475	1.698	1.690	1.590	1.539	1.492	1.576	5.63	
14) 1,2-Dichlorobe...	1.529	1.432	1.634	1.653	1.542	1.485	1.445	1.531	5.64	
15) Benzyl Alcohol		1.092	1.425	1.510	1.411	1.350	1.380	1.361	10.49	
16) 2,2'-oxybis(1-...	2.241	2.133	2.476	2.493	2.291	2.164	2.179	2.282	6.47	
17) 2-Methylphenol	0.973	1.030	1.268	1.319	1.231	1.185	1.192	1.171	10.72	
18) Hexachloroethane	0.603	0.557	0.633	0.647	0.609	0.588	0.579	0.602	5.18	
19) P n-Nitroso-di-n...	0.961	1.032	1.047	1.300	1.320	1.230	1.151	1.151	11.29	
20) 3+4-Methylphenols		1.352	1.721	1.819	1.693	1.625	1.633	1.640	9.62	
21) I Naphthalene-d8	-----ISTD-----									
22) Acetophenone	0.474	0.488	0.583	0.588	0.550	0.538	0.520	0.534	8.19	
23) S Nitrobenzene-d5	0.416	0.410	0.490	0.496	0.467	0.455	0.440	0.453	7.43	
24) Nitrobenzene	0.366	0.363	0.440	0.449	0.418	0.411	0.400	0.407	8.15	
25) Isophorone	0.737	0.726	0.862	0.860	0.815	0.791	0.787	0.797	6.76	
26) C 2-Nitrophenol	0.141	0.154	0.190	0.203	0.193	0.192	0.192	0.181	12.86	
27) 2,4-Dimethylph...	0.263	0.286	0.345	0.356	0.327	0.320	0.320	0.317	10.24	
28) bis(2-Chloroet...	0.414	0.423	0.510	0.498	0.474	0.452	0.453	0.461	7.83	
29) C 2,4-Dichloroph...	0.267	0.270	0.339	0.349	0.337	0.327	0.323	0.316	10.66	
30) 1,2,4-Trichlor...	0.355	0.335	0.377	0.378	0.357	0.346	0.343	0.356	4.60	
31) Naphthalene	1.072	1.028	1.164	1.147	1.084	1.044	1.010	1.078	5.41	
32) Benzoic acid		0.170	0.214	0.261	0.253	0.257	0.259	0.236	15.62	
33) 4-Chloroaniline	0.343	0.391	0.489	0.510	0.477	0.465	0.471	0.449	13.27	
34) C Hexachlorobuta...	0.226	0.219	0.247	0.242	0.227	0.226	0.217	0.229	4.97	
35) Caprolactam		0.105	0.127	0.132	0.123	0.120	0.123	0.122	7.52	
36) C 4-Chloro-3-met...	0.328	0.338	0.406	0.414	0.394	0.377	0.380	0.377	8.72	
37) 2-Methylnaphth...	0.662	0.639	0.758	0.747	0.698	0.677	0.666	0.693	6.47	
38) 1-Methylnaphth...	0.726	0.691	0.807	0.800	0.731	0.713	0.703	0.739	6.25	

Method Path : Z:\svoasrv\HPCHEM1\BNA_P\Methods\
 Method File : 8270E-BP091225.M

39) I	Acenaphthene-d10	-----ISTD-----								
40)	1,2,4,5-Tetrac...	0.590	0.561	0.653	0.660	0.607	0.604	0.568	0.606	6.33
41) P	Hexachlorocycl...	0.225	0.326	0.380	0.351	0.347	0.351	0.330		16.40
42) S	2,4,6-Tribromo...	0.227	0.227	0.270	0.277	0.250	0.249	0.246	0.249	7.67
43) C	2,4,6-Trichlor...	0.340	0.354	0.435	0.445	0.409	0.409	0.397	0.398	9.86
44)	2,4,5-Trichlor...	0.375	0.389	0.482	0.501	0.459	0.457	0.441	0.443	10.43
45) S	2-Fluorobiphenyl	1.563	1.470	1.655	1.596	1.479	1.434	1.318	1.502	7.50
46)	1,1'-Biphenyl	1.458	1.375	1.599	1.587	1.465	1.425	1.366	1.468	6.37
47)	2-Chloronaphth...	1.140	1.090	1.252	1.240	1.164	1.132	1.073	1.156	5.96
48)	2-Nitroaniline	0.309	0.332	0.416	0.439	0.399	0.402	0.401	0.385	12.14
49)	Acenaphthylene	1.877	1.791	2.095	2.058	1.904	1.871	1.810	1.915	6.12
50)	Dimethylphthalate	1.545	1.433	1.682	1.659	1.493	1.446	1.430	1.527	6.95
51)	2,6-Dinitrotol...	0.286	0.291	0.353	0.358	0.329	0.330	0.318	0.324	8.57
52) C	Acenaphthene	1.129	1.052	1.207	1.195	1.084	1.055	1.010	1.104	6.80
53)	3-Nitroaniline	0.266	0.282	0.370	0.394	0.358	0.357	0.355	0.340	13.91
54) P	2,4-Dinitrophenol	0.108	0.173	0.209	0.201	0.201	0.209	0.183		21.35
55)	Dibenzofuran	1.834	1.754	1.967	1.922	1.766	1.719	1.640	1.800	6.39
56) P	4-Nitrophenol	0.148	0.255	0.307	0.273	0.280	0.288	0.258		22.01
57)	2,4-Dinitrotol...	0.382	0.398	0.501	0.521	0.484	0.471	0.467	0.460	11.27
58)	Fluorene	1.485	1.382	1.579	1.546	1.385	1.350	1.292	1.431	7.46
59)	2,3,4,6-Tetrac...	0.362	0.361	0.434	0.446	0.404	0.393	0.395	0.399	8.21
60)	Diethylphthalate	1.573	1.472	1.697	1.644	1.518	1.473	1.465	1.549	5.98
61)	4-Chlorophenyl...	0.755	0.699	0.791	0.769	0.704	0.681	0.651	0.721	7.07
62)	4-Nitroaniline	0.258	0.281	0.381	0.404	0.373	0.376	0.365	0.349	15.91
63)	Azobenzene	1.421	1.383	1.648	1.643	1.510	1.468	1.410	1.498	7.29
64) I	Phenanthrene-d10	-----ISTD-----								
65)	4,6-Dinitro-2-...	0.093	0.135	0.151	0.143	0.137	0.139	0.133		15.14
66) c	n-Nitrosodiphe...	0.597	0.573	0.681	0.664	0.628	0.594	0.547	0.612	7.88
67)	4-Bromophenyl-...	0.213	0.202	0.240	0.238	0.226	0.213	0.205	0.220	6.85
68)	Hexachlorobenzene	0.243	0.230	0.266	0.261	0.248	0.236	0.231	0.245	5.77
69)	Atrazine	0.215	0.210	0.260	0.260	0.240	0.227	0.227	0.234	8.54
70) C	Pentachlorophenol	0.132	0.168	0.179	0.167	0.161	0.163	0.162		9.85
71)	Phenanthrene	1.163	1.095	1.247	1.213	1.131	1.065	1.027	1.135	6.96
72)	Anthracene	1.120	1.086	1.280	1.237	1.183	1.107	1.044	1.151	7.39
73)	Carbazole	0.994	0.998	1.185	1.173	1.105	1.038	0.999	1.070	7.82
74)	Di-n-butylphth...	1.232	1.213	1.468	1.438	1.339	1.281	1.220	1.313	8.00
75) C	Fluoranthene	1.387	1.294	1.511	1.447	1.351	1.293	1.242	1.361	6.96
76) I	Chrysene-d12	-----ISTD-----								
77)	Benzidine	0.523	0.537	0.653	0.631	0.578	0.536	0.576		9.47
78)	Pyrene	1.307	1.243	1.444	1.430	1.337	1.308	1.274	1.335	5.71
79) S	Terphenyl-d14	1.133	1.093	1.198	1.177	1.111	1.054	1.017	1.112	5.78
80)	Butylbenzylpht...	0.519	0.511	0.636	0.647	0.608	0.587	0.588	0.585	9.02
81)	Benzo(a)anthra...	1.346	1.302	1.471	1.453	1.378	1.330	1.305	1.369	5.02
82)	3,3'-Dichlorob...	0.425	0.499	0.518	0.488	0.468	0.442	0.473		7.45
83)	Chrysene	1.316	1.253	1.397	1.375	1.317	1.268	1.210	1.305	5.11
84)	Bis(2-ethylhex...	0.800	0.781	0.930	0.945	0.861	0.857	0.818	0.856	7.31
85) c	Di-n-octyl pht...	1.315	1.604	1.670	1.531	1.513	1.504	1.523		7.87

Method Path : Z:\svoasrv\HPCHEM1\BNA_P\Methods\
Method File : 8270E-BP091225.M

86) I	Perylene-d12	-----ISTD-----								
87)	Indeno(1,2,3-c...	1.340	1.334	1.533	1.596	1.506	1.485	1.386	1.454	6.99
88)	Benzo(b)fluora...	1.124	1.145	1.304	1.336	1.252	1.216	1.186	1.223	6.45
89)	Benzo(k)fluora...	1.228	1.170	1.367	1.341	1.258	1.220	1.151	1.248	6.51
90) C	Benzo(a)pyrene	1.131	1.100	1.276	1.307	1.221	1.208	1.141	1.198	6.45
91)	Dibenzo(a,h)an...	1.116	1.075	1.254	1.297	1.239	1.208	1.143	1.190	6.79
92)	Benzo(g,h,i)pe...	1.090	1.078	1.225	1.267	1.210	1.197	1.125	1.170	6.20

(#) = Out of Range

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP091225\
Data File : BP025725.D
Acq On : 11 Sep 2025 08:56
Operator : CG/JU
Sample : SSTDICC2.5
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SSTDICC2.5

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025

Quant Time: Sep 11 16:18:41 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP091225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Sep 11 16:16:10 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.737	152	120353	20.000	ng	-0.02
21) Naphthalene-d8	10.513	136	495839	20.000	ng	-0.01
39) Acenaphthene-d10	14.372	164	354286	20.000	ng	0.00
64) Phenanthrene-d10	17.183	188	772731	20.000	ng	0.00
76) Chrysene-d12	21.624	240	878437	20.000	ng	-0.02
86) Perylene-d12	25.001	264	947867	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	0.000	112	0d	0.000	ng	
7) Phenol-d6	0.000	99	0d	0.000	ng	
23) Nitrobenzene-d5	0.000	82	0d	0.000	ng	
42) 2,4,6-Tribromophenol	0.000	330	0d	0.000	ng	
45) 2-Fluorobiphenyl	0.000	172	0d	0.000	ng	
79) Terphenyl-d14	0.000	244	0d	0.000	ng	
Target Compounds						
19) n-Nitroso-di-n-propyla...	8.549	70	14459m	2.116	ng	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP091225\
Data File : BP025725.D
Acq On : 11 Sep 2025 08:56
Operator : CG/JU
Sample : SSTDICC2.5
Misc :
ALS Vial : 2 Sample Multiplier: 1


Instrument :
BNA_P
ClientSampleId :
SSTDICC2.5

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025


Quant Time: Sep 11 16:18:41 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP091225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Sep 11 16:16:10 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.737 min Scan# 81
Delta R.T. -0.023 min
Lab File: BP025725.D
Acq: 11 Sep 2025 08:56




Instrument :
BNA_P
ClientSampleId :
SSTDICC2.5



Tgt Ion:152 Resp: 12035
Ion Ratio Lower Upper
152 100
150 160.2 124.3 186.5
115 64.4 50.3 75.5

Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025




#5
2-Fluorophenol
Concen: 0.000 ng
Expected RT: 5.38 min

Lab File: BP025725.D
Acq: 11 Sep 2025 08:56

Tgt Ion: 112
Sig Exp Ratio
112 100
64 62.8
63 33.4





#7
Phenol-d6
Concen: 0.000 ng
Expected RT: 6.95 min



Lab File: BP025725.D
Acq: 11 Sep 2025 08:56

Tgt Ion: 99
Sig Exp Ratio
99 100
42 19.5
71 35.8

Instrument :
BNA_P
ClientSampleId :
SSTDICC2.5




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#19
n-Nitroso-di-n-propylamine
Concen: 2.116 ng m
RT: 8.549 min Scan# 954
Delta R.T. -0.006 min
Lab File: BP025725.D
Acq: 11 Sep 2025 08:56

Tgt Ion: 70 Resp: 14459
Ion Ratio Lower Upper
70 100
42 60.9 49.0 73.4
101 8.7 7.9 11.9
130 23.7 16.6 25.0





#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.513 min Scan# 11

Delta R.T. -0.012 min

Lab File: BP025725.D

Acq: 11 Sep 2025 08:56

Instrument :

BNA_P

ClientSampleId :

SSTDICC2.5

Tgt Ion:136 Resp: 495839

Ion Ratio Lower Upper

136 100

137 10.7 8.7 13.1

54 9.4 7.5 11.3





68 6.2 5.0 7.6

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#23

Nitrobenzene-d5

Concen: 0.000 ng

Expected RT: 8.90 min

Lab File: BP025725.D

Acq: 11 Sep 2025 08:56


Tgt Ion: 82


Sig Exp Ratio

82 100

128 41.1

54 54.3





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.372 min Scan# 1945

Delta R.T. -0.006 min

Lab File: BP025725.D

Acq: 11 Sep 2025 08:56

Instrument :

BNA_P

ClientSampleId :

SSTDICC2.5

Tgt Ion:164 Resp: 354286

Ion Ratio Lower Upper

164 100

162 101.9 80.6 120.8





160 45.0 35.0 52.6

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#42

2,4,6-Tribromophenol

Concen: 0.000 ng

Expected RT: 15.91 min

Lab File: BP025725.D

Acq: 11 Sep 2025 08:56


Tgt Ion: 330


Sig Exp Ratio

330 100

332 96.1

141 38.7





#45
2-Fluorobiphenyl
Concen: 0.000 ng
Expected RT: 12.99 min



Lab File: BP025725.D
Acq: 11 Sep 2025 08:56

Instrument :
BNA_P
ClientSampleId :
SSTDICC2.5

Tgt Ion: 172
Sig Exp Ratio
172 100
171 34.7
170 23.2




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.183 min Scan# 2422
Delta R.T. -0.000 min
Lab File: BP025725.D
Acq: 11 Sep 2025 08:56

Tgt Ion:188 Resp: 772731
Ion Ratio Lower Upper
188 100
94 8.3 7.4 11.0
80 9.5 7.7 11.5





#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.624 min Scan# 31

Delta R.T. -0.018 min

Lab File: BP025725.D

Acq: 11 Sep 2025 08:56

Instrument :

BNA_P

ClientSampleId :

SSTDICC2.5

Tgt Ion: 240 Resp: 87843

Ion Ratio Lower Upper

240 100

120 10.1 8.0 12.0





236 25.3 20.7 31.1

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#79

Terphenyl-d14

Concen: 0.000 ng

Expected RT: 19.91 min

Lab File: BP025725.D

Acq: 11 Sep 2025 08:56


Tgt Ion: 244


Sig Exp Ratio

244 100

212 7.4

122 8.9





#86

Perylene-d12

Concen: 20.000 ng

RT: 25.001 min Scan# 31

Delta R.T. -0.000 min

Lab File: BP025725.D

Acq: 11 Sep 2025 08:56

Instrument :

BNA_P

ClientSampleId :

SSTDICC2.5

Tgt Ion:264 Resp: 94786

Ion Ratio Lower Upper

264 100

260 24.4 18.3 27.5




265 22.7 17.3 25.9

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP091225\
 Data File : BP025726.D
 Acq On : 11 Sep 2025 09:37
 Operator : CG/JU
 Sample : SSTDICC005
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :

BNA_P

ClientSampleId :

SSTDICC005

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025

Quant Time: Sep 11 16:19:43 2025

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP091225.M

Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

QLast Update : Thu Sep 11 16:16:10 2025

Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.760	152	118553	20.000	ng	0.00
21) Naphthalene-d8	10.531	136	483637	20.000	ng	0.00
39) Acenaphthene-d10	14.372	164	340469	20.000	ng	0.00
64) Phenanthrene-d10	17.184	188	730553	20.000	ng	0.00
76) Chrysene-d12	21.630	240	824671	20.000	ng	-0.01
86) Perylene-d12	24.995	264	899115	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.390	112	67503	9.187	ng	0.00
7) Phenol-d6	6.949	99	82479	8.446	ng	0.00
23) Nitrobenzene-d5	8.907	82	100673	9.182	ng	0.00
42) 2,4,6-Tribromophenol	15.907	330	38610	9.092	ng	0.00
45) 2-Fluorobiphenyl	12.990	172	266136	10.408	ng	0.00
79) Terphenyl-d14	19.901	244	466997	10.187	ng	-0.01
Target Compounds						
						Qvalue
2) 1,4-Dioxane	3.308	88	16745	5.430	ng	98
3) Pyridine	3.714	79	40793	4.804	ng	97
6) Aniline	7.096	93	58671	4.376	ng	96
8) 2-Chlorophenol	7.337	128	36433	4.520	ng	97
10) Phenol	6.978	94	44799	4.350	ng	98
11) bis(2-Chloroethyl)ether	7.184	93	38920	4.704	ng	94
12) 1,3-Dichlorobenzene	7.649	146	45950	5.009	ng	96
13) 1,4-Dichlorobenzene	7.796	146	45935	4.916	ng	99
14) 1,2-Dichlorobenzene	8.113	146	45308	4.991	ng	98
16) 2,2'-oxybis(1-Chloropr...	8.272	45	66422	4.909	ng	94
17) 2-Methylphenol	8.208	107	28845	4.155	ng	97
18) Hexachloroethane	8.825	117	17883	5.010	ng	98
19) n-Nitroso-di-n-propyla...	8.555	70	30598	4.546	ng	100
22) Acetophenone	8.578	105	57314	4.434	ng	# 96
24) Nitrobenzene	8.949	77	44286	4.502	ng	98
25) Isophorone	9.466	82	89058	4.621	ng	98
26) 2-Nitrophenol	9.660	139	17076	3.910	ng	92
27) 2,4-Dimethylphenol	9.731	122	31764	4.146	ng	99
28) bis(2-Chloroethoxy)met...	9.954	93	50074	4.495	ng	96
29) 2,4-Dichlorophenol	10.219	162	32238	4.220	ng	92
30) 1,2,4-Trichlorobenzene	10.396	180	42918	4.985	ng	96
31) Naphthalene	10.584	128	129655	4.972	ng	100
33) 4-Chloroaniline	10.707	127	41517	3.820	ng	96
34) Hexachlorobutadiene	10.866	225	27333	4.932	ng	94
36) 4-Chloro-3-methylphenol	11.837	107	39611	4.350	ng	97
37) 2-Methylnaphthalene	12.190	142	80091	4.782	ng	98
38) 1-Methylnaphthalene	12.407	142	87800	4.916	ng	97
40) 1,2,4,5-Tetrachloroben...	12.566	216	50181	4.864	ng	99
43) 2,4,6-Trichlorophenol	12.819	196	28904	4.262	ng	95
44) 2,4,5-Trichlorophenol	12.901	196	31943	4.232	ng	96
46) 1,1'-Biphenyl	13.201	154	124080	4.965	ng	97
47) 2-Chloronaphthalene	13.248	162	97044	4.932	ng	96
48) 2-Nitroaniline	13.460	65	26322	4.013	ng	95
49) Acenaphthylene	14.095	152	159767	4.900	ng	99
50) Dimethylphthalate	13.831	163	131492	5.059	ng	99
51) 2,6-Dinitrotoluene	13.948	165	24324	4.417	ng	# 81

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP091225\
 Data File : BP025726.D
 Acq On : 11 Sep 2025 09:37
 Operator : CG/JU
 Sample : SSTDICC005
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 SSTDICC005

Manual Integrations
 APPROVED

Reviewed By :Rahul Chavli 09/12/2025
 Supervised By :Jagrut Upadhyay 09/12/2025

Quant Time: Sep 11 16:19:43 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP091225.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Sep 11 16:16:10 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
52) Acenaphthene	14.437	154	96066	5.109	ng	97
53) 3-Nitroaniline	14.301	138	22660	3.913	ng	94
55) Dibenzofuran	14.784	168	156097	5.094	ng	99
57) 2,4-Dinitrotoluene	14.748	165	32480	4.144	ng	90
58) Fluorene	15.442	166	126434	5.189	ng	97
59) 2,3,4,6-Tetrachlorophenol	15.025	232	30771	4.525	ng	96
60) Diethylphthalate	15.213	149	133865	5.077	ng	98
61) 4-Chlorophenyl-phenyle...	15.437	204	64305	5.236	ng	96
62) 4-Nitroaniline	15.489	138	21996m	3.710	ng	
63) Azobenzene	15.737	77	120979	4.745	ng	97
66) n-Nitrosodiphenylamine	15.660	169	108999	4.875	ng	98
67) 4-Bromophenyl-phenylether	16.354	248	38933	4.851	ng	99
68) Hexachlorobenzene	16.472	284	44390	4.960	ng	98
69) Atrazine	16.642	200	39255	4.593	ng	96
71) Phenanthrene	17.225	178	212489	5.127	ng	99
72) Anthracene	17.325	178	204585	4.866	ng	99
73) Carbazole	17.619	167	181532	4.644	ng	99
74) Di-n-butylphthalate	18.195	149	225100	4.692	ng	100
75) Fluoranthene	19.319	202	253297	5.096	ng	100
78) Pyrene	19.701	202	269369	4.895	ng	99
80) Butylbenzylphthalate	20.630	149	107059	4.437	ng	99
81) Benzo(a)anthracene	21.607	228	277557	4.916	ng	99
83) Chrysene	21.683	228	271250	5.040	ng	99
84) Bis(2-ethylhexyl)phtha...	21.542	149	164937	4.673	ng	100
87) Indeno(1,2,3-cd)pyrene	28.801	276	301229	4.607	ng	# 89
88) Benzo(b)fluoranthene	23.913	252	252672	4.595	ng	98
89) Benzo(k)fluoranthene	23.983	252	275940	4.918	ng	100
90) Benzo(a)pyrene	24.824	252	254148	4.720	ng	98
91) Dibenzo(a,h)anthracene	28.877	278	250801	4.687	ng	98
92) Benzo(g,h,i)perylene	29.983	276	245079	4.657	ng	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.760 min Scan# 81
Delta R.T. 0.000 min
Lab File: BP025726.D
Acq: 11 Sep 2025 09:37

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Tgt Ion:152 Resp: 11855
Ion Ratio Lower Upper
152 100
150 156.0 124.3 186.5
115 61.4 50.3 75.5




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#2
1,4-Dioxane
Concen: 5.430 ng
RT: 3.308 min Scan# 63
Delta R.T. 0.000 min
Lab File: BP025726.D
Acq: 11 Sep 2025 09:37

Tgt Ion: 88 Resp: 16745
Ion Ratio Lower Upper
88 100
58 79.8 65.5 98.3
43 31.5 25.2 37.8









#3
Pyridine
Concen: 4.804 ng
RT: 3.714 min Scan# 131
Delta R.T. 0.006 min
Lab File: BP025726.D
Acq: 11 Sep 2025 09:37

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Tgt Ion: 79 Resp: 40793
Ion Ratio Lower Upper
79 100
52 78.0 63.7 95.5
51 44.8 32.4 48.6




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#5
2-Fluorophenol
Concen: 9.187 ng
RT: 5.390 min Scan# 417
Delta R.T. 0.006 min
Lab File: BP025726.D
Acq: 11 Sep 2025 09:37

Tgt Ion:112 Resp: 67503
Ion Ratio Lower Upper
112 100
64 64.6 50.2 75.4
63 34.6 26.7 40.1









#6
Aniline
Concen: 4.376 ng
RT: 7.096 min Scan# 707
Delta R.T. 0.000 min
Lab File: BP025726.D
Acq: 11 Sep 2025 09:37

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Tgt Ion	93	Resp	5867
Ion Ratio	100		
Lower	32.6		
Upper	49.0		
66	38.0		
65	21.8		




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#7
Phenol-d6
Concen: 8.446 ng
RT: 6.949 min Scan# 682
Delta R.T. 0.000 min
Lab File: BP025726.D
Acq: 11 Sep 2025 09:37


Tgt Ion	99	Resp	82479
Ion Ratio <td>100</td> <td></td> <td></td>	100		
Lower	15.6		
Upper	23.4		
42	20.0		
71	37.0		





#8
2-Chlorophenol
Concen: 4.520 ng
RT: 7.337 min Scan# 748
Delta R.T. 0.000 min
Lab File: BP025726.D
Acq: 11 Sep 2025 09:37




Instrument :
BNA_P
ClientSampleId :
SSTDICC005




Tgt Ion: 128 Resp: 36433
Ion Ratio Lower Upper
128 100
130 30.1 12.6 52.6
64 53.2 31.6 71.6

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025




#10
Phenol
Concen: 4.350 ng
RT: 6.978 min Scan# 687
Delta R.T. 0.006 min
Lab File: BP025726.D
Acq: 11 Sep 2025 09:37



Tgt Ion: 94 Resp: 44799
Ion Ratio Lower Upper
94 100
65 28.3 10.2 50.2
66 41.5 21.4 61.4





#11

bis(2-Chloroethyl)ether

Concen: 4.704 ng

RT: 7.184 min Scan# 722

Delta R.T. 0.000 min

Lab File: BP025726.D

Acq: 11 Sep 2025 09:37

Instrument :

BNA_P

ClientSampleId :





SSTDICC005

Tgt Ion:	93	Resp:	38920
Ion	Ratio	Lower	Upper
93	100		
63	77.6	62.6	102.6
95	29.4	13.2	53.2

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#12

1,3-Dichlorobenzene

Concen: 5.009 ng




RT: 7.649 min Scan# 801


Delta R.T. 0.000 min

Lab File: BP025726.D

Acq: 11 Sep 2025 09:37

Tgt Ion:	146	Resp:	45950
Ion	Ratio	Lower	Upper
146	100		
148	61.0	52.7	79.1
75	33.1	26.4	39.6





#13

1,4-Dichlorobenzene

Concen: 4.916 ng

RT: 7.796 min Scan# 801

Delta R.T. 0.006 min

Lab File: BP025726.D

Acq: 11 Sep 2025 09:37

Instrument :

BNA_P

ClientSampleId :

SSTDICC005





Tgt Ion	146	Resp	45935
Ion Ratio	Lower	Upper	
146	100		
148	64.5	52.0	78.0
111	43.9	33.9	50.9

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#14

1,2-Dichlorobenzene

Concen: 4.991 ng




RT: 8.113 min Scan# 880


Delta R.T. 0.006 min

Lab File: BP025726.D

Acq: 11 Sep 2025 09:37

Tgt Ion	146	Resp	45308
Ion Ratio	Lower	Upper	
146	100		
148	65.8	51.7	77.5
111	42.7	35.5	53.3





#16

2,2'-oxybis(1-Chloropropane)

Concen: 4.909 ng

RT: 8.272 min Scan# 90

Delta R.T. -0.006 min

Lab File: BP025726.D

Acq: 11 Sep 2025 09:37

Instrument :

BNA_P

ClientSampleId :





SSTDICC005

Tgt Ion:	45	Resp:	6642
Ion Ratio	Lower	Upper	
45	100		
77	14.7	0.0	33.1
79	13.1	0.0	30.0

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#17

2-Methylphenol

Concen: 4.155 ng




RT: 8.208 min Scan# 896


Delta R.T. 0.006 min

Lab File: BP025726.D

Acq: 11 Sep 2025 09:37

Tgt Ion:	107	Resp:	28845
Ion Ratio	Lower	Upper	
107	100		
108	114.9	89.6	134.4
77	49.7	39.3	58.9
79	49.9	37.8	56.6





#18

Hexachloroethane

Concen: 5.010 ng

RT: 8.825 min Scan# 10

Delta R.T. 0.000 min

Lab File: BP025726.D

Acq: 11 Sep 2025 09:37

Instrument :

BNA_P

ClientSampleId :

SSTDICC005

Tgt Ion:117 Resp: 1788

Ion Ratio Lower Upper

117 100

119 92.4 77.1 115.7





201 106.9 85.6 128.4

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#19

n-Nitroso-di-n-propylamine

Concen: 4.546 ng

RT: 8.555 min Scan# 955

Delta R.T. 0.000 min

Lab File: BP025726.D

Acq: 11 Sep 2025 09:37

Tgt Ion: 70 Resp: 30598




Ion Ratio Lower Upper


70 100

42 60.9 49.0 73.4

101 9.3 7.9 11.9

130 20.9 16.6 25.0





#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.531 min Scan# 1291

Delta R.T. 0.006 min

Lab File: BP025726.D

Acq: 11 Sep 2025 09:37

Instrument :

BNA_P

ClientSampleId :

SSTDICC005

Tgt Ion:136 Resp: 48363

Ion Ratio Lower Upper

136 100

137 10.9 8.7 13.1

54 9.1 7.5 11.3





68 6.4 5.0 7.6

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#22

Acetophenone

Concen: 4.434 ng

RT: 8.578 min Scan# 959

Delta R.T. 0.006 min

Lab File: BP025726.D

Acq: 11 Sep 2025 09:37

Tgt Ion:105 Resp: 57314




Ion Ratio Lower Upper


105 100

71 2.9 1.8 2.8

51 33.0 23.5 35.3

120 22.9 17.7 26.5





#23

Nitrobenzene-d5

Concen: 9.182 ng

RT: 8.907 min Scan# 1015

Delta R.T. 0.006 min

Lab File: BP025726.D

Acq: 11 Sep 2025 09:37

Instrument :

BNA_P

ClientSampleId :

SSTDICC005

Tgt Ion: 82 Resp: 100673

Ion Ratio Lower Upper

82 100

128 42.2 32.9 49.3





54 55.4 43.4 65.2

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#24

Nitrobenzene

Concen: 4.502 ng

RT: 8.949 min Scan# 1022

Delta R.T. 0.000 min

Lab File: BP025726.D

Acq: 11 Sep 2025 09:37




Tgt Ion: 77 Resp: 44286


Ion Ratio Lower Upper

77 100

123 42.2 34.4 51.6

65 15.2 10.8 16.2





#25

Isophorone

Concen: 4.621 ng

RT: 9.466 min Scan# 1110

Delta R.T. 0.000 min

Lab File: BP025726.D

Acq: 11 Sep 2025 09:37

Instrument :

BNA_P

ClientSampleId :





SSTDICC005

Tgt Ion:	82	Resp:	89058
Ion	Ratio	Lower	Upper
82	100		
95	6.2	5.8	8.8
138	16.3	13.5	20.3

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#26

2-Nitrophenol

Concen: 3.910 ng




RT: 9.660 min Scan# 1143


Delta R.T. 0.012 min

Lab File: BP025726.D

Acq: 11 Sep 2025 09:37

Tgt Ion:	139	Resp:	17076
Ion	Ratio	Lower	Upper
139	100		
109	29.3	29.0	43.4
65	54.0	46.9	70.3





#27

2,4-Dimethylphenol

Concen: 4.146 ng

RT: 9.731 min Scan# 1152

Delta R.T. 0.018 min

Lab File: BP025726.D

Acq: 11 Sep 2025 09:37

Instrument :

BNA_P

ClientSampleId :

SSTDICC005





Tgt Ion:	122	Resp:	31764
Ion	Ratio	Lower	Upper
122	100		
107	123.1	97.9	146.9
121	61.0	47.4	71.0

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#28

bis(2-Chloroethoxy)methane

Concen: 4.495 ng




RT: 9.954 min Scan# 1193


Delta R.T. 0.012 min

Lab File: BP025726.D

Acq: 11 Sep 2025 09:37

Tgt Ion:	93	Resp:	50074
Ion	Ratio	Lower	Upper
93	100		
95	34.1	25.6	38.4
123	10.0	9.2	13.8





#29

2,4-Dichlorophenol

Concen: 4.220 ng

RT: 10.219 min Scan# 1238

Delta R.T. 0.035 min

Lab File: BP025726.D

Acq: 11 Sep 2025 09:37

Instrument :

BNA_P

ClientSampleId :

SSTDICC005





Tgt Ion	Ratio	Lower	Upper
162	100		
164	61.9	44.7	84.7
98	29.0	18.1	58.1

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#30

1,2,4-Trichlorobenzene

Concen: 4.985 ng




RT: 10.396 min Scan# 1268


Delta R.T. 0.006 min

Lab File: BP025726.D

Acq: 11 Sep 2025 09:37

Tgt Ion	Ratio	Lower	Upper
180	100		
182	99.9	76.0	114.0
145	31.7	24.7	37.1









#31
Naphthalene
Concen: 4.972 ng
RT: 10.584 min Scan# 1300
Delta R.T. 0.006 min
Lab File: BP025726.D
Acq: 11 Sep 2025 09:37

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Tgt Ion:128 Resp: 129655
Ion Ratio Lower Upper
128 100
129 10.3 8.6 12.8
127 12.8 10.2 15.4




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#33
4-Chloroaniline
Concen: 3.820 ng
RT: 10.707 min Scan# 1321
Delta R.T. 0.018 min
Lab File: BP025726.D
Acq: 11 Sep 2025 09:37


Tgt Ion:127 Resp: 41517
Ion Ratio Lower Upper
127 100
129 28.7 25.1 37.7
65 30.1 26.4 39.6
92 20.7 15.9 23.9





#34
Hexachlorobutadiene
Concen: 4.932 ng
RT: 10.866 min Scan# 1347
Delta R.T. 0.006 min
Lab File: BP025726.D
Acq: 11 Sep 2025 09:37




Instrument :
BNA_P
ClientSampleId :
SSTDICC005



Tgt Ion: 225 Resp: 2733
Ion Ratio Lower Upper
225 100
223 68.8 50.1 75.1
227 61.4 51.2 76.8




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#36
4-Chloro-3-methylphenol
Concen: 4.350 ng
RT: 11.837 min Scan# 1513
Delta R.T. 0.018 min
Lab File: BP025726.D
Acq: 11 Sep 2025 09:37

Tgt Ion: 107 Resp: 39611
Ion Ratio Lower Upper
107 100
144 28.3 19.4 29.2
142 78.6 63.8 95.6









#37
2-Methylnaphthalene
Concen: 4.782 ng
RT: 12.190 min Scan# 1572
Delta R.T. 0.006 min
Lab File: BP025726.D
Acq: 11 Sep 2025 09:37

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Tgt Ion:142 Resp: 80091
Ion Ratio Lower Upper
142 100
141 88.7 69.6 104.4
115 35.6 30.0 45.0




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#38
1-Methylnaphthalene
Concen: 4.916 ng
RT: 12.407 min Scan# 1610
Delta R.T. 0.006 min
Lab File: BP025726.D
Acq: 11 Sep 2025 09:37

Tgt Ion:142 Resp: 87800
Ion Ratio Lower Upper
142 100
141 94.3 72.7 109.1
116 4.4 3.5 5.3





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.372 min Scan# 1945

Delta R.T. -0.006 min

Lab File: BP025726.D

Acq: 11 Sep 2025 09:37

Instrument :

BNA_P

ClientSampleId :





SSTDICC005

Tgt Ion:	164	Resp:	340469
Ion Ratio	Lower	Upper	
164	100		
162	101.6	80.6	120.8
160	46.3	35.0	52.6

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#40

1,2,4,5-Tetrachlorobenzene

Concen: 4.864 ng




RT: 12.566 min Scan# 1637


Delta R.T. 0.012 min

Lab File: BP025726.D

Acq: 11 Sep 2025 09:37

Tgt Ion:	216	Resp:	50181
Ion Ratio	Lower	Upper	
216	100		
214	76.7	62.4	93.6
179	20.8	17.0	25.6
108	19.0	15.2	22.8





#42

2,4,6-Tribromophenol

Concen: 9.092 ng

RT: 15.907 min Scan# 2205

Delta R.T. 0.000 min

Lab File: BP025726.D

Acq: 11 Sep 2025 09:37

Instrument :

BNA_P

ClientSampleId :

SSTDICC005





Tgt Ion:	330	Resp:	38610
Ion Ratio	Lower	Upper	
330	100		
332	97.7	76.9	115.3
141	39.7	31.0	46.4

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#43

2,4,6-Trichlorophenol

Concen: 4.262 ng




RT: 12.819 min Scan# 1680


Delta R.T. 0.012 min

Lab File: BP025726.D

Acq: 11 Sep 2025 09:37

Tgt Ion:	196	Resp:	28904
Ion Ratio	Lower	Upper	
196	100		
198	91.3	77.2	115.8
200	31.6	24.2	36.2









#44
2,4,5-Trichlorophenol
Concen: 4.232 ng
RT: 12.901 min Scan# 1694
Delta R.T. 0.018 min
Lab File: BP025726.D
Acq: 11 Sep 2025 09:37

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Tgt Ion	Ratio	Lower	Upper
196	100		
198	96.5	77.8	116.8
97	45.6	43.3	64.9
132	27.2	22.3	33.5




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#45
2-Fluorobiphenyl
Concen: 10.408 ng
RT: 12.990 min Scan# 1709
Delta R.T. 0.000 min
Lab File: BP025726.D
Acq: 11 Sep 2025 09:37

Tgt Ion	Ratio	Lower	Upper
172	100		
171	33.5	27.8	41.6
170	22.8	18.6	27.8





#46

1,1'-Biphenyl

Concen: 4.965 ng

RT: 13.201 min Scan# 1745

Delta R.T. 0.000 min

Lab File: BP025726.D

Acq: 11 Sep 2025 09:37

Instrument :

BNA_P

ClientSampleId :





SSTDICC005

Tgt Ion:	154	Resp:	124080
Ion Ratio	Lower	Upper	
154	100		
153	37.8	19.7	59.7
76	14.5	0.0	33.3

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#47

2-Chloronaphthalene

Concen: 4.932 ng




RT: 13.248 min Scan# 1753


Delta R.T. 0.000 min

Lab File: BP025726.D

Acq: 11 Sep 2025 09:37

Tgt Ion:	162	Resp:	97044
Ion Ratio	Lower	Upper	
162	100		
127	36.9	32.2	48.4
164	31.7	26.5	39.7





#48

2-Nitroaniline

Concen: 4.013 ng

RT: 13.460 min Scan# 1788

Delta R.T. 0.006 min

Lab File: BP025726.D

Acq: 11 Sep 2025 09:37

Instrument :

BNA_P

ClientSampleId :





SSTDIC005

Tgt Ion:	65	Resp:	2632
Ion Ratio	Lower	Upper	
65	100		
92	69.3	53.1	79.7
138	91.5	77.8	116.8

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#49

Acenaphthylene

Concen: 4.900 ng




RT: 14.095 min Scan# 1897


Delta R.T. -0.006 min

Lab File: BP025726.D

Acq: 11 Sep 2025 09:37

Tgt Ion:	152	Resp:	159767
Ion Ratio	Lower	Upper	
152	100		
151	19.4	15.8	23.6
153	13.3	10.5	15.7





#50

Dimethylphthalate

Concen: 5.059 ng

RT: 13.831 min Scan# 1852

Delta R.T. -0.006 min

Lab File: BP025726.D

Acq: 11 Sep 2025 09:37

Instrument :

BNA_P

ClientSampleId :

SSTDICC005





Tgt Ion:	163	Resp:	131492
Ion Ratio	Lower	Upper	
163	100		
194	4.6	3.4	5.2
164	9.6	8.2	12.2

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#51

2,6-Dinitrotoluene

Concen: 4.417 ng




RT: 13.948 min Scan# 1872


Delta R.T. -0.006 min

Lab File: BP025726.D

Acq: 11 Sep 2025 09:37


Tgt Ion:	165	Resp:	24324
Ion Ratio	Lower	Upper	
165	100		
63	77.4	48.1	72.1#
89	68.2	45.4	68.0#





#52
Acenaphthene
Concen: 5.109 ng
RT: 14.437 min Scan# 1955
Delta R.T. -0.018 min
Lab File: BP025726.D
Acq: 11 Sep 2025 09:37




Instrument :
BNA_P
ClientSampleId :
SSTDICC005



Tgt Ion:154 Resp: 96060
Ion Ratio Lower Upper
154 100
153 108.7 89.4 134.0
152 55.2 42.5 63.7




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#53
3-Nitroaniline
Concen: 3.913 ng
RT: 14.301 min Scan# 1932
Delta R.T. 0.012 min
Lab File: BP025726.D
Acq: 11 Sep 2025 09:37


Tgt Ion:138 Resp: 22660
Ion Ratio Lower Upper
138 100
108 10.5 8.7 13.1
92 124.9 94.6 142.0





#55
Dibenzenofuran
Concen: 5.094 ng
RT: 14.784 min Scan# 2008
Delta R.T. -0.006 min
Lab File: BP025726.D
Acq: 11 Sep 2025 09:37




Instrument :
BNA_P
ClientSampleId :
SSTDICC005




Tgt Ion:168 Resp: 156097
Ion Ratio Lower Upper
168 100
139 40.1 31.7 47.5
169 13.5 10.8 16.2

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025




#57
2,4-Dinitrotoluene
Concen: 4.144 ng
RT: 14.748 min Scan# 2008
Delta R.T. -0.006 min
Lab File: BP025726.D
Acq: 11 Sep 2025 09:37



Tgt Ion:165 Resp: 32480
Ion Ratio Lower Upper
165 100
63 55.0 37.7 56.5
89 84.0 61.0 91.6
182 3.4 2.4 3.6









#58
Fluorene
Concen: 5.189 ng
RT: 15.442 min Scan# 2128
Delta R.T. -0.012 min
Lab File: BP025726.D
Acq: 11 Sep 2025 09:37

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Tgt Ion:166 Resp: 126434
Ion Ratio Lower Upper
166 100
165 94.2 77.7 116.5
167 13.8 10.6 16.0




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#59
2,3,4,6-Tetrachlorophenol
Concen: 4.525 ng
RT: 15.025 min Scan# 2055
Delta R.T. 0.000 min
Lab File: BP025726.D
Acq: 11 Sep 2025 09:37

Tgt Ion:232 Resp: 30771
Ion Ratio Lower Upper
232 100
131 49.7 36.7 55.1
130 2.9 2.0 3.0
166 31.5 25.4 38.2





#60

Diethylphthalate

Concen: 5.077 ng

RT: 15.213 min Scan# 2088

Delta R.T. -0.006 min

Lab File: BP025726.D

Acq: 11 Sep 2025 09:37

Instrument :

BNA_P

ClientSampleId :

SSTDICC005

Tgt Ion:149 Resp: 133865

Ion Ratio Lower Upper

149 100

177 21.4 17.7 26.5





150 11.9 10.0 15.0

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#61

4-Chlorophenyl-phenylether

Concen: 5.236 ng

RT: 15.437 min Scan# 2125

Delta R.T. -0.006 min

Lab File: BP025726.D

Acq: 11 Sep 2025 09:37




Tgt Ion:204 Resp: 64305


Ion Ratio Lower Upper

204 100

206 35.2 26.0 39.0

141 59.2 49.7 74.5









#62
4-Nitroaniline
Concen: 3.710 ng m
RT: 15.489 min Scan# 2132
Delta R.T. 0.012 min
Lab File: BP025726.D
Acq: 11 Sep 2025 09:37

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Tgt Ion: 138 Resp: 21996
Ion Ratio Lower Upper
138 100
92 58.6 33.3 73.3
108 92.8 66.7 106.7




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#63
Azobenzene
Concen: 4.745 ng
RT: 15.737 min Scan# 2176
Delta R.T. 0.000 min
Lab File: BP025726.D
Acq: 11 Sep 2025 09:37

Tgt Ion: 77 Resp: 120979
Ion Ratio Lower Upper
77 100
182 22.6 5.2 45.2
105 19.9 1.1 41.1
51 32.3 11.6 51.6









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.184 min Scan# 2422
Delta R.T. 0.000 min
Lab File: BP025726.D
Acq: 11 Sep 2025 09:37

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Tgt Ion:188 Resp: 730553
Ion Ratio Lower Upper
188 100
94 9.4 7.4 11.0
80 10.1 7.7 11.5




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#66
n-Nitrosodiphenylamine
Concen: 4.875 ng
RT: 15.660 min Scan# 2163
Delta R.T. 0.006 min
Lab File: BP025726.D
Acq: 11 Sep 2025 09:37


Tgt Ion:169 Resp: 108999
Ion Ratio Lower Upper
169 100
168 63.9 52.6 78.8
167 35.5 28.5 42.7





#67
4-Bromophenyl-phenylether
Concen: 4.851 ng
RT: 16.354 min Scan# 2281
Delta R.T. 0.000 min
Lab File: BP025726.D
Acq: 11 Sep 2025 09:37




Instrument :
BNA_P
ClientSampleId :
SSTDICC005



Tgt Ion: 248 Resp: 38933
Ion Ratio Lower Upper
248 100
250 95.9 77.5 116.3
141 75.6 60.2 90.4




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#68
Hexachlorobenzene
Concen: 4.960 ng
RT: 16.472 min Scan# 2301
Delta R.T. 0.000 min
Lab File: BP025726.D
Acq: 11 Sep 2025 09:37

Tgt Ion: 284 Resp: 44390
Ion Ratio Lower Upper
284 100
142 37.8 31.3 46.9
249 32.6 27.3 40.9





#69

Atrazine

Concen: 4.593 ng

RT: 16.642 min Scan# 2330

Delta R.T. 0.006 min

Lab File: BP025726.D

Acq: 11 Sep 2025 09:37

Instrument :

BNA_P

ClientSampleId :

SSTDICC005





Tgt Ion:	200	Resp:	3925
Ion Ratio	Lower	Upper	
200	100		
173	25.4	4.2	44.2
215	50.2	27.3	67.3

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#71

Phenanthrene

Concen: 5.127 ng




RT: 17.225 min Scan# 2429


Delta R.T. 0.000 min

Lab File: BP025726.D

Acq: 11 Sep 2025 09:37

Tgt Ion:	178	Resp:	212489
Ion Ratio	Lower	Upper	
178	100		
176	18.7	15.4	23.2
179	15.7	12.2	18.4









#72
Anthracene
Concen: 4.866 ng
RT: 17.325 min Scan# 2445
Delta R.T. 0.006 min
Lab File: BP025726.D
Acq: 11 Sep 2025 09:37

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Tgt Ion:178 Resp: 204585
Ion Ratio Lower Upper
178 100
176 18.4 14.8 22.2
179 15.7 12.2 18.4




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#73
Carbazole
Concen: 4.644 ng
RT: 17.619 min Scan# 2496
Delta R.T. 0.018 min
Lab File: BP025726.D
Acq: 11 Sep 2025 09:37

Tgt Ion:167 Resp: 181532
Ion Ratio Lower Upper
167 100
166 20.2 17.0 25.4
139 13.3 10.6 16.0






#74
Di-n-butylphthalate
Concen: 4.692 ng
RT: 18.195 min Scan# 2594
Delta R.T. 0.012 min
Lab File: BP025726.D
Acq: 11 Sep 2025 09:37

Instrument :

BNA_P

ClientSampleId :




SSTDICC005




Tgt Ion:149 Resp: 225100
Ion Ratio Lower Upper
149 100
150 9.2 7.4 11.0
104 5.1 4.3 6.5

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025




#75
Fluoranthene
Concen: 5.096 ng
RT: 19.319 min Scan# 2785
Delta R.T. 0.006 min
Lab File: BP025726.D
Acq: 11 Sep 2025 09:37



Tgt Ion:202 Resp: 253297
Ion Ratio Lower Upper
202 100
101 10.4 0.0 30.4
203 17.2 0.0 37.4





#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.630 min Scan# 31

Delta R.T. -0.012 min

Lab File: BP025726.D

Acq: 11 Sep 2025 09:37

Instrument :

BNA_P

ClientSampleId :

SSTDICC005

Tgt Ion:240 Resp: 82467

Ion Ratio Lower Upper

240 100

120 9.8 8.0 12.0





236 25.2 20.7 31.1

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#78

Pyrene

Concen: 4.895 ng

RT: 19.701 min Scan# 2850

Delta R.T. 0.012 min

Lab File: BP025726.D

Acq: 11 Sep 2025 09:37




Tgt Ion:202 Resp: 269369


Ion Ratio Lower Upper

202 100

200 20.4 17.0 25.6

203 17.0 13.9 20.9





#79

Terphenyl-d14

Concen: 10.187 ng

RT: 19.901 min Scan# 2886

Delta R.T. -0.012 min

Lab File: BP025726.D

Acq: 11 Sep 2025 09:37

Instrument :

BNA_P

ClientSampleId :

SSTDICC005





Tgt Ion:	244	Resp:	466997
Ion Ratio	Lower	Upper	
244	100		
212	7.2	5.9	8.9
122	10.7	7.1	10.7

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#80

Butylbenzylphthalate

Concen: 4.437 ng




RT: 20.630 min Scan# 3008


Delta R.T. -0.012 min

Lab File: BP025726.D

Acq: 11 Sep 2025 09:37

Tgt Ion:	149	Resp:	107059
Ion Ratio	Lower	Upper	
149	100		
91	69.7	56.6	85.0
206	21.4	17.4	26.0









#81
Benzo(a)anthracene
Concen: 4.916 ng
RT: 21.607 min Scan# 3174
Delta R.T. -0.012 min
Lab File: BP025726.D
Acq: 11 Sep 2025 09:37

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Tgt Ion:228 Resp: 27755
Ion Ratio Lower Upper
228 100
226 26.9 21.6 32.4
229 20.1 15.7 23.5




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#83
Chrysene
Concen: 5.040 ng
RT: 21.683 min Scan# 3187
Delta R.T. -0.006 min
Lab File: BP025726.D
Acq: 11 Sep 2025 09:37

Tgt Ion:228 Resp: 271250
Ion Ratio Lower Upper
228 100
226 30.0 23.8 35.6
229 20.0 15.6 23.4









#84
Bis(2-ethylhexyl)phthalate
Concen: 4.673 ng
RT: 21.542 min Scan# 3164
Delta R.T. -0.006 min
Lab File: BP025726.D
Acq: 11 Sep 2025 09:37

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Tgt Ion:149 Resp: 164937
Ion Ratio Lower Upper
149 100
167 28.6 22.9 34.3
279 4.4 3.8 5.8




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#86
Perylene-d12
Concen: 20.000 ng
RT: 24.995 min Scan# 3750
Delta R.T. -0.006 min
Lab File: BP025726.D
Acq: 11 Sep 2025 09:37


Tgt Ion:264 Resp: 899115
Ion Ratio Lower Upper
264 100
260 23.1 18.3 27.5
265 22.2 17.3 25.9





#87
Indeno(1,2,3-cd)pyrene
Concen: 4.607 ng
RT: 28.801 min Scan# 4397
Delta R.T. -0.035 min
Lab File: BP025726.D
Acq: 11 Sep 2025 09:37




Instrument :
BNA_P
ClientSampleId :
SSTDICC005



Tgt Ion: 276 Resp: 301229
Ion Ratio Lower Upper
276 100
138 14.1 13.4 20.2
277 17.9 9.1 13.7




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#88
Benzo(b)fluoranthene
Concen: 4.595 ng
RT: 23.913 min Scan# 3566
Delta R.T. -0.018 min
Lab File: BP025726.D
Acq: 11 Sep 2025 09:37

Tgt Ion: 252 Resp: 252672
Ion Ratio Lower Upper
252 100
253 21.6 17.9 26.9
125 9.5 7.3 10.9





#89

Benzo(k)fluoranthene

Concen: 4.918 ng

RT: 23.983 min Scan# 31

Delta R.T. -0.018 min

Lab File: BP025726.D

Acq: 11 Sep 2025 09:37

Instrument :

BNA_P

ClientSampleId :





SSTDICC005

Tgt Ion:	252	Resp:	275940
Ion Ratio	Lower	Upper	
252	100		
253	21.9	17.5	26.3
125	9.6	7.5	11.3

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#90

Benzo(a)pyrene

Concen: 4.720 ng




RT: 24.824 min Scan# 3721


Delta R.T. -0.018 min

Lab File: BP025726.D

Acq: 11 Sep 2025 09:37

Tgt Ion:	252	Resp:	254148
Ion Ratio	Lower	Upper	
252	100		
253	22.1	17.2	25.8
125	11.2	8.3	12.5





#91

Dibenzo(a,h)anthracene

Concen: 4.687 ng

RT: 28.877 min Scan# 4417

Delta R.T. -0.041 min

Lab File: BP025726.D

Acq: 11 Sep 2025 09:37

Instrument :

BNA_P

ClientSampleId :

SSTDICC005

Tgt Ion:278 Resp: 25080

Ion Ratio Lower Upper

278 100

139 16.7 12.1 18.1





279 24.3 19.6 29.4

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#92

Benzo(g,h,i)perylene

Concen: 4.657 ng

RT: 29.983 min Scan# 4598

Delta R.T. -0.029 min

Lab File: BP025726.D

Acq: 11 Sep 2025 09:37




Tgt Ion:276 Resp: 245079

Ion Ratio Lower Upper

276 100

277 21.2 18.7 28.1

138 20.5 16.0 24.0



Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP091225\
 Data File : BP025727.D
 Acq On : 11 Sep 2025 10:18
 Operator : CG/JU
 Sample : SSTDICC010
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :

BNA_P

ClientSampleId :

SSTDICC010

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025

Quant Time: Sep 11 16:20:47 2025

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP091225.M

Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

QLast Update : Thu Sep 11 16:16:10 2025

Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.760	152	130279	20.000	ng	0.00
21) Naphthalene-d8	10.525	136	533074	20.000	ng	0.00
39) Acenaphthene-d10	14.366	164	373569	20.000	ng	-0.01
64) Phenanthrene-d10	17.183	188	783581	20.000	ng	0.00
76) Chrysene-d12	21.636	240	866064	20.000	ng	0.00
86) Perylene-d12	24.989	264	954952	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.390	112	146309	18.121	ng	0.00
7) Phenol-d6	6.949	99	190237	17.726	ng	0.00
23) Nitrobenzene-d5	8.902	82	218368	18.070	ng	0.00
42) 2,4,6-Tribromophenol	15.895	330	84835	18.207	ng	-0.01
45) 2-Fluorobiphenyl	12.984	172	548995	19.568	ng	0.00
79) Terphenyl-d14	19.907	244	946504	19.661	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	3.308	88	32347	9.545	ng	98
3) Pyridine	3.714	79	85764	9.191	ng	98
4) n-Nitrosodimethylamine	3.619	42	41618	9.452	ng	98
6) Aniline	7.096	93	129012	8.757	ng	98
8) 2-Chlorophenol	7.337	128	77937	8.799	ng	98
9) Benzaldehyde	6.913	77	67547m	10.513	ng	
10) Phenol	6.978	94	99362	8.781	ng	99
11) bis(2-Chloroethyl)ether	7.190	93	79609	8.756	ng	99
12) 1,3-Dichlorobenzene	7.649	146	94257	9.350	ng	98
13) 1,4-Dichlorobenzene	7.796	146	96090	9.357	ng	99
14) 1,2-Dichlorobenzene	8.107	146	93300	9.352	ng	99
15) Benzyl Alcohol	8.007	79	71103	8.018	ng	98
16) 2,2'-oxybis(1-Chloropr...	8.278	45	138959	9.346	ng	98
17) 2-Methylphenol	8.207	107	67077	8.792	ng	99
18) Hexachloroethane	8.831	117	36252	9.242	ng	95
19) n-Nitroso-di-n-propyla...	8.554	70	68213	9.222	ng	98
20) 3+4-Methylphenols	8.537	107	88058	8.241	ng	99
22) Acetophenone	8.572	105	130184	9.138	ng	# 97
24) Nitrobenzene	8.943	77	96781	8.927	ng	97
25) Isophorone	9.466	82	193432	9.106	ng	98
26) 2-Nitrophenol	9.654	139	41028	8.524	ng	93
27) 2,4-Dimethylphenol	9.719	122	76321	9.038	ng	94
28) bis(2-Chloroethoxy)met...	9.937	93	112758	9.183	ng	99
29) 2,4-Dichlorophenol	10.207	162	71856	8.535	ng	96
30) 1,2,4-Trichlorobenzene	10.390	180	89376	9.419	ng	99
31) Naphthalene	10.572	128	274007	9.533	ng	99
32) Benzoic acid	9.837	122	45191m	7.198	ng	
33) 4-Chloroaniline	10.696	127	104287	8.705	ng	98
34) Hexachlorobutadiene	10.860	225	58279	9.541	ng	98
35) Caprolactam	11.466	113	28000m	8.645	ng	
36) 4-Chloro-3-methylphenol	11.825	107	90104	8.976	ng	97
37) 2-Methylnaphthalene	12.184	142	170398	9.230	ng	99
38) 1-Methylnaphthalene	12.401	142	184127	9.353	ng	97
40) 1,2,4,5-Tetrachloroben...	12.554	216	104709	9.250	ng	100
41) Hexachlorocyclopentadiene	12.531	237	42087	6.826	ng	94
43) 2,4,6-Trichlorophenol	12.807	196	66063	8.877	ng	98

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP091225\
 Data File : BP025727.D
 Acq On : 11 Sep 2025 10:18
 Operator : CG/JU
 Sample : SSTDICC010
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 SSTDICC010

Manual Integrations
 APPROVED

Reviewed By :Rahul Chavli 09/12/2025
 Supervised By :Jagrut Upadhyay 09/12/2025

Quant Time: Sep 11 16:20:47 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP091225.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Sep 11 16:16:10 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	12.890	196	72578	8.763	ng	95
46) 1,1'-Biphenyl	13.195	154	256914	9.370	ng	99
47) 2-Chloronaphthalene	13.242	162	203648	9.432	ng	99
48) 2-Nitroaniline	13.454	65	61991	8.613	ng	97
49) Acenaphthylene	14.089	152	334623	9.354	ng	99
50) Dimethylphthalate	13.825	163	267725	9.387	ng	99
51) 2,6-Dinitrotoluene	13.942	165	54414	9.005	ng	99
52) Acenaphthene	14.437	154	196467	9.523	ng	100
53) 3-Nitroaniline	14.284	138	52642	8.285	ng	98
54) 2,4-Dinitrophenol	14.513	184	20208	9.658	ng	96
55) Dibenzofuran	14.778	168	327607	9.743	ng	99
56) 4-Nitrophenol	14.648	139	27599	9.243	ng	88
57) 2,4-Dinitrotoluene	14.748	165	74291	8.639	ng	99
58) Fluorene	15.436	166	258111	9.654	ng	99
59) 2,3,4,6-Tetrachlorophenol	15.013	232	67402	9.034	ng	100
60) Diethylphthalate	15.213	149	274993	9.505	ng	100
61) 4-Chlorophenyl-phenyle...	15.431	204	130552	9.689	ng	98
62) 4-Nitroaniline	15.472	138	52570	8.082	ng	94
63) Azobenzene	15.731	77	258320	9.235	ng	99
65) 4,6-Dinitro-2-methylph...	15.536	198	36614	7.026	ng	94
66) n-Nitrosodiphenylamine	15.654	169	224671	9.369	ng	99
67) 4-Bromophenyl-phenylether	16.354	248	79245	9.206	ng	98
68) Hexachlorobenzene	16.472	284	90039	9.379	ng	99
69) Atrazine	16.636	200	82175	8.965	ng	98
70) Pentachlorophenol	16.836	266	51635	8.150	ng	93
71) Phenanthrene	17.230	178	429178	9.655	ng	99
72) Anthracene	17.325	178	425513	9.435	ng	98
73) Carbazole	17.607	167	390923	9.323	ng	99
74) Di-n-butylphthalate	18.189	149	475436	9.240	ng	99
75) Fluoranthene	19.319	202	507116	9.513	ng	100
77) Benzidine	19.525	184	226459	9.078	ng	100
78) Pyrene	19.689	202	538053	9.311	ng	98
80) Butylbenzylphthalate	20.636	149	221238	8.731	ng	95
81) Benzo(a)anthracene	21.613	228	563687	9.507	ng	100
82) 3,3'-Dichlorobenzidine	21.530	252	184095	8.980	ng	100
83) Chrysene	21.683	228	542537	9.599	ng	99
84) Bis(2-ethylhexyl)phtha...	21.542	149	338402	9.129	ng	100
85) Di-n-octyl phthalate	22.818	149	569524	8.637	ng	98
87) Indeno(1,2,3-cd)pyrene	28.789	276	637024	9.173	ng	# 85
88) Benzo(b)fluoranthene	23.918	252	546577	9.360	ng	99
89) Benzo(k)fluoranthene	23.989	252	558830	9.378	ng	99
90) Benzo(a)pyrene	24.830	252	525444	9.188	ng	99
91) Dibenzo(a,h)anthracene	28.871	278	513228	9.031	ng	97
92) Benzo(g,h,i)perylene	29.995	276	514884	9.213	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.760 min Scan# 820
Delta R.T. 0.000 min
Lab File: BP025727.D
Acq: 11 Sep 2025 10:18

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Tgt Ion: 152 Resp: 130279
Ion Ratio Lower Upper
152 100
150 151.8 124.3 186.5
115 60.8 50.3 75.5




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#2
1,4-Dioxane
Concen: 9.545 ng
RT: 3.308 min Scan# 63
Delta R.T. -0.000 min
Lab File: BP025727.D
Acq: 11 Sep 2025 10:18

Tgt Ion: 88 Resp: 32347
Ion Ratio Lower Upper
88 100
58 83.4 65.5 98.3
43 32.9 25.2 37.8









#3
Pyridine
Concen: 9.191 ng
RT: 3.714 min Scan# 131
Delta R.T. 0.006 min
Lab File: BP025727.D
Acq: 11 Sep 2025 10:18

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Tgt Ion: 79 Resp: 85764
Ion Ratio Lower Upper
79 100
52 77.7 63.7 95.5
51 39.8 32.4 48.6




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#4
n-Nitrosodimethylamine
Concen: 9.452 ng
RT: 3.619 min Scan# 116
Delta R.T. 0.006 min
Lab File: BP025727.D
Acq: 11 Sep 2025 10:18

Tgt Ion: 42 Resp: 41618
Ion Ratio Lower Upper
42 100
74 121.4 99.2 148.8
44 8.9 6.4 9.6









#5
2-Fluorophenol
Concen: 18.121 ng
RT: 5.390 min Scan# 416
Delta R.T. 0.006 min
Lab File: BP025727.D
Acq: 11 Sep 2025 10:18

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Tgt Ion: 112 Resp: 146309
Ion Ratio Lower Upper
112 100
64 63.6 50.2 75.4
63 32.5 26.7 40.1




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#6
Aniline
Concen: 8.757 ng
RT: 7.096 min Scan# 707
Delta R.T. -0.000 min
Lab File: BP025727.D
Acq: 11 Sep 2025 10:18

Tgt Ion: 93 Resp: 129012
Ion Ratio Lower Upper
93 100
66 39.7 32.6 49.0
65 18.9 16.2 24.2









#7
Phenol-d6
Concen: 17.726 ng
RT: 6.949 min Scan# 682
Delta R.T. -0.000 min
Lab File: BP025727.D
Acq: 11 Sep 2025 10:18

Instrument :
BNA_P
Client Sample Id :
SSTDICC010

Tgt Ion: 99 Resp: 19023
Ion Ratio Lower Upper
99 100
42 20.1 15.6 23.4
71 36.6 28.6 43.0




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#8
2-Chlorophenol
Concen: 8.799 ng
RT: 7.337 min Scan# 748
Delta R.T. -0.000 min
Lab File: BP025727.D
Acq: 11 Sep 2025 10:18

Tgt Ion:128 Resp: 77937
Ion Ratio Lower Upper
128 100
130 35.0 12.6 52.6
64 50.9 31.6 71.6









#9
Benzaldehyde
Concen: 10.513 ng m
RT: 6.913 min Scan# 61
Delta R.T. -0.000 min
Lab File: BP025727.D
Acq: 11 Sep 2025 10:18

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Tgt Ion: 77 Resp: 6754
Ion Ratio Lower Upper
77 100
105 95.6 75.2 115.2
106 92.5 71.3 111.3




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#10
Phenol
Concen: 8.781 ng
RT: 6.978 min Scan# 687
Delta R.T. 0.006 min
Lab File: BP025727.D
Acq: 11 Sep 2025 10:18

Tgt Ion: 94 Resp: 99362
Ion Ratio Lower Upper
94 100
65 29.9 10.2 50.2
66 40.5 21.4 61.4





#11

bis(2-Chloroethyl)ether

Concen: 8.756 ng

RT: 7.190 min Scan# 722

Delta R.T. 0.006 min

Lab File: BP025727.D

Acq: 11 Sep 2025 10:18

Instrument :

BNA_P

ClientSampleId :





SSTDICC010

Tgt Ion:	93	Resp:	79609
Ion	Ratio	Lower	Upper
93	100		
63	83.5	62.6	102.6
95	32.8	13.2	53.2

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#12

1,3-Dichlorobenzene

Concen: 9.350 ng




RT: 7.649 min Scan# 801


Delta R.T. -0.000 min

Lab File: BP025727.D

Acq: 11 Sep 2025 10:18

Tgt Ion:	146	Resp:	94257
Ion	Ratio	Lower	Upper
146	100		
148	64.5	52.7	79.1
75	34.0	26.4	39.6





#13

1,4-Dichlorobenzene

Concen: 9.357 ng

RT: 7.796 min Scan# 81

Delta R.T. 0.006 min

Lab File: BP025727.D

Acq: 11 Sep 2025 10:18

Instrument :

BNA_P

ClientSampleId :





SSTDICC010

Tgt Ion:	146	Resp:	96090
Ion Ratio	Lower	Upper	
146	100		
148	66.0	52.0	78.0
111	42.8	33.9	50.9

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#14

1,2-Dichlorobenzene

Concen: 9.352 ng




RT: 8.107 min Scan# 879


Delta R.T. -0.000 min

Lab File: BP025727.D

Acq: 11 Sep 2025 10:18

Tgt Ion:	146	Resp:	93300
Ion Ratio	Lower	Upper	
146	100		
148	64.5	51.7	77.5
111	46.5	35.5	53.3





#15

Benzyl Alcohol

Concen: 8.018 ng

RT: 8.007 min Scan# 80

Delta R.T. 0.006 min

Lab File: BP025727.D

Acq: 11 Sep 2025 10:18

Instrument :

BNA_P

ClientSampleId :





SSTDICC010

Tgt Ion:	79	Resp:	71103
Ion	Ratio	Lower	Upper
79	100		
108	73.0	58.7	88.1
77	66.4	50.2	75.2

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#16

2,2'-oxybis(1-Chloropropane)

Concen: 9.346 ng




RT: 8.278 min Scan# 908


Delta R.T. -0.000 min

Lab File: BP025727.D

Acq: 11 Sep 2025 10:18

Tgt Ion:	45	Resp:	138959
Ion	Ratio	Lower	Upper
45	100		
77	13.8	0.0	33.1
79	11.0	0.0	30.0





#17

2-Methylphenol

Concen: 8.792 ng

RT: 8.207 min Scan# 89

Delta R.T. 0.006 min

Lab File: BP025727.D

Acq: 11 Sep 2025 10:18

Instrument :

BNA_P

ClientSampleId :

SSTDICC010

Tgt Ion:107 Resp: 6707

Ion Ratio Lower Upper

107 100

108 111.5 89.6 134.4

77 51.1 39.3 58.9





79 48.2 37.8 56.6

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#18

Hexachloroethane

Concen: 9.242 ng

RT: 8.831 min Scan# 1002

Delta R.T. 0.006 min

Lab File: BP025727.D

Acq: 11 Sep 2025 10:18




Tgt Ion:117 Resp: 36252


Ion Ratio Lower Upper

117 100

119 88.9 77.1 115.7

201 104.2 85.6 128.4





#19

n-Nitroso-di-n-propylamine

Concen: 9.222 ng

RT: 8.554 min Scan# 91

Delta R.T. -0.000 min

Lab File: BP025727.D

Acq: 11 Sep 2025 10:18

Instrument :

BNA_P

ClientSampleId :

SSTDICC010

Tgt Ion: 70 Resp: 6821

Ion Ratio Lower Upper

70 100

42 63.1 49.0 73.4

101 10.5 7.9 11.9





130 20.4 16.6 25.0

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#20

3+4-Methylphenols

Concen: 8.241 ng

RT: 8.537 min Scan# 952

Delta R.T. 0.012 min

Lab File: BP025727.D

Acq: 11 Sep 2025 10:18

Tgt Ion:107 Resp: 88058




Ion Ratio Lower Upper


107 100

108 87.5 67.8 107.8

77 34.3 16.1 56.1


79 31.7 10.5 50.5





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.525 min Scan# 1290
Delta R.T. -0.000 min
Lab File: BP025727.D
Acq: 11 Sep 2025 10:18




Instrument :
BNA_P
ClientSampleId :
SSTDICC010



Tgt Ion:136 Resp: 533074
Ion Ratio Lower Upper
136 100
137 10.9 8.7 13.1
54 9.2 7.5 11.3
68 6.5 5.0 7.6




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#22
Acetophenone
Concen: 9.138 ng
RT: 8.572 min Scan# 958
Delta R.T. -0.000 min
Lab File: BP025727.D
Acq: 11 Sep 2025 10:18

Tgt Ion:105 Resp: 130184
Ion Ratio Lower Upper
105 100
71 2.8 1.8 2.8#
51 32.1 23.5 35.3
120 21.4 17.7 26.5





#23

Nitrobenzene-d5

Concen: 18.070 ng

RT: 8.902 min Scan# 1014

Delta R.T. -0.000 min

Lab File: BP025727.D

Acq: 11 Sep 2025 10:18

Instrument :

BNA_P

ClientSampleId :

SSTDICC010

Tgt Ion: 82 Resp: 218368

Ion Ratio Lower Upper

82 100

128 39.4 32.9 49.3





54 54.1 43.4 65.2

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#24

Nitrobenzene

Concen: 8.927 ng

RT: 8.943 min Scan# 1021

Delta R.T. -0.006 min

Lab File: BP025727.D

Acq: 11 Sep 2025 10:18




Tgt Ion: 77 Resp: 96781


Ion Ratio Lower Upper

77 100

123 41.2 34.4 51.6

65 14.3 10.8 16.2









#25
Isophorone
Concen: 9.106 ng
RT: 9.466 min Scan# 1110
Delta R.T. -0.000 min
Lab File: BP025727.D
Acq: 11 Sep 2025 10:18

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Tgt Ion: 82 Resp: 193432
Ion Ratio Lower Upper
82 100
95 7.2 5.8 8.8
138 17.9 13.5 20.3




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#26
2-Nitrophenol
Concen: 8.524 ng
RT: 9.654 min Scan# 1142
Delta R.T. 0.006 min
Lab File: BP025727.D
Acq: 11 Sep 2025 10:18

Tgt Ion:139 Resp: 41028
Ion Ratio Lower Upper
139 100
109 31.9 29.0 43.4
65 53.2 46.9 70.3





#27

2,4-Dimethylphenol

Concen: 9.038 ng

RT: 9.719 min Scan# 1152

Delta R.T. 0.006 min

Lab File: BP025727.D

Acq: 11 Sep 2025 10:18

Instrument :

BNA_P

ClientSampleId :





SSTDICC010

Tgt Ion:	122	Resp:	7632
Ion	Ratio	Lower	Upper
122	100		
107	115.2	97.9	146.9
121	55.1	47.4	71.0

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#28

bis(2-Chloroethoxy)methane

Concen: 9.183 ng




RT: 9.937 min Scan# 1190


Delta R.T. -0.006 min

Lab File: BP025727.D

Acq: 11 Sep 2025 10:18

Tgt Ion:	93	Resp:	112758
Ion	Ratio	Lower	Upper
93	100		
95	31.0	25.6	38.4
123	11.8	9.2	13.8





#29

2,4-Dichlorophenol

Concen: 8.535 ng

RT: 10.207 min Scan# 1236

Delta R.T. 0.023 min

Lab File: BP025727.D

Acq: 11 Sep 2025 10:18

Instrument :

BNA_P

ClientSampleId :

SSTDICC010





Tgt Ion:	162	Resp:	71856
Ion Ratio	Lower	Upper	
162	100		
164	68.2	44.7	84.7
98	39.8	18.1	58.1

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#30

1,2,4-Trichlorobenzene

Concen: 9.419 ng




RT: 10.390 min Scan# 1267


Delta R.T. -0.000 min

Lab File: BP025727.D

Acq: 11 Sep 2025 10:18

Tgt Ion:	180	Resp:	89376
Ion Ratio	Lower	Upper	
180	100		
182	96.3	76.0	114.0
145	31.5	24.7	37.1









#31
Naphthalene
Concen: 9.533 ng
RT: 10.572 min Scan# 1173
Delta R.T. -0.006 min
Lab File: BP025727.D
Acq: 11 Sep 2025 10:18

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Tgt Ion:128 Resp: 27400
Ion Ratio Lower Upper
128 100
129 10.9 8.6 12.8
127 13.3 10.2 15.4




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#32
Benzoic acid
Concen: 7.198 ng m
RT: 9.837 min Scan# 1173
Delta R.T. -0.041 min
Lab File: BP025727.D
Acq: 11 Sep 2025 10:18


Tgt Ion:122 Resp: 45191
Ion Ratio Lower Upper
122 100
105 125.6 111.5 151.5
77 103.1 81.8 121.8





#33
4-Chloroaniline
Concen: 8.705 ng
RT: 10.696 min Scan# 1318
Delta R.T. 0.006 min
Lab File: BP025727.D
Acq: 11 Sep 2025 10:18




Instrument :
BNA_P
ClientSampleId :
SSTDICC010




Tgt Ion:127 Resp: 10428
Ion Ratio Lower Upper
127 100
129 32.9 25.1 37.7
65 34.8 26.4 39.6
92 20.1 15.9 23.9

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025




#34
Hexachlorobutadiene
Concen: 9.541 ng
RT: 10.860 min Scan# 1347
Delta R.T. -0.000 min
Lab File: BP025727.D
Acq: 11 Sep 2025 10:18



Tgt Ion:225 Resp: 58279
Ion Ratio Lower Upper
225 100
223 65.3 50.1 75.1
227 63.1 51.2 76.8





#35

Caprolactam

Concen: 8.645 ng m

RT: 11.466 min Scan# 14

Delta R.T. -0.018 min

Lab File: BP025727.D

Acq: 11 Sep 2025 10:18

Instrument :

BNA_P

ClientSampleId :

SSTDICC010

Tgt Ion:113 Resp: 28000

Ion Ratio Lower Upper

113 100

55 180.4 165.5 205.5





56 137.8 121.1 161.1

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#36

4-Chloro-3-methylphenol

Concen: 8.976 ng

RT: 11.825 min Scan# 1511

Delta R.T. 0.006 min

Lab File: BP025727.D

Acq: 11 Sep 2025 10:18




Tgt Ion:107 Resp: 90104


Ion Ratio Lower Upper

107 100

144 24.1 19.4 29.2

142 76.9 63.8 95.6





#37

2-Methylnaphthalene

Concen: 9.230 ng

RT: 12.184 min Scan# 1572

Delta R.T. -0.000 min

Lab File: BP025727.D

Acq: 11 Sep 2025 10:18

Instrument :

BNA_P

ClientSampleId :

SSTDICC010





Tgt Ion:	142	Resp:	170398
Ion Ratio	Lower	Upper	
142	100		
141	88.1	69.6	104.4
115	38.3	30.0	45.0

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#38

1-Methylnaphthalene

Concen: 9.353 ng




RT: 12.401 min Scan# 1609


Delta R.T. -0.000 min

Lab File: BP025727.D

Acq: 11 Sep 2025 10:18

Tgt Ion:	142	Resp:	184127
Ion Ratio	Lower	Upper	
142	100		
141	93.4	72.7	109.1
116	3.9	3.5	5.3





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.366 min Scan# 1945

Delta R.T. -0.012 min

Lab File: BP025727.D

Acq: 11 Sep 2025 10:18

Instrument :

BNA_P

ClientSampleId :

SSTDICC010

Tgt Ion:164 Resp: 373569

Ion Ratio Lower Upper

164 100

162 98.6 80.6 120.8





160 44.3 35.0 52.6

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#40

1,2,4,5-Tetrachlorobenzene

Concen: 9.250 ng

RT: 12.554 min Scan# 1635

Delta R.T. -0.000 min

Lab File: BP025727.D

Acq: 11 Sep 2025 10:18

Tgt Ion:216 Resp: 104709




Ion Ratio Lower Upper


216 100

214 77.8 62.4 93.6

179 21.2 17.0 25.6

108 18.6 15.2 22.8





#41

Hexachlorocyclopentadiene

Concen: 6.826 ng

RT: 12.531 min Scan# 1632

Delta R.T. -0.006 min

Lab File: BP025727.D

Acq: 11 Sep 2025 10:18

Instrument :

BNA_P





ClientSampleId :

SSTDICC010

Tgt Ion:	237	Resp:	4208
Ion Ratio	Lower	Upper	
237	100		
235	57.2	41.9	81.9
272	10.9	0.0	31.8

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#42

2,4,6-Tribromophenol

Concen: 18.207 ng




RT: 15.895 min Scan# 2203


Delta R.T. -0.012 min

Lab File: BP025727.D

Acq: 11 Sep 2025 10:18

Tgt Ion:	330	Resp:	84835
Ion Ratio	Lower	Upper	
330	100		
332	95.7	76.9	115.3
141	38.5	31.0	46.4





#43

2,4,6-Trichlorophenol

Concen: 8.877 ng

RT: 12.807 min Scan# 1678

Delta R.T. -0.000 min

Lab File: BP025727.D

Acq: 11 Sep 2025 10:18

Instrument :

BNA_P

ClientSampleId :

SSTDICC010

Tgt Ion:196 Resp: 66063

Ion Ratio Lower Upper

196 100

198 95.7 77.2 115.8





200 32.3 24.2 36.2

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#44

2,4,5-Trichlorophenol

Concen: 8.763 ng

RT: 12.890 min Scan# 1692

Delta R.T. 0.006 min

Lab File: BP025727.D

Acq: 11 Sep 2025 10:18

Tgt Ion:196 Resp: 72578




Ion Ratio Lower Upper


196 100

198 94.2 77.8 116.8

97 48.2 43.3 64.9

132 26.1 22.3 33.5





#45

2-Fluorobiphenyl

Concen: 19.568 ng

RT: 12.984 min Scan# 1708

Delta R.T. -0.006 min

Lab File: BP025727.D

Acq: 11 Sep 2025 10:18

Instrument :

BNA_P

ClientSampleId :

SSTDICC010





Tgt Ion:	172	Resp:	548995
Ion Ratio	Lower	Upper	
172	100		
171	34.0	27.8	41.6
170	23.0	18.6	27.8

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#46

1,1'-Biphenyl

Concen: 9.370 ng




RT: 13.195 min Scan# 1744


Delta R.T. -0.006 min

Lab File: BP025727.D

Acq: 11 Sep 2025 10:18

Tgt Ion:	154	Resp:	256914
Ion Ratio	Lower	Upper	
154	100		
153	40.2	19.7	59.7
76	14.4	0.0	33.3





#47

2-Chloronaphthalene

Concen: 9.432 ng

RT: 13.242 min Scan# 1753

Delta R.T. -0.006 min

Lab File: BP025727.D

Acq: 11 Sep 2025 10:18

Instrument :

BNA_P

ClientSampleId :

SSTDICC010

Tgt Ion:162 Resp: 203648

Ion Ratio Lower Upper

162 100

127 40.5 32.2 48.4





164 33.6 26.5 39.7

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#48

2-Nitroaniline

Concen: 8.613 ng

RT: 13.454 min Scan# 1788

Delta R.T. -0.000 min

Lab File: BP025727.D

Acq: 11 Sep 2025 10:18




Tgt Ion: 65 Resp: 61991


Ion Ratio Lower Upper

65 100

92 69.3 53.1 79.7

138 99.1 77.8 116.8





#49

Acenaphthylene

Concen: 9.354 ng

RT: 14.089 min Scan# 1898

Delta R.T. -0.012 min

Lab File: BP025727.D

Acq: 11 Sep 2025 10:18

Instrument :

BNA_P

ClientSampleId :





SSTDICC010

Tgt Ion	Ratio	Lower	Upper
152	100		
151	19.1	15.8	23.6
153	13.1	10.5	15.7

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#50

Dimethylphthalate

Concen: 9.387 ng




RT: 13.825 min Scan# 1851


Delta R.T. -0.012 min

Lab File: BP025727.D

Acq: 11 Sep 2025 10:18

Tgt Ion	Ratio	Lower	Upper
163	100		
194	4.3	3.4	5.2
164	10.6	8.2	12.2









#51
2,6-Dinitrotoluene
Concen: 9.005 ng
RT: 13.942 min Scan# 1873
Delta R.T. -0.012 min
Lab File: BP025727.D
Acq: 11 Sep 2025 10:18

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Tgt Ion:165 Resp: 54414
Ion Ratio Lower Upper
165 100
63 61.3 48.1 72.1
89 57.2 45.4 68.0




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#52
Acenaphthene
Concen: 9.523 ng
RT: 14.437 min Scan# 1955
Delta R.T. -0.018 min
Lab File: BP025727.D
Acq: 11 Sep 2025 10:18

Tgt Ion:154 Resp: 196467
Ion Ratio Lower Upper
154 100
153 111.4 89.4 134.0
152 52.5 42.5 63.7









#53
3-Nitroaniline
Concen: 8.285 ng
RT: 14.284 min Scan# 1930
Delta R.T. -0.006 min
Lab File: BP025727.D
Acq: 11 Sep 2025 10:18

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Tgt Ion:138 Resp: 52642
Ion Ratio Lower Upper
138 100
108 12.5 8.7 13.1
92 119.8 94.6 142.0




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#54
2,4-Dinitrophenol
Concen: 9.658 ng
RT: 14.513 min Scan# 1968
Delta R.T. 0.006 min
Lab File: BP025727.D
Acq: 11 Sep 2025 10:18

Tgt Ion:184 Resp: 20208
Ion Ratio Lower Upper
184 100
63 64.2 52.5 78.7
154 68.6 51.5 77.3









#55
Dibenzenofuran
Concen: 9.743 ng
RT: 14.778 min Scan# 20
Delta R.T. -0.012 min
Lab File: BP025727.D
Acq: 11 Sep 2025 10:18

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Tgt Ion:168 Resp: 32760
Ion Ratio Lower Upper
168 100
139 38.5 31.7 47.5
169 13.6 10.8 16.2




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#56
4-Nitrophenol
Concen: 9.243 ng
RT: 14.648 min Scan# 1991
Delta R.T. 0.029 min
Lab File: BP025727.D
Acq: 11 Sep 2025 10:18

Tgt Ion:139 Resp: 27599
Ion Ratio Lower Upper
139 100
109 63.0 62.9 102.9
65 107.6 83.4 123.4









#57
2,4-Dinitrotoluene
Concen: 8.639 ng
RT: 14.748 min Scan# 2009
Delta R.T. -0.006 min
Lab File: BP025727.D
Acq: 11 Sep 2025 10:18

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Tgt Ion:165 Resp: 74291
Ion Ratio Lower Upper
165 100
63 48.6 37.7 56.5
89 77.1 61.0 91.6
182 2.8 2.4 3.6




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#58
Fluorene
Concen: 9.654 ng
RT: 15.436 min Scan# 2125
Delta R.T. -0.018 min
Lab File: BP025727.D
Acq: 11 Sep 2025 10:18

Tgt Ion:166 Resp: 258111
Ion Ratio Lower Upper
166 100
165 97.9 77.7 116.5
167 14.3 10.6 16.0





#59

2,3,4,6-Tetrachlorophenol

Concen: 9.034 ng

RT: 15.013 min Scan# 2053

Delta R.T. -0.012 min

Lab File: BP025727.D

Acq: 11 Sep 2025 10:18

Instrument :

BNA_P

ClientSampleId :

SSTDICC010

Tgt Ion:232 Resp: 67402

Ion Ratio Lower Upper

232 100

131 46.1 36.7 55.1

130 2.7 2.0 3.0





166 31.4 25.4 38.2

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#60

Diethylphthalate

Concen: 9.505 ng

RT: 15.213 min Scan# 2087

Delta R.T. -0.006 min

Lab File: BP025727.D

Acq: 11 Sep 2025 10:18




Tgt Ion:149 Resp: 274993


Ion Ratio Lower Upper

149 100

177 21.9 17.7 26.5


150 12.6 10.0 15.0





#61
4-Chlorophenyl-phenylether
Concen: 9.689 ng
RT: 15.431 min Scan# 2126
Delta R.T. -0.012 min
Lab File: BP025727.D
Acq: 11 Sep 2025 10:18




Instrument :
BNA_P
ClientSampleId :
SSTDICC010



Tgt Ion: 204 Resp: 130552
Ion Ratio Lower Upper
204 100
206 33.5 26.0 39.0
141 60.2 49.7 74.5




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#62
4-Nitroaniline
Concen: 8.082 ng
RT: 15.472 min Scan# 2131
Delta R.T. -0.006 min
Lab File: BP025727.D
Acq: 11 Sep 2025 10:18

Tgt Ion: 138 Resp: 52570
Ion Ratio Lower Upper
138 100
92 60.2 33.3 73.3
108 89.4 66.7 106.7









#63
Azobenzene
Concen: 9.235 ng
RT: 15.731 min Scan# 2176
Delta R.T. -0.006 min
Lab File: BP025727.D
Acq: 11 Sep 2025 10:18

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Tgt Ion: 77 Resp: 258320
Ion Ratio Lower Upper
77 100
182 25.6 5.2 45.2
105 21.0 1.1 41.1
51 32.4 11.6 51.6




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.183 min Scan# 2422
Delta R.T. -0.000 min
Lab File: BP025727.D
Acq: 11 Sep 2025 10:18

Tgt Ion:188 Resp: 783581
Ion Ratio Lower Upper
188 100
94 8.7 7.4 11.0
80 10.1 7.7 11.5





#65

4,6-Dinitro-2-methylphenol

Concen: 7.026 ng

RT: 15.536 min Scan# 2142

Delta R.T. -0.000 min

Lab File: BP025727.D

Acq: 11 Sep 2025 10:18

Instrument :

BNA_P

ClientSampleId :

SSTDICC010

Tgt Ion:198 Resp: 36614

Ion Ratio Lower Upper

198 100

51 49.4 33.4 73.4





105 47.9 24.3 64.3

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#66

n-Nitrosodiphenylamine

Concen: 9.369 ng

RT: 15.654 min Scan# 2162

Delta R.T. -0.000 min

Lab File: BP025727.D

Acq: 11 Sep 2025 10:18




Tgt Ion:169 Resp: 224671


Ion Ratio Lower Upper

169 100

168 65.2 52.6 78.8


167 35.0 28.5 42.7





#67
4-Bromophenyl-phenylether
Concen: 9.206 ng
RT: 16.354 min Scan# 2281
Delta R.T. -0.000 min
Lab File: BP025727.D
Acq: 11 Sep 2025 10:18




Instrument :
BNA_P
ClientSampleId :
SSTDICC010



Tgt Ion: 248 Resp: 79245
Ion Ratio Lower Upper
248 100
250 95.7 77.5 116.3
141 77.9 60.2 90.4




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#68
Hexachlorobenzene
Concen: 9.379 ng
RT: 16.472 min Scan# 2301
Delta R.T. -0.000 min
Lab File: BP025727.D
Acq: 11 Sep 2025 10:18


Tgt Ion: 284 Resp: 90039
Ion Ratio Lower Upper
284 100
142 38.3 31.3 46.9
249 34.8 27.3 40.9





#69
Atrazine
Concen: 8.965 ng
RT: 16.636 min Scan# 2329
Delta R.T. -0.000 min
Lab File: BP025727.D
Acq: 11 Sep 2025 10:18




Instrument :
BNA_P
ClientSampleId :
SSTDICC010



Tgt Ion:200 Resp: 82175
Ion Ratio Lower Upper
200 100
173 25.1 4.2 44.2
215 48.4 27.3 67.3




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#70
Pentachlorophenol
Concen: 8.150 ng
RT: 16.836 min Scan# 2363
Delta R.T. 0.006 min
Lab File: BP025727.D
Acq: 11 Sep 2025 10:18

Tgt Ion:266 Resp: 51635
Ion Ratio Lower Upper
266 100
268 66.9 49.8 74.8
264 68.6 50.2 75.2









#71
Phenanthrene
Concen: 9.655 ng
RT: 17.230 min Scan# 2429
Delta R.T. 0.006 min
Lab File: BP025727.D
Acq: 11 Sep 2025 10:18

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Tgt Ion:178 Resp: 429178
Ion Ratio Lower Upper
178 100
176 18.4 15.4 23.2
179 15.0 12.2 18.4




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#72
Anthracene
Concen: 9.435 ng
RT: 17.325 min Scan# 2446
Delta R.T. 0.006 min
Lab File: BP025727.D
Acq: 11 Sep 2025 10:18


Tgt Ion:178 Resp: 425513
Ion Ratio Lower Upper
178 100
176 18.0 14.8 22.2
179 16.1 12.2 18.4





#73
Carbazole
Concen: 9.323 ng
RT: 17.607 min Scan# 2493
Delta R.T. 0.006 min
Lab File: BP025727.D
Acq: 11 Sep 2025 10:18




Instrument :
BNA_P
ClientSampleId :
SSTDICC010




Tgt Ion:167 Resp: 390923
Ion Ratio Lower Upper
167 100
166 20.8 17.0 25.4
139 14.1 10.6 16.0

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025




#74
Di-n-butylphthalate
Concen: 9.240 ng
RT: 18.189 min Scan# 2593
Delta R.T. 0.006 min
Lab File: BP025727.D
Acq: 11 Sep 2025 10:18



Tgt Ion:149 Resp: 475436
Ion Ratio Lower Upper
149 100
150 9.4 7.4 11.0
104 5.6 4.3 6.5









#75
Fluoranthene
Concen: 9.513 ng
RT: 19.319 min Scan# 21
Delta R.T. 0.006 min
Lab File: BP025727.D
Acq: 11 Sep 2025 10:18

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Tgt Ion:202 Resp: 507116
Ion Ratio Lower Upper
202 100
101 10.6 0.0 30.4
203 17.3 0.0 37.4




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.636 min Scan# 3179
Delta R.T. -0.006 min
Lab File: BP025727.D
Acq: 11 Sep 2025 10:18

Tgt Ion:240 Resp: 866064
Ion Ratio Lower Upper
240 100
120 10.8 8.0 12.0
236 25.4 20.7 31.1









#77
Benzidine
Concen: 9.078 ng
RT: 19.525 min Scan# 2817
Delta R.T. 0.018 min
Lab File: BP025727.D
Acq: 11 Sep 2025 10:18

Instrument :
BNA_P
Client Sample Id :
SSTDICC010

Tgt Ion:184 Resp: 226459
Ion Ratio Lower Upper
184 100
185 14.3 11.5 17.3
183 11.4 9.2 13.8




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#78
Pyrene
Concen: 9.311 ng
RT: 19.689 min Scan# 2848
Delta R.T. -0.000 min
Lab File: BP025727.D
Acq: 11 Sep 2025 10:18

Tgt Ion:202 Resp: 538053
Ion Ratio Lower Upper
202 100
200 20.2 17.0 25.6
203 17.1 13.9 20.9





#79

Terphenyl-d14

Concen: 19.661 ng

RT: 19.907 min Scan# 2885

Delta R.T. -0.006 min

Lab File: BP025727.D

Acq: 11 Sep 2025 10:18

Instrument :

BNA_P

ClientSampleId :





SSTDICC010

Tgt Ion:	244	Resp:	946504
Ion Ratio	Lower	Upper	
244	100		
212	7.3	5.9	8.9
122	10.1	7.1	10.7

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#80

Butylbenzylphthalate

Concen: 8.731 ng




RT: 20.636 min Scan# 3009


Delta R.T. -0.006 min

Lab File: BP025727.D

Acq: 11 Sep 2025 10:18

Tgt Ion:	149	Resp:	221238
Ion Ratio	Lower	Upper	
149	100		
91	74.9	56.6	85.0
206	23.7	17.4	26.0









#81
Benzo(a)anthracene
Concen: 9.507 ng
RT: 21.613 min Scan# 3175
Delta R.T. -0.006 min
Lab File: BP025727.D
Acq: 11 Sep 2025 10:18

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Tgt Ion:228 Resp: 56368
Ion Ratio Lower Upper
228 100
226 26.9 21.6 32.4
229 19.4 15.7 23.5




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#82
3,3'-Dichlorobenzidine
Concen: 8.980 ng
RT: 21.530 min Scan# 3161
Delta R.T. -0.006 min
Lab File: BP025727.D
Acq: 11 Sep 2025 10:18

Tgt Ion:252 Resp: 184095
Ion Ratio Lower Upper
252 100
254 64.4 51.4 77.0
126 10.1 8.3 12.5





#83

Chrysene

Concen: 9.599 ng

RT: 21.683 min Scan# 3188

Delta R.T. -0.006 min

Lab File: BP025727.D

Acq: 11 Sep 2025 10:18

Instrument :

BNA_P

ClientSampleId :

SSTDICC010

Tgt Ion:228 Resp: 54253

Ion Ratio Lower Upper

228 100

226 30.1 23.8 35.6





229 18.9 15.6 23.4

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#84

Bis(2-ethylhexyl)phthalate

Concen: 9.129 ng

RT: 21.542 min Scan# 3163

Delta R.T. -0.006 min

Lab File: BP025727.D

Acq: 11 Sep 2025 10:18




Tgt Ion:149 Resp: 338402


Ion Ratio Lower Upper

149 100

167 28.5 22.9 34.3

279 4.3 3.8 5.8









#85
Di-n-octyl phthalate
Concen: 8.637 ng
RT: 22.818 min Scan# 3382
Delta R.T. -0.012 min
Lab File: BP025727.D
Acq: 11 Sep 2025 10:18

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Tgt Ion:149 Resp: 569524
Ion Ratio Lower Upper
149 100
167 1.6 1.3 1.9
43 10.7 8.0 12.0




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#86
Perylene-d12
Concen: 20.000 ng
RT: 24.989 min Scan# 3749
Delta R.T. -0.012 min
Lab File: BP025727.D
Acq: 11 Sep 2025 10:18


Tgt Ion:264 Resp: 954952
Ion Ratio Lower Upper
264 100
260 23.9 18.3 27.5
265 22.5 17.3 25.9





#87
Indeno(1,2,3-cd)pyrene
Concen: 9.173 ng
RT: 28.789 min Scan# 4395
Delta R.T. -0.047 min
Lab File: BP025727.D
Acq: 11 Sep 2025 10:18




Instrument :
BNA_P
Client Sample Id :
SSTDICC010



Tgt Ion: 276 Resp: 637024
Ion Ratio Lower Upper
276 100
138 16.5 13.4 20.2
277 25.0 9.1 13.7




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#88
Benzo(b)fluoranthene
Concen: 9.360 ng
RT: 23.918 min Scan# 3567
Delta R.T. -0.012 min
Lab File: BP025727.D
Acq: 11 Sep 2025 10:18

Tgt Ion: 252 Resp: 546577
Ion Ratio Lower Upper
252 100
253 22.9 17.9 26.9
125 8.8 7.3 10.9





#89

Benzo(k)fluoranthene

Concen: 9.378 ng

RT: 23.989 min Scan# 3581

Delta R.T. -0.012 min

Lab File: BP025727.D

Acq: 11 Sep 2025 10:18

Instrument :

BNA_P

ClientSampleId :

SSTDICC010





Tgt Ion:	252	Resp:	558830
Ion Ratio	Lower	Upper	
252	100		
253	22.3	17.5	26.3
125	9.4	7.5	11.3

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#90

Benzo(a)pyrene

Concen: 9.188 ng




RT: 24.830 min Scan# 3722


Delta R.T. -0.012 min

Lab File: BP025727.D

Acq: 11 Sep 2025 10:18

Tgt Ion:	252	Resp:	525444
Ion Ratio	Lower	Upper	
252	100		
253	22.2	17.2	25.8
125	10.5	8.3	12.5





#91

Dibenzo(a,h)anthracene

Concen: 9.031 ng

RT: 28.871 min Scan# 4417

Delta R.T. -0.047 min

Lab File: BP025727.D

Acq: 11 Sep 2025 10:18

Instrument :

BNA_P

ClientSampleId :

SSTDICC010

Tgt Ion:278 Resp: 513228

Ion Ratio Lower Upper

278 100

139 16.7 12.1 18.1





279 23.0 19.6 29.4

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#92

Benzo(g,h,i)perylene

Concen: 9.213 ng

RT: 29.995 min Scan# 4600

Delta R.T. -0.018 min

Lab File: BP025727.D

Acq: 11 Sep 2025 10:18




Tgt Ion:276 Resp: 514884

Ion Ratio Lower Upper

276 100

277 23.5 18.7 28.1

138 21.0 16.0 24.0



Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP091225\
 Data File : BP025728.D
 Acq On : 11 Sep 2025 10:59
 Operator : CG/JU
 Sample : SSTDICC020
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :

BNA_P

ClientSampleId :

SSTDICC020

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025

Quant Time: Sep 11 16:21:50 2025

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP091225.M

Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

QLast Update : Thu Sep 11 16:16:10 2025

Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.761	152	143999	20.000	ng	0.00
21) Naphthalene-d8	10.525	136	606294	20.000	ng	0.00
39) Acenaphthene-d10	14.378	164	418871	20.000	ng	0.00
64) Phenanthrene-d10	17.184	188	862789	20.000	ng	0.00
76) Chrysene-d12	21.630	240	931523	20.000	ng	-0.01
86) Perylene-d12	25.013	264	988151	20.000	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.384	112	380187	42.601	ng	0.00
7) Phenol-d6	6.943	99	516495	43.542	ng	0.00
23) Nitrobenzene-d5	8.902	82	594129	43.226	ng	0.00
42) 2,4,6-Tribromophenol	15.901	330	226554	43.363	ng	0.00
45) 2-Fluorobiphenyl	12.990	172	1386426	44.072	ng	0.00
79) Terphenyl-d14	19.901	244	2231186	43.089	ng	-0.01
Target Compounds						Qvalue
2) 1,4-Dioxane	3.308	88	80281	21.433	ng	99
3) Pyridine	3.708	79	219692	21.301	ng	98
4) n-Nitrosodimethylamine	3.614	42	103000	21.164	ng	100
6) Aniline	7.096	93	354574	21.775	ng	100
8) 2-Chlorophenol	7.337	128	208475	21.294	ng	99
9) Benzaldehyde	6.914	77	107710m	15.166	ng	
10) Phenol	6.972	94	266163	21.280	ng	98
11) bis(2-Chloroethyl)ether	7.190	93	217190	21.613	ng	97
12) 1,3-Dichlorobenzene	7.649	146	239289	21.475	ng	98
13) 1,4-Dichlorobenzene	7.790	146	244577	21.548	ng	97
14) 1,2-Dichlorobenzene	8.108	146	235224	21.333	ng	98
15) Benzyl Alcohol	8.002	79	205181	20.933	ng	99
16) 2,2'-oxybis(1-Chloropr...	8.272	45	356609	21.700	ng	99
17) 2-Methylphenol	8.202	107	182618	21.655	ng	100
18) Hexachloroethane	8.825	117	91098	21.012	ng	99
19) n-Nitroso-di-n-propyla...	8.555	70	187222	22.899	ng	99
20) 3+4-Methylphenols	8.525	107	247752	20.978	ng	98
22) Acetophenone	8.572	105	353588	21.823	ng	# 98
24) Nitrobenzene	8.943	77	266699	21.629	ng	98
25) Isophorone	9.466	82	522705	21.636	ng	100
26) 2-Nitrophenol	9.649	139	115173	21.038	ng	99
27) 2,4-Dimethylphenol	9.713	122	208989	21.760	ng	99
28) bis(2-Chloroethoxy)met...	9.937	93	309508	22.163	ng	99
29) 2,4-Dichlorophenol	10.190	162	205319	21.441	ng	98
30) 1,2,4-Trichlorobenzene	10.390	180	228468	21.170	ng	97
31) Naphthalene	10.578	128	705465	21.579	ng	100
32) Benzoic acid	9.843	122	129745	18.170	ng	99
33) 4-Chloroaniline	10.690	127	296539	21.763	ng	99
34) Hexachlorobutadiene	10.860	225	149942	21.583	ng	99
35) Caprolactam	11.472	113	76940	20.887	ng	98
36) 4-Chloro-3-methylphenol	11.819	107	245998	21.548	ng	97
37) 2-Methylnaphthalene	12.184	142	459751	21.896	ng	98
38) 1-Methylnaphthalene	12.413	142	489270	21.851	ng	100
40) 1,2,4,5-Tetrachloroben...	12.554	216	273360	21.536	ng	100
41) Hexachlorocyclopentadiene	12.537	237	136556	19.753	ng	99
43) 2,4,6-Trichlorophenol	12.807	196	182331	21.851	ng	99

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP091225\
 Data File : BP025728.D
 Acq On : 11 Sep 2025 10:59
 Operator : CG/JU
 Sample : SSTDICC020
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :

BNA_P

ClientSampleId :

SSTDICC020

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025

Quant Time: Sep 11 16:21:50 2025

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP091225.M

Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

QLast Update : Thu Sep 11 16:16:10 2025

Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	12.890	196	201778	21.728	ng	98
46) 1,1'-Biphenyl	13.207	154	669889	21.788	ng	99
47) 2-Chloronaphthalene	13.243	162	524481	21.665	ng	99
48) 2-Nitroaniline	13.460	65	174129	21.578	ng	99
49) Acenaphthylene	14.095	152	877353	21.873	ng	100
50) Dimethylphthalate	13.837	163	704532	22.031	ng	99
51) 2,6-Dinitrotoluene	13.948	165	147655	21.793	ng	99
52) Acenaphthene	14.443	154	505575	21.856	ng	99
53) 3-Nitroaniline	14.290	138	154856	21.735	ng	93
54) 2,4-Dinitrophenol	14.501	184	72511	20.292	ng	96
55) Dibenzofuran	14.790	168	823747	21.850	ng	98
56) 4-Nitrophenol	14.631	139	106678	20.895	ng	98
57) 2,4-Dinitrotoluene	14.754	165	209898	21.769	ng	93
58) Fluorene	15.442	166	661561	22.068	ng	99
59) 2,3,4,6-Tetrachlorophenol	15.025	232	181997	21.756	ng	98
60) Diethylphthalate	15.213	149	710972	21.918	ng	98
61) 4-Chlorophenyl-phenyle...	15.431	204	331129	21.917	ng	99
62) 4-Nitroaniline	15.472	138	159664	21.891	ng	99
63) Azobenzene	15.737	77	690423	22.012	ng	99
65) 4,6-Dinitro-2-methylph...	15.537	198	116319	20.272	ng	96
66) n-Nitrosodiphenylamine	15.660	169	587714	22.259	ng	99
67) 4-Bromophenyl-phenylether	16.360	248	206823	21.820	ng	97
68) Hexachlorobenzene	16.472	284	229447	21.707	ng	94
69) Atrazine	16.642	200	223909	22.185	ng	98
70) Pentachlorophenol	16.831	266	145273	20.824	ng	98
71) Phenanthrene	17.231	178	1075795	21.981	ng	99
72) Anthracene	17.319	178	1104346	22.239	ng	99
73) Carbazole	17.601	167	1022406	22.146	ng	99
74) Di-n-butylphthalate	18.183	149	1266684	22.358	ng	99
75) Fluoranthene	19.319	202	1303398	22.205	ng	100
77) Benzidine	19.513	184	499919	18.631	ng	99
78) Pyrene	19.695	202	1345082	21.640	ng	99
80) Butylbenzylphthalate	20.636	149	592103	21.726	ng	97
81) Benzo(a)anthracene	21.607	228	1370258	21.486	ng	100
82) 3,3'-Dichlorobenzidine	21.536	252	464513	21.065	ng	99
83) Chrysene	21.683	228	1301547	21.410	ng	99
84) Bis(2-ethylhexyl)phtha...	21.548	149	866210	21.725	ng	99
85) Di-n-octyl phthalate	22.830	149	1493820	21.062	ng	100
87) Indeno(1,2,3-cd)pyrene	28.795	276	1514360	21.074	ng	# 85
88) Benzo(b)fluoranthene	23.924	252	1288073	21.316	ng	98
89) Benzo(k)fluoranthene	23.995	252	1351055	21.911	ng	98
90) Benzo(a)pyrene	24.830	252	1260461	21.300	ng	99
91) Dibenzo(a,h)anthracene	28.883	278	1238767	21.066	ng	99
92) Benzo(g,h,i)perylene	29.995	276	1210808	20.937	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.761 min Scan# 81
Delta R.T. 0.001 min
Lab File: BP025728.D
Acq: 11 Sep 2025 10:59

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Tgt Ion:152 Resp: 143999
Ion Ratio Lower Upper
152 100
150 151.8 124.3 186.5
115 60.2 50.3 75.5




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#2
1,4-Dioxane
Concen: 21.433 ng
RT: 3.308 min Scan# 63
Delta R.T. 0.000 min
Lab File: BP025728.D
Acq: 11 Sep 2025 10:59

Tgt Ion: 88 Resp: 80281
Ion Ratio Lower Upper
88 100
58 81.1 65.5 98.3
43 31.6 25.2 37.8









#3
Pyridine
Concen: 21.301 ng
RT: 3.708 min Scan# 131
Delta R.T. 0.000 min
Lab File: BP025728.D
Acq: 11 Sep 2025 10:59

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Tgt Ion: 79 Resp: 219692
Ion Ratio Lower Upper
79 100
52 81.1 63.7 95.5
51 39.0 32.4 48.6




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#4
n-Nitrosodimethylamine
Concen: 21.164 ng
RT: 3.614 min Scan# 115
Delta R.T. 0.000 min
Lab File: BP025728.D
Acq: 11 Sep 2025 10:59


Tgt Ion: 42 Resp: 103000
Ion Ratio Lower Upper
42 100
74 123.6 99.2 148.8
44 8.0 6.4 9.6





#5
2-Fluorophenol
Concen: 42.601 ng
RT: 5.384 min Scan# 416
Delta R.T. 0.000 min
Lab File: BP025728.D
Acq: 11 Sep 2025 10:59




Instrument :
BNA_P
ClientSampleId :
SSTDICC020



Tgt Ion: 112 Resp: 38018
Ion Ratio Lower Upper
112 100
64 61.8 50.2 75.4
63 32.5 26.7 40.1




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#6
Aniline
Concen: 21.775 ng
RT: 7.096 min Scan# 707
Delta R.T. 0.000 min
Lab File: BP025728.D
Acq: 11 Sep 2025 10:59

Tgt Ion: 93 Resp: 354574
Ion Ratio Lower Upper
93 100
66 40.8 32.6 49.0
65 20.1 16.2 24.2









#7
Phenol-d6
Concen: 43.542 ng
RT: 6.943 min Scan# 681
Delta R.T. -0.006 min
Lab File: BP025728.D
Acq: 11 Sep 2025 10:59

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Tgt Ion: 99 Resp: 516495
Ion Ratio Lower Upper
99 100
42 20.0 15.6 23.4
71 36.0 28.6 43.0




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#8
2-Chlorophenol
Concen: 21.294 ng
RT: 7.337 min Scan# 748
Delta R.T. 0.000 min
Lab File: BP025728.D
Acq: 11 Sep 2025 10:59

Tgt Ion:128 Resp: 208475
Ion Ratio Lower Upper
128 100
130 32.0 12.6 52.6
64 51.3 31.6 71.6









#9
Benzaldehyde
Concen: 15.166 ng m
RT: 6.914 min Scan# 61
Delta R.T. 0.000 min
Lab File: BP025728.D
Acq: 11 Sep 2025 10:59

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Tgt Ion: 77 Resp: 107710
Ion Ratio Lower Upper
77 100
105 97.4 75.2 115.2
106 90.8 71.3 111.3




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#10
Phenol
Concen: 21.280 ng
RT: 6.972 min Scan# 686
Delta R.T. 0.000 min
Lab File: BP025728.D
Acq: 11 Sep 2025 10:59

Tgt Ion: 94 Resp: 266163
Ion Ratio Lower Upper
94 100
65 31.3 10.2 50.2
66 42.2 21.4 61.4





#11

bis(2-Chloroethyl)ether

Concen: 21.613 ng

RT: 7.190 min Scan# 722

Delta R.T. 0.006 min

Lab File: BP025728.D

Acq: 11 Sep 2025 10:59

Instrument :

BNA_P

ClientSampleId :

SSTDICC020

Tgt Ion: 93 Resp: 217190

Ion Ratio Lower Upper

93 100

63 79.8 62.6 102.6





95 32.4 13.2 53.2

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#12

1,3-Dichlorobenzene

Concen: 21.475 ng

RT: 7.649 min Scan# 801

Delta R.T. 0.000 min

Lab File: BP025728.D

Acq: 11 Sep 2025 10:59




Tgt Ion:146 Resp: 239289


Ion Ratio Lower Upper

146 100

148 65.0 52.7 79.1

75 34.3 26.4 39.6





#13

1,4-Dichlorobenzene

Concen: 21.548 ng

RT: 7.790 min Scan# 81

Delta R.T. 0.000 min

Lab File: BP025728.D

Acq: 11 Sep 2025 10:59





Instrument :

BNA_P

ClientSampleId :

SSTDICC020

Tgt Ion:	146	Resp:	24457
Ion Ratio	Lower	Upper	
146	100		
148	62.3	52.0	78.0
111	41.5	33.9	50.9

Manual Integrations
APPROVEDReviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025

#14

1,2-Dichlorobenzene

Concen: 21.333 ng




RT: 8.108 min Scan# 879


Delta R.T. 0.000 min

Lab File: BP025728.D

Acq: 11 Sep 2025 10:59

Tgt Ion:	146	Resp:	235224
Ion Ratio	Lower	Upper	
146	100		
148	63.6	51.7	77.5
111	46.9	35.5	53.3





#15

Benzyl Alcohol

Concen: 20.933 ng

RT: 8.002 min Scan# 80

Delta R.T. 0.000 min

Lab File: BP025728.D

Acq: 11 Sep 2025 10:59

Instrument :

BNA_P

ClientSampleId :

SSTDICC020

Tgt Ion: 79 Resp: 20518

Ion Ratio Lower Upper

79 100

108 74.5 58.7 88.1





77 63.9 50.2 75.2

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#16

2,2'-oxybis(1-Chloropropane)

Concen: 21.700 ng

RT: 8.272 min Scan# 907

Delta R.T. -0.006 min

Lab File: BP025728.D

Acq: 11 Sep 2025 10:59




Tgt Ion: 45 Resp: 356609


Ion Ratio Lower Upper

45 100

77 13.8 0.0 33.1


79 9.8 0.0 30.0





#17
2-Methylphenol
Concen: 21.655 ng
RT: 8.202 min Scan# 895
Delta R.T. 0.000 min
Lab File: BP025728.D
Acq: 11 Sep 2025 10:59




Instrument :
BNA_P
ClientSampleId :
SSTDICC020




Tgt Ion:	107	Resp:	182618
Ion	Ratio	Lower	Upper
107	100		
108	112.0	89.6	134.4
77	48.7	39.3	58.9
79	46.6	37.8	56.6

Manual Integrations APPROVED



Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025




#18
Hexachloroethane
Concen: 21.012 ng
RT: 8.825 min Scan# 1001
Delta R.T. 0.000 min
Lab File: BP025728.D
Acq: 11 Sep 2025 10:59



Tgt Ion:	117	Resp:	91098
Ion	Ratio	Lower	Upper
117	100		
119	98.4	77.1	115.7
201	106.6	85.6	128.4





#19

n-Nitroso-di-n-propylamine

Concen: 22.899 ng

RT: 8.555 min Scan# 91

Delta R.T. 0.000 min

Lab File: BP025728.D

Acq: 11 Sep 2025 10:59

Instrument :

BNA_P

ClientSampleId :

SSTDICC020

Tgt Ion: 70 Resp: 18722

Ion Ratio Lower Upper

70 100

42 59.9 49.0 73.4

101 9.6 7.9 11.9





130 20.8 16.6 25.0

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#20

3+4-Methylphenols

Concen: 20.978 ng

RT: 8.525 min Scan# 950

Delta R.T. 0.000 min

Lab File: BP025728.D

Acq: 11 Sep 2025 10:59

Tgt Ion:107 Resp: 247752




Ion Ratio Lower Upper


107 100

108 90.5 67.8 107.8

77 35.4 16.1 56.1

79 29.8 10.5 50.5





#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.525 min Scan# 1290

Delta R.T. 0.000 min

Lab File: BP025728.D

Acq: 11 Sep 2025 10:59

Instrument :

BNA_P

ClientSampleId :

SSTDICC020

Tgt Ion:136 Resp: 606294

Ion Ratio Lower Upper

136 100

137 10.4 8.7 13.1

54 8.7 7.5 11.3





68 6.1 5.0 7.6

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#22

Acetophenone

Concen: 21.823 ng

RT: 8.572 min Scan# 958

Delta R.T. 0.000 min

Lab File: BP025728.D

Acq: 11 Sep 2025 10:59

Tgt Ion:105 Resp: 353588




Ion Ratio Lower Upper


105 100

71 1.2 1.8 2.8

51 30.8 23.5 35.3

120 22.0 17.7 26.5





#23

Nitrobenzene-d5

Concen: 43.226 ng

RT: 8.902 min Scan# 1014

Delta R.T. 0.000 min

Lab File: BP025728.D

Acq: 11 Sep 2025 10:59

Instrument :

BNA_P

ClientSampleId :

SSTDICC020





Tgt Ion:	82	Resp:	594129
Ion	Ratio	Lower	Upper
82	100		
128	41.4	32.9	49.3
54	53.9	43.4	65.2

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#24

Nitrobenzene

Concen: 21.629 ng




RT: 8.943 min Scan# 1021


Delta R.T. -0.006 min

Lab File: BP025728.D

Acq: 11 Sep 2025 10:59

Tgt Ion:	77	Resp:	266699
Ion	Ratio	Lower	Upper
77	100		
123	44.3	34.4	51.6
65	14.3	10.8	16.2









#25
Isophorone
Concen: 21.636 ng
RT: 9.466 min Scan# 1110
Delta R.T. 0.000 min
Lab File: BP025728.D
Acq: 11 Sep 2025 10:59

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Tgt Ion: 82 Resp: 522705
Ion Ratio Lower Upper
82 100
95 7.3 5.8 8.8
138 17.1 13.5 20.3




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#26
2-Nitrophenol
Concen: 21.038 ng
RT: 9.649 min Scan# 1141
Delta R.T. 0.000 min
Lab File: BP025728.D
Acq: 11 Sep 2025 10:59

Tgt Ion:139 Resp: 115173
Ion Ratio Lower Upper
139 100
109 35.9 29.0 43.4
65 57.3 46.9 70.3





#27

2,4-Dimethylphenol

Concen: 21.760 ng

RT: 9.713 min Scan# 1152

Delta R.T. 0.000 min

Lab File: BP025728.D

Acq: 11 Sep 2025 10:59

Instrument :

BNA_P

ClientSampleId :

SSTDICC020





Tgt Ion:	122	Resp:	208989
Ion	Ratio	Lower	Upper
122	100		
107	120.9	97.9	146.9
121	59.1	47.4	71.0

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#28

bis(2-Chloroethoxy)methane

Concen: 22.163 ng




RT: 9.937 min Scan# 1190


Delta R.T. -0.006 min

Lab File: BP025728.D

Acq: 11 Sep 2025 10:59

Tgt Ion:	93	Resp:	309508
Ion	Ratio	Lower	Upper
93	100		
95	32.3	25.6	38.4
123	10.9	9.2	13.8





#29

2,4-Dichlorophenol

Concen: 21.441 ng

RT: 10.190 min Scan# 1232

Delta R.T. 0.006 min

Lab File: BP025728.D

Acq: 11 Sep 2025 10:59

Instrument :

BNA_P

ClientSampleId :

SSTDICC020

Tgt Ion:162 Resp: 205319

Ion Ratio Lower Upper

162 100

164 64.5 44.7 84.7





98 35.9 18.1 58.1

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#30

1,2,4-Trichlorobenzene

Concen: 21.170 ng

RT: 10.390 min Scan# 1267

Delta R.T. 0.000 min

Lab File: BP025728.D

Acq: 11 Sep 2025 10:59




Tgt Ion:180 Resp: 228468


Ion Ratio Lower Upper

180 100

182 98.8 76.0 114.0

145 31.4 24.7 37.1





#31

Naphthalene

Concen: 21.579 ng

RT: 10.578 min Scan# 1174

Delta R.T. 0.000 min

Lab File: BP025728.D

Acq: 11 Sep 2025 10:59

Instrument :

BNA_P

ClientSampleId :





SSTDICC020

Tgt Ion	Ratio	Lower	Upper
128	100		
129	10.6	8.6	12.8
127	12.9	10.2	15.4

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#32

Benzoic acid

Concen: 18.170 ng




RT: 9.843 min Scan# 1174


Delta R.T. -0.035 min

Lab File: BP025728.D

Acq: 11 Sep 2025 10:59


Tgt Ion	Ratio	Lower	Upper
122	100		
105	131.3	111.5	151.5
77	100.6	81.8	121.8





#33
4-Chloroaniline
Concen: 21.763 ng
RT: 10.690 min Scan# 1318
Delta R.T. 0.000 min
Lab File: BP025728.D
Acq: 11 Sep 2025 10:59




Instrument :
BNA_P
ClientSampleId :
SSTDICC020



Tgt Ion:127 Resp: 296539
Ion Ratio Lower Upper
127 100
129 31.9 25.1 37.7
65 33.1 26.4 39.6
92 21.0 15.9 23.9




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#34
Hexachlorobutadiene
Concen: 21.583 ng
RT: 10.860 min Scan# 1347
Delta R.T. 0.000 min
Lab File: BP025728.D
Acq: 11 Sep 2025 10:59

Tgt Ion:225 Resp: 149942
Ion Ratio Lower Upper
225 100
223 62.1 50.1 75.1
227 64.5 51.2 76.8









#35
Caprolactam
Concen: 20.887 ng
RT: 11.472 min Scan# 1453
Delta R.T. -0.012 min
Lab File: BP025728.D
Acq: 11 Sep 2025 10:59

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Tgt Ion:113 Resp: 76940
Ion Ratio Lower Upper
113 100
55 189.8 165.5 205.5
56 141.6 121.1 161.1




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#36
4-Chloro-3-methylphenol
Concen: 21.548 ng
RT: 11.819 min Scan# 1510
Delta R.T. 0.000 min
Lab File: BP025728.D
Acq: 11 Sep 2025 10:59

Tgt Ion:107 Resp: 245998
Ion Ratio Lower Upper
107 100
144 25.2 19.4 29.2
142 76.9 63.8 95.6









#37
2-Methylnaphthalene
Concen: 21.896 ng
RT: 12.184 min Scan# 1572
Delta R.T. 0.000 min
Lab File: BP025728.D
Acq: 11 Sep 2025 10:59

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Tgt Ion:142 Resp: 45975
Ion Ratio Lower Upper
142 100
141 89.0 69.6 104.4
115 37.2 30.0 45.0




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#38
1-Methylnaphthalene
Concen: 21.851 ng
RT: 12.413 min Scan# 1611
Delta R.T. 0.012 min
Lab File: BP025728.D
Acq: 11 Sep 2025 10:59

Tgt Ion:142 Resp: 489270
Ion Ratio Lower Upper
142 100
141 90.6 72.7 109.1
116 4.1 3.5 5.3





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.378 min Scan# 1945

Delta R.T. 0.000 min

Lab File: BP025728.D

Acq: 11 Sep 2025 10:59

Instrument :

BNA_P

ClientSampleId :

SSTDICC020

Tgt Ion:164 Resp: 41887

Ion Ratio Lower Upper

164 100

162 102.4 80.6 120.8





160 44.3 35.0 52.6

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#40

1,2,4,5-Tetrachlorobenzene

Concen: 21.536 ng

RT: 12.554 min Scan# 1635

Delta R.T. 0.000 min

Lab File: BP025728.D

Acq: 11 Sep 2025 10:59

Tgt Ion:216 Resp: 273360




Ion Ratio Lower Upper


216 100

214 77.8 62.4 93.6

179 21.3 17.0 25.6

108 18.8 15.2 22.8









#41
Hexachlorocyclopentadiene
Concen: 19.753 ng
RT: 12.537 min Scan# 1632
Delta R.T. 0.000 min
Lab File: BP025728.D
Acq: 11 Sep 2025 10:59

Instrument :
BNA_P
Client Sample Id :
SSTDICC020

Tgt Ion: 237 Resp: 136556
Ion Ratio Lower Upper
237 100
235 61.3 41.9 81.9
272 12.2 0.0 31.8




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#42
2,4,6-Tribromophenol
Concen: 43.363 ng
RT: 15.901 min Scan# 2204
Delta R.T. -0.006 min
Lab File: BP025728.D
Acq: 11 Sep 2025 10:59

Tgt Ion: 330 Resp: 226554
Ion Ratio Lower Upper
330 100
332 95.6 76.9 115.3
141 39.2 31.0 46.4





#43

2,4,6-Trichlorophenol

Concen: 21.851 ng

RT: 12.807 min Scan# 1678

Delta R.T. 0.000 min

Lab File: BP025728.D

Acq: 11 Sep 2025 10:59

Instrument :

BNA_P

ClientSampleId :





SSTDICC020

Tgt Ion:196	Resp: 18233
Ion Ratio	Lower Upper
196	100
198	97.6 77.2 115.8
200	31.3 24.2 36.2

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#44

2,4,5-Trichlorophenol

Concen: 21.728 ng




RT: 12.890 min Scan# 1692


Delta R.T. 0.006 min

Lab File: BP025728.D

Acq: 11 Sep 2025 10:59

Tgt Ion:196	Resp: 201778
Ion Ratio	Lower Upper
196	100
198	97.4 77.8 116.8
97	49.9 43.3 64.9
132	25.9 22.3 33.5





#45

2-Fluorobiphenyl

Concen: 44.072 ng

RT: 12.990 min Scan# 1709

Delta R.T. 0.000 min

Lab File: BP025728.D

Acq: 11 Sep 2025 10:59

Instrument :

BNA_P

ClientSampleId :

SSTDICC020

Tgt Ion:172 Resp: 1386426

Ion Ratio Lower Upper

172 100

171 34.5 27.8 41.6





170 23.4 18.6 27.8

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#46

1,1'-Biphenyl

Concen: 21.788 ng

RT: 13.207 min Scan# 1746

Delta R.T. 0.006 min

Lab File: BP025728.D

Acq: 11 Sep 2025 10:59




Tgt Ion:154 Resp: 669889


Ion Ratio Lower Upper

154 100

153 39.9 19.7 59.7

76 12.7 0.0 33.3





#47

2-Chloronaphthalene

Concen: 21.665 ng

RT: 13.243 min Scan# 1752

Delta R.T. -0.006 min

Lab File: BP025728.D

Acq: 11 Sep 2025 10:59

Instrument :

BNA_P

ClientSampleId :





SSTDICC020

Tgt Ion:	162	Resp:	52448
Ion Ratio	Lower	Upper	
162	100		
127	39.3	32.2	48.4
164	32.4	26.5	39.7

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#48

2-Nitroaniline

Concen: 21.578 ng




RT: 13.460 min Scan# 1789


Delta R.T. 0.006 min

Lab File: BP025728.D

Acq: 11 Sep 2025 10:59

Tgt Ion:	65	Resp:	174129
Ion Ratio	Lower	Upper	
65	100		
92	67.6	53.1	79.7
138	97.9	77.8	116.8





#49

Acenaphthylene

Concen: 21.873 ng

RT: 14.095 min Scan# 1898

Delta R.T. -0.006 min

Lab File: BP025728.D

Acq: 11 Sep 2025 10:59

Instrument :

BNA_P

ClientSampleId :





SSTDICC020

Tgt Ion:	152	Resp:	87735
Ion Ratio	Lower	Upper	
152	100		
151	19.9	15.8	23.6
153	13.1	10.5	15.7

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#50

Dimethylphthalate

Concen: 22.031 ng




RT: 13.837 min Scan# 1853


Delta R.T. 0.000 min

Lab File: BP025728.D

Acq: 11 Sep 2025 10:59

Tgt Ion:	163	Resp:	704532
Ion Ratio	Lower	Upper	
163	100		
194	4.1	3.4	5.2
164	10.0	8.2	12.2









#51
2,6-Dinitrotoluene
Concen: 21.793 ng
RT: 13.948 min Scan# 1873
Delta R.T. -0.006 min
Lab File: BP025728.D
Acq: 11 Sep 2025 10:59

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Tgt Ion:165 Resp: 147655
Ion Ratio Lower Upper
165 100
63 60.5 48.1 72.1
89 58.4 45.4 68.0




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#52
Acenaphthene
Concen: 21.856 ng
RT: 14.443 min Scan# 1956
Delta R.T. -0.012 min
Lab File: BP025728.D
Acq: 11 Sep 2025 10:59


Tgt Ion:154 Resp: 505575
Ion Ratio Lower Upper
154 100
153 112.5 89.4 134.0
152 53.5 42.5 63.7





#53
3-Nitroaniline
Concen: 21.735 ng
RT: 14.290 min Scan# 1930
Delta R.T. 0.000 min
Lab File: BP025728.D
Acq: 11 Sep 2025 10:59




Instrument :
BNA_P
ClientSampleId :
SSTDICC020



Tgt Ion:138 Resp: 154856
Ion Ratio Lower Upper
138 100
108 11.0 8.7 13.1
92 126.3 94.6 142.0




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#54
2,4-Dinitrophenol
Concen: 20.292 ng
RT: 14.501 min Scan# 1966
Delta R.T. -0.006 min
Lab File: BP025728.D
Acq: 11 Sep 2025 10:59


Tgt Ion:184 Resp: 72511
Ion Ratio Lower Upper
184 100
63 70.4 52.5 78.7
154 62.5 51.5 77.3





#55
Dibenzenofuran
Concen: 21.850 ng
RT: 14.790 min Scan# 2015
Delta R.T. 0.000 min
Lab File: BP025728.D
Acq: 11 Sep 2025 10:59




Instrument :
BNA_P
ClientSampleId :
SSTDICC020



Tgt Ion:168 Resp: 82374
Ion Ratio Lower Upper
168 100
139 38.4 31.7 47.5
169 13.2 10.8 16.2




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#56
4-Nitrophenol
Concen: 20.895 ng
RT: 14.631 min Scan# 1988
Delta R.T. 0.012 min
Lab File: BP025728.D
Acq: 11 Sep 2025 10:59


Tgt Ion:139 Resp: 106678
Ion Ratio Lower Upper
139 100
109 82.4 62.9 102.9
65 105.7 83.4 123.4





#57
2,4-Dinitrotoluene
Concen: 21.769 ng
RT: 14.754 min Scan# 2009
Delta R.T. 0.000 min
Lab File: BP025728.D
Acq: 11 Sep 2025 10:59




Instrument :
BNA_P
ClientSampleId :
SSTDICC020



Tgt Ion:165 Resp: 209898
Ion Ratio Lower Upper
165 100
63 45.5 37.7 56.5
89 68.3 61.0 91.6
182 3.5 2.4 3.6




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#58
Fluorene
Concen: 22.068 ng
RT: 15.442 min Scan# 2126
Delta R.T. -0.012 min
Lab File: BP025728.D
Acq: 11 Sep 2025 10:59

Tgt Ion:166 Resp: 661561
Ion Ratio Lower Upper
166 100
165 97.7 77.7 116.5
167 13.3 10.6 16.0





#59

2,3,4,6-Tetrachlorophenol

Concen: 21.756 ng

RT: 15.025 min Scan# 2055

Delta R.T. 0.000 min

Lab File: BP025728.D

Acq: 11 Sep 2025 10:59

Instrument :

BNA_P

ClientSampleId :

SSTDICC020

Tgt Ion:232 Resp: 181997

Ion Ratio Lower Upper

232 100

131 43.9 36.7 55.1

130 2.5 2.0 3.0





166 30.8 25.4 38.2

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#60

Diethylphthalate

Concen: 21.918 ng

RT: 15.213 min Scan# 2087

Delta R.T. -0.006 min

Lab File: BP025728.D

Acq: 11 Sep 2025 10:59




Tgt Ion:149 Resp: 710972


Ion Ratio Lower Upper

149 100

177 23.3 17.7 26.5


150 13.0 10.0 15.0





#61
4-Chlorophenyl-phenylether
Concen: 21.917 ng
RT: 15.431 min Scan# 2124
Delta R.T. -0.012 min
Lab File: BP025728.D
Acq: 11 Sep 2025 10:59




Instrument :
BNA_P
ClientSampleId :
SSTDICC020



Tgt Ion: 204 Resp: 331129
Ion Ratio Lower Upper
204 100
206 33.2 26.0 39.0
141 63.3 49.7 74.5




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#62
4-Nitroaniline
Concen: 21.891 ng
RT: 15.472 min Scan# 2131
Delta R.T. -0.006 min
Lab File: BP025728.D
Acq: 11 Sep 2025 10:59


Tgt Ion: 138 Resp: 159664
Ion Ratio Lower Upper
138 100
92 54.4 33.3 73.3
108 85.9 66.7 106.7





#63
Azobenzene
Concen: 22.012 ng
RT: 15.737 min Scan# 2176
Delta R.T. 0.000 min
Lab File: BP025728.D
Acq: 11 Sep 2025 10:59




Instrument :
BNA_P
ClientSampleId :
SSTDICC020



Tgt Ion: 77 Resp: 690423
Ion Ratio Lower Upper
77 100
182 25.4 5.2 45.2
105 20.7 1.1 41.1
51 32.3 11.6 51.6




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.184 min Scan# 2422
Delta R.T. 0.000 min
Lab File: BP025728.D
Acq: 11 Sep 2025 10:59

Tgt Ion:188 Resp: 862789
Ion Ratio Lower Upper
188 100
94 9.3 7.4 11.0
80 10.9 7.7 11.5





#65

4,6-Dinitro-2-methylphenol

Concen: 20.272 ng

RT: 15.537 min Scan# 2142

Delta R.T. 0.000 min

Lab File: BP025728.D

Acq: 11 Sep 2025 10:59

Instrument :

BNA_P

ClientSampleId :

SSTDICC020

Tgt Ion:198 Resp: 116319

Ion Ratio Lower Upper

198 100

51 48.6 33.4 73.4





105 44.3 24.3 64.3

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#66

n-Nitrosodiphenylamine

Concen: 22.259 ng

RT: 15.660 min Scan# 2163

Delta R.T. 0.006 min

Lab File: BP025728.D

Acq: 11 Sep 2025 10:59




Tgt Ion:169 Resp: 587714


Ion Ratio Lower Upper

169 100

168 64.6 52.6 78.8


167 35.6 28.5 42.7





#67
4-Bromophenyl-phenylether
Concen: 21.820 ng
RT: 16.360 min Scan# 2281
Delta R.T. 0.006 min
Lab File: BP025728.D
Acq: 11 Sep 2025 10:59




Instrument :
BNA_P
ClientSampleId :
SSTDICC020



Tgt Ion: 248 Resp: 206823
Ion Ratio Lower Upper
248 100
250 100.3 77.5 116.3
141 76.6 60.2 90.4




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#68
Hexachlorobenzene
Concen: 21.707 ng
RT: 16.472 min Scan# 2301
Delta R.T. 0.000 min
Lab File: BP025728.D
Acq: 11 Sep 2025 10:59


Tgt Ion: 284 Resp: 229447
Ion Ratio Lower Upper
284 100
142 33.6 31.3 46.9
249 32.4 27.3 40.9





#69
Atrazine
Concen: 22.185 ng
RT: 16.642 min Scan# 2330
Delta R.T. 0.006 min
Lab File: BP025728.D
Acq: 11 Sep 2025 10:59




Instrument :
BNA_P
ClientSampleId :
SSTDICC020



Tgt Ion:200 Resp: 223909
Ion Ratio Lower Upper
200 100
173 25.1 4.2 44.2
215 48.2 27.3 67.3




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#70
Pentachlorophenol
Concen: 20.824 ng
RT: 16.831 min Scan# 2362
Delta R.T. 0.000 min
Lab File: BP025728.D
Acq: 11 Sep 2025 10:59

Tgt Ion:266 Resp: 145273
Ion Ratio Lower Upper
266 100
268 61.9 49.8 74.8
264 66.0 50.2 75.2









#71
Phenanthrene
Concen: 21.981 ng
RT: 17.231 min Scan# 2429
Delta R.T. 0.006 min
Lab File: BP025728.D
Acq: 11 Sep 2025 10:59

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Tgt Ion:178 Resp: 1075795
Ion Ratio Lower Upper
178 100
176 18.7 15.4 23.2
179 15.5 12.2 18.4




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#72
Anthracene
Concen: 22.239 ng
RT: 17.319 min Scan# 2445
Delta R.T. 0.000 min
Lab File: BP025728.D
Acq: 11 Sep 2025 10:59


Tgt Ion:178 Resp: 1104346
Ion Ratio Lower Upper
178 100
176 18.3 14.8 22.2
179 15.5 12.2 18.4





#73
Carbazole
Concen: 22.146 ng
RT: 17.601 min Scan# 2493
Delta R.T. 0.000 min
Lab File: BP025728.D
Acq: 11 Sep 2025 10:59




Instrument :
BNA_P
ClientSampleId :
SSTDICC020



Tgt Ion:167 Resp: 1022406
Ion Ratio Lower Upper
167 100
166 20.7 17.0 25.4
139 12.4 10.6 16.0




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#74
Di-n-butylphthalate
Concen: 22.358 ng
RT: 18.183 min Scan# 2592
Delta R.T. 0.000 min
Lab File: BP025728.D
Acq: 11 Sep 2025 10:59


Tgt Ion:149 Resp: 1266684
Ion Ratio Lower Upper
149 100
150 9.6 7.4 11.0
104 5.3 4.3 6.5





#75
Fluoranthene
Concen: 22.205 ng
RT: 19.319 min Scan# 21
Delta R.T. 0.006 min
Lab File: BP025728.D
Acq: 11 Sep 2025 10:59




Instrument :
BNA_P
ClientSampleId :
SSTDICC020



Tgt Ion:202 Resp: 1303398
Ion Ratio Lower Upper
202 100
101 10.3 0.0 30.4
203 17.4 0.0 37.4




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.630 min Scan# 3178
Delta R.T. -0.012 min
Lab File: BP025728.D
Acq: 11 Sep 2025 10:59

Tgt Ion:240 Resp: 931523
Ion Ratio Lower Upper
240 100
120 10.8 8.0 12.0
236 25.2 20.7 31.1









#77
Benzidine
Concen: 18.631 ng
RT: 19.513 min Scan# 2818
Delta R.T. 0.006 min
Lab File: BP025728.D
Acq: 11 Sep 2025 10:59

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Tgt Ion:184 Resp: 499919
Ion Ratio Lower Upper
184 100
185 14.7 11.5 17.3
183 11.2 9.2 13.8




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#78
Pyrene
Concen: 21.640 ng
RT: 19.695 min Scan# 2849
Delta R.T. 0.006 min
Lab File: BP025728.D
Acq: 11 Sep 2025 10:59

Tgt Ion:202 Resp: 1345082
Ion Ratio Lower Upper
202 100
200 20.9 17.0 25.6
203 16.8 13.9 20.9





#79

Terphenyl-d14

Concen: 43.089 ng

RT: 19.901 min Scan# 2884

Delta R.T. -0.012 min

Lab File: BP025728.D

Acq: 11 Sep 2025 10:59

Instrument :

BNA_P

ClientSampleId :

SSTDICC020

Tgt Ion:244 Resp: 2231186

Ion Ratio Lower Upper

244 100

212 7.8 5.9 8.9





122 10.6 7.1 10.7

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#80

Butylbenzylphthalate

Concen: 21.726 ng

RT: 20.636 min Scan# 3009

Delta R.T. -0.006 min

Lab File: BP025728.D

Acq: 11 Sep 2025 10:59




Tgt Ion:149 Resp: 592103


Ion Ratio Lower Upper

149 100

91 73.2 56.6 85.0

206 22.2 17.4 26.0









#81
Benzo(a)anthracene
Concen: 21.486 ng
RT: 21.607 min Scan# 3174
Delta R.T. -0.012 min
Lab File: BP025728.D
Acq: 11 Sep 2025 10:59

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Tgt Ion:228 Resp: 1370258
Ion Ratio Lower Upper
228 100
226 27.0 21.6 32.4
229 19.7 15.7 23.5




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#82
3,3'-Dichlorobenzidine
Concen: 21.065 ng
RT: 21.536 min Scan# 3162
Delta R.T. 0.000 min
Lab File: BP025728.D
Acq: 11 Sep 2025 10:59

Tgt Ion:252 Resp: 464513
Ion Ratio Lower Upper
252 100
254 63.4 51.4 77.0
126 10.5 8.3 12.5





#83

Chrysene

Concen: 21.410 ng

RT: 21.683 min Scan# 3188

Delta R.T. -0.006 min

Lab File: BP025728.D

Acq: 11 Sep 2025 10:59

Instrument :

BNA_P

ClientSampleId :

SSTDICC020

Tgt Ion:228 Resp: 130154

Ion Ratio Lower Upper

228 100

226 29.3 23.8 35.6





229 19.3 15.6 23.4

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#84

Bis(2-ethylhexyl)phthalate

Concen: 21.725 ng

RT: 21.548 min Scan# 3164

Delta R.T. 0.000 min

Lab File: BP025728.D

Acq: 11 Sep 2025 10:59




Tgt Ion:149 Resp: 866210


Ion Ratio Lower Upper

149 100

167 28.3 22.9 34.3


279 4.6 3.8 5.8





#85
Di-n-octyl phthalate
Concen: 21.062 ng
RT: 22.830 min Scan# 3382
Delta R.T. 0.000 min
Lab File: BP025728.D
Acq: 11 Sep 2025 10:59




Instrument :
BNA_P
ClientSampleId :
SSTDICC020



Tgt Ion:149 Resp: 1493820
Ion Ratio Lower Upper
149 100
167 1.6 1.3 1.9
43 10.1 8.0 12.0




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#86
Perylene-d12
Concen: 20.000 ng
RT: 25.013 min Scan# 3753
Delta R.T. 0.012 min
Lab File: BP025728.D
Acq: 11 Sep 2025 10:59


Tgt Ion:264 Resp: 988151
Ion Ratio Lower Upper
264 100
260 23.4 18.3 27.5
265 21.8 17.3 25.9





#87
Indeno(1,2,3-cd)pyrene
Concen: 21.074 ng
RT: 28.795 min Scan# 4396
Delta R.T. -0.041 min
Lab File: BP025728.D
Acq: 11 Sep 2025 10:59




Instrument :
BNA_P
ClientSampleId :
SSTDICC020



Tgt Ion: 276 Resp: 1514360
Ion Ratio Lower Upper
276 100
138 17.1 13.4 20.2
277 25.2 9.1 13.7




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#88
Benzo(b)fluoranthene
Concen: 21.316 ng
RT: 23.924 min Scan# 3568
Delta R.T. -0.006 min
Lab File: BP025728.D
Acq: 11 Sep 2025 10:59

Tgt Ion: 252 Resp: 1288073
Ion Ratio Lower Upper
252 100
253 21.4 17.9 26.9
125 8.9 7.3 10.9





#89

Benzo(k)fluoranthene

Concen: 21.911 ng

RT: 23.995 min Scan# 3581

Delta R.T. -0.006 min

Lab File: BP025728.D

Acq: 11 Sep 2025 10:59

Instrument :

BNA_P

ClientSampleId :

SSTDICC020

Tgt Ion:252 Resp: 1351055

Ion Ratio Lower Upper

252 100

253 20.9 17.5 26.3





125 9.9 7.5 11.3

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#90

Benzo(a)pyrene

Concen: 21.300 ng

RT: 24.830 min Scan# 3722

Delta R.T. -0.012 min

Lab File: BP025728.D

Acq: 11 Sep 2025 10:59




Tgt Ion:252 Resp: 1260461


Ion Ratio Lower Upper

252 100

253 22.0 17.2 25.8

125 9.8 8.3 12.5





#91

Dibenzo(a,h)anthracene

Concen: 21.066 ng

RT: 28.883 min Scan# 4417

Delta R.T. -0.035 min

Lab File: BP025728.D

Acq: 11 Sep 2025 10:59

Instrument :

BNA_P

ClientSampleId :

SSTDICC020

Tgt Ion:278 Resp: 123876

Ion Ratio Lower Upper

278 100

139 15.1 12.1 18.1





279 23.8 19.6 29.4

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#92

Benzo(g,h,i)perylene

Concen: 20.937 ng

RT: 29.995 min Scan# 4600

Delta R.T. -0.018 min

Lab File: BP025728.D

Acq: 11 Sep 2025 10:59




Tgt Ion:276 Resp: 1210808

Ion Ratio Lower Upper

276 100

277 23.5 18.7 28.1

138 20.9 16.0 24.0



Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP091225\
 Data File : BP025729.D
 Acq On : 11 Sep 2025 12:21
 Operator : CG/JU
 Sample : SSTDICCC040
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 SSTDICCC040

Quant Time: Sep 11 16:22:59 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP091225.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Sep 11 16:16:10 2025
 Response via : Initial Calibration

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 09/12/2025
 Supervised By :Jagrut Upadhyay 09/12/2025

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.760	152	144640	20.000	ng	0.00
21) Naphthalene-d8	10.525	136	617318	20.000	ng	0.00
39) Acenaphthene-d10	14.378	164	418121	20.000	ng	0.00
64) Phenanthrene-d10	17.183	188	868840	20.000	ng	0.00
76) Chrysene-d12	21.630	240	926553	20.000	ng	-0.01
86) Perylene-d12	24.995	264	1000954	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.384	112	787836	87.888	ng	0.00
7) Phenol-d6	6.943	99	1076622	90.359	ng	0.00
23) Nitrobenzene-d5	8.902	82	1224870	87.524	ng	0.00
42) 2,4,6-Tribromophenol	15.895	330	462583	88.699	ng	-0.01
45) 2-Fluorobiphenyl	12.990	172	2669440	85.008	ng	0.00
79) Terphenyl-d14	19.901	244	4362586	84.704	ng	-0.01
Target Compounds						
2) 1,4-Dioxane	3.308	88	157988	41.993	ng	99
3) Pyridine	3.708	79	452870	43.715	ng	98
4) n-Nitrosodimethylamine	3.614	42	208606	42.674	ng	98
6) Aniline	7.096	93	725768	44.373	ng	98
8) 2-Chlorophenol	7.331	128	436310	44.368	ng	99
9) Benzaldehyde	6.913	77	253178m	35.491	ng	
10) Phenol	6.972	94	568213	45.227	ng	99
11) bis(2-Chloroethyl)ether	7.190	93	449932	44.575	ng	99
12) 1,3-Dichlorobenzene	7.649	146	484132	43.256	ng	98
13) 1,4-Dichlorobenzene	7.796	146	488797	42.874	ng	100
14) 1,2-Dichlorobenzene	8.107	146	478270	43.182	ng	98
15) Benzyl Alcohol	8.002	79	436860	44.371	ng	99
16) 2,2'-oxybis(1-Chloropr...	8.278	45	721206	43.691	ng	100
17) 2-Methylphenol	8.202	107	381511	45.040	ng	97
18) Hexachloroethane	8.825	117	187163	42.979	ng	96
19) n-Nitroso-di-n-propyla...	8.554	70	381756	46.485	ng	100
20) 3+4-Methylphenols	8.525	107	526118	44.351	ng	98
22) Acetophenone	8.572	105	726426	44.034	ng	99
24) Nitrobenzene	8.943	77	554186	44.142	ng	99
25) Isophorone	9.472	82	1061978	43.173	ng	100
26) 2-Nitrophenol	9.649	139	250189	44.885	ng	96
27) 2,4-Dimethylphenol	9.713	122	439626	44.957	ng	99
28) bis(2-Chloroethoxy)met...	9.937	93	615359	43.278	ng	99
29) 2,4-Dichlorophenol	10.190	162	430954	44.201	ng	99
30) 1,2,4-Trichlorobenzene	10.396	180	466981	42.499	ng	99
31) Naphthalene	10.578	128	1416256	42.548	ng	100
32) Benzoic acid	9.884	122	322344	44.337	ng	98
33) 4-Chloroaniline	10.684	127	629600	45.380	ng	99
34) Hexachlorobutadiene	10.860	225	299180	42.296	ng	98
35) Caprolactam	11.490	113	162983	43.455	ng	99
36) 4-Chloro-3-methylphenol	11.825	107	511595	44.012	ng	97
37) 2-Methylnaphthalene	12.184	142	922799	43.164	ng	99
38) 1-Methylnaphthalene	12.407	142	987208	43.302	ng	99
40) 1,2,4,5-Tetrachloroben...	12.560	216	551785	43.550	ng	100
41) Hexachlorocyclopentadiene	12.537	237	317811	46.055	ng	99
43) 2,4,6-Trichlorophenol	12.801	196	372542	44.726	ng	99

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP091225\
 Data File : BP025729.D
 Acq On : 11 Sep 2025 12:21
 Operator : CG/JU
 Sample : SSTDICCC040
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 SSTDICCC040

Manual Integrations
 APPROVED

Reviewed By :Rahul Chavli 09/12/2025
 Supervised By :Jagrut Upadhyay 09/12/2025

Quant Time: Sep 11 16:22:59 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP091225.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Sep 11 16:16:10 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	12.884	196	418700	45.167	ng	98
46) 1,1'-Biphenyl	13.207	154	1327491	43.254	ng	99
47) 2-Chloronaphthalene	13.242	162	1037016	42.913	ng	99
48) 2-Nitroaniline	13.454	65	366901	45.547	ng	97
49) Acenaphthylene	14.101	152	1721169	42.987	ng	100
50) Dimethylphthalate	13.837	163	1387323	43.460	ng	99
51) 2,6-Dinitrotoluene	13.948	165	299565	44.293	ng	99
52) Acenaphthene	14.442	154	998942	43.262	ng	99
53) 3-Nitroaniline	14.284	138	329431	46.320	ng	98
54) 2,4-Dinitrophenol	14.507	184	174477	42.110	ng	98
55) Dibenzofuran	14.784	168	1607411	42.712	ng	99
56) 4-Nitrophenol	14.619	139	256685	44.044	ng	98
57) 2,4-Dinitrotoluene	14.754	165	435664	45.264	ng	99
58) Fluorene	15.448	166	1292575	43.194	ng	100
59) 2,3,4,6-Tetrachlorophenol	15.019	232	373358	44.710	ng	98
60) Diethylphthalate	15.219	149	1374845	42.459	ng	100
61) 4-Chlorophenyl-phenyle...	15.436	204	643036	42.637	ng	99
62) 4-Nitroaniline	15.472	138	338121	46.442	ng	100
63) Azobenzene	15.736	77	1373602	43.872	ng	99
65) 4,6-Dinitro-2-methylph...	15.536	198	261709	45.293	ng	94
66) n-Nitrosodiphenylamine	15.654	169	1153503	43.383	ng	99
67) 4-Bromophenyl-phenylether	16.348	248	413274	43.298	ng	99
68) Hexachlorobenzene	16.472	284	453064	42.564	ng	97
69) Atrazine	16.636	200	451179	44.392	ng	98
70) Pentachlorophenol	16.836	266	311192	44.297	ng	98
71) Phenanthrene	17.230	178	2106998	42.751	ng	100
72) Anthracene	17.319	178	2149009	42.974	ng	100
73) Carbazole	17.601	167	2037704	43.830	ng	99
74) Di-n-butylphthalate	18.189	149	2498531	43.793	ng	100
75) Fluoranthene	19.313	202	2514212	42.535	ng	99
77) Benzidine	19.501	184	1209219	45.307	ng	100
78) Pyrene	19.689	202	2650721	42.875	ng	99
80) Butylbenzylphthalate	20.636	149	1198520	44.213	ng	99
81) Benzo(a)anthracene	21.613	228	2693098	42.456	ng	100
82) 3,3'-Dichlorobenzidine	21.524	252	960752	43.803	ng	99
83) Chrysene	21.677	228	2548856	42.152	ng	100
84) Bis(2-ethylhexyl)phtha...	21.542	149	1750717	44.144	ng	99
85) Di-n-octyl phthalate	22.818	149	3094664	43.867	ng	100
87) Indeno(1,2,3-cd)pyrene	28.824	276	3195673	43.902	ng	# 83
88) Benzo(b)fluoranthene	23.930	252	2674118	43.687	ng	99
89) Benzo(k)fluoranthene	24.007	252	2685118	42.989	ng	99
90) Benzo(a)pyrene	24.836	252	2617139	43.660	ng	100
91) Dibenzo(a,h)anthracene	28.906	278	2596318	43.586	ng	99
92) Benzo(g,h,i)perylene	30.006	276	2536855	43.305	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.760 min Scan# 820
Delta R.T. 0.000 min
Lab File: BP025729.D
Acq: 11 Sep 2025 12:21

Instrument :
BNA_P
Client Sample Id :
SSTDICCC040

Tgt Ion: 152 Resp: 144640
Ion Ratio Lower Upper
152 100
150 156.9 124.3 186.5
115 61.9 50.3 75.5




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#2
1,4-Dioxane
Concen: 41.993 ng
RT: 3.308 min Scan# 63
Delta R.T. -0.000 min
Lab File: BP025729.D
Acq: 11 Sep 2025 12:21

Tgt Ion: 88 Resp: 157988
Ion Ratio Lower Upper
88 100
58 82.8 65.5 98.3
43 31.5 25.2 37.8









#3
Pyridine
Concen: 43.715 ng
RT: 3.708 min Scan# 131
Delta R.T. -0.000 min
Lab File: BP025729.D
Acq: 11 Sep 2025 12:21

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Tgt Ion: 79 Resp: 452870
Ion Ratio Lower Upper
79 100
52 78.7 63.7 95.5
51 38.8 32.4 48.6




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#4
n-Nitrosodimethylamine
Concen: 42.674 ng
RT: 3.614 min Scan# 115
Delta R.T. -0.000 min
Lab File: BP025729.D
Acq: 11 Sep 2025 12:21


Tgt Ion: 42 Resp: 208606
Ion Ratio Lower Upper
42 100
74 126.6 99.2 148.8
44 7.3 6.4 9.6





#5
2-Fluorophenol
Concen: 87.888 ng
RT: 5.384 min Scan# 416
Delta R.T. -0.000 min
Lab File: BP025729.D
Acq: 11 Sep 2025 12:21




Instrument :
BNA_P
ClientSampleId :
SSTDICCC040



Tgt Ion: 112 Resp: 787836
Ion Ratio Lower Upper
112 100
64 62.3 50.2 75.4
63 32.2 26.7 40.1




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#6
Aniline
Concen: 44.373 ng
RT: 7.096 min Scan# 707
Delta R.T. -0.000 min
Lab File: BP025729.D
Acq: 11 Sep 2025 12:21

Tgt Ion: 93 Resp: 725768
Ion Ratio Lower Upper
93 100
66 41.8 32.6 49.0
65 21.7 16.2 24.2









#7
Phenol-d6
Concen: 90.359 ng
RT: 6.943 min Scan# 681
Delta R.T. -0.006 min
Lab File: BP025729.D
Acq: 11 Sep 2025 12:21

Instrument :
BNA_P
Client Sample Id :
SSTDICCC040

Tgt Ion: 99 Resp: 107662
Ion Ratio Lower Upper
99 100
42 20.2 15.6 23.4
71 36.9 28.6 43.0




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#8
2-Chlorophenol
Concen: 44.368 ng
RT: 7.331 min Scan# 747
Delta R.T. -0.006 min
Lab File: BP025729.D
Acq: 11 Sep 2025 12:21


Tgt Ion:128 Resp: 436310
Ion Ratio Lower Upper
128 100
130 32.2 12.6 52.6
64 52.4 31.6 71.6





#9
Benzaldehyde
Concen: 35.491 ng m
RT: 6.913 min Scan# 61
Delta R.T. -0.000 min
Lab File: BP025729.D
Acq: 11 Sep 2025 12:21




Instrument :
BNA_P
ClientSampleId :
SSTDICCC040



Tgt Ion: 77 Resp: 253178
Ion Ratio Lower Upper
77 100
105 94.5 75.2 115.2
106 89.8 71.3 111.3




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#10
Phenol
Concen: 45.227 ng
RT: 6.972 min Scan# 686
Delta R.T. -0.000 min
Lab File: BP025729.D
Acq: 11 Sep 2025 12:21

Tgt Ion: 94 Resp: 568213
Ion Ratio Lower Upper
94 100
65 29.1 10.2 50.2
66 41.1 21.4 61.4





#11

bis(2-Chloroethyl)ether

Concen: 44.575 ng

RT: 7.190 min Scan# 722

Delta R.T. 0.006 min

Lab File: BP025729.D

Acq: 11 Sep 2025 12:21

Instrument :

BNA_P

ClientSampleId :

SSTDICCC040

Tgt Ion: 93 Resp: 449932

Ion Ratio Lower Upper

93 100

63 81.5 62.6 102.6





95 32.5 13.2 53.2

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#12

1,3-Dichlorobenzene

Concen: 43.256 ng

RT: 7.649 min Scan# 801

Delta R.T. -0.000 min

Lab File: BP025729.D

Acq: 11 Sep 2025 12:21




Tgt Ion:146 Resp: 484132


Ion Ratio Lower Upper

146 100

148 63.8 52.7 79.1

75 33.7 26.4 39.6





#13

1,4-Dichlorobenzene

Concen: 42.874 ng

RT: 7.796 min Scan# 81

Delta R.T. 0.006 min

Lab File: BP025729.D

Acq: 11 Sep 2025 12:21

Instrument :

BNA_P

ClientSampleId :

SSTDICCC040

Tgt Ion:146 Resp: 48879

Ion Ratio Lower Upper

146 100

148 64.5 52.0 78.0





111 42.3 33.9 50.9

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#14

1,2-Dichlorobenzene

Concen: 43.182 ng

RT: 8.107 min Scan# 879

Delta R.T. -0.000 min

Lab File: BP025729.D

Acq: 11 Sep 2025 12:21




Tgt Ion:146 Resp: 478270


Ion Ratio Lower Upper

146 100

148 62.1 51.7 77.5

111 43.6 35.5 53.3





#15

Benzyl Alcohol

Concen: 44.371 ng

RT: 8.002 min Scan# 861

Delta R.T. -0.000 min

Lab File: BP025729.D

Acq: 11 Sep 2025 12:21

Instrument :

BNA_P

Client Sample Id :

SSTDICCC040

Tgt Ion: 79 Resp: 436860

Ion Ratio Lower Upper

79 100

108 74.1 58.7 88.1





77 62.8 50.2 75.2

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#16

2,2'-oxybis(1-Chloropropane)

Concen: 43.691 ng

RT: 8.278 min Scan# 908

Delta R.T. -0.000 min

Lab File: BP025729.D

Acq: 11 Sep 2025 12:21




Tgt Ion: 45 Resp: 721206


Ion Ratio Lower Upper

45 100

77 13.1 0.0 33.1

79 10.3 0.0 30.0





#17

2-Methylphenol

Concen: 45.040 ng

RT: 8.202 min Scan# 895

Delta R.T. -0.000 min

Lab File: BP025729.D

Acq: 11 Sep 2025 12:21

Instrument :

BNA_P

ClientSampleId :

SSTDICCC040

Tgt Ion:107 Resp: 38151

Ion Ratio Lower Upper

107 100

108 114.1 89.6 134.4

77 51.2 39.3 58.9





79 49.3 37.8 56.6

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#18

Hexachloroethane

Concen: 42.979 ng

RT: 8.825 min Scan# 1001

Delta R.T. -0.000 min

Lab File: BP025729.D

Acq: 11 Sep 2025 12:21




Tgt Ion:117 Resp: 187163


Ion Ratio Lower Upper

117 100

119 94.3 77.1 115.7

201 101.1 85.6 128.4





#19

n-Nitroso-di-n-propylamine

Concen: 46.485 ng

RT: 8.554 min Scan# 91

Delta R.T. -0.000 min

Lab File: BP025729.D

Acq: 11 Sep 2025 12:21

Instrument :

BNA_P

ClientSampleId :

SSTDICCC040

Tgt Ion: 70 Resp: 381756

Ion Ratio Lower Upper

70 100

42 60.9 49.0 73.4

101 9.7 7.9 11.9





130 20.5 16.6 25.0

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#20

3+4-Methylphenols

Concen: 44.351 ng

RT: 8.525 min Scan# 950

Delta R.T. -0.000 min

Lab File: BP025729.D

Acq: 11 Sep 2025 12:21

Tgt Ion:107 Resp: 526118




Ion Ratio Lower Upper


107 100

108 87.1 67.8 107.8

77 34.3 16.1 56.1


79 29.3 10.5 50.5





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.525 min Scan# 1290
Delta R.T. -0.000 min
Lab File: BP025729.D
Acq: 11 Sep 2025 12:21




Instrument :
BNA_P
ClientSampleId :
SSTDICCC040



Tgt Ion:136 Resp: 617318
Ion Ratio Lower Upper
136 100
137 10.5 8.7 13.1
54 9.4 7.5 11.3
68 6.2 5.0 7.6




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#22
Acetophenone
Concen: 44.034 ng
RT: 8.572 min Scan# 958
Delta R.T. -0.000 min
Lab File: BP025729.D
Acq: 11 Sep 2025 12:21

Tgt Ion:105 Resp: 726426
Ion Ratio Lower Upper
105 100
71 2.2 1.8 2.8
51 30.4 23.5 35.3
120 22.3 17.7 26.5





#23

Nitrobenzene-d5

Concen: 87.524 ng

RT: 8.902 min Scan# 1014

Delta R.T. -0.000 min

Lab File: BP025729.D

Acq: 11 Sep 2025 12:21

Instrument :

BNA_P

ClientSampleId :

SSTDICCC040

Tgt Ion: 82 Resp: 1224876

Ion Ratio Lower Upper

82 100

128 41.0 32.9 49.3





54 54.1 43.4 65.2

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#24

Nitrobenzene

Concen: 44.142 ng

RT: 8.943 min Scan# 1021

Delta R.T. -0.006 min

Lab File: BP025729.D

Acq: 11 Sep 2025 12:21




Tgt Ion: 77 Resp: 554186


Ion Ratio Lower Upper

77 100

123 43.7 34.4 51.6

65 13.8 10.8 16.2









#25
Isophorone
Concen: 43.173 ng
RT: 9.472 min Scan# 1111
Delta R.T. 0.006 min
Lab File: BP025729.D
Acq: 11 Sep 2025 12:21

Instrument :
BNA_P
Client Sample Id :
SSTDICCC040

Tgt Ion: 82 Resp: 1061978
Ion Ratio Lower Upper
82 100
95 7.4 5.8 8.8
138 16.7 13.5 20.3




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#26
2-Nitrophenol
Concen: 44.885 ng
RT: 9.649 min Scan# 1141
Delta R.T. -0.000 min
Lab File: BP025729.D
Acq: 11 Sep 2025 12:21

Tgt Ion:139 Resp: 250189
Ion Ratio Lower Upper
139 100
109 33.2 29.0 43.4
65 56.2 46.9 70.3





#27

2,4-Dimethylphenol

Concen: 44.957 ng

RT: 9.713 min Scan# 1152

Delta R.T. -0.000 min

Lab File: BP025729.D

Acq: 11 Sep 2025 12:21

Instrument :

BNA_P

ClientSampleId :

SSTDICCC040





Tgt Ion:	122	Resp:	439626
Ion	Ratio	Lower	Upper
122	100		
107	120.0	97.9	146.9
121	59.1	47.4	71.0

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#28

bis(2-Chloroethoxy)methane

Concen: 43.278 ng




RT: 9.937 min Scan# 1190


Delta R.T. -0.006 min

Lab File: BP025729.D

Acq: 11 Sep 2025 12:21

Tgt Ion:	93	Resp:	615359
Ion	Ratio	Lower	Upper
93	100		
95	32.9	25.6	38.4
123	11.4	9.2	13.8





#29

2,4-Dichlorophenol

Concen: 44.201 ng

RT: 10.190 min Scan# 1232

Delta R.T. 0.006 min

Lab File: BP025729.D

Acq: 11 Sep 2025 12:21

Instrument :

BNA_P

ClientSampleId :





SSTDICCC040

Tgt Ion	Ratio	Lower	Upper
162	100		
164	65.1	44.7	84.7
98	36.5	18.1	58.1

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#30

1,2,4-Trichlorobenzene

Concen: 42.499 ng




RT: 10.396 min Scan# 1268


Delta R.T. 0.006 min

Lab File: BP025729.D

Acq: 11 Sep 2025 12:21

Tgt Ion	Ratio	Lower	Upper
180	100		
182	96.1	76.0	114.0
145	30.9	24.7	37.1









#31
Naphthalene
Concen: 42.548 ng
RT: 10.578 min Scan# 1299
Delta R.T. -0.000 min
Lab File: BP025729.D
Acq: 11 Sep 2025 12:21

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Tgt Ion:128 Resp: 1416256
Ion Ratio Lower Upper
128 100
129 10.8 8.6 12.8
127 12.8 10.2 15.4




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#32
Benzoic acid
Concen: 44.337 ng
RT: 9.884 min Scan# 1181
Delta R.T. 0.006 min
Lab File: BP025729.D
Acq: 11 Sep 2025 12:21


Tgt Ion:122 Resp: 322344
Ion Ratio Lower Upper
122 100
105 129.7 111.5 151.5
77 99.1 81.8 121.8





#33
4-Chloroaniline
Concen: 45.380 ng
RT: 10.684 min Scan# 1318
Delta R.T. -0.006 min
Lab File: BP025729.D
Acq: 11 Sep 2025 12:21




Instrument :
BNA_P
ClientSampleId :
SSTDICCC040




Tgt Ion:127 Resp: 629600
Ion Ratio Lower Upper
127 100
129 31.9 25.1 37.7
65 33.6 26.4 39.6
92 20.5 15.9 23.9

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025




#34
Hexachlorobutadiene
Concen: 42.296 ng
RT: 10.860 min Scan# 1347
Delta R.T. -0.000 min
Lab File: BP025729.D
Acq: 11 Sep 2025 12:21




Tgt Ion:225 Resp: 299180
Ion Ratio Lower Upper
225 100
223 62.9 50.1 75.1
227 61.7 51.2 76.8





#35
Caprolactam
Concen: 43.455 ng
RT: 11.490 min Scan# 1453
Delta R.T. 0.006 min
Lab File: BP025729.D
Acq: 11 Sep 2025 12:21




Instrument :
BNA_P
ClientSampleId :
SSTDICCC040



Tgt Ion:113 Resp: 162983
Ion Ratio Lower Upper
113 100
55 185.3 165.5 205.5
56 138.5 121.1 161.1




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#36
4-Chloro-3-methylphenol
Concen: 44.012 ng
RT: 11.825 min Scan# 1511
Delta R.T. 0.006 min
Lab File: BP025729.D
Acq: 11 Sep 2025 12:21

Tgt Ion:107 Resp: 511595
Ion Ratio Lower Upper
107 100
144 25.7 19.4 29.2
142 77.1 63.8 95.6





#37

2-Methylnaphthalene

Concen: 43.164 ng

RT: 12.184 min Scan# 1572

Delta R.T. -0.000 min

Lab File: BP025729.D

Acq: 11 Sep 2025 12:21

Instrument :

BNA_P

ClientSampleId :

SSTDICCC040





Tgt Ion:	142	Resp:	922799
Ion Ratio	Lower	Upper	
142	100		
141	87.6	69.6	104.4
115	37.3	30.0	45.0

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#38

1-Methylnaphthalene

Concen: 43.302 ng




RT: 12.407 min Scan# 1610


Delta R.T. 0.006 min

Lab File: BP025729.D

Acq: 11 Sep 2025 12:21

Tgt Ion:	142	Resp:	987208
Ion Ratio	Lower	Upper	
142	100		
141	91.9	72.7	109.1
116	4.4	3.5	5.3





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.378 min Scan# 1945

Delta R.T. -0.000 min

Lab File: BP025729.D

Acq: 11 Sep 2025 12:21

Instrument :

BNA_P

ClientSampleId :





SSTDICCC040

Tgt Ion:	164	Resp:	41812
Ion Ratio	Lower	Upper	
164	100		
162	99.3	80.6	120.8
160	43.3	35.0	52.6

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#40

1,2,4,5-Tetrachlorobenzene

Concen: 43.550 ng




RT: 12.560 min Scan# 1636


Delta R.T. 0.006 min

Lab File: BP025729.D

Acq: 11 Sep 2025 12:21


Tgt Ion:	216	Resp:	551785
Ion Ratio	Lower	Upper	
216	100		
214	78.0	62.4	93.6
179	21.3	17.0	25.6
108	18.8	15.2	22.8





#41
Hexachlorocyclopentadiene
Concen: 46.055 ng
RT: 12.537 min Scan# 1632
Delta R.T. -0.000 min
Lab File: BP025729.D
Acq: 11 Sep 2025 12:21




Instrument :
BNA_P
ClientSampleId :
SSTDICCC040



Tgt Ion: 237 Resp: 31781
Ion Ratio Lower Upper
237 100
235 62.4 41.9 81.9
272 11.5 0.0 31.8




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#42
2,4,6-Tribromophenol
Concen: 88.699 ng
RT: 15.895 min Scan# 2203
Delta R.T. -0.012 min
Lab File: BP025729.D
Acq: 11 Sep 2025 12:21

Tgt Ion: 330 Resp: 462583
Ion Ratio Lower Upper
330 100
332 97.1 76.9 115.3
141 38.0 31.0 46.4









#43
2,4,6-Trichlorophenol
Concen: 44.726 ng
RT: 12.801 min Scan# 1677
Delta R.T. -0.006 min
Lab File: BP025729.D
Acq: 11 Sep 2025 12:21

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Tgt Ion:196 Resp: 372542
Ion Ratio Lower Upper
196 100
198 97.7 77.2 115.8
200 30.4 24.2 36.2




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#44
2,4,5-Trichlorophenol
Concen: 45.167 ng
RT: 12.884 min Scan# 1691
Delta R.T. -0.000 min
Lab File: BP025729.D
Acq: 11 Sep 2025 12:21

Tgt Ion:196 Resp: 418700
Ion Ratio Lower Upper
196 100
198 95.3 77.8 116.8
97 51.4 43.3 64.9
132 27.0 22.3 33.5





#45

2-Fluorobiphenyl

Concen: 85.008 ng

RT: 12.990 min Scan# 1709

Delta R.T. -0.000 min

Lab File: BP025729.D

Acq: 11 Sep 2025 12:21

Instrument :

BNA_P

ClientSampleId :

SSTDICCC040

Tgt Ion:172 Resp: 2669440

Ion Ratio Lower Upper

172 100

171 34.6 27.8 41.6





170 23.1 18.6 27.8

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#46

1,1'-Biphenyl

Concen: 43.254 ng

RT: 13.207 min Scan# 1746

Delta R.T. 0.006 min

Lab File: BP025729.D

Acq: 11 Sep 2025 12:21




Tgt Ion:154 Resp: 1327491


Ion Ratio Lower Upper

154 100

153 39.1 19.7 59.7

76 12.0 0.0 33.3









#47
2-Chloronaphthalene
Concen: 42.913 ng
RT: 13.242 min Scan# 1753
Delta R.T. -0.006 min
Lab File: BP025729.D
Acq: 11 Sep 2025 12:21

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Tgt Ion:162 Resp: 1037016
Ion Ratio Lower Upper
162 100
127 41.1 32.2 48.4
164 33.5 26.5 39.7




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#48
2-Nitroaniline
Concen: 45.547 ng
RT: 13.454 min Scan# 1788
Delta R.T. -0.000 min
Lab File: BP025729.D
Acq: 11 Sep 2025 12:21

Tgt Ion: 65 Resp: 366901
Ion Ratio Lower Upper
65 100
92 67.1 53.1 79.7
138 101.8 77.8 116.8





#49

Acenaphthylene

Concen: 42.987 ng

RT: 14.101 min Scan# 1898

Delta R.T. -0.000 min

Lab File: BP025729.D

Acq: 11 Sep 2025 12:21

Instrument :

BNA_P

ClientSampleId :

SSTDICCC040

Tgt Ion:152 Resp: 1721169

Ion Ratio Lower Upper

152 100

151 19.7 15.8 23.6





153 12.9 10.5 15.7

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#50

Dimethylphthalate

Concen: 43.460 ng

RT: 13.837 min Scan# 1853

Delta R.T. -0.000 min

Lab File: BP025729.D

Acq: 11 Sep 2025 12:21




Tgt Ion:163 Resp: 1387323


Ion Ratio Lower Upper

163 100

194 4.1 3.4 5.2

164 10.0 8.2 12.2









#51
2,6-Dinitrotoluene
Concen: 44.293 ng
RT: 13.948 min Scan# 1873
Delta R.T. -0.006 min
Lab File: BP025729.D
Acq: 11 Sep 2025 12:21

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Tgt Ion:165 Resp: 299565
Ion Ratio Lower Upper
165 100
63 60.4 48.1 72.1
89 58.5 45.4 68.0




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#52
Acenaphthene
Concen: 43.262 ng
RT: 14.442 min Scan# 1956
Delta R.T. -0.012 min
Lab File: BP025729.D
Acq: 11 Sep 2025 12:21

Tgt Ion:154 Resp: 998942
Ion Ratio Lower Upper
154 100
153 111.0 89.4 134.0
152 52.6 42.5 63.7









#53
3-Nitroaniline
Concen: 46.320 ng
RT: 14.284 min Scan# 1930
Delta R.T. -0.006 min
Lab File: BP025729.D
Acq: 11 Sep 2025 12:21

Instrument :
BNA_P
Client Sample Id :
SSTDICCC040

Tgt Ion:138 Resp: 329431
Ion Ratio Lower Upper
138 100
108 10.8 8.7 13.1
92 121.1 94.6 142.0




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#54
2,4-Dinitrophenol
Concen: 42.110 ng
RT: 14.507 min Scan# 1967
Delta R.T. 0.000 min
Lab File: BP025729.D
Acq: 11 Sep 2025 12:21


Tgt Ion:184 Resp: 174477
Ion Ratio Lower Upper
184 100
63 64.2 52.5 78.7
154 66.1 51.5 77.3





#55
Dibenzenofuran
Concen: 42.712 ng
RT: 14.784 min Scan# 2014
Delta R.T. -0.006 min
Lab File: BP025729.D
Acq: 11 Sep 2025 12:21




Instrument :
BNA_P
Client Sample Id :
SSTDICCC040



Tgt Ion:168 Resp: 160741
Ion Ratio Lower Upper
168 100
139 38.8 31.7 47.5
169 13.1 10.8 16.2




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#56
4-Nitrophenol
Concen: 44.044 ng
RT: 14.619 min Scan# 1986
Delta R.T. -0.000 min
Lab File: BP025729.D
Acq: 11 Sep 2025 12:21

Tgt Ion:139 Resp: 256685
Ion Ratio Lower Upper
139 100
109 82.0 62.9 102.9
65 107.0 83.4 123.4









#57
2,4-Dinitrotoluene
Concen: 45.264 ng
RT: 14.754 min Scan# 2009
Delta R.T. -0.000 min
Lab File: BP025729.D
Acq: 11 Sep 2025 12:21

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Tgt Ion:165 Resp: 435664
Ion Ratio Lower Upper
165 100
63 46.4 37.7 56.5
89 74.8 61.0 91.6
182 2.8 2.4 3.6




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#58
Fluorene
Concen: 43.194 ng
RT: 15.448 min Scan# 2127
Delta R.T. -0.006 min
Lab File: BP025729.D
Acq: 11 Sep 2025 12:21

Tgt Ion:166 Resp: 1292575
Ion Ratio Lower Upper
166 100
165 96.6 77.7 116.5
167 13.2 10.6 16.0





#59

2,3,4,6-Tetrachlorophenol

Concen: 44.710 ng

RT: 15.019 min Scan# 2054

Delta R.T. -0.006 min

Lab File: BP025729.D

Acq: 11 Sep 2025 12:21

Instrument :

BNA_P

ClientSampleId :

SSTDICCC040

Tgt Ion:232 Resp: 373358

Ion Ratio Lower Upper

232 100

131 44.2 36.7 55.1

130 2.5 2.0 3.0





166 31.3 25.4 38.2

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#60

Diethylphthalate

Concen: 42.459 ng

RT: 15.219 min Scan# 2088

Delta R.T. -0.000 min

Lab File: BP025729.D

Acq: 11 Sep 2025 12:21




Tgt Ion:149 Resp: 1374845


Ion Ratio Lower Upper

149 100

177 22.4 17.7 26.5

150 12.5 10.0 15.0









#61
4-Chlorophenyl-phenylether
Concen: 42.637 ng
RT: 15.436 min Scan# 2125
Delta R.T. -0.006 min
Lab File: BP025729.D
Acq: 11 Sep 2025 12:21

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Tgt Ion:204 Resp: 643036
Ion Ratio Lower Upper
204 100
206 32.8 26.0 39.0
141 62.9 49.7 74.5




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#62
4-Nitroaniline
Concen: 46.442 ng
RT: 15.472 min Scan# 2131
Delta R.T. -0.006 min
Lab File: BP025729.D
Acq: 11 Sep 2025 12:21


Tgt Ion:138 Resp: 338121
Ion Ratio Lower Upper
138 100
92 53.0 33.3 73.3
108 87.0 66.7 106.7





#63
Azobenzene
Concen: 43.872 ng
RT: 15.736 min Scan# 2176
Delta R.T. -0.000 min
Lab File: BP025729.D
Acq: 11 Sep 2025 12:21




Instrument :
BNA_P
ClientSampleId :
SSTDICCC040



Tgt Ion: 77 Resp: 1373602
Ion Ratio Lower Upper
77 100
182 25.0 5.2 45.2
105 20.6 1.1 41.1
51 31.1 11.6 51.6




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.183 min Scan# 2422
Delta R.T. -0.000 min
Lab File: BP025729.D
Acq: 11 Sep 2025 12:21

Tgt Ion:188 Resp: 868840
Ion Ratio Lower Upper
188 100
94 9.2 7.4 11.0
80 10.9 7.7 11.5





#65

4,6-Dinitro-2-methylphenol

Concen: 45.293 ng

RT: 15.536 min Scan# 2142

Delta R.T. -0.000 min

Lab File: BP025729.D

Acq: 11 Sep 2025 12:21

Instrument :

BNA_P

ClientSampleId :

SSTDICCC040

Tgt Ion:198 Resp: 261709

Ion Ratio Lower Upper

198 100

51 47.5 33.4 73.4





105 42.4 24.3 64.3

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#66

n-Nitrosodiphenylamine

Concen: 43.383 ng

RT: 15.654 min Scan# 2162

Delta R.T. -0.000 min

Lab File: BP025729.D

Acq: 11 Sep 2025 12:21




Tgt Ion:169 Resp: 1153503


Ion Ratio Lower Upper

169 100

168 65.3 52.6 78.8


167 35.2 28.5 42.7





#67
4-Bromophenyl-phenylether
Concen: 43.298 ng
RT: 16.348 min Scan# 2281
Delta R.T. -0.006 min
Lab File: BP025729.D
Acq: 11 Sep 2025 12:21




Instrument :
BNA_P
ClientSampleId :
SSTDICCC040



Tgt Ion:248 Resp: 413274
Ion Ratio Lower Upper
248 100
250 98.4 77.5 116.3
141 75.7 60.2 90.4




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#68
Hexachlorobenzene
Concen: 42.564 ng
RT: 16.472 min Scan# 2301
Delta R.T. -0.000 min
Lab File: BP025729.D
Acq: 11 Sep 2025 12:21


Tgt Ion:284 Resp: 453064
Ion Ratio Lower Upper
284 100
142 37.3 31.3 46.9
249 32.9 27.3 40.9





#69
Atrazine
Concen: 44.392 ng
RT: 16.636 min Scan# 2329
Delta R.T. -0.000 min
Lab File: BP025729.D
Acq: 11 Sep 2025 12:21




Instrument :
BNA_P
ClientSampleId :
SSTDICCC040



Tgt Ion:200 Resp: 451179
Ion Ratio Lower Upper
200 100
173 26.0 4.2 44.2
215 47.8 27.3 67.3




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#70
Pentachlorophenol
Concen: 44.297 ng
RT: 16.836 min Scan# 2363
Delta R.T. 0.006 min
Lab File: BP025729.D
Acq: 11 Sep 2025 12:21

Tgt Ion:266 Resp: 311192
Ion Ratio Lower Upper
266 100
268 62.1 49.8 74.8
264 60.2 50.2 75.2









#71
Phenanthrene
Concen: 42.751 ng
RT: 17.230 min Scan# 2429
Delta R.T. 0.006 min
Lab File: BP025729.D
Acq: 11 Sep 2025 12:21

Instrument :
BNA_P
Client Sample Id :
SSTDICCC040

Tgt Ion:178 Resp: 2106998
Ion Ratio Lower Upper
178 100
176 19.0 15.4 23.2
179 15.3 12.2 18.4




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#72
Anthracene
Concen: 42.974 ng
RT: 17.319 min Scan# 2445
Delta R.T. -0.000 min
Lab File: BP025729.D
Acq: 11 Sep 2025 12:21

Tgt Ion:178 Resp: 2149009
Ion Ratio Lower Upper
178 100
176 18.6 14.8 22.2
179 15.6 12.2 18.4









#73
Carbazole
Concen: 43.830 ng
RT: 17.601 min Scan# 2493
Delta R.T. -0.000 min
Lab File: BP025729.D
Acq: 11 Sep 2025 12:21

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Tgt Ion:167 Resp: 2037704
Ion Ratio Lower Upper
167 100
166 21.0 17.0 25.4
139 12.8 10.6 16.0




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#74
Di-n-butylphthalate
Concen: 43.793 ng
RT: 18.189 min Scan# 2593
Delta R.T. 0.006 min
Lab File: BP025729.D
Acq: 11 Sep 2025 12:21


Tgt Ion:149 Resp: 2498531
Ion Ratio Lower Upper
149 100
150 9.4 7.4 11.0
104 5.4 4.3 6.5





#75
Fluoranthene
Concen: 42.535 ng
RT: 19.313 min Scan# 21
Delta R.T. -0.000 min
Lab File: BP025729.D
Acq: 11 Sep 2025 12:21




Instrument :
BNA_P
ClientSampleId :
SSTDICCC040



Tgt Ion:202 Resp: 251421
Ion Ratio Lower Upper
202 100
101 10.8 0.0 30.4
203 17.7 0.0 37.4




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.630 min Scan# 3178
Delta R.T. -0.012 min
Lab File: BP025729.D
Acq: 11 Sep 2025 12:21


Tgt Ion:240 Resp: 926553
Ion Ratio Lower Upper
240 100
120 10.1 8.0 12.0
236 25.6 20.7 31.1





#77
Benzidine
Concen: 45.307 ng
RT: 19.501 min Scan# 2816
Delta R.T. -0.006 min
Lab File: BP025729.D
Acq: 11 Sep 2025 12:21




Instrument :
BNA_P
ClientSampleId :
SSTDICCC040



Tgt Ion:184 Resp: 1209219
Ion Ratio Lower Upper
184 100
185 14.1 11.5 17.3
183 11.5 9.2 13.8




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#78
Pyrene
Concen: 42.875 ng
RT: 19.689 min Scan# 2848
Delta R.T. -0.000 min
Lab File: BP025729.D
Acq: 11 Sep 2025 12:21

Tgt Ion:202 Resp: 2650721
Ion Ratio Lower Upper
202 100
200 20.8 17.0 25.6
203 17.3 13.9 20.9









#79
Terphenyl-d14
Concen: 84.704 ng
RT: 19.901 min Scan# 2884
Delta R.T. -0.012 min
Lab File: BP025729.D
Acq: 11 Sep 2025 12:21

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Tgt Ion:244 Resp: 4362586
Ion Ratio Lower Upper
244 100
212 7.7 5.9 8.9
122 9.0 7.1 10.7




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#80
Butylbenzylphthalate
Concen: 44.213 ng
RT: 20.636 min Scan# 3009
Delta R.T. -0.006 min
Lab File: BP025729.D
Acq: 11 Sep 2025 12:21

Tgt Ion:149 Resp: 1198520
Ion Ratio Lower Upper
149 100
91 69.9 56.6 85.0
206 21.9 17.4 26.0









#81
Benzo(a)anthracene
Concen: 42.456 ng
RT: 21.613 min Scan# 3175
Delta R.T. -0.006 min
Lab File: BP025729.D
Acq: 11 Sep 2025 12:21

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Tgt Ion:228 Resp: 2693098
Ion Ratio Lower Upper
228 100
226 27.1 21.6 32.4
229 19.5 15.7 23.5




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#82
3,3'-Dichlorobenzidine
Concen: 43.803 ng
RT: 21.524 min Scan# 3160
Delta R.T. -0.012 min
Lab File: BP025729.D
Acq: 11 Sep 2025 12:21

Tgt Ion:252 Resp: 960752
Ion Ratio Lower Upper
252 100
254 64.6 51.4 77.0
126 11.5 8.3 12.5





#83

Chrysene

Concen: 42.152 ng

RT: 21.677 min Scan# 3186

Delta R.T. -0.012 min

Lab File: BP025729.D

Acq: 11 Sep 2025 12:21

Instrument :

BNA_P

ClientSampleId :

SSTDICCC040

Tgt Ion:228 Resp: 2548856

Ion Ratio Lower Upper

228 100

226 29.7 23.8 35.6





229 19.7 15.6 23.4

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#84

Bis(2-ethylhexyl)phthalate

Concen: 44.144 ng

RT: 21.542 min Scan# 3163

Delta R.T. -0.006 min

Lab File: BP025729.D

Acq: 11 Sep 2025 12:21




Tgt Ion:149 Resp: 1750717


Ion Ratio Lower Upper

149 100

167 28.3 22.9 34.3

279 4.5 3.8 5.8









#85
Di-n-octyl phthalate
Concen: 43.867 ng
RT: 22.818 min Scan# 3382
Delta R.T. -0.012 min
Lab File: BP025729.D
Acq: 11 Sep 2025 12:21

Instrument :
BNA_P
Client Sample Id :
SSTDICCC040

Tgt Ion:149 Resp: 3094664
Ion Ratio Lower Upper
149 100
167 1.6 1.3 1.9
43 9.9 8.0 12.0




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#86
Perylene-d12
Concen: 20.000 ng
RT: 24.995 min Scan# 3750
Delta R.T. -0.006 min
Lab File: BP025729.D
Acq: 11 Sep 2025 12:21


Tgt Ion:264 Resp: 1000954
Ion Ratio Lower Upper
264 100
260 23.7 18.3 27.5
265 21.7 17.3 25.9





#87
Indeno(1,2,3-cd)pyrene
Concen: 43.902 ng
RT: 28.824 min Scan# 4403
Delta R.T. -0.012 min
Lab File: BP025729.D
Acq: 11 Sep 2025 12:21




Instrument :
BNA_P
ClientSampleId :
SSTDICCC040



Tgt Ion: 276 Resp: 319567
Ion Ratio Lower Upper
276 100
138 14.9 13.4 20.2
277 25.2 9.1 13.7




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#88
Benzo(b)fluoranthene
Concen: 43.687 ng
RT: 23.930 min Scan# 3569
Delta R.T. -0.000 min
Lab File: BP025729.D
Acq: 11 Sep 2025 12:21

Tgt Ion: 252 Resp: 2674118
Ion Ratio Lower Upper
252 100
253 21.8 17.9 26.9
125 9.3 7.3 10.9





#89

Benzo(k)fluoranthene

Concen: 42.989 ng

RT: 24.007 min Scan# 3581

Delta R.T. 0.006 min

Lab File: BP025729.D

Acq: 11 Sep 2025 12:21

Instrument :

BNA_P

ClientSampleId :

SSTDICCC040

Tgt Ion:252 Resp: 2685118

Ion Ratio Lower Upper

252 100

253 21.7 17.5 26.3





125 9.2 7.5 11.3

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#90

Benzo(a)pyrene

Concen: 43.660 ng

RT: 24.836 min Scan# 3723

Delta R.T. -0.006 min

Lab File: BP025729.D

Acq: 11 Sep 2025 12:21




Tgt Ion:252 Resp: 2617139


Ion Ratio Lower Upper

252 100

253 21.4 17.2 25.8

125 10.3 8.3 12.5





#91

Dibenzo(a,h)anthracene

Concen: 43.586 ng

RT: 28.906 min Scan# 4415

Delta R.T. -0.012 min

Lab File: BP025729.D

Acq: 11 Sep 2025 12:21

Instrument :

BNA_P

ClientSampleId :

SSTDICCC040

Tgt Ion:278 Resp: 2596318

Ion Ratio Lower Upper

278 100

139 15.7 12.1 18.1





279 23.9 19.6 29.4

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#92

Benzo(g,h,i)perylene

Concen: 43.305 ng

RT: 30.006 min Scan# 4602

Delta R.T. -0.006 min

Lab File: BP025729.D

Acq: 11 Sep 2025 12:21




Tgt Ion:276 Resp: 2536855

Ion Ratio Lower Upper

276 100

277 23.6 18.7 28.1

138 20.8 16.0 24.0



Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP091225\
 Data File : BP025731.D
 Acq On : 11 Sep 2025 13:43
 Operator : CG/JU
 Sample : SSTDICC060
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 SSTDICC060

Quant Time: Sep 11 16:25:18 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP091225.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Sep 11 16:16:10 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.754	152	144908	20.000	ng	0.00
21) Naphthalene-d8	10.531	136	594465	20.000	ng	0.00
39) Acenaphthene-d10	14.389	164	399973	20.000	ng	0.01
64) Phenanthrene-d10	17.189	188	829072	20.000	ng	0.00
76) Chrysene-d12	21.636	240	850069	20.000	ng	0.00
86) Perylene-d12	24.995	264	937177	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.384	112	1076648	119.885	ng	0.00
7) Phenol-d6	6.949	99	1441118	120.727	ng	0.00
23) Nitrobenzene-d5	8.907	82	1624115	120.514	ng	0.00
42) 2,4,6-Tribromophenol	15.901	330	596882	119.643	ng	0.00
45) 2-Fluorobiphenyl	12.995	172	3440852	114.546	ng	0.00
79) Terphenyl-d14	19.913	244	5375608	113.763	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.308	88	214449	56.894	ng	Qvalue 99
3) Pyridine	3.708	79	608506	58.630	ng	98
4) n-Nitrosodimethylamine	3.614	42	283590	57.906	ng	98
6) Aniline	7.090	93	984589	60.086	ng	99
8) 2-Chlorophenol	7.331	128	593699	60.261	ng	99
9) Benzaldehyde	6.913	77	468269	65.521	ng	98
10) Phenol	6.972	94	761185	60.475	ng	99
11) bis(2-Chloroethyl)ether	7.190	93	594817	58.820	ng	97
12) 1,3-Dichlorobenzene	7.649	146	647387	57.736	ng	98
13) 1,4-Dichlorobenzene	7.790	146	669205	58.590	ng	98
14) 1,2-Dichlorobenzene	8.107	146	645593	58.182	ng	99
15) Benzyl Alcohol	7.996	79	587082	59.518	ng	100
16) 2,2'-oxybis(1-Chloropr...	8.278	45	940663	56.880	ng	100
17) 2-Methylphenol	8.207	107	515294	60.722	ng	99
18) Hexachloroethane	8.825	117	255454	58.553	ng	96
19) n-Nitroso-di-n-propyla...	8.560	70	500512	60.833	ng	99
20) 3+4-Methylphenols	8.531	107	706319	59.431	ng	99
22) Acetophenone	8.578	105	959504	60.398	ng	# 99
24) Nitrobenzene	8.949	77	732954	60.626	ng	98
25) Isophorone	9.472	82	1411439	59.586	ng	100
26) 2-Nitrophenol	9.654	139	341952	63.706	ng	96
27) 2,4-Dimethylphenol	9.713	122	571131	60.651	ng	99
28) bis(2-Chloroethoxy)met...	9.948	93	805869	58.855	ng	100
29) 2,4-Dichlorophenol	10.190	162	583539	62.152	ng	98
30) 1,2,4-Trichlorobenzene	10.396	180	617864	58.392	ng	99
31) Naphthalene	10.578	128	1861226	58.065	ng	99
32) Benzoic acid	9.901	122	457710	65.376	ng	100
33) 4-Chloroaniline	10.690	127	828517	62.014	ng	99
34) Hexachlorobutadiene	10.860	225	402426	59.079	ng	99
35) Caprolactam	11.495	113	213931	59.232	ng	98
36) 4-Chloro-3-methylphenol	11.819	107	672438	60.073	ng	97
37) 2-Methylnaphthalene	12.190	142	1207999	58.676	ng	98
38) 1-Methylnaphthalene	12.407	142	1271354	57.909	ng	99
40) 1,2,4,5-Tetrachloroben...	12.560	216	724963	59.814	ng	100
41) Hexachlorocyclopentadiene	12.537	237	416561	63.104	ng	99
43) 2,4,6-Trichlorophenol	12.807	196	490224	61.525	ng	99

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP091225\
 Data File : BP025731.D
 Acq On : 11 Sep 2025 13:43
 Operator : CG/JU
 Sample : SSTDICC060
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 SSTDICC060


Quant Time: Sep 11 16:25:18 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP091225.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Sep 11 16:16:10 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	12.884	196	548795	61.887	ng	97
46) 1,1'-Biphenyl	13.201	154	1710115	58.250	ng	100
47) 2-Chloronaphthalene	13.248	162	1358189	58.754	ng	99
48) 2-Nitroaniline	13.460	65	481928	62.541	ng	97
49) Acenaphthylene	14.113	152	2244987	58.613	ng	99
50) Dimethylphthalate	13.836	163	1735637	56.838	ng	99
51) 2,6-Dinitrotoluene	13.960	165	395721	61.166	ng	98
52) Acenaphthene	14.454	154	1266404	57.334	ng	100
53) 3-Nitroaniline	14.295	138	428446	62.976	ng	98
54) 2,4-Dinitrophenol	14.513	184	241144	58.695	ng	99
55) Dibenzofuran	14.789	168	2062085	57.280	ng	99
56) 4-Nitrophenol	14.619	139	335924	58.606	ng	94
57) 2,4-Dinitrotoluene	14.760	165	564986	61.363	ng	98
58) Fluorene	15.448	166	1619859	56.587	ng	100
59) 2,3,4,6-Tetrachlorophenol	15.025	232	471644	59.043	ng	100
60) Diethylphthalate	15.225	149	1767001	57.046	ng	100
61) 4-Chlorophenyl-phenyle...	15.442	204	817173	56.642	ng	99
62) 4-Nitroaniline	15.478	138	451315	64.802	ng	97
63) Azobenzene	15.742	77	1761607	58.817	ng	99
65) 4,6-Dinitro-2-methylph...	15.536	198	341390	61.918	ng	97
66) n-Nitrosodiphenylamine	15.660	169	1476982	58.214	ng	99
67) 4-Bromophenyl-phenylether	16.354	248	530862	58.285	ng	97
68) Hexachlorobenzene	16.483	284	586880	57.781	ng	95
69) Atrazine	16.642	200	563586	58.112	ng	97
70) Pentachlorophenol	16.836	266	400840	59.795	ng	100
71) Phenanthrene	17.230	178	2648539	56.316	ng	100
72) Anthracene	17.325	178	2753779	57.710	ng	100
73) Carbazole	17.607	167	2580907	58.177	ng	99
74) Di-n-butylphthalate	18.189	149	3187132	58.542	ng	100
75) Fluoranthene	19.313	202	3216943	57.034	ng	100
77) Benzidine	19.513	184	1473612	60.181	ng	99
78) Pyrene	19.689	202	3334872	58.794	ng	99
80) Butylbenzylphthalate	20.630	149	1497716	60.222	ng	98
81) Benzo(a)anthracene	21.613	228	3391233	58.272	ng	99
82) 3,3'-Dichlorobenzidine	21.530	252	1193448	59.308	ng	99
83) Chrysene	21.677	228	3234610	58.306	ng	100
84) Bis(2-ethylhexyl)phtha...	21.542	149	2185686	60.070	ng	99
85) Di-n-octyl phthalate	22.830	149	3857923	59.606	ng	100
87) Indeno(1,2,3-cd)pyrene	28.824	276	4176186	61.276	ng	# 85
88) Benzo(b)fluoranthene	23.930	252	3417862	59.638	ng	99
89) Benzo(k)fluoranthene	24.007	252	3431342	58.674	ng	100
90) Benzo(a)pyrene	24.848	252	3396800	60.523	ng	99
91) Dibenzo(a,h)anthracene	28.906	278	3396390	60.898	ng	99
92) Benzo(g,h,i)perylene	30.012	276	3366014	61.370	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Instrument :
BNA_P
ClientSampleId :
SSTDICC060





- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11**
- 12
- 13
- 14
- 15
- 16
- 17



#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.754 min Scan# 81
Delta R.T. -0.006 min
Lab File: BP025731.D
Acq: 11 Sep 2025 13:43




Instrument :
BNA_P
ClientSampleId :
SSTDICC060


Tgt Ion:152 Resp: 144908
Ion Ratio Lower Upper
152 100
150 153.1 124.3 186.5
115 63.1 50.3 75.5



#2
1,4-Dioxane
Concen: 56.894 ng
RT: 3.308 min Scan# 63
Delta R.T. -0.000 min
Lab File: BP025731.D
Acq: 11 Sep 2025 13:43

Tgt Ion: 88 Resp: 214449
Ion Ratio Lower Upper
88 100
58 81.2 65.5 98.3
43 31.4 25.2 37.8





#3

Pyridine

Concen: 58.630 ng

RT: 3.708 min Scan# 131

Delta R.T. -0.000 min

Lab File: BP025731.D

Acq: 11 Sep 2025 13:43

Instrument :





BNA_P

ClientSampleId :

SSTDIC060

Tgt Ion: 79 Resp: 608506

Ion	Ratio	Lower	Upper
79	100		
52	77.9	63.7	95.5
51	38.8	32.4	48.6



#4

n-Nitrosodimethylamine

Concen: 57.906 ng

RT: 3.614 min Scan# 115




Delta R.T. -0.000 min


Lab File: BP025731.D

Acq: 11 Sep 2025 13:43

Tgt Ion: 42 Resp: 283590

Ion	Ratio	Lower	Upper
42	100		
74	125.9	99.2	148.8
44	7.5	6.4	9.6





#5

2-Fluorophenol

Concen: 119.885 ng

RT: 5.384 min Scan# 416

Delta R.T. -0.000 min

Lab File: BP025731.D

Acq: 11 Sep 2025 13:43

Instrument :

BNA_P

ClientSampleId :

SSTDICC060





Tgt Ion:112 Resp: 1076648

Ion Ratio Lower Upper

112 100

64 61.4 50.2 75.4

63 33.3 26.7 40.1



#6

Aniline

Concen: 60.086 ng

RT: 7.090 min Scan# 706

Delta R.T. -0.006 min

Lab File: BP025731.D

Acq: 11 Sep 2025 13:43




Tgt Ion: 93 Resp: 984589


Ion Ratio Lower Upper

93 100

66 41.4 32.6 49.0

65 20.6 16.2 24.2









#7
Phenol-d6
Concen: 120.727 ng
RT: 6.949 min Scan# 682
Delta R.T. -0.000 min
Lab File: BP025731.D
Acq: 11 Sep 2025 13:43




Instrument :
BNA_P
ClientSampleId :
SSTDICC060


Tgt Ion: 99 Resp: 1441118
Ion Ratio Lower Upper
99 100
42 19.3 15.6 23.4
71 36.1 28.6 43.0



#8
2-Chlorophenol
Concen: 60.261 ng
RT: 7.331 min Scan# 747
Delta R.T. -0.006 min
Lab File: BP025731.D
Acq: 11 Sep 2025 13:43

Tgt Ion: 128 Resp: 593699
Ion Ratio Lower Upper
128 100
130 31.8 12.6 52.6
64 52.3 31.6 71.6









#9
Benzaldehyde
Concen: 65.521 ng
RT: 6.913 min Scan# 61
Delta R.T. -0.000 min
Lab File: BP025731.D
Acq: 11 Sep 2025 13:43




Instrument :
BNA_P
ClientSampleId :
SSTDICC060


Tgt Ion: 77 Resp: 468269
Ion Ratio Lower Upper
77 100
105 96.3 75.2 115.2
106 93.5 71.3 111.3



#10
Phenol
Concen: 60.475 ng
RT: 6.972 min Scan# 686
Delta R.T. -0.000 min
Lab File: BP025731.D
Acq: 11 Sep 2025 13:43

Tgt Ion: 94 Resp: 761185
Ion Ratio Lower Upper
94 100
65 30.5 10.2 50.2
66 40.9 21.4 61.4





#11

bis(2-Chloroethyl)ether

Concen: 58.820 ng

RT: 7.190 min Scan# 722

Delta R.T. 0.006 min

Lab File: BP025731.D

Acq: 11 Sep 2025 13:43

Instrument :

BNA_P

ClientSampleId :

SSTDICC060





Tgt Ion: 93 Resp: 594817

Ion Ratio Lower Upper

93 100

63 79.6 62.6 102.6

95 31.8 13.2 53.2



#12

1,3-Dichlorobenzene

Concen: 57.736 ng

RT: 7.649 min Scan# 801

Delta R.T. -0.000 min

Lab File: BP025731.D

Acq: 11 Sep 2025 13:43




Tgt Ion: 146 Resp: 647387


Ion Ratio Lower Upper

146 100

148 64.4 52.7 79.1

75 33.4 26.4 39.6





#13

1,4-Dichlorobenzene

Concen: 58.590 ng

RT: 7.790 min Scan# 81

Delta R.T. -0.000 min

Lab File: BP025731.D

Acq: 11 Sep 2025 13:43

Instrument :

BNA_P

ClientSampleId :

SSTDICC060





Tgt Ion:146 Resp: 669205

Ion Ratio Lower Upper

146 100

148 62.9 52.0 78.0

111 42.0 33.9 50.9



#14

1,2-Dichlorobenzene

Concen: 58.182 ng

RT: 8.107 min Scan# 879

Delta R.T. -0.000 min

Lab File: BP025731.D

Acq: 11 Sep 2025 13:43




Tgt Ion:146 Resp: 645593


Ion Ratio Lower Upper

146 100

148 64.1 51.7 77.5

111 44.6 35.5 53.3









#15
Benzyl Alcohol
Concen: 59.518 ng
RT: 7.996 min Scan# 860
Delta R.T. -0.006 min
Lab File: BP025731.D
Acq: 11 Sep 2025 13:43




Instrument :
BNA_P
ClientSampleId :
SSTDICC060


Tgt Ion: 79 Resp: 587082
Ion Ratio Lower Upper
79 100
108 73.4 58.7 88.1
77 62.6 50.2 75.2



#16
2,2'-oxybis(1-Chloropropane)
Concen: 56.880 ng
RT: 8.278 min Scan# 908
Delta R.T. -0.000 min
Lab File: BP025731.D
Acq: 11 Sep 2025 13:43

Tgt Ion: 45 Resp: 940663
Ion Ratio Lower Upper
45 100
77 13.3 0.0 33.1
79 9.8 0.0 30.0









#17
2-Methylphenol
Concen: 60.722 ng
RT: 8.207 min Scan# 895
Delta R.T. 0.006 min
Lab File: BP025731.D
Acq: 11 Sep 2025 13:43




Instrument :
BNA_P
ClientSampleId :
SSTDICC060


Tgt Ion:	107	Resp:	515294
Ion	Ratio	Lower	Upper
107	100		
108	111.7	89.6	134.4
77	49.7	39.3	58.9
79	48.0	37.8	56.6



#18
Hexachloroethane
Concen: 58.553 ng
RT: 8.825 min Scan# 1001
Delta R.T. -0.000 min
Lab File: BP025731.D
Acq: 11 Sep 2025 13:43

Tgt Ion:	117	Resp:	255454
Ion	Ratio	Lower	Upper
117	100		
119	93.9	77.1	115.7
201	100.9	85.6	128.4





#19

n-Nitroso-di-n-propylamine

Concen: 60.833 ng

RT: 8.560 min Scan# 91

Delta R.T. 0.006 min

Lab File: BP025731.D

Acq: 11 Sep 2025 13:43

Instrument :

BNA_P

ClientSampleId :

SSTDICC060

Tgt Ion: 70 Resp: 500512





Ion Ratio Lower Upper

70 100

42 60.2 49.0 73.4

101 9.9 7.9 11.9

130 20.0 16.6 25.0



#20

3+4-Methylphenols

Concen: 59.431 ng

RT: 8.531 min Scan# 951

Delta R.T. 0.006 min

Lab File: BP025731.D

Acq: 11 Sep 2025 13:43

Tgt Ion: 107 Resp: 706319




Ion Ratio Lower Upper


107 100

108 88.7 67.8 107.8

77 34.8 16.1 56.1

79 30.5 10.5 50.5





#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.531 min Scan# 11

Delta R.T. 0.006 min

Lab File: BP025731.D

Acq: 11 Sep 2025 13:43

Instrument :

BNA_P

ClientSampleId :

SSTDICC060

Tgt Ion:136 Resp: 594465





Ion Ratio Lower Upper

136 100

137 11.0 8.7 13.1

54 9.1 7.5 11.3

68 6.1 5.0 7.6



#22

Acetophenone

Concen: 60.398 ng

RT: 8.578 min Scan# 959

Delta R.T. 0.006 min

Lab File: BP025731.D

Acq: 11 Sep 2025 13:43

Tgt Ion:105 Resp: 959504




Ion Ratio Lower Upper


105 100

71 1.7 1.8 2.8

51 29.1 23.5 35.3

120 22.3 17.7 26.5





#23

Nitrobenzene-d5

Concen: 120.514 ng

RT: 8.907 min Scan# 1014

Delta R.T. 0.006 min

Lab File: BP025731.D

Acq: 11 Sep 2025 13:43

Instrument :

BNA_P

ClientSampleId :

SSTDICC060





Tgt Ion: 82 Resp: 1624115

Ion Ratio Lower Upper

82 100

128 41.3 32.9 49.3

54 54.1 43.4 65.2



#24

Nitrobenzene

Concen: 60.626 ng

RT: 8.949 min Scan# 1022

Delta R.T. -0.000 min

Lab File: BP025731.D

Acq: 11 Sep 2025 13:43




Tgt Ion: 77 Resp: 732954


Ion Ratio Lower Upper

77 100

123 44.6 34.4 51.6

65 14.0 10.8 16.2





#25

Isophorone

Concen: 59.586 ng

RT: 9.472 min Scan# 1111

Delta R.T. 0.006 min

Lab File: BP025731.D

Acq: 11 Sep 2025 13:43

Instrument :





BNA_P

ClientSampleId :

SSTDICC060

Tgt Ion: 82 Resp: 1411439

Ion	Ratio	Lower	Upper
82	100		
95	7.3	5.8	8.8
138	17.0	13.5	20.3



#26

2-Nitrophenol

Concen: 63.706 ng

RT: 9.654 min Scan# 1142




Delta R.T. 0.006 min


Lab File: BP025731.D

Acq: 11 Sep 2025 13:43

Tgt Ion: 139 Resp: 341952

Ion	Ratio	Lower	Upper
139	100		
109	34.7	29.0	43.4
65	55.5	46.9	70.3





#27

2,4-Dimethylphenol

Concen: 60.651 ng

RT: 9.713 min Scan# 1152

Delta R.T. -0.000 min

Lab File: BP025731.D

Acq: 11 Sep 2025 13:43

Instrument :

BNA_P

ClientSampleId :

SSTDICC060





Tgt Ion:122 Resp: 571131

Ion Ratio Lower Upper

122 100

107 121.9 97.9 146.9

121 57.9 47.4 71.0



#28

bis(2-Chloroethoxy)methane

Concen: 58.855 ng

RT: 9.948 min Scan# 1192

Delta R.T. 0.006 min

Lab File: BP025731.D

Acq: 11 Sep 2025 13:43




Tgt Ion: 93 Resp: 805869


Ion Ratio Lower Upper

93 100

95 32.3 25.6 38.4

123 11.4 9.2 13.8





#29

2,4-Dichlorophenol

Concen: 62.152 ng

RT: 10.190 min Scan# 1232

Delta R.T. 0.006 min

Lab File: BP025731.D

Acq: 11 Sep 2025 13:43

Instrument :

BNA_P

ClientSampleId :

SSTDICC060





Tgt Ion:162 Resp: 583539

Ion Ratio Lower Upper

162 100

164 64.2 44.7 84.7

98 36.2 18.1 58.1



#30

1,2,4-Trichlorobenzene

Concen: 58.392 ng

RT: 10.396 min Scan# 1268

Delta R.T. 0.006 min

Lab File: BP025731.D

Acq: 11 Sep 2025 13:43




Tgt Ion:180 Resp: 617864


Ion Ratio Lower Upper

180 100

182 95.5 76.0 114.0

145 29.8 24.7 37.1





#31

Naphthalene

Concen: 58.065 ng

RT: 10.578 min Scan# 1184

Delta R.T. -0.000 min

Lab File: BP025731.D

Acq: 11 Sep 2025 13:43

Instrument :

BNA_P

ClientSampleId :

SSTDICC060





Tgt Ion:128 Resp: 1861226

Ion Ratio Lower Upper

128 100

129 11.0 8.6 12.8

127 13.1 10.2 15.4



#32

Benzoic acid

Concen: 65.376 ng

RT: 9.901 min Scan# 1184

Delta R.T. 0.023 min

Lab File: BP025731.D

Acq: 11 Sep 2025 13:43




Tgt Ion:122 Resp: 457710


Ion Ratio Lower Upper

122 100

105 131.1 111.5 151.5

77 101.9 81.8 121.8





#33

4-Chloroaniline

Concen: 62.014 ng

RT: 10.690 min Scan# 1318

Delta R.T. -0.000 min

Lab File: BP025731.D

Acq: 11 Sep 2025 13:43

Instrument :

BNA_P

ClientSampleId :

SSTDICC060

Tgt Ion:127 Resp: 828517





Ion Ratio Lower Upper

127 100

129 31.3 25.1 37.7

65 34.0 26.4 39.6

92 21.1 15.9 23.9



#34

Hexachlorobutadiene

Concen: 59.079 ng

RT: 10.860 min Scan# 1347

Delta R.T. -0.000 min

Lab File: BP025731.D

Acq: 11 Sep 2025 13:43




Tgt Ion:225 Resp: 402426


Ion Ratio Lower Upper

225 100

223 62.9 50.1 75.1

227 62.4 51.2 76.8









#35
Caprolactam
Concen: 59.232 ng
RT: 11.495 min Scan# 1455
Delta R.T. 0.012 min
Lab File: BP025731.D
Acq: 11 Sep 2025 13:43




Instrument :
BNA_P
ClientSampleId :
SSTDICC060


Tgt Ion	Ratio	Lower	Upper
113	100		
55	186.8	165.5	205.5
56	137.2	121.1	161.1



#36
4-Chloro-3-methylphenol
Concen: 60.073 ng
RT: 11.819 min Scan# 1510
Delta R.T. -0.000 min
Lab File: BP025731.D
Acq: 11 Sep 2025 13:43

Tgt Ion	Ratio	Lower	Upper
107	100		
144	25.5	19.4	29.2
142	77.1	63.8	95.6





#37

2-Methylnaphthalene

Concen: 58.676 ng

RT: 12.190 min Scan# 11

Delta R.T. 0.006 min

Lab File: BP025731.D

Acq: 11 Sep 2025 13:43

Instrument :

BNA_P

ClientSampleId :

SSTDICC060





Tgt Ion:142 Resp: 1207999

Ion Ratio Lower Upper

142 100

141 88.7 69.6 104.4

115 38.1 30.0 45.0



#38

1-Methylnaphthalene

Concen: 57.909 ng

RT: 12.407 min Scan# 1610

Delta R.T. 0.006 min

Lab File: BP025731.D

Acq: 11 Sep 2025 13:43




Tgt Ion:142 Resp: 1271354


Ion Ratio Lower Upper

142 100

141 91.9 72.7 109.1

116 4.3 3.5 5.3





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.389 min Scan# 1947

Delta R.T. 0.012 min

Lab File: BP025731.D

Acq: 11 Sep 2025 13:43

Instrument :

BNA_P

ClientSampleId :

SSTDICC060





Tgt Ion:164 Resp: 399973

Ion Ratio Lower Upper

164 100

162 100.2 80.6 120.8

160 45.4 35.0 52.6



#40

1,2,4,5-Tetrachlorobenzene

Concen: 59.814 ng

RT: 12.560 min Scan# 1636

Delta R.T. 0.006 min

Lab File: BP025731.D

Acq: 11 Sep 2025 13:43

Tgt Ion:216 Resp: 724963




Ion Ratio Lower Upper


216 100

214 77.9 62.4 93.6

179 21.1 17.0 25.6

108 18.6 15.2 22.8









#41
Hexachlorocyclopentadiene
Concen: 63.104 ng
RT: 12.537 min Scan# 1632
Delta R.T. -0.000 min
Lab File: BP025731.D
Acq: 11 Sep 2025 13:43




Instrument :
BNA_P
ClientSampleId :
SSTDICC060


Tgt Ion	Ratio	Lower	Upper
237	100		
235	61.3	41.9	81.9
272	12.4	0.0	31.8



#42
2,4,6-Tribromophenol
Concen: 119.643 ng
RT: 15.901 min Scan# 2204
Delta R.T. -0.006 min
Lab File: BP025731.D
Acq: 11 Sep 2025 13:43

Tgt Ion	Ratio	Lower	Upper
330	100		
332	96.5	76.9	115.3
141	37.5	31.0	46.4





#43

2,4,6-Trichlorophenol

Concen: 61.525 ng

RT: 12.807 min Scan# 1678

Delta R.T. -0.000 min

Lab File: BP025731.D

Acq: 11 Sep 2025 13:43

Instrument :

BNA_P

ClientSampleId :

SSTDICC060





Tgt Ion:196 Resp: 490224

Ion Ratio Lower Upper

196 100

198 95.8 77.2 115.8

200 31.1 24.2 36.2



#44

2,4,5-Trichlorophenol

Concen: 61.887 ng

RT: 12.884 min Scan# 1691

Delta R.T. -0.000 min

Lab File: BP025731.D

Acq: 11 Sep 2025 13:43

Tgt Ion:196 Resp: 548795




Ion Ratio Lower Upper


196 100

198 94.4 77.8 116.8

97 51.3 43.3 64.9

132 26.6 22.3 33.5





#45

2-Fluorobiphenyl

Concen: 114.546 ng

RT: 12.995 min Scan# 1710

Delta R.T. 0.006 min

Lab File: BP025731.D

Acq: 11 Sep 2025 13:43

Instrument :

BNA_P

ClientSampleId :

SSTDICC060





Tgt Ion:172 Resp: 3440852

Ion Ratio Lower Upper

172 100

171 35.1 27.8 41.6

170 23.0 18.6 27.8



#46

1,1'-Biphenyl

Concen: 58.250 ng

RT: 13.201 min Scan# 1745

Delta R.T. -0.000 min

Lab File: BP025731.D

Acq: 11 Sep 2025 13:43




Tgt Ion:154 Resp: 1710115


Ion Ratio Lower Upper

154 100

153 39.9 19.7 59.7

76 13.3 0.0 33.3





#47

2-Chloronaphthalene

Concen: 58.754 ng

RT: 13.248 min Scan# 1753

Delta R.T. -0.000 min

Lab File: BP025731.D

Acq: 11 Sep 2025 13:43

Instrument :

BNA_P

ClientSampleId :

SSTDICC060





Tgt Ion:162 Resp: 1358189

Ion Ratio Lower Upper

162 100

127 40.7 32.2 48.4

164 32.8 26.5 39.7



#48

2-Nitroaniline

Concen: 62.541 ng

RT: 13.460 min Scan# 1789

Delta R.T. 0.006 min

Lab File: BP025731.D

Acq: 11 Sep 2025 13:43




Tgt Ion: 65 Resp: 481928


Ion Ratio Lower Upper

65 100

92 67.6 53.1 79.7

138 101.6 77.8 116.8





#49

Acenaphthylene

Concen: 58.613 ng

RT: 14.113 min Scan# 1900

Delta R.T. 0.012 min

Lab File: BP025731.D

Acq: 11 Sep 2025 13:43

Instrument :

BNA_P

ClientSampleId :

SSTDICC060





Tgt Ion:152 Resp: 2244987

Ion Ratio Lower Upper

152 100

151 19.4 15.8 23.6

153 12.9 10.5 15.7



#50

Dimethylphthalate

Concen: 56.838 ng

RT: 13.836 min Scan# 1853

Delta R.T. -0.000 min

Lab File: BP025731.D

Acq: 11 Sep 2025 13:43




Tgt Ion:163 Resp: 1735637


Ion Ratio Lower Upper

163 100

194 4.2 3.4 5.2

164 10.4 8.2 12.2









#51
2,6-Dinitrotoluene
Concen: 61.166 ng
RT: 13.960 min Scan# 1873
Delta R.T. 0.006 min
Lab File: BP025731.D
Acq: 11 Sep 2025 13:43




Instrument :
BNA_P
ClientSampleId :
SSTDICC060


Tgt Ion:	165	Resp:	395721
Ion Ratio	Lower	Upper	
165	100		
63	58.0	48.1	72.1
89	57.7	45.4	68.0



#52
Acenaphthene
Concen: 57.334 ng
RT: 14.454 min Scan# 1958
Delta R.T. -0.000 min
Lab File: BP025731.D
Acq: 11 Sep 2025 13:43

Tgt Ion:	154	Resp:	1266404
Ion Ratio	Lower	Upper	
154	100		
153	112.0	89.4	134.0
152	52.4	42.5	63.7









#53
3-Nitroaniline
Concen: 62.976 ng
RT: 14.295 min Scan# 1930
Delta R.T. 0.006 min
Lab File: BP025731.D
Acq: 11 Sep 2025 13:43




Instrument :
BNA_P
ClientSampleId :
SSTDICC060


Tgt Ion:138 Resp: 428446
Ion Ratio Lower Upper
138 100
108 10.1 8.7 13.1
92 115.5 94.6 142.0



#54
2,4-Dinitrophenol
Concen: 58.695 ng
RT: 14.513 min Scan# 1968
Delta R.T. 0.006 min
Lab File: BP025731.D
Acq: 11 Sep 2025 13:43

Tgt Ion:184 Resp: 241144
Ion Ratio Lower Upper
184 100
63 66.0 52.5 78.7
154 65.2 51.5 77.3





#55

Dibenzofuran

Concen: 57.280 ng

RT: 14.789 min Scan# 2015

Delta R.T. -0.000 min

Lab File: BP025731.D

Acq: 11 Sep 2025 13:43

Instrument :

BNA_P

ClientSampleId :

SSTDICC060





Tgt Ion:168 Resp: 2062085

Ion Ratio Lower Upper

168 100

139 39.1 31.7 47.5

169 13.6 10.8 16.2



#56

4-Nitrophenol

Concen: 58.606 ng

RT: 14.619 min Scan# 1986

Delta R.T. -0.000 min

Lab File: BP025731.D

Acq: 11 Sep 2025 13:43




Tgt Ion:139 Resp: 335924


Ion Ratio Lower Upper

139 100

109 84.3 62.9 102.9

65 113.1 83.4 123.4









#57
2,4-Dinitrotoluene
Concen: 61.363 ng
RT: 14.760 min Scan# 2009
Delta R.T. 0.006 min
Lab File: BP025731.D
Acq: 11 Sep 2025 13:43




Instrument :
BNA_P
ClientSampleId :
SSTDICC060


Tgt Ion:165 Resp: 564986
Ion Ratio Lower Upper
165 100
63 47.0 37.7 56.5
89 73.2 61.0 91.6
182 2.7 2.4 3.6



#58
Fluorene
Concen: 56.587 ng
RT: 15.448 min Scan# 2127
Delta R.T. -0.006 min
Lab File: BP025731.D
Acq: 11 Sep 2025 13:43

Tgt Ion:166 Resp: 1619859
Ion Ratio Lower Upper
166 100
165 96.9 77.7 116.5
167 13.3 10.6 16.0





#59

2,3,4,6-Tetrachlorophenol

Concen: 59.043 ng

RT: 15.025 min Scan# 2055

Delta R.T. -0.000 min

Lab File: BP025731.D

Acq: 11 Sep 2025 13:43

Instrument :

BNA_P

ClientSampleId :

SSTDICC060

Tgt Ion:232 Resp: 471644





Ion Ratio Lower Upper

232 100

131 45.9 36.7 55.1

130 2.5 2.0 3.0

166 31.8 25.4 38.2



#60

Diethylphthalate

Concen: 57.046 ng

RT: 15.225 min Scan# 2089

Delta R.T. 0.006 min

Lab File: BP025731.D

Acq: 11 Sep 2025 13:43




Tgt Ion:149 Resp: 1767001


Ion Ratio Lower Upper

149 100

177 21.8 17.7 26.5

150 12.5 10.0 15.0









#61
4-Chlorophenyl-phenylether
Concen: 56.642 ng
RT: 15.442 min Scan# 2126
Delta R.T. -0.000 min
Lab File: BP025731.D
Acq: 11 Sep 2025 13:43




Instrument :
BNA_P
ClientSampleId :
SSTDICC060


Tgt Ion:204 Resp: 817173
Ion Ratio Lower Upper
204 100
206 33.1 26.0 39.0
141 63.1 49.7 74.5



#62
4-Nitroaniline
Concen: 64.802 ng
RT: 15.478 min Scan# 2132
Delta R.T. -0.000 min
Lab File: BP025731.D
Acq: 11 Sep 2025 13:43

Tgt Ion:138 Resp: 451315
Ion Ratio Lower Upper
138 100
92 55.2 33.3 73.3
108 89.6 66.7 106.7









#63
Azobenzene
Concen: 58.817 ng
RT: 15.742 min Scan# 2176
Delta R.T. 0.006 min
Lab File: BP025731.D
Acq: 11 Sep 2025 13:43




Instrument :
BNA_P
ClientSampleId :
SSTDICC060


Tgt Ion: 77 Resp: 1761607
Ion Ratio Lower Upper
77 100
182 25.0 5.2 45.2
105 20.5 1.1 41.1
51 32.3 11.6 51.6



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.189 min Scan# 2423
Delta R.T. 0.006 min
Lab File: BP025731.D
Acq: 11 Sep 2025 13:43

Tgt Ion: 188 Resp: 829072
Ion Ratio Lower Upper
188 100
94 8.6 7.4 11.0
80 9.6 7.7 11.5





#65

4,6-Dinitro-2-methylphenol

Concen: 61.918 ng

RT: 15.536 min Scan# 2142

Delta R.T. -0.000 min

Lab File: BP025731.D

Acq: 11 Sep 2025 13:43

Instrument :

BNA_P

ClientSampleId :

SSTDICC060





Tgt Ion:198 Resp: 341390

Ion Ratio Lower Upper

198 100

51 50.8 33.4 73.4

105 42.7 24.3 64.3



#66

n-Nitrosodiphenylamine

Concen: 58.214 ng

RT: 15.660 min Scan# 2163

Delta R.T. 0.006 min

Lab File: BP025731.D

Acq: 11 Sep 2025 13:43




Tgt Ion:169 Resp: 1476982


Ion Ratio Lower Upper

169 100

168 66.2 52.6 78.8

167 36.3 28.5 42.7









#67
4-Bromophenyl-phenylether
Concen: 58.285 ng
RT: 16.354 min Scan# 2281
Delta R.T. -0.000 min
Lab File: BP025731.D
Acq: 11 Sep 2025 13:43




Instrument :
BNA_P
ClientSampleId :
SSTDICC060


Tgt Ion	Ratio	Lower	Upper
248	100		
250	97.4	77.5	116.3
141	79.9	60.2	90.4



#68
Hexachlorobenzene
Concen: 57.781 ng
RT: 16.483 min Scan# 2303
Delta R.T. 0.012 min
Lab File: BP025731.D
Acq: 11 Sep 2025 13:43

Tgt Ion	Ratio	Lower	Upper
284	100		
142	34.7	31.3	46.9
249	32.6	27.3	40.9









#69
Atrazine
Concen: 58.112 ng
RT: 16.642 min Scan# 2330
Delta R.T. 0.006 min
Lab File: BP025731.D
Acq: 11 Sep 2025 13:43




Instrument :
BNA_P
ClientSampleId :
SSTDICC060


Tgt Ion	Ratio	Lower	Upper
200	100		
173	26.0	4.2	44.2
215	49.2	27.3	67.3



#70
Pentachlorophenol
Concen: 59.795 ng
RT: 16.836 min Scan# 2363
Delta R.T. 0.006 min
Lab File: BP025731.D
Acq: 11 Sep 2025 13:43

Tgt Ion	Ratio	Lower	Upper
266	100		
268	61.9	49.8	74.8
264	62.5	50.2	75.2









#71
Phenanthrene
Concen: 56.316 ng
RT: 17.230 min Scan# 2429
Delta R.T. 0.006 min
Lab File: BP025731.D
Acq: 11 Sep 2025 13:43




Instrument :
BNA_P
ClientSampleId :
SSTDICC060


Tgt Ion:178 Resp: 2648539
Ion Ratio Lower Upper
178 100
176 19.3 15.4 23.2
179 15.3 12.2 18.4



#72
Anthracene
Concen: 57.710 ng
RT: 17.325 min Scan# 2446
Delta R.T. 0.006 min
Lab File: BP025731.D
Acq: 11 Sep 2025 13:43

Tgt Ion:178 Resp: 2753779
Ion Ratio Lower Upper
178 100
176 18.8 14.8 22.2
179 15.4 12.2 18.4









#73
Carbazole
Concen: 58.177 ng
RT: 17.607 min Scan# 2493
Delta R.T. 0.006 min
Lab File: BP025731.D
Acq: 11 Sep 2025 13:43




Instrument :
BNA_P
ClientSampleId :
SSTDICC060


Tgt Ion:167 Resp: 2580907
Ion Ratio Lower Upper
167 100
166 21.4 17.0 25.4
139 13.0 10.6 16.0



#74
Di-n-butylphthalate
Concen: 58.542 ng
RT: 18.189 min Scan# 2593
Delta R.T. 0.006 min
Lab File: BP025731.D
Acq: 11 Sep 2025 13:43

Tgt Ion:149 Resp: 3187132
Ion Ratio Lower Upper
149 100
150 9.2 7.4 11.0
104 5.3 4.3 6.5









#75
Fluoranthene
Concen: 57.034 ng
RT: 19.313 min Scan# 21
Delta R.T. -0.000 min
Lab File: BP025731.D
Acq: 11 Sep 2025 13:43




Instrument :
BNA_P
ClientSampleId :
SSTDICC060


Tgt Ion:202 Resp: 3216943
Ion Ratio Lower Upper
202 100
101 10.7 0.0 30.4
203 17.4 0.0 37.4



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.636 min Scan# 3179
Delta R.T. -0.006 min
Lab File: BP025731.D
Acq: 11 Sep 2025 13:43

Tgt Ion:240 Resp: 850069
Ion Ratio Lower Upper
240 100
120 9.7 8.0 12.0
236 25.6 20.7 31.1









#77
Benzidine
Concen: 60.181 ng
RT: 19.513 min Scan# 2818
Delta R.T. 0.006 min
Lab File: BP025731.D
Acq: 11 Sep 2025 13:43




Instrument :
BNA_P
ClientSampleId :
SSTDICC060


Tgt Ion:184 Resp: 1473612
Ion Ratio Lower Upper
184 100
185 14.2 11.5 17.3
183 11.2 9.2 13.8



#78
Pyrene
Concen: 58.794 ng
RT: 19.689 min Scan# 2848
Delta R.T. -0.000 min
Lab File: BP025731.D
Acq: 11 Sep 2025 13:43

Tgt Ion:202 Resp: 3334872
Ion Ratio Lower Upper
202 100
200 20.9 17.0 25.6
203 17.6 13.9 20.9









#79
Terphenyl-d14
Concen: 113.763 ng
RT: 19.913 min Scan# 2886
Delta R.T. -0.000 min
Lab File: BP025731.D
Acq: 11 Sep 2025 13:43




Instrument :
BNA_P
ClientSampleId :
SSTDICC060


Tgt Ion:244 Resp: 5375608
Ion Ratio Lower Upper
244 100
212 7.7 5.9 8.9
122 9.2 7.1 10.7



#80
Butylbenzylphthalate
Concen: 60.222 ng
RT: 20.630 min Scan# 3008
Delta R.T. -0.012 min
Lab File: BP025731.D
Acq: 11 Sep 2025 13:43

Tgt Ion:149 Resp: 1497716
Ion Ratio Lower Upper
149 100
91 73.3 56.6 85.0
206 21.7 17.4 26.0









#81
Benzo(a)anthracene
Concen: 58.272 ng
RT: 21.613 min Scan# 3175
Delta R.T. -0.006 min
Lab File: BP025731.D
Acq: 11 Sep 2025 13:43




Instrument :
BNA_P
ClientSampleId :
SSTDICC060


Tgt Ion:228 Resp: 3391233
Ion Ratio Lower Upper
228 100
226 27.3 21.6 32.4
229 20.1 15.7 23.5



#82
3,3'-Dichlorobenzidine
Concen: 59.308 ng
RT: 21.530 min Scan# 3161
Delta R.T. -0.006 min
Lab File: BP025731.D
Acq: 11 Sep 2025 13:43

Tgt Ion:252 Resp: 1193448
Ion Ratio Lower Upper
252 100
254 65.4 51.4 77.0
126 10.3 8.3 12.5









#83
Chrysene
Concen: 58.306 ng
RT: 21.677 min Scan# 3186
Delta R.T. -0.012 min
Lab File: BP025731.D
Acq: 11 Sep 2025 13:43




Instrument :
BNA_P
ClientSampleId :
SSTDICC060


Tgt Ion:228 Resp: 3234610
Ion Ratio Lower Upper
228 100
226 29.9 23.8 35.6
229 19.6 15.6 23.4



#84
Bis(2-ethylhexyl)phthalate
Concen: 60.070 ng
RT: 21.542 min Scan# 3163
Delta R.T. -0.006 min
Lab File: BP025731.D
Acq: 11 Sep 2025 13:43

Tgt Ion:149 Resp: 2185686
Ion Ratio Lower Upper
149 100
167 27.9 22.9 34.3
279 4.3 3.8 5.8









#85
Di-n-octyl phthalate
Concen: 59.606 ng
RT: 22.830 min Scan# 3382
Delta R.T. -0.000 min
Lab File: BP025731.D
Acq: 11 Sep 2025 13:43




Instrument :
BNA_P
ClientSampleId :
SSTDICC060


Tgt Ion:149 Resp: 3857923
Ion Ratio Lower Upper
149 100
167 1.6 1.3 1.9
43 9.9 8.0 12.0



#86
Perylene-d12
Concen: 20.000 ng
RT: 24.995 min Scan# 3750
Delta R.T. -0.006 min
Lab File: BP025731.D
Acq: 11 Sep 2025 13:43

Tgt Ion:264 Resp: 937177
Ion Ratio Lower Upper
264 100
260 23.9 18.3 27.5
265 22.2 17.3 25.9





#87

Indeno(1,2,3-cd)pyrene

Concen: 61.276 ng

RT: 28.824 min Scan# 4403

Delta R.T. -0.012 min

Lab File: BP025731.D

Acq: 11 Sep 2025 13:43

Instrument :

BNA_P

ClientSampleId :

SSTDICC060





Tgt Ion:276 Resp: 4176186

Ion Ratio Lower Upper

276 100

138 16.9 13.4 20.2

277 25.2 9.1 13.7#



#88

Benzo(b)fluoranthene

Concen: 59.638 ng

RT: 23.930 min Scan# 3569

Delta R.T. -0.000 min

Lab File: BP025731.D

Acq: 11 Sep 2025 13:43




Tgt Ion:252 Resp: 3417862


Ion Ratio Lower Upper

252 100

253 21.7 17.9 26.9

125 8.8 7.3 10.9





#89

Benzo(k)fluoranthene

Concen: 58.674 ng

RT: 24.007 min Scan# 31

Delta R.T. 0.006 min

Lab File: BP025731.D

Acq: 11 Sep 2025 13:43

Instrument :

BNA_P

ClientSampleId :

SSTDICC060





Tgt Ion:252 Resp: 3431342

Ion Ratio Lower Upper

252 100

253 22.0 17.5 26.3

125 9.1 7.5 11.3



#90

Benzo(a)pyrene

Concen: 60.523 ng

RT: 24.848 min Scan# 3725

Delta R.T. 0.006 min

Lab File: BP025731.D

Acq: 11 Sep 2025 13:43




Tgt Ion:252 Resp: 3396800


Ion Ratio Lower Upper

252 100

253 21.6 17.2 25.8

125 9.5 8.3 12.5





#91

Dibenzo(a,h)anthracene

Concen: 60.898 ng

RT: 28.906 min Scan# 4415

Delta R.T. -0.012 min

Lab File: BP025731.D

Acq: 11 Sep 2025 13:43

Instrument :

BNA_P

ClientSampleId :

SSTDICC060





Tgt Ion:278 Resp: 3396390

Ion Ratio Lower Upper

278 100

139 16.1 12.1 18.1

279 24.3 19.6 29.4



#92

Benzo(g,h,i)perylene

Concen: 61.370 ng

RT: 30.012 min Scan# 4603

Delta R.T. -0.000 min

Lab File: BP025731.D

Acq: 11 Sep 2025 13:43




Tgt Ion:276 Resp: 3366014

Ion Ratio Lower Upper

276 100

277 23.2 18.7 28.1

138 18.8 16.0 24.0



Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP091225\
 Data File : BP025732.D
 Acq On : 11 Sep 2025 14:24
 Operator : CG/JU
 Sample : SSTDICC080
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 SSTDICC080

Quant Time: Sep 11 16:26:30 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP091225.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Sep 11 16:16:10 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.761	152	156685	20.000	ng	0.00
21) Naphthalene-d8	10.531	136	657507	20.000	ng	0.00
39) Acenaphthene-d10	14.384	164	457251	20.000	ng	0.00
64) Phenanthrene-d10	17.189	188	963896	20.000	ng	0.00
76) Chrysene-d12	21.642	240	964091	20.000	ng	0.00
86) Perylene-d12	24.995	264	1072676	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.384	112	1519863	156.516	ng	0.00
7) Phenol-d6	6.949	99	2060064	159.607	ng	0.00
23) Nitrobenzene-d5	8.908	82	2312828	155.163	ng	0.00
42) 2,4,6-Tribromophenol	15.901	330	901504	158.067	ng	0.00
45) 2-Fluorobiphenyl	12.996	172	4820104	140.360	ng	0.00
79) Terphenyl-d14	19.913	244	7841805	146.328	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	3.308	88	293942	72.123	ng	100
3) Pyridine	3.708	79	864675	77.049	ng	97
4) n-Nitrosodimethylamine	3.614	42	406094	76.687	ng	100
6) Aniline	7.096	93	1418325	80.049	ng	99
8) 2-Chlorophenol	7.337	128	852861	80.059	ng	99
9) Benzaldehyde	6.914	77	614881	79.569	ng	100
10) Phenol	6.972	94	1090983	80.162	ng	99
11) bis(2-Chloroethyl)ether	7.190	93	855627	78.251	ng	98
12) 1,3-Dichlorobenzene	7.649	146	917305	75.659	ng	97
13) 1,4-Dichlorobenzene	7.796	146	935253	75.728	ng	99
14) 1,2-Dichlorobenzene	8.108	146	905715	75.489	ng	99
15) Benzyl Alcohol	8.002	79	865116	81.113	ng	99
16) 2,2'-oxybis(1-Chloropr...	8.278	45	1365629	76.370	ng	99
17) 2-Methylphenol	8.208	107	747211	81.433	ng	100
18) Hexachloroethane	8.825	117	362679	76.881	ng	96
19) n-Nitroso-di-n-propyla...	8.560	70	721517	81.103	ng	99
20) 3+4-Methylphenols	8.531	107	1023340	79.634	ng	99
22) Acetophenone	8.572	105	1366991	77.798	ng	# 98
24) Nitrobenzene	8.949	77	1052990	78.746	ng	98
25) Isophorone	9.484	82	2070061	79.012	ng	100
26) 2-Nitrophenol	9.649	139	504228	84.931	ng	96
27) 2,4-Dimethylphenol	9.713	122	842469	80.887	ng	99
28) bis(2-Chloroethoxy)met...	9.937	93	1190837	78.631	ng	99
29) 2,4-Dichlorophenol	10.190	162	850329	81.883	ng	99
30) 1,2,4-Trichlorobenzene	10.390	180	902735	77.134	ng	99
31) Naphthalene	10.578	128	2657135	74.948	ng	99
32) Benzoic acid	9.925	122	680741	87.910	ng	98
33) 4-Chloroaniline	10.684	127	1237939	83.774	ng	98
34) Hexachlorobutadiene	10.866	225	571616	75.871	ng	100
35) Caprolactam	11.513	113	324639	81.266	ng	96
36) 4-Chloro-3-methylphenol	11.825	107	998570	80.654	ng	96
37) 2-Methylnaphthalene	12.190	142	1750889	76.891	ng	99
38) 1-Methylnaphthalene	12.407	142	1849786	76.178	ng	99
40) 1,2,4,5-Tetrachloroben...	12.554	216	1039713	75.038	ng	100
41) Hexachlorocyclopentadiene	12.537	237	641317	84.983	ng	98
43) 2,4,6-Trichlorophenol	12.807	196	725824	79.683	ng	99

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP091225\
 Data File : BP025732.D
 Acq On : 11 Sep 2025 14:24
 Operator : CG/JU
 Sample : SSTDICC080
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 SSTDICC080

Quant Time: Sep 11 16:26:30 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP091225.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Sep 11 16:16:10 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	12.884	196	806956	79.601	ng	97
46) 1,1'-Biphenyl	13.201	154	2497929	74.426	ng	100
47) 2-Chloronaphthalene	13.243	162	1962349	74.255	ng	98
48) 2-Nitroaniline	13.454	65	733091	83.218	ng	97
49) Acenaphthylene	14.107	152	3311359	75.625	ng	99
50) Dimethylphthalate	13.843	163	2615037	74.909	ng	99
51) 2,6-Dinitrotoluene	13.954	165	580821	78.530	ng	100
52) Acenaphthene	14.443	154	1846398	73.121	ng	100
53) 3-Nitroaniline	14.290	138	649230	83.474	ng	100
54) 2,4-Dinitrophenol	14.507	184	382175	79.506	ng	93
55) Dibenzofuran	14.790	168	2999483	72.882	ng	99
56) 4-Nitrophenol	14.625	139	527475	78.823	ng	98
57) 2,4-Dinitrotoluene	14.760	165	853243	81.062	ng	98
58) Fluorene	15.454	166	2363617	72.225	ng	100
59) 2,3,4,6-Tetrachlorophenol	15.019	232	722846	79.155	ng	98
60) Diethylphthalate	15.225	149	2678679	75.646	ng	100
61) 4-Chlorophenyl-phenyle...	15.442	204	1190470	72.181	ng	97
62) 4-Nitroaniline	15.472	138	667122	83.790	ng	99
63) Azobenzene	15.742	77	2578205	75.299	ng	99
65) 4,6-Dinitro-2-methylph...	15.542	198	537070	83.783	ng	97
66) n-Nitrosodiphenylamine	15.666	169	2109969	71.530	ng	100
67) 4-Bromophenyl-phenylether	16.354	248	792238	74.816	ng	97
68) Hexachlorobenzene	16.478	284	892102	75.546	ng	96
69) Atrazine	16.648	200	876809	77.763	ng	99
70) Pentachlorophenol	16.837	266	629802	80.808	ng	98
71) Phenanthrene	17.236	178	3960390	72.431	ng	100
72) Anthracene	17.331	178	4027019	72.588	ng	100
73) Carbazole	17.607	167	3852545	74.694	ng	99
74) Di-n-butylphthalate	18.195	149	4705330	74.340	ng	100
75) Fluoranthene	19.325	202	4786922	72.998	ng	100
77) Benzidine	19.519	184	2065703	74.384	ng	100
78) Pyrene	19.701	202	4911699	76.353	ng	100
80) Butylbenzylphthalate	20.642	149	2268963	80.443	ng	98
81) Benzo(a)anthracene	21.619	228	5031313	76.229	ng	100
82) 3,3'-Dichlorobenzidine	21.536	252	1705366	74.725	ng	99
83) Chrysene	21.689	228	4667905	74.190	ng	99
84) Bis(2-ethylhexyl)phtha...	21.542	149	3154011	76.431	ng	100
85) Di-n-octyl phthalate	22.824	149	5799888	79.012	ng	100
87) Indeno(1,2,3-cd)pyrene	28.848	276	5948880	76.261	ng	# 84
88) Benzo(b)fluoranthene	23.936	252	5088293	77.570	ng	99
89) Benzo(k)fluoranthene	24.013	252	4938760	73.783	ng	99
90) Benzo(a)pyrene	24.842	252	4896947	76.231	ng	99
91) Dibenzo(a,h)anthracene	28.918	278	4903653	76.817	ng	98
92) Benzo(g,h,i)perylene	30.036	276	4826771	76.886	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP091225\
Data File : BP025732.D
Acq On : 11 Sep 2025 14:24
Operator : CG/JU
Sample : SSTDICC080
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Quant Time: Sep 11 16:26:30 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP091225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Sep 11 16:16:10 2025
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.761 min Scan# 81
Delta R.T. 0.001 min
Lab File: BP025732.D
Acq: 11 Sep 2025 14:24




Instrument :
BNA_P
ClientSampleId :
SSTDICC080


Tgt Ion:152 Resp: 156685
Ion Ratio Lower Upper
152 100
150 153.0 124.3 186.5
115 61.0 50.3 75.5



#2
1,4-Dioxane
Concen: 72.123 ng
RT: 3.308 min Scan# 63
Delta R.T. 0.000 min
Lab File: BP025732.D
Acq: 11 Sep 2025 14:24

Tgt Ion: 88 Resp: 293942
Ion Ratio Lower Upper
88 100
58 81.8 65.5 98.3
43 31.6 25.2 37.8









#3
Pyridine
Concen: 77.049 ng
RT: 3.708 min Scan# 131
Delta R.T. 0.000 min
Lab File: BP025732.D
Acq: 11 Sep 2025 14:24




Instrument :
BNA_P
ClientSampleId :
SSTDICC080


Tgt Ion: 79 Resp: 864675
Ion Ratio Lower Upper
79 100
52 77.1 63.7 95.5
51 39.1 32.4 48.6



#4
n-Nitrosodimethylamine
Concen: 76.687 ng
RT: 3.614 min Scan# 115
Delta R.T. 0.000 min
Lab File: BP025732.D
Acq: 11 Sep 2025 14:24

Tgt Ion: 42 Resp: 406094
Ion Ratio Lower Upper
42 100
74 123.8 99.2 148.8
44 6.8 6.4 9.6





#5

2-Fluorophenol

Concen: 156.516 ng

RT: 5.384 min Scan# 416

Delta R.T. 0.000 min

Lab File: BP025732.D

Acq: 11 Sep 2025 14:24

Instrument :

BNA_P

ClientSampleId :

SSTDICC080





Tgt Ion:112 Resp: 1519863

Ion Ratio Lower Upper

112 100

64 62.6 50.2 75.4

63 33.0 26.7 40.1



#6

Aniline

Concen: 80.049 ng

RT: 7.096 min Scan# 707

Delta R.T. 0.000 min

Lab File: BP025732.D

Acq: 11 Sep 2025 14:24




Tgt Ion: 93 Resp: 1418325


Ion Ratio Lower Upper

93 100

66 41.5 32.6 49.0

65 20.9 16.2 24.2









#7
Phenol-d6
Concen: 159.607 ng
RT: 6.949 min Scan# 682
Delta R.T. 0.000 min
Lab File: BP025732.D
Acq: 11 Sep 2025 14:24




Instrument :
BNA_P
ClientSampleId :
SSTDICC080


Tgt Ion: 99 Resp: 2060064
Ion Ratio Lower Upper
99 100
42 19.6 15.6 23.4
71 37.3 28.6 43.0



#8
2-Chlorophenol
Concen: 80.059 ng
RT: 7.337 min Scan# 748
Delta R.T. 0.000 min
Lab File: BP025732.D
Acq: 11 Sep 2025 14:24

Tgt Ion: 128 Resp: 852861
Ion Ratio Lower Upper
128 100
130 32.6 12.6 52.6
64 50.2 31.6 71.6









#9
Benzaldehyde
Concen: 79.569 ng
RT: 6.914 min Scan# 61
Delta R.T. 0.000 min
Lab File: BP025732.D
Acq: 11 Sep 2025 14:24




Instrument :
BNA_P
ClientSampleId :
SSTDICC080


Tgt Ion: 77 Resp: 614881
Ion Ratio Lower Upper
77 100
105 95.0 75.2 115.2
106 91.3 71.3 111.3



#10
Phenol
Concen: 80.162 ng
RT: 6.972 min Scan# 686
Delta R.T. 0.000 min
Lab File: BP025732.D
Acq: 11 Sep 2025 14:24

Tgt Ion: 94 Resp: 1090983
Ion Ratio Lower Upper
94 100
65 30.5 10.2 50.2
66 42.3 21.4 61.4





#11

bis(2-Chloroethyl)ether

Concen: 78.251 ng

RT: 7.190 min Scan# 722

Delta R.T. 0.006 min

Lab File: BP025732.D

Acq: 11 Sep 2025 14:24

Instrument :

BNA_P

ClientSampleId :

SSTDICC080





Tgt Ion: 93 Resp: 855627

Ion Ratio Lower Upper

93 100

63 80.8 62.6 102.6

95 32.5 13.2 53.2



#12

1,3-Dichlorobenzene

Concen: 75.659 ng

RT: 7.649 min Scan# 801

Delta R.T. 0.000 min

Lab File: BP025732.D

Acq: 11 Sep 2025 14:24




Tgt Ion: 146 Resp: 917305


Ion Ratio Lower Upper

146 100

148 63.3 52.7 79.1

75 34.8 26.4 39.6





#13

1,4-Dichlorobenzene

Concen: 75.728 ng

RT: 7.796 min Scan# 81

Delta R.T. 0.006 min

Lab File: BP025732.D

Acq: 11 Sep 2025 14:24

Instrument :

BNA_P

ClientSampleId :

SSTDICC080





Tgt Ion:146 Resp: 935253

Ion Ratio Lower Upper

146 100

148 64.0 52.0 78.0

111 42.6 33.9 50.9



#14

1,2-Dichlorobenzene

Concen: 75.489 ng

RT: 8.108 min Scan# 879

Delta R.T. 0.000 min

Lab File: BP025732.D

Acq: 11 Sep 2025 14:24




Tgt Ion:146 Resp: 905715


Ion Ratio Lower Upper

146 100

148 63.9 51.7 77.5

111 44.9 35.5 53.3









#15
Benzyl Alcohol
Concen: 81.113 ng
RT: 8.002 min Scan# 861
Delta R.T. 0.000 min
Lab File: BP025732.D
Acq: 11 Sep 2025 14:24




Instrument :
BNA_P
ClientSampleId :
SSTDICC080


Tgt Ion: 79 Resp: 865116
Ion Ratio Lower Upper
79 100
108 73.1 58.7 88.1
77 64.5 50.2 75.2



#16
2,2'-oxybis(1-Chloropropane)
Concen: 76.370 ng
RT: 8.278 min Scan# 908
Delta R.T. 0.000 min
Lab File: BP025732.D
Acq: 11 Sep 2025 14:24

Tgt Ion: 45 Resp: 1365629
Ion Ratio Lower Upper
45 100
77 13.4 0.0 33.1
79 10.3 0.0 30.0





#17

2-Methylphenol

Concen: 81.433 ng

RT: 8.208 min Scan# 895

Delta R.T. 0.006 min

Lab File: BP025732.D

Acq: 11 Sep 2025 14:24

Instrument :

BNA_P

ClientSampleId :

SSTDICC080

Tgt Ion:107 Resp: 747211





Ion Ratio Lower Upper

107 100

108 112.1 89.6 134.4

77 49.3 39.3 58.9

79 48.1 37.8 56.6



#18

Hexachloroethane

Concen: 76.881 ng

RT: 8.825 min Scan# 1001

Delta R.T. 0.000 min

Lab File: BP025732.D

Acq: 11 Sep 2025 14:24




Tgt Ion:117 Resp: 362679


Ion Ratio Lower Upper

117 100

119 94.3 77.1 115.7

201 101.0 85.6 128.4





#19

n-Nitroso-di-n-propylamine

Concen: 81.103 ng

RT: 8.560 min Scan# 91

Delta R.T. 0.006 min

Lab File: BP025732.D

Acq: 11 Sep 2025 14:24

Instrument :

BNA_P

ClientSampleId :

SSTDICC080

Tgt Ion: 70 Resp: 721517





Ion Ratio Lower Upper

70 100

42 60.8 49.0 73.4

101 10.0 7.9 11.9

130 20.5 16.6 25.0



#20

3+4-Methylphenols

Concen: 79.634 ng

RT: 8.531 min Scan# 951

Delta R.T. 0.006 min

Lab File: BP025732.D

Acq: 11 Sep 2025 14:24

Tgt Ion: 107 Resp: 1023340




Ion Ratio Lower Upper


107 100

108 89.5 67.8 107.8

77 35.7 16.1 56.1

79 30.5 10.5 50.5





#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.531 min Scan# 1291

Delta R.T. 0.006 min

Lab File: BP025732.D

Acq: 11 Sep 2025 14:24

Instrument :

BNA_P

ClientSampleId :

SSTDICC080

Tgt Ion:136 Resp: 657507





Ion Ratio Lower Upper

136 100

137 11.0 8.7 13.1

54 9.1 7.5 11.3

68 6.5 5.0 7.6



#22

Acetophenone

Concen: 77.798 ng

RT: 8.572 min Scan# 958

Delta R.T. 0.000 min

Lab File: BP025732.D

Acq: 11 Sep 2025 14:24

Tgt Ion:105 Resp: 1366991




Ion Ratio Lower Upper


105 100

71 4.8 1.8 2.8

51 30.6 23.5 35.3

120 22.0 17.7 26.5





#23

Nitrobenzene-d5

Concen: 155.163 ng

RT: 8.908 min Scan# 1015

Delta R.T. 0.006 min

Lab File: BP025732.D

Acq: 11 Sep 2025 14:24

Instrument :





BNA_P

ClientSampleId :

SSTDICC080

Tgt Ion: 82 Resp: 2312828

Ion	Ratio	Lower	Upper
82	100		
128	41.9	32.9	49.3
54	54.5	43.4	65.2



#24

Nitrobenzene

Concen: 78.746 ng

RT: 8.949 min Scan# 1022




Delta R.T. 0.000 min


Lab File: BP025732.D

Acq: 11 Sep 2025 14:24

Tgt Ion: 77 Resp: 1052990

Ion	Ratio	Lower	Upper
77	100		
123	44.4	34.4	51.6
65	14.3	10.8	16.2









#25
Isophorone
Concen: 79.012 ng
RT: 9.484 min Scan# 1113
Delta R.T. 0.018 min
Lab File: BP025732.D
Acq: 11 Sep 2025 14:24




Instrument :
BNA_P
ClientSampleId :
SSTDICC080


Tgt Ion: 82 Resp: 2070061
Ion Ratio Lower Upper
82 100
95 7.2 5.8 8.8
138 17.0 13.5 20.3



#26
2-Nitrophenol
Concen: 84.931 ng
RT: 9.649 min Scan# 1141
Delta R.T. 0.000 min
Lab File: BP025732.D
Acq: 11 Sep 2025 14:24

Tgt Ion: 139 Resp: 504228
Ion Ratio Lower Upper
139 100
109 34.0 29.0 43.4
65 55.0 46.9 70.3





#27

2,4-Dimethylphenol

Concen: 80.887 ng

RT: 9.713 min Scan# 1152

Delta R.T. 0.000 min

Lab File: BP025732.D

Acq: 11 Sep 2025 14:24

Instrument :

BNA_P

ClientSampleId :

SSTDICC080





Tgt Ion:122 Resp: 842469

Ion Ratio Lower Upper

122 100

107 123.6 97.9 146.9

121 58.7 47.4 71.0



#28

bis(2-Chloroethoxy)methane

Concen: 78.631 ng

RT: 9.937 min Scan# 1190

Delta R.T. -0.006 min

Lab File: BP025732.D

Acq: 11 Sep 2025 14:24




Tgt Ion: 93 Resp: 1190837


Ion Ratio Lower Upper

93 100

95 32.6 25.6 38.4

123 11.0 9.2 13.8





#29

2,4-Dichlorophenol

Concen: 81.883 ng

RT: 10.190 min Scan# 1232

Delta R.T. 0.006 min

Lab File: BP025732.D

Acq: 11 Sep 2025 14:24

Instrument :

BNA_P

ClientSampleId :

SSTDICC080





Tgt Ion:162 Resp: 850329

Ion Ratio Lower Upper

162 100

164 64.3 44.7 84.7

98 37.5 18.1 58.1



#30

1,2,4-Trichlorobenzene

Concen: 77.134 ng

RT: 10.390 min Scan# 1267

Delta R.T. 0.000 min

Lab File: BP025732.D

Acq: 11 Sep 2025 14:24




Tgt Ion:180 Resp: 902735


Ion Ratio Lower Upper

180 100

182 95.6 76.0 114.0

145 30.3 24.7 37.1









#31
Naphthalene
Concen: 74.948 ng
RT: 10.578 min Scan# 1299
Delta R.T. 0.000 min
Lab File: BP025732.D
Acq: 11 Sep 2025 14:24




Instrument :
BNA_P
ClientSampleId :
SSTDICC080


Tgt Ion:128 Resp: 2657135
Ion Ratio Lower Upper
128 100
129 11.0 8.6 12.8
127 13.2 10.2 15.4



#32
Benzoic acid
Concen: 87.910 ng
RT: 9.925 min Scan# 1188
Delta R.T. 0.047 min
Lab File: BP025732.D
Acq: 11 Sep 2025 14:24

Tgt Ion:122 Resp: 680741
Ion Ratio Lower Upper
122 100
105 129.3 111.5 151.5
77 100.2 81.8 121.8









#33
4-Chloroaniline
Concen: 83.774 ng
RT: 10.684 min Scan# 1317
Delta R.T. -0.006 min
Lab File: BP025732.D
Acq: 11 Sep 2025 14:24

Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Tgt Ion:127 Resp: 1237939




Ion	Ratio	Lower	Upper
127	100		
129	32.5	25.1	37.7
65	34.3	26.4	39.6
92	20.8	15.9	23.9




#34
Hexachlorobutadiene
Concen: 75.871 ng
RT: 10.866 min Scan# 1348
Delta R.T. 0.006 min
Lab File: BP025732.D
Acq: 11 Sep 2025 14:24

Tgt Ion:225 Resp: 571616

Ion	Ratio	Lower	Upper
225	100		
223	62.4	50.1	75.1
227	63.5	51.2	76.8





#35

Caprolactam

Concen: 81.266 ng

RT: 11.513 min Scan# 1453

Delta R.T. 0.029 min

Lab File: BP025732.D

Acq: 11 Sep 2025 14:24

Instrument :

BNA_P

ClientSampleId :

SSTDICC080





Tgt Ion:113 Resp: 324639

Ion Ratio Lower Upper

113 100

55 180.6 165.5 205.5

56 135.9 121.1 161.1



#36

4-Chloro-3-methylphenol

Concen: 80.654 ng

RT: 11.825 min Scan# 1511

Delta R.T. 0.006 min

Lab File: BP025732.D

Acq: 11 Sep 2025 14:24




Tgt Ion:107 Resp: 998570


Ion Ratio Lower Upper

107 100

144 24.3 19.4 29.2

142 75.3 63.8 95.6









#37
2-Methylnaphthalene
Concen: 76.891 ng
RT: 12.190 min Scan# 11
Delta R.T. 0.006 min
Lab File: BP025732.D
Acq: 11 Sep 2025 14:24




Instrument :
BNA_P
ClientSampleId :
SSTDICC080


Tgt Ion:142 Resp: 1750889
Ion Ratio Lower Upper
142 100
141 88.5 69.6 104.4
115 37.5 30.0 45.0



#38
1-Methylnaphthalene
Concen: 76.178 ng
RT: 12.407 min Scan# 1610
Delta R.T. 0.006 min
Lab File: BP025732.D
Acq: 11 Sep 2025 14:24

Tgt Ion:142 Resp: 1849786
Ion Ratio Lower Upper
142 100
141 91.6 72.7 109.1
116 4.3 3.5 5.3





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.384 min Scan# 1945

Delta R.T. 0.006 min

Lab File: BP025732.D

Acq: 11 Sep 2025 14:24

Instrument :

BNA_P

ClientSampleId :

SSTDICC080





Tgt Ion:164 Resp: 457251

Ion Ratio Lower Upper

164 100

162 100.9 80.6 120.8

160 44.9 35.0 52.6



#40

1,2,4,5-Tetrachlorobenzene

Concen: 75.038 ng

RT: 12.554 min Scan# 1635

Delta R.T. 0.000 min

Lab File: BP025732.D

Acq: 11 Sep 2025 14:24

Tgt Ion:216 Resp: 1039713




Ion Ratio Lower Upper


216 100

214 78.4 62.4 93.6

179 21.1 17.0 25.6

108 18.9 15.2 22.8









#41
Hexachlorocyclopentadiene
Concen: 84.983 ng
RT: 12.537 min Scan# 1632
Delta R.T. 0.000 min
Lab File: BP025732.D
Acq: 11 Sep 2025 14:24




Instrument :
BNA_P
ClientSampleId :
SSTDICC080


Tgt Ion:237 Resp: 641317
Ion Ratio Lower Upper
237 100
235 63.6 41.9 81.9
272 12.3 0.0 31.8



#42
2,4,6-Tribromophenol
Concen: 158.067 ng
RT: 15.901 min Scan# 2204
Delta R.T. -0.006 min
Lab File: BP025732.D
Acq: 11 Sep 2025 14:24

Tgt Ion:330 Resp: 901504
Ion Ratio Lower Upper
330 100
332 96.7 76.9 115.3
141 37.7 31.0 46.4





#43

2,4,6-Trichlorophenol

Concen: 79.683 ng

RT: 12.807 min Scan# 1678

Delta R.T. 0.000 min

Lab File: BP025732.D

Acq: 11 Sep 2025 14:24

Instrument :

BNA_P

ClientSampleId :

SSTDICC080





Tgt Ion:196 Resp: 725824

Ion Ratio Lower Upper

196 100

198 96.1 77.2 115.8

200 31.7 24.2 36.2



#44

2,4,5-Trichlorophenol

Concen: 79.601 ng

RT: 12.884 min Scan# 1691

Delta R.T. 0.000 min

Lab File: BP025732.D

Acq: 11 Sep 2025 14:24

Tgt Ion:196 Resp: 806956




Ion Ratio Lower Upper


196 100

198 95.5 77.8 116.8

97 50.6 43.3 64.9

132 27.1 22.3 33.5





#45

2-Fluorobiphenyl

Concen: 140.360 ng

RT: 12.996 min Scan# 1710

Delta R.T. 0.006 min

Lab File: BP025732.D

Acq: 11 Sep 2025 14:24

Instrument :

BNA_P

ClientSampleId :

SSTDICC080





Tgt Ion:172 Resp: 4820104

Ion Ratio Lower Upper

172 100

171 35.2 27.8 41.6

170 23.6 18.6 27.8



#46

1,1'-Biphenyl

Concen: 74.426 ng

RT: 13.201 min Scan# 1745

Delta R.T. 0.000 min

Lab File: BP025732.D

Acq: 11 Sep 2025 14:24




Tgt Ion:154 Resp: 2497929


Ion Ratio Lower Upper

154 100

153 40.1 19.7 59.7

76 13.4 0.0 33.3





#47

2-Chloronaphthalene

Concen: 74.255 ng

RT: 13.243 min Scan# 1753

Delta R.T. -0.006 min

Lab File: BP025732.D

Acq: 11 Sep 2025 14:24

Instrument :

BNA_P

ClientSampleId :

SSTDICC080





Tgt Ion:162 Resp: 1962349

Ion Ratio Lower Upper

162 100

127 41.7 32.2 48.4

164 32.4 26.5 39.7



#48

2-Nitroaniline

Concen: 83.218 ng

RT: 13.454 min Scan# 1788

Delta R.T. 0.000 min

Lab File: BP025732.D

Acq: 11 Sep 2025 14:24




Tgt Ion: 65 Resp: 733091


Ion Ratio Lower Upper

65 100

92 67.4 53.1 79.7

138 101.1 77.8 116.8





#49

Acenaphthylene

Concen: 75.625 ng

RT: 14.107 min Scan# 1898

Delta R.T. 0.006 min

Lab File: BP025732.D

Acq: 11 Sep 2025 14:24

Instrument :

BNA_P

ClientSampleId :

SSTDICC080





Tgt Ion:152 Resp: 3311359

Ion Ratio Lower Upper

152 100

151 20.0 15.8 23.6

153 13.0 10.5 15.7



#50

Dimethylphthalate

Concen: 74.909 ng

RT: 13.843 min Scan# 1854

Delta R.T. 0.006 min

Lab File: BP025732.D

Acq: 11 Sep 2025 14:24




Tgt Ion:163 Resp: 2615037


Ion Ratio Lower Upper

163 100

194 4.1 3.4 5.2

164 10.4 8.2 12.2









#51
2,6-Dinitrotoluene
Concen: 78.530 ng
RT: 13.954 min Scan# 1873
Delta R.T. 0.000 min
Lab File: BP025732.D
Acq: 11 Sep 2025 14:24




Instrument :
BNA_P
ClientSampleId :
SSTDICC080


Tgt Ion:	165	Resp:	580821
Ion Ratio	Lower	Upper	
165	100		
63	59.9	48.1	72.1
89	57.1	45.4	68.0



#52
Acenaphthene
Concen: 73.121 ng
RT: 14.443 min Scan# 1956
Delta R.T. -0.012 min
Lab File: BP025732.D
Acq: 11 Sep 2025 14:24

Tgt Ion:	154	Resp:	1846398
Ion Ratio	Lower	Upper	
154	100		
153	111.4	89.4	134.0
152	52.8	42.5	63.7









#53
3-Nitroaniline
Concen: 83.474 ng
RT: 14.290 min Scan# 1930
Delta R.T. 0.000 min
Lab File: BP025732.D
Acq: 11 Sep 2025 14:24




Instrument :
BNA_P
ClientSampleId :
SSTDICC080


Tgt Ion:138 Resp: 649230
Ion Ratio Lower Upper
138 100
108 11.3 8.7 13.1
92 118.4 94.6 142.0



#54
2,4-Dinitrophenol
Concen: 79.506 ng
RT: 14.507 min Scan# 1967
Delta R.T. 0.000 min
Lab File: BP025732.D
Acq: 11 Sep 2025 14:24

Tgt Ion:184 Resp: 382175
Ion Ratio Lower Upper
184 100
63 72.4 52.5 78.7
154 68.1 51.5 77.3





#55

Dibenzofuran

Concen: 72.882 ng

RT: 14.790 min Scan# 2015

Delta R.T. 0.000 min

Lab File: BP025732.D

Acq: 11 Sep 2025 14:24

Instrument :

BNA_P

ClientSampleId :

SSTDICC080





Tgt Ion:168 Resp: 2999483

Ion Ratio Lower Upper

168 100

139 39.0 31.7 47.5

169 13.5 10.8 16.2



#56

4-Nitrophenol

Concen: 78.823 ng

RT: 14.625 min Scan# 1987

Delta R.T. 0.006 min

Lab File: BP025732.D

Acq: 11 Sep 2025 14:24




Tgt Ion:139 Resp: 527475


Ion Ratio Lower Upper

139 100

109 84.0 62.9 102.9

65 105.6 83.4 123.4









#57
2,4-Dinitrotoluene
Concen: 81.062 ng
RT: 14.760 min Scan# 2009
Delta R.T. 0.006 min
Lab File: BP025732.D
Acq: 11 Sep 2025 14:24




Instrument :
BNA_P
ClientSampleId :
SSTDICC080


Tgt Ion:165 Resp: 853243
Ion Ratio Lower Upper
165 100
63 49.2 37.7 56.5
89 75.4 61.0 91.6
182 2.9 2.4 3.6



#58
Fluorene
Concen: 72.225 ng
RT: 15.454 min Scan# 2128
Delta R.T. 0.000 min
Lab File: BP025732.D
Acq: 11 Sep 2025 14:24

Tgt Ion:166 Resp: 2363617
Ion Ratio Lower Upper
166 100
165 97.0 77.7 116.5
167 13.2 10.6 16.0





#59

2,3,4,6-Tetrachlorophenol

Concen: 79.155 ng

RT: 15.019 min Scan# 2054

Delta R.T. -0.006 min

Lab File: BP025732.D

Acq: 11 Sep 2025 14:24

Instrument :

BNA_P

ClientSampleId :

SSTDICC080

Tgt Ion:232 Resp: 722846





Ion Ratio Lower Upper

232 100

131 44.8 36.7 55.1

130 2.4 2.0 3.0

166 31.0 25.4 38.2



#60

Diethylphthalate

Concen: 75.646 ng

RT: 15.225 min Scan# 2089

Delta R.T. 0.006 min

Lab File: BP025732.D

Acq: 11 Sep 2025 14:24




Tgt Ion:149 Resp: 2678679


Ion Ratio Lower Upper

149 100

177 22.0 17.7 26.5

150 12.7 10.0 15.0









#61
4-Chlorophenyl-phenylether
Concen: 72.181 ng
RT: 15.442 min Scan# 2126
Delta R.T. 0.000 min
Lab File: BP025732.D
Acq: 11 Sep 2025 14:24




Instrument :
BNA_P
ClientSampleId :
SSTDICC080


Tgt Ion:204 Resp: 1190470
Ion Ratio Lower Upper
204 100
206 33.1 26.0 39.0
141 59.2 49.7 74.5



#62
4-Nitroaniline
Concen: 83.790 ng
RT: 15.472 min Scan# 2131
Delta R.T. -0.006 min
Lab File: BP025732.D
Acq: 11 Sep 2025 14:24

Tgt Ion:138 Resp: 667122
Ion Ratio Lower Upper
138 100
92 53.4 33.3 73.3
108 87.6 66.7 106.7









#63
Azobenzene
Concen: 75.299 ng
RT: 15.742 min Scan# 2176
Delta R.T. 0.006 min
Lab File: BP025732.D
Acq: 11 Sep 2025 14:24




Instrument :
BNA_P
ClientSampleId :
SSTDICC080


Tgt Ion: 77 Resp: 2578205
Ion Ratio Lower Upper
77 100
182 26.0 5.2 45.2
105 21.2 1.1 41.1
51 31.8 11.6 51.6



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.189 min Scan# 2423
Delta R.T. 0.006 min
Lab File: BP025732.D
Acq: 11 Sep 2025 14:24

Tgt Ion: 188 Resp: 963896
Ion Ratio Lower Upper
188 100
94 8.7 7.4 11.0
80 10.4 7.7 11.5









#65
4,6-Dinitro-2-methylphenol
Concen: 83.783 ng
RT: 15.542 min Scan# 2143
Delta R.T. 0.006 min
Lab File: BP025732.D
Acq: 11 Sep 2025 14:24




Instrument :
BNA_P
ClientSampleId :
SSTDICC080


Tgt Ion:198 Resp: 537070
Ion Ratio Lower Upper
198 100
51 50.6 33.4 73.4
105 43.2 24.3 64.3



#66
n-Nitrosodiphenylamine
Concen: 71.530 ng
RT: 15.666 min Scan# 2164
Delta R.T. 0.012 min
Lab File: BP025732.D
Acq: 11 Sep 2025 14:24

Tgt Ion:169 Resp: 2109969
Ion Ratio Lower Upper
169 100
168 65.6 52.6 78.8
167 36.2 28.5 42.7









#67
4-Bromophenyl-phenylether
Concen: 74.816 ng
RT: 16.354 min Scan# 2281
Delta R.T. 0.000 min
Lab File: BP025732.D
Acq: 11 Sep 2025 14:24




Instrument :
BNA_P
ClientSampleId :
SSTDICC080


Tgt Ion	Ratio	Lower	Upper
248	100		
250	97.8	77.5	116.3
141	80.5	60.2	90.4



#68
Hexachlorobenzene
Concen: 75.546 ng
RT: 16.478 min Scan# 2302
Delta R.T. 0.006 min
Lab File: BP025732.D
Acq: 11 Sep 2025 14:24

Tgt Ion	Ratio	Lower	Upper
284	100		
142	35.8	31.3	46.9
249	32.3	27.3	40.9





#69

Atrazine

Concen: 77.763 ng

RT: 16.648 min Scan# 2331

Delta R.T. 0.012 min

Lab File: BP025732.D

Acq: 11 Sep 2025 14:24

Instrument :

BNA_P

ClientSampleId :

SSTDICC080





Tgt Ion:200 Resp: 876809

Ion Ratio Lower Upper

200 100

173 24.9 4.2 44.2

215 47.8 27.3 67.3



#70

Pentachlorophenol

Concen: 80.808 ng

RT: 16.837 min Scan# 2363

Delta R.T. 0.006 min

Lab File: BP025732.D

Acq: 11 Sep 2025 14:24




Tgt Ion:266 Resp: 629802


Ion Ratio Lower Upper

266 100

268 64.2 49.8 74.8

264 63.6 50.2 75.2









#71
Phenanthrene
Concen: 72.431 ng
RT: 17.236 min Scan# 2429
Delta R.T. 0.012 min
Lab File: BP025732.D
Acq: 11 Sep 2025 14:24




Instrument :
BNA_P
ClientSampleId :
SSTDICC080


Tgt Ion:178 Resp: 3960390
Ion Ratio Lower Upper
178 100
176 19.4 15.4 23.2
179 15.5 12.2 18.4



#72
Anthracene
Concen: 72.588 ng
RT: 17.331 min Scan# 2447
Delta R.T. 0.012 min
Lab File: BP025732.D
Acq: 11 Sep 2025 14:24

Tgt Ion:178 Resp: 4027019
Ion Ratio Lower Upper
178 100
176 18.7 14.8 22.2
179 15.5 12.2 18.4





#73

Carbazole

Concen: 74.694 ng

RT: 17.607 min Scan# 2493

Delta R.T. 0.006 min

Lab File: BP025732.D

Acq: 11 Sep 2025 14:24

Instrument :

BNA_P

ClientSampleId :

SSTDICC080





Tgt Ion:167 Resp: 3852545

Ion Ratio Lower Upper

167 100

166 21.6 17.0 25.4

139 13.2 10.6 16.0



#74

Di-n-butylphthalate

Concen: 74.340 ng

RT: 18.195 min Scan# 2594

Delta R.T. 0.012 min

Lab File: BP025732.D

Acq: 11 Sep 2025 14:24




Tgt Ion:149 Resp: 4705330


Ion Ratio Lower Upper

149 100

150 9.2 7.4 11.0

104 5.4 4.3 6.5









#75
Fluoranthene
Concen: 72.998 ng
RT: 19.325 min Scan# 21
Delta R.T. 0.012 min
Lab File: BP025732.D
Acq: 11 Sep 2025 14:24




Instrument :
BNA_P
ClientSampleId :
SSTDICC080


Tgt Ion:202 Resp: 4786922
Ion Ratio Lower Upper
202 100
101 9.9 0.0 30.4
203 17.4 0.0 37.4



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.642 min Scan# 3180
Delta R.T. 0.000 min
Lab File: BP025732.D
Acq: 11 Sep 2025 14:24

Tgt Ion:240 Resp: 964091
Ion Ratio Lower Upper
240 100
120 9.7 8.0 12.0
236 26.1 20.7 31.1









#77
Benzidine
Concen: 74.384 ng
RT: 19.519 min Scan# 2819
Delta R.T. 0.012 min
Lab File: BP025732.D
Acq: 11 Sep 2025 14:24




Instrument :
BNA_P
ClientSampleId :
SSTDICC080


Tgt Ion:184 Resp: 2065703
Ion Ratio Lower Upper
184 100
185 14.1 11.5 17.3
183 11.5 9.2 13.8



#78
Pyrene
Concen: 76.353 ng
RT: 19.701 min Scan# 2850
Delta R.T. 0.012 min
Lab File: BP025732.D
Acq: 11 Sep 2025 14:24

Tgt Ion:202 Resp: 4911699
Ion Ratio Lower Upper
202 100
200 21.1 17.0 25.6
203 17.4 13.9 20.9





#79

Terphenyl-d14

Concen: 146.328 ng

RT: 19.913 min Scan# 2886

Delta R.T. 0.000 min

Lab File: BP025732.D

Acq: 11 Sep 2025 14:24

Instrument :

BNA_P

ClientSampleId :

SSTDICC080





Tgt Ion:244 Resp: 7841805

Ion Ratio Lower Upper

244 100

212 7.5 5.9 8.9

122 8.4 7.1 10.7



#80

Butylbenzylphthalate

Concen: 80.443 ng

RT: 20.642 min Scan# 3010

Delta R.T. 0.000 min

Lab File: BP025732.D

Acq: 11 Sep 2025 14:24




Tgt Ion:149 Resp: 2268963


Ion Ratio Lower Upper

149 100

91 73.3 56.6 85.0

206 21.4 17.4 26.0









#81
Benzo(a)anthracene
Concen: 76.229 ng
RT: 21.619 min Scan# 3176
Delta R.T. 0.000 min
Lab File: BP025732.D
Acq: 11 Sep 2025 14:24




Instrument :
BNA_P
ClientSampleId :
SSTDICC080


Tgt Ion:228 Resp: 5031313
Ion Ratio Lower Upper
228 100
226 27.1 21.6 32.4
229 19.9 15.7 23.5



#82
3,3'-Dichlorobenzidine
Concen: 74.725 ng
RT: 21.536 min Scan# 3162
Delta R.T. 0.000 min
Lab File: BP025732.D
Acq: 11 Sep 2025 14:24

Tgt Ion:252 Resp: 1705366
Ion Ratio Lower Upper
252 100
254 65.1 51.4 77.0
126 9.5 8.3 12.5









#83
Chrysene
Concen: 74.190 ng
RT: 21.689 min Scan# 3188
Delta R.T. 0.000 min
Lab File: BP025732.D
Acq: 11 Sep 2025 14:24




Instrument :
BNA_P
ClientSampleId :
SSTDICC080


Tgt Ion:228 Resp: 4667905
Ion Ratio Lower Upper
228 100
226 30.2 23.8 35.6
229 19.7 15.6 23.4



#84
Bis(2-ethylhexyl)phthalate
Concen: 76.431 ng
RT: 21.542 min Scan# 3163
Delta R.T. -0.006 min
Lab File: BP025732.D
Acq: 11 Sep 2025 14:24

Tgt Ion:149 Resp: 3154011
Ion Ratio Lower Upper
149 100
167 28.3 22.9 34.3
279 5.0 3.8 5.8









#85
Di-n-octyl phthalate
Concen: 79.012 ng
RT: 22.824 min Scan# 3382
Delta R.T. -0.006 min
Lab File: BP025732.D
Acq: 11 Sep 2025 14:24




Instrument :
BNA_P
ClientSampleId :
SSTDICC080


Tgt Ion:149 Resp: 5799888
Ion Ratio Lower Upper
149 100
167 1.6 1.3 1.9
43 9.8 8.0 12.0



#86
Perylene-d12
Concen: 20.000 ng
RT: 24.995 min Scan# 3750
Delta R.T. -0.006 min
Lab File: BP025732.D
Acq: 11 Sep 2025 14:24

Tgt Ion:264 Resp: 1072676
Ion Ratio Lower Upper
264 100
260 23.3 18.3 27.5
265 21.4 17.3 25.9









#87
Indeno(1,2,3-cd)pyrene
Concen: 76.261 ng
RT: 28.848 min Scan# 4403
Delta R.T. 0.012 min
Lab File: BP025732.D
Acq: 11 Sep 2025 14:24




Instrument :
BNA_P
ClientSampleId :
SSTDICC080


Tgt Ion:276 Resp: 5948880
Ion Ratio Lower Upper
276 100
138 15.6 13.4 20.2
277 25.4 9.1 13.7#



#88
Benzo(b)fluoranthene
Concen: 77.570 ng
RT: 23.936 min Scan# 3570
Delta R.T. 0.006 min
Lab File: BP025732.D
Acq: 11 Sep 2025 14:24

Tgt Ion:252 Resp: 5088293
Ion Ratio Lower Upper
252 100
253 22.0 17.9 26.9
125 9.5 7.3 10.9





#89

Benzo(k)fluoranthene

Concen: 73.783 ng

RT: 24.013 min Scan# 3581

Delta R.T. 0.012 min

Lab File: BP025732.D

Acq: 11 Sep 2025 14:24

Instrument :





BNA_P

ClientSampleId :

SSTDICC080

Tgt Ion:252 Resp: 4938760

Ion	Ratio	Lower	Upper
252	100		
253	22.0	17.5	26.3
125	8.9	7.5	11.3



#90

Benzo(a)pyrene

Concen: 76.231 ng

RT: 24.842 min Scan# 3724




Delta R.T. 0.000 min


Lab File: BP025732.D

Acq: 11 Sep 2025 14:24

Tgt Ion:252 Resp: 4896947

Ion	Ratio	Lower	Upper
252	100		
253	21.7	17.2	25.8
125	9.5	8.3	12.5









#91
Dibenzo(a,h)anthracene
Concen: 76.817 ng
RT: 28.918 min Scan# 4417
Delta R.T. 0.000 min
Lab File: BP025732.D
Acq: 11 Sep 2025 14:24




Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Tgt Ion:278 Resp: 4903653
Ion Ratio Lower Upper
278 100
139 13.9 12.1 18.1
279 23.7 19.6 29.4



#92
Benzo(g,h,i)perylene
Concen: 76.886 ng
RT: 30.036 min Scan# 4607
Delta R.T. 0.024 min
Lab File: BP025732.D
Acq: 11 Sep 2025 14:24

Tgt Ion:276 Resp: 4826771
Ion Ratio Lower Upper
276 100
277 24.2 18.7 28.1
138 20.5 16.0 24.0



Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP091225\
 Data File : BP025733.D
 Acq On : 11 Sep 2025 15:20
 Operator : CG/JU
 Sample : SSTDICC050
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 SSTDICC050

Manual Integrations
 APPROVED

Reviewed By :Rahul Chavli 09/12/2025
 Supervised By :Jagrut Upadhyay 09/12/2025

Quant Time: Sep 11 16:27:42 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP091225.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Sep 11 16:16:10 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.719	152	132227	20.000	ng	-0.04
21) Naphthalene-d8	10.507	136	558379	20.000	ng	-0.02
39) Acenaphthene-d10	14.372	164	384529	20.000	ng	0.00
64) Phenanthrene-d10	17.178	188	764105	20.000	ng	0.00
76) Chrysene-d12	21.636	240	796095	20.000	ng	0.00
86) Perylene-d12	24.995	264	864239	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.343	112	847611	103.433	ng	-0.04
7) Phenol-d6	6.913	99	1140979	104.750	ng	-0.04
23) Nitrobenzene-d5	8.878	82	1303272	102.956	ng	-0.02
42) 2,4,6-Tribromophenol	15.895	330	480931	100.273	ng	-0.01
45) 2-Fluorobiphenyl	12.984	172	2843494	98.461	ng	0.00
79) Terphenyl-d14	19.907	244	4423580	99.962	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.290	88	169936	49.409	ng	Qvalue 99
3) Pyridine	3.684	79	483875	51.092	ng	98
4) n-Nitrosodimethylamine	3.590	42	224792	50.302	ng	100
6) Aniline	7.060	93	784152	52.443	ng	99
8) 2-Chlorophenol	7.296	128	466182	51.856	ng	100
9) Benzaldehyde	6.878	77	398852m	61.160	ng	
10) Phenol	6.937	94	601415	52.364	ng	98
11) bis(2-Chloroethyl)ether	7.155	93	475247	51.503	ng	97
12) 1,3-Dichlorobenzene	7.613	146	511619	50.003	ng	97
13) 1,4-Dichlorobenzene	7.760	146	525685	50.438	ng	100
14) 1,2-Dichlorobenzene	8.072	146	509835	50.354	ng	99
15) Benzyl Alcohol	7.960	79	466422	51.821	ng	99
16) 2,2'-oxybis(1-Chloropr...	8.249	45	757264	50.182	ng	99
17) 2-Methylphenol	8.172	107	406974	52.557	ng	99
18) Hexachloroethane	8.796	117	201387	50.587	ng	96
19) n-Nitroso-di-n-propyla...	8.525	70	406549	54.152	ng	99
20) 3+4-Methylphenols	8.502	107	559714	51.612	ng	99
22) Acetophenone	8.543	105	767098	51.407	ng	# 98
24) Nitrobenzene	8.919	77	583136	51.351	ng	98
25) Isophorone	9.443	82	1138308	51.161	ng	100
26) 2-Nitrophenol	9.625	139	269275	53.408	ng	98
27) 2,4-Dimethylphenol	9.690	122	456881	51.654	ng	98
28) bis(2-Chloroethoxy)met...	9.919	93	661544	51.437	ng	99
29) 2,4-Dichlorophenol	10.160	162	470034	53.298	ng	99
30) 1,2,4-Trichlorobenzene	10.366	180	498270	50.132	ng	99
31) Naphthalene	10.560	128	1513087	50.255	ng	100
32) Benzoic acid	9.866	122	353386	53.738	ng	99
33) 4-Chloroaniline	10.672	127	666499	53.111	ng	99
34) Hexachlorobutadiene	10.837	225	316676	49.495	ng	99
35) Caprolactam	11.466	113	172043	50.713	ng	99
36) 4-Chloro-3-methylphenol	11.801	107	549567	52.269	ng	96
37) 2-Methylnaphthalene	12.172	142	974364	50.386	ng	99
38) 1-Methylnaphthalene	12.390	142	1019849	49.456	ng	98
40) 1,2,4,5-Tetrachloroben...	12.543	216	583660	50.090	ng	100
41) Hexachlorocyclopentadiene	12.525	237	337711	53.214	ng	99
43) 2,4,6-Trichlorophenol	12.790	196	393647	51.389	ng	99

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP091225\
 Data File : BP025733.D
 Acq On : 11 Sep 2025 15:20
 Operator : CG/JU
 Sample : SSTDICC050
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :

BNA_P

ClientSampleId :

SSTDICC050

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025

Quant Time: Sep 11 16:27:42 2025

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP091225.M

Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

QLast Update : Thu Sep 11 16:16:10 2025

Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	12.866	196	441307	51.765	ng	98
46) 1,1'-Biphenyl	13.190	154	1408553	49.905	ng	99
47) 2-Chloronaphthalene	13.237	162	1118909	50.347	ng	99
48) 2-Nitroaniline	13.448	65	383740	51.799	ng	94
49) Acenaphthylene	14.095	152	1830164	49.702	ng	100
50) Dimethylphthalate	13.831	163	1435428	48.895	ng	100
51) 2,6-Dinitrotoluene	13.948	165	316613	50.904	ng	98
52) Acenaphthene	14.442	154	1042525	49.094	ng	99
53) 3-Nitroaniline	14.284	138	343785	52.561	ng	96
54) 2,4-Dinitrophenol	14.507	184	193294	49.740	ng	96
55) Dibenzofuran	14.784	168	1697428	49.045	ng	98
56) 4-Nitrophenol	14.613	139	261984	48.388	ng	99
57) 2,4-Dinitrotoluene	14.748	165	465265	52.562	ng	95
58) Fluorene	15.436	166	1331644	48.387	ng	98
59) 2,3,4,6-Tetrachlorophenol	15.013	232	388785	50.625	ng	100
60) Diethylphthalate	15.219	149	1459705	49.018	ng	99
61) 4-Chlorophenyl-phenyle...	15.436	204	676706	48.790	ng	99
62) 4-Nitroaniline	15.472	138	358915	53.605	ng	99
63) Azobenzene	15.731	77	1452024	50.428	ng	99
65) 4,6-Dinitro-2-methylph...	15.531	198	272418	53.609	ng	98
66) n-Nitrosodiphenylamine	15.654	169	1199673	51.304	ng	100
67) 4-Bromophenyl-phenylether	16.354	248	431960	51.458	ng	99
68) Hexachlorobenzene	16.472	284	474297	50.667	ng	96
69) Atrazine	16.636	200	458144	51.256	ng	97
70) Pentachlorophenol	16.825	266	318100	51.487	ng	98
71) Phenanthrene	17.219	178	2161060	49.858	ng	100
72) Anthracene	17.325	178	2260277	51.395	ng	100
73) Carbazole	17.595	167	2110925	51.629	ng	100
74) Di-n-butylphthalate	18.189	149	2558689	50.995	ng	100
75) Fluoranthene	19.313	202	2580366	49.638	ng	100
77) Benzidine	19.513	184	1255790	54.762	ng	100
78) Pyrene	19.695	202	2660397	50.083	ng	99
80) Butylbenzylphthalate	20.636	149	1209410	51.926	ng	100
81) Benzo(a)anthracene	21.613	228	2742275	50.315	ng	99
82) 3,3'-Dichlorobenzidine	21.536	252	971634	51.559	ng	99
83) Chrysene	21.683	228	2620241	50.434	ng	100
84) Bis(2-ethylhexyl)phtha...	21.542	149	1714419	50.312	ng	99
85) Di-n-octyl phthalate	22.824	149	3047268	50.273	ng	100
87) Indeno(1,2,3-cd)pyrene	28.836	276	3254187	51.778	ng	# 85
88) Benzo(b)fluoranthene	23.942	252	2704281	51.169	ng	99
89) Benzo(k)fluoranthene	24.007	252	2718438	50.407	ng	100
90) Benzo(a)pyrene	24.848	252	2637187	50.954	ng	99
91) Dibenzo(a,h)anthracene	28.900	278	2677885	52.067	ng	98
92) Benzo(g,h,i)perylene	30.024	276	2614577	51.692	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.719 min Scan# 81
Delta R.T. -0.041 min
Lab File: BP025733.D
Acq: 11 Sep 2025 15:20

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion: 152 Resp: 13222
Ion Ratio Lower Upper
152 100
150 157.1 124.3 186.5
115 61.4 50.3 75.5




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#2
1,4-Dioxane
Concen: 49.409 ng
RT: 3.290 min Scan# 60
Delta R.T. -0.018 min
Lab File: BP025733.D
Acq: 11 Sep 2025 15:20

Tgt Ion: 88 Resp: 169936
Ion Ratio Lower Upper
88 100
58 82.5 65.5 98.3
43 31.6 25.2 37.8









#3
Pyridine
Concen: 51.092 ng
RT: 3.684 min Scan# 111
Delta R.T. -0.024 min
Lab File: BP025733.D
Acq: 11 Sep 2025 15:20

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion: 79 Resp: 483875
Ion Ratio Lower Upper
79 100
52 77.2 63.7 95.5
51 39.4 32.4 48.6




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#4
n-Nitrosodimethylamine
Concen: 50.302 ng
RT: 3.590 min Scan# 111
Delta R.T. -0.024 min
Lab File: BP025733.D
Acq: 11 Sep 2025 15:20

Tgt Ion: 42 Resp: 224792
Ion Ratio Lower Upper
42 100
74 123.8 99.2 148.8
44 7.1 6.4 9.6









#5
2-Fluorophenol
Concen: 103.433 ng
RT: 5.343 min Scan# 409
Delta R.T. -0.041 min
Lab File: BP025733.D
Acq: 11 Sep 2025 15:20

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion: 112 Resp: 847611
Ion Ratio Lower Upper
112 100
64 61.4 50.2 75.4
63 32.7 26.7 40.1




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#6
Aniline
Concen: 52.443 ng
RT: 7.060 min Scan# 701
Delta R.T. -0.035 min
Lab File: BP025733.D
Acq: 11 Sep 2025 15:20

Tgt Ion: 93 Resp: 784152
Ion Ratio Lower Upper
93 100
66 40.2 32.6 49.0
65 20.7 16.2 24.2









#7
Phenol-d6
Concen: 104.750 ng
RT: 6.913 min Scan# 61
Delta R.T. -0.035 min
Lab File: BP025733.D
Acq: 11 Sep 2025 15:20

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion: 99 Resp: 1140979
Ion Ratio Lower Upper
99 100
42 19.3 15.6 23.4
71 35.7 28.6 43.0




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#8
2-Chlorophenol
Concen: 51.856 ng
RT: 7.296 min Scan# 741
Delta R.T. -0.041 min
Lab File: BP025733.D
Acq: 11 Sep 2025 15:20

Tgt Ion:128 Resp: 466182
Ion Ratio Lower Upper
128 100
130 32.5 12.6 52.6
64 51.6 31.6 71.6









#9
Benzaldehyde
Concen: 61.160 ng m
RT: 6.878 min Scan# 61
Delta R.T. -0.035 min
Lab File: BP025733.D
Acq: 11 Sep 2025 15:20

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion: 77 Resp: 398852
Ion Ratio Lower Upper
77 100
105 95.2 75.2 115.2
106 92.2 71.3 111.3




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#10
Phenol
Concen: 52.364 ng
RT: 6.937 min Scan# 680
Delta R.T. -0.035 min
Lab File: BP025733.D
Acq: 11 Sep 2025 15:20

Tgt Ion: 94 Resp: 601415
Ion Ratio Lower Upper
94 100
65 29.4 10.2 50.2
66 40.2 21.4 61.4





#11

bis(2-Chloroethyl)ether

Concen: 51.503 ng

RT: 7.155 min Scan# 71

Delta R.T. -0.029 min

Lab File: BP025733.D

Acq: 11 Sep 2025 15:20

Instrument :

BNA_P

ClientSampleId :

SSTDICC050

Tgt Ion: 93 Resp: 47524

Ion Ratio Lower Upper

93 100

63 79.5 62.6 102.6





95 32.5 13.2 53.2

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#12

1,3-Dichlorobenzene

Concen: 50.003 ng

RT: 7.613 min Scan# 795

Delta R.T. -0.035 min

Lab File: BP025733.D

Acq: 11 Sep 2025 15:20




Tgt Ion:146 Resp: 511619


Ion Ratio Lower Upper

146 100

148 63.2 52.7 79.1

75 34.1 26.4 39.6





#13

1,4-Dichlorobenzene

Concen: 50.438 ng

RT: 7.760 min Scan# 81

Delta R.T. -0.029 min

Lab File: BP025733.D

Acq: 11 Sep 2025 15:20





Instrument :

BNA_P

ClientSampleId :

SSTDICC050

Tgt Ion	146	Resp	525685
Ion Ratio	Lower	Upper	
146	100		
148	65.4	52.0	78.0
111	42.5	33.9	50.9

Manual Integrations
APPROVEDReviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025

#14

1,2-Dichlorobenzene

Concen: 50.354 ng




RT: 8.072 min Scan# 873


Delta R.T. -0.035 min

Lab File: BP025733.D

Acq: 11 Sep 2025 15:20

Tgt Ion	146	Resp	509835
Ion Ratio	Lower	Upper	
146	100		
148	64.1	51.7	77.5
111	43.4	35.5	53.3





#15

Benzyl Alcohol

Concen: 51.821 ng

RT: 7.960 min Scan# 81

Delta R.T. -0.041 min

Lab File: BP025733.D

Acq: 11 Sep 2025 15:20

Instrument :

BNA_P

ClientSampleId :





SSTDICC050

Tgt Ion: 79	Resp: 46642
Ion Ratio	Lower Upper
79 100	
108 72.4	58.7 88.1
77 62.7	50.2 75.2

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#16

2,2'-oxybis(1-Chloropropane)

Concen: 50.182 ng




RT: 8.249 min Scan# 903


Delta R.T. -0.029 min

Lab File: BP025733.D

Acq: 11 Sep 2025 15:20

Tgt Ion: 45	Resp: 757264
Ion Ratio	Lower Upper
45 100	
77 13.6	0.0 33.1
79 10.3	0.0 30.0





#17

2-Methylphenol

Concen: 52.557 ng

RT: 8.172 min Scan# 89

Delta R.T. -0.029 min

Lab File: BP025733.D

Acq: 11 Sep 2025 15:20

Instrument :

BNA_P

ClientSampleId :

SSTDICC050

Tgt Ion:107 Resp: 406974

Ion Ratio Lower Upper

107 100

108 111.0 89.6 134.4

77 48.6 39.3 58.9





79 48.6 37.8 56.6

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#18

Hexachloroethane

Concen: 50.587 ng

RT: 8.796 min Scan# 996

Delta R.T. -0.029 min

Lab File: BP025733.D

Acq: 11 Sep 2025 15:20




Tgt Ion:117 Resp: 201387


Ion Ratio Lower Upper

117 100

119 95.5 77.1 115.7

201 100.7 85.6 128.4





#19

n-Nitroso-di-n-propylamine

Concen: 54.152 ng

RT: 8.525 min Scan# 945

Delta R.T. -0.029 min

Lab File: BP025733.D

Acq: 11 Sep 2025 15:20

Instrument :

BNA_P

ClientSampleId :

SSTDICC050

Tgt Ion: 70 Resp: 406549

Ion Ratio Lower Upper

70 100

42 62.4 49.0 73.4

101 9.3 7.9 11.9





130 20.5 16.6 25.0

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#20

3+4-Methylphenols

Concen: 51.612 ng

RT: 8.502 min Scan# 946

Delta R.T. -0.024 min

Lab File: BP025733.D

Acq: 11 Sep 2025 15:20

Tgt Ion:107 Resp: 559714




Ion Ratio Lower Upper


107 100

108 88.3 67.8 107.8

77 34.9 16.1 56.1

79 31.3 10.5 50.5





#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.507 min Scan# 1290

Delta R.T. -0.018 min

Lab File: BP025733.D

Acq: 11 Sep 2025 15:20

Instrument :

BNA_P

ClientSampleId :

SSTDICC050

Tgt Ion:136 Resp: 558379

Ion Ratio Lower Upper

136 100

137 10.9 8.7 13.1

54 9.3 7.5 11.3





68 6.0 5.0 7.6

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#22

Acetophenone

Concen: 51.407 ng

RT: 8.543 min Scan# 953

Delta R.T. -0.029 min

Lab File: BP025733.D

Acq: 11 Sep 2025 15:20

Tgt Ion:105 Resp: 767098




Ion Ratio Lower Upper


105 100

71 3.8 1.8 2.8

51 30.7 23.5 35.3

120 23.2 17.7 26.5





#23

Nitrobenzene-d5

Concen: 102.956 ng

RT: 8.878 min Scan# 1010

Delta R.T. -0.024 min

Lab File: BP025733.D

Acq: 11 Sep 2025 15:20

Instrument :

BNA_P

ClientSampleId :

SSTDICC050

Tgt Ion: 82 Resp: 130327

Ion Ratio Lower Upper

82 100

128 41.0 32.9 49.3





54 54.1 43.4 65.2

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#24

Nitrobenzene

Concen: 51.351 ng

RT: 8.919 min Scan# 1017

Delta R.T. -0.029 min

Lab File: BP025733.D

Acq: 11 Sep 2025 15:20




Tgt Ion: 77 Resp: 583136


Ion Ratio Lower Upper

77 100

123 44.6 34.4 51.6

65 13.7 10.8 16.2





#25

Isophorone

Concen: 51.161 ng

RT: 9.443 min Scan# 1106

Delta R.T. -0.024 min

Lab File: BP025733.D

Acq: 11 Sep 2025 15:20

Instrument :

BNA_P

ClientSampleId :

SSTDICC050

Tgt Ion: 82 Resp: 1138308

Ion Ratio Lower Upper

82 100

95 7.2 5.8 8.8





138 17.0 13.5 20.3

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#26

2-Nitrophenol

Concen: 53.408 ng

RT: 9.625 min Scan# 1137

Delta R.T. -0.024 min

Lab File: BP025733.D

Acq: 11 Sep 2025 15:20




Tgt Ion:139 Resp: 269275


Ion Ratio Lower Upper

139 100

109 34.9 29.0 43.4

65 57.7 46.9 70.3





#27

2,4-Dimethylphenol

Concen: 51.654 ng

RT: 9.690 min Scan# 1148

Delta R.T. -0.024 min

Lab File: BP025733.D

Acq: 11 Sep 2025 15:20

Instrument :

BNA_P

ClientSampleId :

SSTDICC050

Tgt Ion:122 Resp: 45688

Ion Ratio Lower Upper

122 100

107 120.0 97.9 146.9





121 57.8 47.4 71.0

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#28

bis(2-Chloroethoxy)methane

Concen: 51.437 ng

RT: 9.919 min Scan# 1187

Delta R.T. -0.024 min

Lab File: BP025733.D

Acq: 11 Sep 2025 15:20




Tgt Ion: 93 Resp: 661544


Ion Ratio Lower Upper

93 100

95 32.2 25.6 38.4

123 10.9 9.2 13.8





#29

2,4-Dichlorophenol

Concen: 53.298 ng

RT: 10.160 min Scan# 1228

Delta R.T. -0.024 min

Lab File: BP025733.D

Acq: 11 Sep 2025 15:20

Instrument :

BNA_P

ClientSampleId :





SSTDICC050

Tgt Ion:	162	Resp:	470034
Ion Ratio	Lower	Upper	
162	100		
164	65.6	44.7	84.7
98	37.3	18.1	58.1

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#30

1,2,4-Trichlorobenzene

Concen: 50.132 ng




RT: 10.366 min Scan# 1263


Delta R.T. -0.024 min

Lab File: BP025733.D

Acq: 11 Sep 2025 15:20

Tgt Ion:	180	Resp:	498270
Ion Ratio	Lower	Upper	
180	100		
182	96.1	76.0	114.0
145	30.6	24.7	37.1









#31
Naphthalene
Concen: 50.255 ng
RT: 10.560 min Scan# 1178
Delta R.T. -0.018 min
Lab File: BP025733.D
Acq: 11 Sep 2025 15:20

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion:128 Resp: 151308
Ion Ratio Lower Upper
128 100
129 10.6 8.6 12.8
127 12.7 10.2 15.4




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#32
Benzoic acid
Concen: 53.738 ng
RT: 9.866 min Scan# 1178
Delta R.T. -0.012 min
Lab File: BP025733.D
Acq: 11 Sep 2025 15:20

Tgt Ion:122 Resp: 353386
Ion Ratio Lower Upper
122 100
105 131.2 111.5 151.5
77 102.7 81.8 121.8









#33
4-Chloroaniline
Concen: 53.111 ng
RT: 10.672 min Scan# 1315
Delta R.T. -0.018 min
Lab File: BP025733.D
Acq: 11 Sep 2025 15:20

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion:127 Resp: 666499
Ion Ratio Lower Upper
127 100
129 31.3 25.1 37.7
65 33.9 26.4 39.6
92 20.5 15.9 23.9




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#34
Hexachlorobutadiene
Concen: 49.495 ng
RT: 10.837 min Scan# 1343
Delta R.T. -0.024 min
Lab File: BP025733.D
Acq: 11 Sep 2025 15:20

Tgt Ion:225 Resp: 316676
Ion Ratio Lower Upper
225 100
223 63.2 50.1 75.1
227 64.5 51.2 76.8









#35
Caprolactam
Concen: 50.713 ng
RT: 11.466 min Scan# 1453
Delta R.T. -0.018 min
Lab File: BP025733.D
Acq: 11 Sep 2025 15:20

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion	Ratio	Lower	Upper
113	100		
55	186.5	165.5	205.5
56	138.3	121.1	161.1




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#36
4-Chloro-3-methylphenol
Concen: 52.269 ng
RT: 11.801 min Scan# 1507
Delta R.T. -0.018 min
Lab File: BP025733.D
Acq: 11 Sep 2025 15:20

Tgt Ion	Ratio	Lower	Upper
107	100		
144	25.4	19.4	29.2
142	75.9	63.8	95.6









#37
2-Methylnaphthalene
Concen: 50.386 ng
RT: 12.172 min Scan# 1570
Delta R.T. -0.012 min
Lab File: BP025733.D
Acq: 11 Sep 2025 15:20

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion:142 Resp: 974364
Ion Ratio Lower Upper
142 100
141 87.6 69.6 104.4
115 38.0 30.0 45.0




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#38
1-Methylnaphthalene
Concen: 49.456 ng
RT: 12.390 min Scan# 1607
Delta R.T. -0.012 min
Lab File: BP025733.D
Acq: 11 Sep 2025 15:20

Tgt Ion:142 Resp: 1019849
Ion Ratio Lower Upper
142 100
141 92.8 72.7 109.1
116 4.4 3.5 5.3





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.372 min Scan# 1945

Delta R.T. -0.006 min

Lab File: BP025733.D

Acq: 11 Sep 2025 15:20

Instrument :

BNA_P

ClientSampleId :

SSTDICC050





Tgt Ion:	164	Resp:	384529
Ion Ratio	Lower	Upper	
164	100		
162	99.2	80.6	120.8
160	42.9	35.0	52.6

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#40

1,2,4,5-Tetrachlorobenzene

Concen: 50.090 ng




RT: 12.543 min Scan# 1633


Delta R.T. -0.012 min

Lab File: BP025733.D

Acq: 11 Sep 2025 15:20

Tgt Ion:	216	Resp:	583660
Ion Ratio	Lower	Upper	
216	100		
214	78.4	62.4	93.6
179	21.3	17.0	25.6
108	19.1	15.2	22.8









#41
Hexachlorocyclopentadiene
Concen: 53.214 ng
RT: 12.525 min Scan# 1630
Delta R.T. -0.012 min
Lab File: BP025733.D
Acq: 11 Sep 2025 15:20

Instrument :
BNA_P
Client Sample Id :
SSTDICC050

Tgt Ion: 237 Resp: 337711
Ion Ratio Lower Upper
237 100
235 61.6 41.9 81.9
272 12.2 0.0 31.8




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#42
2,4,6-Tribromophenol
Concen: 100.273 ng
RT: 15.895 min Scan# 2203
Delta R.T. -0.012 min
Lab File: BP025733.D
Acq: 11 Sep 2025 15:20

Tgt Ion: 330 Resp: 480931
Ion Ratio Lower Upper
330 100
332 96.9 76.9 115.3
141 38.9 31.0 46.4





#43

2,4,6-Trichlorophenol

Concen: 51.389 ng

RT: 12.790 min Scan# 1675

Delta R.T. -0.018 min

Lab File: BP025733.D

Acq: 11 Sep 2025 15:20

Instrument :

BNA_P

ClientSampleId :





SSTDICC050

Tgt Ion:	196	Resp:	39364
Ion Ratio	Lower	Upper	
196	100		
198	95.4	77.2	115.8
200	30.7	24.2	36.2

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#44

2,4,5-Trichlorophenol

Concen: 51.765 ng




RT: 12.866 min Scan# 1688


Delta R.T. -0.018 min

Lab File: BP025733.D

Acq: 11 Sep 2025 15:20

Tgt Ion:	196	Resp:	441307
Ion Ratio	Lower	Upper	
196	100		
198	94.6	77.8	116.8
97	52.8	43.3	64.9
132	26.7	22.3	33.5





#45

2-Fluorobiphenyl

Concen: 98.461 ng

RT: 12.984 min Scan# 1708

Delta R.T. -0.006 min

Lab File: BP025733.D

Acq: 11 Sep 2025 15:20

Instrument :

BNA_P

ClientSampleId :

SSTDICC050

Tgt Ion:172 Resp: 2843494

Ion Ratio Lower Upper

172 100

171 34.8 27.8 41.6





170 23.0 18.6 27.8

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#46

1,1'-Biphenyl

Concen: 49.905 ng

RT: 13.190 min Scan# 1743

Delta R.T. -0.012 min

Lab File: BP025733.D

Acq: 11 Sep 2025 15:20




Tgt Ion:154 Resp: 1408553


Ion Ratio Lower Upper

154 100

153 39.4 19.7 59.7

76 12.9 0.0 33.3





#47

2-Chloronaphthalene

Concen: 50.347 ng

RT: 13.237 min Scan# 1751

Delta R.T. -0.012 min

Lab File: BP025733.D

Acq: 11 Sep 2025 15:20

Instrument :

BNA_P

ClientSampleId :

SSTDICC050

Tgt Ion:162 Resp: 1118909

Ion Ratio Lower Upper

162 100

127 41.5 32.2 48.4





164 32.9 26.5 39.7

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#48

2-Nitroaniline

Concen: 51.799 ng

RT: 13.448 min Scan# 1787

Delta R.T. -0.006 min

Lab File: BP025733.D

Acq: 11 Sep 2025 15:20




Tgt Ion: 65 Resp: 383740


Ion Ratio Lower Upper

65 100

92 68.6 53.1 79.7

138 105.3 77.8 116.8





#49

Acenaphthylene

Concen: 49.702 ng

RT: 14.095 min Scan# 1897

Delta R.T. -0.006 min

Lab File: BP025733.D

Acq: 11 Sep 2025 15:20

Instrument :

BNA_P

ClientSampleId :

SSTDICC050

Tgt Ion:152 Resp: 1830164

Ion Ratio Lower Upper

152 100

151 19.8 15.8 23.6





153 13.0 10.5 15.7

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#50

Dimethylphthalate

Concen: 48.895 ng

RT: 13.831 min Scan# 1852

Delta R.T. -0.006 min

Lab File: BP025733.D

Acq: 11 Sep 2025 15:20




Tgt Ion:163 Resp: 1435428


Ion Ratio Lower Upper

163 100

194 4.2 3.4 5.2

164 10.2 8.2 12.2









#51
2,6-Dinitrotoluene
Concen: 50.904 ng
RT: 13.948 min Scan# 1873
Delta R.T. -0.006 min
Lab File: BP025733.D
Acq: 11 Sep 2025 15:20

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion:165 Resp: 316613
Ion Ratio Lower Upper
165 100
63 57.5 48.1 72.1
89 56.1 45.4 68.0




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#52
Acenaphthene
Concen: 49.094 ng
RT: 14.442 min Scan# 1956
Delta R.T. -0.012 min
Lab File: BP025733.D
Acq: 11 Sep 2025 15:20

Tgt Ion:154 Resp: 1042525
Ion Ratio Lower Upper
154 100
153 110.6 89.4 134.0
152 52.6 42.5 63.7









#53
3-Nitroaniline
Concen: 52.561 ng
RT: 14.284 min Scan# 1930
Delta R.T. -0.006 min
Lab File: BP025733.D
Acq: 11 Sep 2025 15:20

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion:138 Resp: 343785
Ion Ratio Lower Upper
138 100
108 11.4 8.7 13.1
92 123.0 94.6 142.0




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#54
2,4-Dinitrophenol
Concen: 49.740 ng
RT: 14.507 min Scan# 1967
Delta R.T. 0.000 min
Lab File: BP025733.D
Acq: 11 Sep 2025 15:20

Tgt Ion:184 Resp: 193294
Ion Ratio Lower Upper
184 100
63 63.7 52.5 78.7
154 68.1 51.5 77.3





#55

Dibenzenofuran

Concen: 49.045 ng

RT: 14.784 min Scan# 2015

Delta R.T. -0.006 min

Lab File: BP025733.D

Acq: 11 Sep 2025 15:20

Instrument :

BNA_P

ClientSampleId :

SSTDICC050

Tgt Ion:168 Resp: 1697428

Ion Ratio Lower Upper

168 100

139 37.9 31.7 47.5





169 13.3 10.8 16.2

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#56

4-Nitrophenol

Concen: 48.388 ng

RT: 14.613 min Scan# 1985

Delta R.T. -0.006 min

Lab File: BP025733.D

Acq: 11 Sep 2025 15:20




Tgt Ion:139 Resp: 261984


Ion Ratio Lower Upper

139 100

109 82.6 62.9 102.9

65 105.5 83.4 123.4









#57
2,4-Dinitrotoluene
Concen: 52.562 ng
RT: 14.748 min Scan# 2009
Delta R.T. -0.006 min
Lab File: BP025733.D
Acq: 11 Sep 2025 15:20

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion:165 Resp: 465265
Ion Ratio Lower Upper
165 100
63 45.1 37.7 56.5
89 71.0 61.0 91.6
182 2.9 2.4 3.6




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#58
Fluorene
Concen: 48.387 ng
RT: 15.436 min Scan# 2125
Delta R.T. -0.018 min
Lab File: BP025733.D
Acq: 11 Sep 2025 15:20

Tgt Ion:166 Resp: 1331644
Ion Ratio Lower Upper
166 100
165 95.4 77.7 116.5
167 12.9 10.6 16.0





#59

2,3,4,6-Tetrachlorophenol

Concen: 50.625 ng

RT: 15.013 min Scan# 2053

Delta R.T. -0.012 min

Lab File: BP025733.D

Acq: 11 Sep 2025 15:20

Instrument :

BNA_P

ClientSampleId :

SSTDICC050

Tgt Ion:232 Resp: 388785

Ion Ratio Lower Upper

232 100

131 45.7 36.7 55.1

130 2.5 2.0 3.0





166 32.1 25.4 38.2

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#60

Diethylphthalate

Concen: 49.018 ng

RT: 15.219 min Scan# 2088

Delta R.T. -0.000 min

Lab File: BP025733.D

Acq: 11 Sep 2025 15:20




Tgt Ion:149 Resp: 1459705


Ion Ratio Lower Upper

149 100

177 22.4 17.7 26.5

150 12.4 10.0 15.0









#61
4-Chlorophenyl-phenylether
Concen: 48.790 ng
RT: 15.436 min Scan# 2125
Delta R.T. -0.006 min
Lab File: BP025733.D
Acq: 11 Sep 2025 15:20

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion:204 Resp: 676700
Ion Ratio Lower Upper
204 100
206 33.3 26.0 39.0
141 61.6 49.7 74.5




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#62
4-Nitroaniline
Concen: 53.605 ng
RT: 15.472 min Scan# 2131
Delta R.T. -0.006 min
Lab File: BP025733.D
Acq: 11 Sep 2025 15:20


Tgt Ion:138 Resp: 358915
Ion Ratio Lower Upper
138 100
92 53.7 33.3 73.3
108 87.8 66.7 106.7





#63
Azobenzene
Concen: 50.428 ng
RT: 15.731 min Scan# 2176
Delta R.T. -0.006 min
Lab File: BP025733.D
Acq: 11 Sep 2025 15:20




Instrument :
BNA_P
ClientSampleId :
SSTDICC050




Tgt Ion: 77 Resp: 1452024
Ion Ratio Lower Upper
77 100
182 24.8 5.2 45.2
105 20.3 1.1 41.1
51 30.8 11.6 51.6

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025




#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.178 min Scan# 2421
Delta R.T. -0.006 min
Lab File: BP025733.D
Acq: 11 Sep 2025 15:20



Tgt Ion:188 Resp: 764105
Ion Ratio Lower Upper
188 100
94 9.2 7.4 11.0
80 10.2 7.7 11.5





#65

4,6-Dinitro-2-methylphenol

Concen: 53.609 ng

RT: 15.531 min Scan# 2141

Delta R.T. -0.006 min

Lab File: BP025733.D

Acq: 11 Sep 2025 15:20

Instrument :

BNA_P

ClientSampleId :

SSTDICC050

Tgt Ion:198 Resp: 272418

Ion Ratio Lower Upper

198 100

51 50.9 33.4 73.4





105 44.2 24.3 64.3

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#66

n-Nitrosodiphenylamine

Concen: 51.304 ng

RT: 15.654 min Scan# 2162

Delta R.T. -0.000 min

Lab File: BP025733.D

Acq: 11 Sep 2025 15:20




Tgt Ion:169 Resp: 1199673


Ion Ratio Lower Upper

169 100

168 65.8 52.6 78.8

167 35.9 28.5 42.7





#67

4-Bromophenyl-phenylether

Concen: 51.458 ng

RT: 16.354 min Scan# 2281

Delta R.T. -0.000 min

Lab File: BP025733.D

Acq: 11 Sep 2025 15:20

Instrument :

BNA_P

ClientSampleId :

SSTDICC050

Tgt Ion:248 Resp: 431960

Ion Ratio Lower Upper

248 100

250 97.3 77.5 116.3





141 74.7 60.2 90.4

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#68

Hexachlorobenzene

Concen: 50.667 ng

RT: 16.472 min Scan# 2301

Delta R.T. -0.000 min

Lab File: BP025733.D

Acq: 11 Sep 2025 15:20




Tgt Ion:284 Resp: 474297


Ion Ratio Lower Upper

284 100

142 35.4 31.3 46.9

249 32.7 27.3 40.9









#69
Atrazine
Concen: 51.256 ng
RT: 16.636 min Scan# 2329
Delta R.T. -0.000 min
Lab File: BP025733.D
Acq: 11 Sep 2025 15:20

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion:200 Resp: 458144
Ion Ratio Lower Upper
200 100
173 26.8 4.2 44.2
215 48.4 27.3 67.3




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#70
Pentachlorophenol
Concen: 51.487 ng
RT: 16.825 min Scan# 2361
Delta R.T. -0.006 min
Lab File: BP025733.D
Acq: 11 Sep 2025 15:20

Tgt Ion:266 Resp: 318100
Ion Ratio Lower Upper
266 100
268 64.3 49.8 74.8
264 63.9 50.2 75.2





#71

Phenanthrene

Concen: 49.858 ng

RT: 17.219 min Scan# 2428

Delta R.T. -0.006 min

Lab File: BP025733.D

Acq: 11 Sep 2025 15:20

Instrument :

BNA_P

ClientSampleId :

SSTDICC050

Tgt Ion:178 Resp: 2161060

Ion Ratio Lower Upper

178 100

176 18.9 15.4 23.2





179 15.3 12.2 18.4

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#72

Anthracene

Concen: 51.395 ng

RT: 17.325 min Scan# 2446

Delta R.T. 0.006 min

Lab File: BP025733.D

Acq: 11 Sep 2025 15:20




Tgt Ion:178 Resp: 2260277


Ion Ratio Lower Upper

178 100

176 18.4 14.8 22.2

179 15.5 12.2 18.4









#73
Carbazole
Concen: 51.629 ng
RT: 17.595 min Scan# 2492
Delta R.T. -0.006 min
Lab File: BP025733.D
Acq: 11 Sep 2025 15:20

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion:167 Resp: 2110925
Ion Ratio Lower Upper
167 100
166 21.3 17.0 25.4
139 13.0 10.6 16.0




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#74
Di-n-butylphthalate
Concen: 50.995 ng
RT: 18.189 min Scan# 2593
Delta R.T. 0.006 min
Lab File: BP025733.D
Acq: 11 Sep 2025 15:20


Tgt Ion:149 Resp: 2558689
Ion Ratio Lower Upper
149 100
150 9.1 7.4 11.0
104 5.4 4.3 6.5





#75
Fluoranthene
Concen: 49.638 ng
RT: 19.313 min Scan# 21
Delta R.T. -0.000 min
Lab File: BP025733.D
Acq: 11 Sep 2025 15:20




Instrument :
BNA_P
ClientSampleId :
SSTDICC050



Tgt Ion:202 Resp: 2580366
Ion Ratio Lower Upper
202 100
101 10.3 0.0 30.4
203 17.6 0.0 37.4




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.636 min Scan# 3179
Delta R.T. -0.006 min
Lab File: BP025733.D
Acq: 11 Sep 2025 15:20

Tgt Ion:240 Resp: 796095
Ion Ratio Lower Upper
240 100
120 9.7 8.0 12.0
236 26.2 20.7 31.1









#77
Benzidine
Concen: 54.762 ng
RT: 19.513 min Scan# 2818
Delta R.T. 0.006 min
Lab File: BP025733.D
Acq: 11 Sep 2025 15:20

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion:184 Resp: 1255790
Ion Ratio Lower Upper
184 100
185 14.2 11.5 17.3
183 11.4 9.2 13.8




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#78
Pyrene
Concen: 50.083 ng
RT: 19.695 min Scan# 2849
Delta R.T. 0.006 min
Lab File: BP025733.D
Acq: 11 Sep 2025 15:20

Tgt Ion:202 Resp: 2660397
Ion Ratio Lower Upper
202 100
200 20.7 17.0 25.6
203 17.6 13.9 20.9





#79

Terphenyl-d14

Concen: 99.962 ng

RT: 19.907 min Scan# 2886

Delta R.T. -0.006 min

Lab File: BP025733.D

Acq: 11 Sep 2025 15:20

Instrument :

BNA_P

ClientSampleId :

SSTDICC050

Tgt Ion:244 Resp: 4423586

Ion Ratio Lower Upper

244 100

212 7.8 5.9 8.9





122 10.0 7.1 10.7

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#80

Butylbenzylphthalate

Concen: 51.926 ng

RT: 20.636 min Scan# 3009

Delta R.T. -0.006 min

Lab File: BP025733.D

Acq: 11 Sep 2025 15:20




Tgt Ion:149 Resp: 1209410


Ion Ratio Lower Upper

149 100

91 71.1 56.6 85.0

206 22.0 17.4 26.0





#81

Benzo(a)anthracene

Concen: 50.315 ng

RT: 21.613 min Scan# 3175

Delta R.T. -0.006 min

Lab File: BP025733.D

Acq: 11 Sep 2025 15:20

Instrument :

BNA_P

ClientSampleId :

SSTDICC050

Tgt Ion:228 Resp: 2742275

Ion Ratio Lower Upper

228 100

226 27.2 21.6 32.4





229 20.0 15.7 23.5

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#82

3,3'-Dichlorobenzidine

Concen: 51.559 ng

RT: 21.536 min Scan# 3162

Delta R.T. -0.000 min

Lab File: BP025733.D

Acq: 11 Sep 2025 15:20




Tgt Ion:252 Resp: 971634


Ion Ratio Lower Upper

252 100

254 63.7 51.4 77.0


126 10.4 8.3 12.5





#83
Chrysene
Concen: 50.434 ng
RT: 21.683 min Scan# 3188
Delta R.T. -0.006 min
Lab File: BP025733.D
Acq: 11 Sep 2025 15:20




Instrument :
BNA_P
ClientSampleId :
SSTDICC050



Tgt Ion:228 Resp: 262024
Ion Ratio Lower Upper
228 100
226 29.6 23.8 35.6
229 19.4 15.6 23.4




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#84
Bis(2-ethylhexyl)phthalate
Concen: 50.312 ng
RT: 21.542 min Scan# 3163
Delta R.T. -0.006 min
Lab File: BP025733.D
Acq: 11 Sep 2025 15:20


Tgt Ion:149 Resp: 1714419
Ion Ratio Lower Upper
149 100
167 28.1 22.9 34.3
279 4.5 3.8 5.8





#85
Di-n-octyl phthalate
Concen: 50.273 ng
RT: 22.824 min Scan# 3382
Delta R.T. -0.006 min
Lab File: BP025733.D
Acq: 11 Sep 2025 15:20




Instrument :
BNA_P
ClientSampleId :
SSTDICC050



Tgt Ion:149 Resp: 3047268
Ion Ratio Lower Upper
149 100
167 1.6 1.3 1.9
43 10.0 8.0 12.0




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#86
Perylene-d12
Concen: 20.000 ng
RT: 24.995 min Scan# 3750
Delta R.T. -0.006 min
Lab File: BP025733.D
Acq: 11 Sep 2025 15:20

Tgt Ion:264 Resp: 864239
Ion Ratio Lower Upper
264 100
260 23.5 18.3 27.5
265 23.0 17.3 25.9









#87
Indeno(1,2,3-cd)pyrene
Concen: 51.778 ng
RT: 28.836 min Scan# 4403
Delta R.T. -0.000 min
Lab File: BP025733.D
Acq: 11 Sep 2025 15:20

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion: 276 Resp: 325418
Ion Ratio Lower Upper
276 100
138 17.0 13.4 20.2
277 25.4 9.1 13.7




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#88
Benzo(b)fluoranthene
Concen: 51.169 ng
RT: 23.942 min Scan# 3571
Delta R.T. 0.012 min
Lab File: BP025733.D
Acq: 11 Sep 2025 15:20

Tgt Ion: 252 Resp: 2704281
Ion Ratio Lower Upper
252 100
253 22.1 17.9 26.9
125 8.9 7.3 10.9





#89

Benzo(k)fluoranthene

Concen: 50.407 ng

RT: 24.007 min Scan# 3581

Delta R.T. 0.006 min

Lab File: BP025733.D

Acq: 11 Sep 2025 15:20

Instrument :

BNA_P

ClientSampleId :

SSTDICC050

Tgt Ion:252 Resp: 2718438

Ion Ratio Lower Upper

252 100

253 21.8 17.5 26.3





125 9.3 7.5 11.3

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#90

Benzo(a)pyrene

Concen: 50.954 ng

RT: 24.848 min Scan# 3725

Delta R.T. 0.006 min

Lab File: BP025733.D

Acq: 11 Sep 2025 15:20




Tgt Ion:252 Resp: 2637187


Ion Ratio Lower Upper

252 100

253 21.7 17.2 25.8

125 10.1 8.3 12.5





#91

Dibenzo(a,h)anthracene

Concen: 52.067 ng

RT: 28.900 min Scan# 4417

Delta R.T. -0.018 min

Lab File: BP025733.D

Acq: 11 Sep 2025 15:20

Instrument :

BNA_P

ClientSampleId :

SSTDICC050

Tgt Ion:278 Resp: 2677885

Ion Ratio Lower Upper

278 100

139 14.3 12.1 18.1





279 23.4 19.6 29.4

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#92

Benzo(g,h,i)perylene

Concen: 51.692 ng

RT: 30.024 min Scan# 4605

Delta R.T. 0.012 min

Lab File: BP025733.D

Acq: 11 Sep 2025 15:20




Tgt Ion:276 Resp: 2614577

Ion Ratio Lower Upper

276 100

277 23.9 18.7 28.1

138 21.1 16.0 24.0



Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP091225\
 Data File : BP025734.D
 Acq On : 11 Sep 2025 16:54
 Operator : CG/JU
 Sample : SSTDICV040
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 ICVBP091225

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 09/12/2025
 Supervised By :Jagrut Upadhyay 09/12/2025

Quant Time: Sep 11 17:15:43 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP091225.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Sep 11 16:45:04 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.754	152	124267	20.000	ng	0.00
21) Naphthalene-d8	10.525	136	536934	20.000	ng	0.00
39) Acenaphthene-d10	14.378	164	375383	20.000	ng	0.00
64) Phenanthrene-d10	17.183	188	771844	20.000	ng	0.00
76) Chrysene-d12	21.636	240	780297	20.000	ng	0.00
86) Perylene-d12	25.006	264	833580	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.372	112	602093	78.179	ng	-0.01
7) Phenol-d6	6.937	99	816056	79.719	ng	-0.01
23) Nitrobenzene-d5	8.895	82	840657	69.063	ng	0.00
42) 2,4,6-Tribromophenol	15.895	330	359192	76.715	ng	-0.01
45) 2-Fluorobiphenyl	12.989	172	1948137	69.102	ng	0.00
79) Terphenyl-d14	19.913	244	3054578	70.424	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.302	88	122286	37.832	ng	Qvalue 97
3) Pyridine	3.702	79	354452	39.824	ng	98
4) n-Nitrosodimethylamine	3.608	42	165978	39.520	ng	97
6) Aniline	7.084	93	582343	41.441	ng	99
8) 2-Chlorophenol	7.325	128	347453	41.125	ng	99
9) Benzaldehyde	6.907	77	259870m	42.354	ng	
10) Phenol	6.966	94	446406	41.357	ng	99
11) bis(2-Chloroethyl)ether	7.178	93	354776	40.910	ng	97
12) 1,3-Dichlorobenzene	7.643	146	388972	40.451	ng	99
13) 1,4-Dichlorobenzene	7.784	146	395520	40.380	ng	99
14) 1,2-Dichlorobenzene	8.101	146	380347	39.971	ng	98
15) Benzyl Alcohol	7.990	79	350290	41.411	ng	99
16) 2,2'-oxybis(1-Chloropr...	8.266	45	582311	41.060	ng	100
17) 2-Methylphenol	8.196	107	307102	42.200	ng	99
18) Hexachloroethane	8.819	117	151554	40.508	ng	97
19) n-Nitroso-di-n-propyla...	8.548	70	312448	43.761	ng	99
20) 3+4-Methylphenols	8.519	107	419059	41.117	ng	99
22) Acetophenone	8.566	105	589415	41.077	ng	# 99
24) Nitrobenzene	8.937	77	442005	40.477	ng	98
25) Isophorone	9.466	82	867997	40.570	ng	99
26) 2-Nitrophenol	9.643	139	203715	42.019	ng	98
27) 2,4-Dimethylphenol	9.707	122	353536	41.566	ng	100
28) bis(2-Chloroethoxy)met...	9.931	93	506887	40.986	ng	100
29) 2,4-Dichlorophenol	10.184	162	351168	41.410	ng	99
30) 1,2,4-Trichlorobenzene	10.390	180	377799	39.530	ng	97
31) Naphthalene	10.572	128	1147015	39.618	ng	100
32) Benzoic acid	9.866	122	261084	41.287	ng	99
33) 4-Chloroaniline	10.690	127	511290	42.370	ng	99
34) Hexachlorobutadiene	10.854	225	240927	39.159	ng	100
35) Caprolactam	11.478	113	129656	39.662	ng	97
36) 4-Chloro-3-methylphenol	11.819	107	414385	40.986	ng	96
37) 2-Methylnaphthalene	12.184	142	751182	40.396	ng	98
38) 1-Methylnaphthalene	12.401	142	804402	40.566	ng	100
40) 1,2,4,5-Tetrachloroben...	12.554	216	455659	40.058	ng	100
41) Hexachlorocyclopentadiene	12.531	237	251065	40.525	ng	99
43) 2,4,6-Trichlorophenol	12.801	196	311792	41.695	ng	98

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP091225\
 Data File : BP025734.D
 Acq On : 11 Sep 2025 16:54
 Operator : CG/JU
 Sample : SSTDICV040
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 ICVBP091225

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 09/12/2025
 Supervised By :Jagrut Upadhyay 09/12/2025

Quant Time: Sep 11 17:15:43 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP091225.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Sep 11 16:45:04 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	12.878	196	335762	40.344	ng	98
46) 1,1'-Biphenyl	13.201	154	1121205	40.692	ng	100
47) 2-Chloronaphthalene	13.242	162	849751	39.167	ng	99
48) 2-Nitroaniline	13.454	65	296601	41.012	ng	99
49) Acenaphthylene	14.101	152	1431405	39.820	ng	100
50) Dimethylphthalate	13.836	163	1131460	39.480	ng	100
51) 2,6-Dinitrotoluene	13.948	165	245080	40.363	ng	98
52) Acenaphthene	14.454	154	808647	39.008	ng	99
53) 3-Nitroaniline	14.289	138	260323	40.770	ng	99
54) 2,4-Dinitrophenol	14.513	184	139609	38.055	ng	98
55) Dibenzofuran	14.783	168	1329616	39.353	ng	99
56) 4-Nitrophenol	14.619	139	192803	37.582	ng	96
57) 2,4-Dinitrotoluene	14.754	165	353669	40.928	ng	96
58) Fluorene	15.442	166	1043250	38.831	ng	99
59) 2,3,4,6-Tetrachlorophenol	15.019	232	297719	39.712	ng	100
60) Diethylphthalate	15.219	149	1163950	40.039	ng	100
61) 4-Chlorophenyl-phenyle...	15.436	204	536069	39.592	ng	97
62) 4-Nitroaniline	15.466	138	272817	41.707	ng	99
63) Azobenzene	15.736	77	1114737	39.657	ng	99
65) 4,6-Dinitro-2-methylph...	15.536	198	204888	39.916	ng	97
66) n-Nitrosodiphenylamine	15.660	169	939618	39.780	ng	100
67) 4-Bromophenyl-phenylether	16.354	248	339813	40.075	ng	97
68) Hexachlorobenzene	16.472	284	375085	39.667	ng	97
69) Atrazine	16.642	200	364755	40.399	ng	99
70) Pentachlorophenol	16.836	266	248287	39.784	ng	99
71) Phenanthrene	17.224	178	1716732	39.210	ng	99
72) Anthracene	17.319	178	1778123	40.026	ng	100
73) Carbazole	17.601	167	1614641	39.095	ng	100
74) Di-n-butylphthalate	18.189	149	2015320	39.763	ng	100
75) Fluoranthene	19.324	202	2020319	38.475	ng	100
77) Benzidine	19.513	184	735659m	32.730	ng	
78) Pyrene	19.701	202	2122125	40.759	ng	99
80) Butylbenzylphthalate	20.636	149	950670	41.644	ng	98
81) Benzo(a)anthracene	21.612	228	2127849	39.832	ng	100
82) 3,3'-Dichlorobenzidine	21.542	252	705014	38.168	ng	99
83) Chrysene	21.689	228	2042185	40.103	ng	99
84) Bis(2-ethylhexyl)phtha...	21.548	149	1354255	40.547	ng	99
85) Di-n-octyl phthalate	22.836	149	2374831	39.973	ng	100
87) Indeno(1,2,3-cd)pyrene	28.836	276	2435714	40.180	ng	# 84
88) Benzo(b)fluoranthene	23.936	252	2038540	39.991	ng	99
89) Benzo(k)fluoranthene	24.006	252	2155908	41.447	ng	99
90) Benzo(a)pyrene	24.842	252	1988484	39.834	ng	99
91) Dibenzo(a,h)anthracene	28.900	278	2021392	40.748	ng	99
92) Benzo(g,h,i)perylene	30.018	276	1934037	39.644	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed


Instrument :
BNA_P
ClientSampleId :
ICVBP091225

Quant Time: Sep 11 17:15:43 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP091225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Sep 11 16:45:04 2025
Response via : Initial Calibration

Manual Integrations

Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.754 min Scan# 81
Delta R.T. -0.006 min
Lab File: BP025734.D
Acq: 11 Sep 2025 16:54

Instrument :
BNA_P
ClientSampleId :
ICVBP091225

Tgt Ion: 152 Resp: 12426
Ion Ratio Lower Upper
152 100
150 156.2 124.3 186.5
115 60.0 50.3 75.5




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#2
1,4-Dioxane
Concen: 37.832 ng
RT: 3.302 min Scan# 62
Delta R.T. -0.006 min
Lab File: BP025734.D
Acq: 11 Sep 2025 16:54

Tgt Ion: 88 Resp: 122286
Ion Ratio Lower Upper
88 100
58 79.4 65.5 98.3
43 30.4 25.2 37.8









#3
Pyridine
Concen: 39.824 ng
RT: 3.702 min Scan# 131
Delta R.T. -0.006 min
Lab File: BP025734.D
Acq: 11 Sep 2025 16:54

Instrument :
BNA_P
ClientSampleId :
ICVBP091225

Tgt Ion: 79 Resp: 354452
Ion Ratio Lower Upper
79 100
52 77.5 63.7 95.5
51 39.3 32.4 48.6




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#4
n-Nitrosodimethylamine
Concen: 39.520 ng
RT: 3.608 min Scan# 114
Delta R.T. -0.006 min
Lab File: BP025734.D
Acq: 11 Sep 2025 16:54

Tgt Ion: 42 Resp: 165978
Ion Ratio Lower Upper
42 100
74 127.0 99.2 148.8
44 7.5 6.4 9.6









#5
2-Fluorophenol
Concen: 78.179 ng
RT: 5.372 min Scan# 41
Delta R.T. -0.012 min
Lab File: BP025734.D
Acq: 11 Sep 2025 16:54

Instrument :
BNA_P
ClientSampleId :
ICVBP091225

Tgt Ion: 112 Resp: 602093
Ion Ratio Lower Upper
112 100
64 62.5 50.2 75.4
63 34.3 26.7 40.1




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#6
Aniline
Concen: 41.441 ng
RT: 7.084 min Scan# 705
Delta R.T. -0.012 min
Lab File: BP025734.D
Acq: 11 Sep 2025 16:54

Tgt Ion: 93 Resp: 582343
Ion Ratio Lower Upper
93 100
66 41.6 32.6 49.0
65 20.8 16.2 24.2









#7
Phenol-d6
Concen: 79.719 ng
RT: 6.937 min Scan# 681
Delta R.T. -0.012 min
Lab File: BP025734.D
Acq: 11 Sep 2025 16:54

Instrument :
BNA_P
ClientSampleId :
ICVBP091225

Tgt Ion: 99 Resp: 816056
Ion Ratio Lower Upper
99 100
42 19.7 15.6 23.4
71 36.1 28.6 43.0




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#8
2-Chlorophenol
Concen: 41.125 ng
RT: 7.325 min Scan# 746
Delta R.T. -0.012 min
Lab File: BP025734.D
Acq: 11 Sep 2025 16:54

Tgt Ion:128 Resp: 347453
Ion Ratio Lower Upper
128 100
130 32.6 12.6 52.6
64 51.0 31.6 71.6









#9
Benzaldehyde
Concen: 42.354 ng m
RT: 6.907 min Scan# 61
Delta R.T. -0.006 min
Lab File: BP025734.D
Acq: 11 Sep 2025 16:54

Instrument :
BNA_P
ClientSampleId :
ICVBP091225

Tgt Ion: 77 Resp: 259876
Ion Ratio Lower Upper
77 100
105 98.4 75.2 115.2
106 92.7 71.3 111.3




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#10
Phenol
Concen: 41.357 ng
RT: 6.966 min Scan# 685
Delta R.T. -0.006 min
Lab File: BP025734.D
Acq: 11 Sep 2025 16:54

Tgt Ion: 94 Resp: 446406
Ion Ratio Lower Upper
94 100
65 29.7 10.2 50.2
66 40.3 21.4 61.4





#11

bis(2-Chloroethyl)ether

Concen: 40.910 ng

RT: 7.178 min Scan# 721

Delta R.T. -0.006 min

Lab File: BP025734.D

Acq: 11 Sep 2025 16:54

Instrument :

BNA_P

ClientSampleId :

ICVBP091225

Tgt Ion: 93 Resp: 354776

Ion Ratio Lower Upper

93 100

63 80.0 62.6 102.6





95 31.3 13.2 53.2

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#12

1,3-Dichlorobenzene

Concen: 40.451 ng

RT: 7.643 min Scan# 800

Delta R.T. -0.006 min

Lab File: BP025734.D

Acq: 11 Sep 2025 16:54




Tgt Ion:146 Resp: 388972


Ion Ratio Lower Upper

146 100

148 64.8 52.7 79.1

75 33.1 26.4 39.6





#13

1,4-Dichlorobenzene

Concen: 40.380 ng

RT: 7.784 min Scan# 81

Delta R.T. -0.006 min

Lab File: BP025734.D

Acq: 11 Sep 2025 16:54

Instrument :

BNA_P

ClientSampleId :

ICVBP091225

Tgt Ion:146 Resp: 395520

Ion Ratio Lower Upper

146 100

148 63.7 52.0 78.0





111 42.4 33.9 50.9

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#14

1,2-Dichlorobenzene

Concen: 39.971 ng

RT: 8.101 min Scan# 878

Delta R.T. -0.006 min

Lab File: BP025734.D

Acq: 11 Sep 2025 16:54




Tgt Ion:146 Resp: 380347


Ion Ratio Lower Upper

146 100

148 62.8 51.7 77.5

111 42.7 35.5 53.3





#15

Benzyl Alcohol

Concen: 41.411 ng

RT: 7.990 min Scan# 81

Delta R.T. -0.012 min

Lab File: BP025734.D

Acq: 11 Sep 2025 16:54

Instrument :

BNA_P

ClientSampleId :





ICVBP091225

Tgt Ion:	79	Resp:	350290
Ion	Ratio	Lower	Upper
79	100		
108	72.9	58.7	88.1
77	62.1	50.2	75.2

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#16

2,2'-oxybis(1-Chloropropane)

Concen: 41.060 ng




RT: 8.266 min Scan# 906


Delta R.T. -0.012 min

Lab File: BP025734.D

Acq: 11 Sep 2025 16:54


Tgt Ion:	45	Resp:	582311
Ion	Ratio	Lower	Upper
45	100		
77	13.0	0.0	33.1
79	9.9	0.0	30.0





#17
2-Methylphenol
Concen: 42.200 ng
RT: 8.196 min Scan# 895
Delta R.T. -0.006 min
Lab File: BP025734.D
Acq: 11 Sep 2025 16:54




Instrument :
BNA_P
ClientSampleId :
ICVBP091225




Tgt Ion:107 Resp: 307102
Ion Ratio Lower Upper
107 100
108 111.6 89.6 134.4
77 47.9 39.3 58.9
79 49.2 37.8 56.6

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025




#18
Hexachloroethane
Concen: 40.508 ng
RT: 8.819 min Scan# 1000
Delta R.T. -0.006 min
Lab File: BP025734.D
Acq: 11 Sep 2025 16:54



Tgt Ion:117 Resp: 151554
Ion Ratio Lower Upper
117 100
119 96.2 77.1 115.7
201 101.5 85.6 128.4





#19

n-Nitroso-di-n-propylamine

Concen: 43.761 ng

RT: 8.548 min Scan# 91

Delta R.T. -0.006 min

Lab File: BP025734.D

Acq: 11 Sep 2025 16:54

Instrument :

BNA_P

ClientSampleId :

ICVBP091225

Tgt Ion: 70 Resp: 312448

Ion Ratio Lower Upper

70 100

42 62.0 49.0 73.4

101 10.0 7.9 11.9





130 21.1 16.6 25.0

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#20

3+4-Methylphenols

Concen: 41.117 ng

RT: 8.519 min Scan# 949

Delta R.T. -0.006 min

Lab File: BP025734.D

Acq: 11 Sep 2025 16:54

Tgt Ion:107 Resp: 419059




Ion Ratio Lower Upper


107 100

108 87.2 67.8 107.8

77 35.7 16.1 56.1

79 30.3 10.5 50.5





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.525 min Scan# 1290
Delta R.T. -0.000 min
Lab File: BP025734.D
Acq: 11 Sep 2025 16:54

Instrument :

BNA_P





ClientSampleId :

ICVBP091225

Tgt Ion	Ratio	Lower	Upper
136	100		
137	10.9	8.7	13.1
54	9.0	7.5	11.3
68	5.8	5.0	7.6




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#22
Acetophenone
Concen: 41.077 ng
RT: 8.566 min Scan# 957
Delta R.T. -0.006 min
Lab File: BP025734.D
Acq: 11 Sep 2025 16:54

Tgt Ion	Ratio	Lower	Upper
105	100		
71	1.6	1.8	2.8
51	30.0	23.5	35.3
120	22.5	17.7	26.5





#23

Nitrobenzene-d5

Concen: 69.063 ng

RT: 8.895 min Scan# 1014

Delta R.T. -0.006 min

Lab File: BP025734.D

Acq: 11 Sep 2025 16:54

Instrument :

BNA_P

ClientSampleId :

ICVBP091225

Tgt Ion: 82 Resp: 84065

Ion Ratio Lower Upper

82 100

128 40.6 32.9 49.3





54 54.6 43.4 65.2

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#24

Nitrobenzene

Concen: 40.477 ng

RT: 8.937 min Scan# 1020

Delta R.T. -0.012 min

Lab File: BP025734.D

Acq: 11 Sep 2025 16:54




Tgt Ion: 77 Resp: 442005


Ion Ratio Lower Upper

77 100

123 44.5 34.4 51.6

65 14.3 10.8 16.2





#25

Isophorone

Concen: 40.570 ng

RT: 9.466 min Scan# 1110

Delta R.T. -0.000 min

Lab File: BP025734.D

Acq: 11 Sep 2025 16:54

Instrument :

BNA_P

ClientSampleId :





ICVBP091225

Tgt Ion:	82	Resp:	86799
Ion	Ratio	Lower	Upper
82	100		
95	7.2	5.8	8.8
138	17.2	13.5	20.3

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#26

2-Nitrophenol

Concen: 42.019 ng




RT: 9.643 min Scan# 1140


Delta R.T. -0.006 min

Lab File: BP025734.D

Acq: 11 Sep 2025 16:54

Tgt Ion:	139	Resp:	203715
Ion	Ratio	Lower	Upper
139	100		
109	34.1	29.0	43.4
65	58.0	46.9	70.3





#27

2,4-Dimethylphenol

Concen: 41.566 ng

RT: 9.707 min Scan# 1152

Delta R.T. -0.006 min

Lab File: BP025734.D

Acq: 11 Sep 2025 16:54

Instrument :

BNA_P

ClientSampleId :

ICVBP091225





Tgt Ion:	122	Resp:	353536
Ion	Ratio	Lower	Upper
122	100		
107	122.9	97.9	146.9
121	59.3	47.4	71.0

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#28

bis(2-Chloroethoxy)methane

Concen: 40.986 ng




RT: 9.931 min Scan# 1189


Delta R.T. -0.012 min

Lab File: BP025734.D

Acq: 11 Sep 2025 16:54

Tgt Ion:	93	Resp:	506887
Ion	Ratio	Lower	Upper
93	100		
95	32.3	25.6	38.4
123	11.5	9.2	13.8





#29
2,4-Dichlorophenol
Concen: 41.410 ng
RT: 10.184 min Scan# 1232
Delta R.T. -0.000 min
Lab File: BP025734.D
Acq: 11 Sep 2025 16:54

Instrument :

BNA_P





ClientSampleId :

ICVBP091225

Tgt Ion	Ratio	Lower	Upper
162	100		
164	63.7	44.7	84.7
98	37.9	18.1	58.1




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#30
1,2,4-Trichlorobenzene
Concen: 39.530 ng
RT: 10.390 min Scan# 1267
Delta R.T. -0.000 min
Lab File: BP025734.D
Acq: 11 Sep 2025 16:54

Tgt Ion	Ratio	Lower	Upper
180	100		
182	98.5	76.0	114.0
145	30.1	24.7	37.1









#31
Naphthalene
Concen: 39.618 ng
RT: 10.572 min Scan# 1178
Delta R.T. -0.006 min
Lab File: BP025734.D
Acq: 11 Sep 2025 16:54

Instrument :
BNA_P
ClientSampleId :
ICVBP091225

Tgt Ion:128 Resp: 1147015
Ion Ratio Lower Upper
128 100
129 10.5 8.6 12.8
127 12.7 10.2 15.4




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#32
Benzoic acid
Concen: 41.287 ng
RT: 9.866 min Scan# 1178
Delta R.T. -0.012 min
Lab File: BP025734.D
Acq: 11 Sep 2025 16:54


Tgt Ion:122 Resp: 261084
Ion Ratio Lower Upper
122 100
105 129.7 111.5 151.5
77 102.2 81.8 121.8





#33
4-Chloroaniline
Concen: 42.370 ng
RT: 10.690 min Scan# 1318
Delta R.T. -0.000 min
Lab File: BP025734.D
Acq: 11 Sep 2025 16:54




Instrument :
BNA_P
ClientSampleId :
ICVBP091225




Tgt Ion:127 Resp: 511290
Ion Ratio Lower Upper
127 100
129 32.1 25.1 37.7
65 33.3 26.4 39.6
92 20.4 15.9 23.9

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025




#34
Hexachlorobutadiene
Concen: 39.159 ng
RT: 10.854 min Scan# 1346
Delta R.T. -0.006 min
Lab File: BP025734.D
Acq: 11 Sep 2025 16:54



Tgt Ion:225 Resp: 240927
Ion Ratio Lower Upper
225 100
223 62.8 50.1 75.1
227 64.4 51.2 76.8





#35

Caprolactam

Concen: 39.662 ng

RT: 11.478 min Scan# 1453

Delta R.T. -0.006 min

Lab File: BP025734.D

Acq: 11 Sep 2025 16:54

Instrument :

BNA_P

ClientSampleId :

ICVBP091225

Tgt Ion:113 Resp: 129656

Ion Ratio Lower Upper

113 100

55 185.4 165.5 205.5





56 133.3 121.1 161.1

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#36

4-Chloro-3-methylphenol

Concen: 40.986 ng

RT: 11.819 min Scan# 1510

Delta R.T. -0.000 min

Lab File: BP025734.D

Acq: 11 Sep 2025 16:54




Tgt Ion:107 Resp: 414385


Ion Ratio Lower Upper

107 100

144 25.0 19.4 29.2

142 75.7 63.8 95.6









#37
2-Methylnaphthalene
Concen: 40.396 ng
RT: 12.184 min Scan# 1572
Delta R.T. -0.000 min
Lab File: BP025734.D
Acq: 11 Sep 2025 16:54

Instrument :
BNA_P
ClientSampleId :
ICVBP091225

Tgt Ion:142 Resp: 751182
Ion Ratio Lower Upper
142 100
141 89.6 69.6 104.4
115 37.9 30.0 45.0




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#38
1-Methylnaphthalene
Concen: 40.566 ng
RT: 12.401 min Scan# 1609
Delta R.T. -0.000 min
Lab File: BP025734.D
Acq: 11 Sep 2025 16:54

Tgt Ion:142 Resp: 804402
Ion Ratio Lower Upper
142 100
141 91.3 72.7 109.1
116 4.3 3.5 5.3





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.378 min Scan# 1945

Delta R.T. -0.000 min

Lab File: BP025734.D

Acq: 11 Sep 2025 16:54

Instrument :

BNA_P





ClientSampleId :

ICVBP091225

Tgt Ion:	164	Resp:	375383
Ion Ratio	Lower	Upper	
164	100		
162	101.7	80.6	120.8
160	43.1	35.0	52.6

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#40

1,2,4,5-Tetrachlorobenzene

Concen: 40.058 ng




RT: 12.554 min Scan# 1635


Delta R.T. -0.000 min

Lab File: BP025734.D

Acq: 11 Sep 2025 16:54

Tgt Ion:	216	Resp:	455659
Ion Ratio	Lower	Upper	
216	100		
214	78.0	62.4	93.6
179	21.0	17.0	25.6
108	18.6	15.2	22.8





#41

Hexachlorocyclopentadiene

Concen: 40.525 ng

RT: 12.531 min Scan# 1632

Delta R.T. -0.006 min

Lab File: BP025734.D

Acq: 11 Sep 2025 16:54

Instrument :

BNA_P

ClientSampleId :

ICVBP091225





Tgt Ion:	237	Resp:	251065
Ion Ratio	Lower	Upper	
237	100		
235	62.8	41.9	81.9
272	12.3	0.0	31.8

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#42

2,4,6-Tribromophenol

Concen: 76.715 ng




RT: 15.895 min Scan# 2203


Delta R.T. -0.012 min

Lab File: BP025734.D

Acq: 11 Sep 2025 16:54

Tgt Ion:	330	Resp:	359192
Ion Ratio	Lower	Upper	
330	100		
332	97.4	76.9	115.3
141	39.0	31.0	46.4





#43

2,4,6-Trichlorophenol

Concen: 41.695 ng

RT: 12.801 min Scan# 1678

Delta R.T. -0.006 min

Lab File: BP025734.D

Acq: 11 Sep 2025 16:54

Instrument :

BNA_P

ClientSampleId :





ICVBP091225

Tgt Ion:196	Resp:	311792
Ion Ratio	Lower	Upper
196	100	
198	94.5	77.2 115.8
200	31.1	24.2 36.2

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#44

2,4,5-Trichlorophenol

Concen: 40.344 ng




RT: 12.878 min Scan# 1690


Delta R.T. -0.006 min

Lab File: BP025734.D

Acq: 11 Sep 2025 16:54

Tgt Ion:196	Resp:	335762
Ion Ratio	Lower	Upper
196	100	
198	95.8	77.8 116.8
97	51.6	43.3 64.9
132	26.9	22.3 33.5





#45

2-Fluorobiphenyl

Concen: 69.102 ng

RT: 12.989 min Scan# 1709

Delta R.T. -0.000 min

Lab File: BP025734.D

Acq: 11 Sep 2025 16:54

Instrument :

BNA_P

ClientSampleId :

ICVBP091225

Tgt Ion:172 Resp: 194813

Ion Ratio Lower Upper

172 100

171 34.3 27.8 41.6





170 23.1 18.6 27.8

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#46

1,1'-Biphenyl

Concen: 40.692 ng

RT: 13.201 min Scan# 1745

Delta R.T. -0.000 min

Lab File: BP025734.D

Acq: 11 Sep 2025 16:54




Tgt Ion:154 Resp: 1121205


Ion Ratio Lower Upper

154 100

153 39.6 19.7 59.7

76 13.0 0.0 33.3









#47
2-Chloronaphthalene
Concen: 39.167 ng
RT: 13.242 min Scan# 1753
Delta R.T. -0.006 min
Lab File: BP025734.D
Acq: 11 Sep 2025 16:54

Instrument :
BNA_P
ClientSampleId :
ICVBP091225

Tgt Ion:162 Resp: 84975
Ion Ratio Lower Upper
162 100
127 39.8 32.2 48.4
164 32.8 26.5 39.7




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#48
2-Nitroaniline
Concen: 41.012 ng
RT: 13.454 min Scan# 1788
Delta R.T. -0.000 min
Lab File: BP025734.D
Acq: 11 Sep 2025 16:54

Tgt Ion: 65 Resp: 296601
Ion Ratio Lower Upper
65 100
92 65.3 53.1 79.7
138 96.0 77.8 116.8





#49

Acenaphthylene

Concen: 39.820 ng

RT: 14.101 min Scan# 1898

Delta R.T. -0.000 min

Lab File: BP025734.D

Acq: 11 Sep 2025 16:54

Instrument :

BNA_P

ClientSampleId :

ICVBP091225

Tgt Ion:152 Resp: 1431405

Ion Ratio Lower Upper

152 100

151 19.7 15.8 23.6





153 13.1 10.5 15.7

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#50

Dimethylphthalate

Concen: 39.480 ng

RT: 13.836 min Scan# 1853

Delta R.T. -0.000 min

Lab File: BP025734.D

Acq: 11 Sep 2025 16:54




Tgt Ion:163 Resp: 1131460


Ion Ratio Lower Upper

163 100

194 4.2 3.4 5.2

164 10.3 8.2 12.2









#51
2,6-Dinitrotoluene
Concen: 40.363 ng
RT: 13.948 min Scan# 1873
Delta R.T. -0.006 min
Lab File: BP025734.D
Acq: 11 Sep 2025 16:54

Instrument :
BNA_P
ClientSampleId :
ICVBP091225

Tgt Ion:165 Resp: 245080
Ion Ratio Lower Upper
165 100
63 58.4 48.1 72.1
89 58.1 45.4 68.0




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#52
Acenaphthene
Concen: 39.008 ng
RT: 14.454 min Scan# 1958
Delta R.T. -0.000 min
Lab File: BP025734.D
Acq: 11 Sep 2025 16:54

Tgt Ion:154 Resp: 808647
Ion Ratio Lower Upper
154 100
153 112.9 89.4 134.0
152 52.9 42.5 63.7









#53
3-Nitroaniline
Concen: 40.770 ng
RT: 14.289 min Scan# 1930
Delta R.T. -0.000 min
Lab File: BP025734.D
Acq: 11 Sep 2025 16:54

Instrument :
BNA_P
ClientSampleId :
ICVBP091225

Tgt Ion:138 Resp: 260323
Ion Ratio Lower Upper
138 100
108 11.4 8.7 13.1
92 117.1 94.6 142.0




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#54
2,4-Dinitrophenol
Concen: 38.055 ng
RT: 14.513 min Scan# 1968
Delta R.T. 0.006 min
Lab File: BP025734.D
Acq: 11 Sep 2025 16:54

Tgt Ion:184 Resp: 139609
Ion Ratio Lower Upper
184 100
63 64.0 52.5 78.7
154 66.5 51.5 77.3





#55

Dibenzenofuran

Concen: 39.353 ng

RT: 14.783 min Scan# 2015

Delta R.T. -0.006 min

Lab File: BP025734.D

Acq: 11 Sep 2025 16:54

Instrument :

BNA_P

ClientSampleId :

ICVBP091225

Tgt Ion:168 Resp: 1329616

Ion Ratio Lower Upper

168 100

139 38.4 31.7 47.5





169 13.4 10.8 16.2

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#56

4-Nitrophenol

Concen: 37.582 ng

RT: 14.619 min Scan# 1986

Delta R.T. -0.000 min

Lab File: BP025734.D

Acq: 11 Sep 2025 16:54




Tgt Ion:139 Resp: 192803


Ion Ratio Lower Upper

139 100

109 81.9 62.9 102.9

65 109.3 83.4 123.4









#57
2,4-Dinitrotoluene
Concen: 40.928 ng
RT: 14.754 min Scan# 2009
Delta R.T. -0.000 min
Lab File: BP025734.D
Acq: 11 Sep 2025 16:54

Instrument :
BNA_P
ClientSampleId :
ICVBP091225

Tgt Ion:165 Resp: 353669
Ion Ratio Lower Upper
165 100
63 46.7 37.7 56.5
89 70.8 61.0 91.6
182 2.9 2.4 3.6




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#58
Fluorene
Concen: 38.831 ng
RT: 15.442 min Scan# 2126
Delta R.T. -0.012 min
Lab File: BP025734.D
Acq: 11 Sep 2025 16:54

Tgt Ion:166 Resp: 1043250
Ion Ratio Lower Upper
166 100
165 97.8 77.7 116.5
167 13.7 10.6 16.0





#59

2,3,4,6-Tetrachlorophenol

Concen: 39.712 ng

RT: 15.019 min Scan# 2054

Delta R.T. -0.006 min

Lab File: BP025734.D

Acq: 11 Sep 2025 16:54

Instrument :

BNA_P

ClientSampleId :

ICVBP091225

Tgt Ion:232 Resp: 297719

Ion Ratio Lower Upper

232 100

131 45.5 36.7 55.1

130 2.6 2.0 3.0





166 31.6 25.4 38.2

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#60

Diethylphthalate

Concen: 40.039 ng

RT: 15.219 min Scan# 2088

Delta R.T. -0.000 min

Lab File: BP025734.D

Acq: 11 Sep 2025 16:54




Tgt Ion:149 Resp: 1163950


Ion Ratio Lower Upper

149 100

177 22.1 17.7 26.5


150 12.2 10.0 15.0





#61
4-Chlorophenyl-phenylether
Concen: 39.592 ng
RT: 15.436 min Scan# 2126
Delta R.T. -0.006 min
Lab File: BP025734.D
Acq: 11 Sep 2025 16:54




Instrument :
BNA_P
ClientSampleId :
ICVBP091225



Tgt Ion:204 Resp: 536069
Ion Ratio Lower Upper
204 100
206 32.5 26.0 39.0
141 58.6 49.7 74.5




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#62
4-Nitroaniline
Concen: 41.707 ng
RT: 15.466 min Scan# 2130
Delta R.T. -0.012 min
Lab File: BP025734.D
Acq: 11 Sep 2025 16:54

Tgt Ion:138 Resp: 272817
Ion Ratio Lower Upper
138 100
92 52.7 33.3 73.3
108 88.4 66.7 106.7






#63
Azobenzene
Concen: 39.657 ng
RT: 15.736 min Scan# 2176
Delta R.T. -0.000 min
Lab File: BP025734.D
Acq: 11 Sep 2025 16:54

Instrument :

BNA_P

ClientSampleId :




ICVBP091225




Tgt Ion: 77 Resp: 111473
Ion Ratio Lower Upper
77 100
182 25.4 5.2 45.2
105 20.6 1.1 41.1
51 31.4 11.6 51.6

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025




#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.183 min Scan# 2422
Delta R.T. -0.000 min
Lab File: BP025734.D
Acq: 11 Sep 2025 16:54



Tgt Ion:188 Resp: 771844
Ion Ratio Lower Upper
188 100
94 9.0 7.4 11.0
80 10.1 7.7 11.5





#65

4,6-Dinitro-2-methylphenol

Concen: 39.916 ng

RT: 15.536 min Scan# 2142

Delta R.T. -0.000 min

Lab File: BP025734.D

Acq: 11 Sep 2025 16:54

Instrument :

BNA_P

ClientSampleId :

ICVBP091225

Tgt Ion:198 Resp: 204888

Ion Ratio Lower Upper

198 100

51 50.3 33.4 73.4





105 44.1 24.3 64.3

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#66

n-Nitrosodiphenylamine

Concen: 39.780 ng

RT: 15.660 min Scan# 2163

Delta R.T. 0.006 min

Lab File: BP025734.D

Acq: 11 Sep 2025 16:54




Tgt Ion:169 Resp: 939618


Ion Ratio Lower Upper

169 100

168 65.8 52.6 78.8

167 35.8 28.5 42.7





#67

4-Bromophenyl-phenylether

Concen: 40.075 ng

RT: 16.354 min Scan# 2281

Delta R.T. -0.000 min

Lab File: BP025734.D

Acq: 11 Sep 2025 16:54

Instrument :

BNA_P

ClientSampleId :

ICVBP091225





Tgt Ion:	248	Resp:	339813
Ion Ratio	Lower	Upper	
248	100		
250	98.0	77.5	116.3
141	79.2	60.2	90.4

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#68

Hexachlorobenzene

Concen: 39.667 ng




RT: 16.472 min Scan# 2301


Delta R.T. -0.000 min

Lab File: BP025734.D

Acq: 11 Sep 2025 16:54

Tgt Ion:	284	Resp:	375085
Ion Ratio	Lower	Upper	
284	100		
142	36.5	31.3	46.9
249	32.9	27.3	40.9





#69

Atrazine

Concen: 40.399 ng

RT: 16.642 min Scan# 2329

Delta R.T. 0.006 min

Lab File: BP025734.D

Acq: 11 Sep 2025 16:54

Instrument :

BNA_P

ClientSampleId :





ICVBP091225

Tgt Ion	200	Resp	36475
Ion Ratio	Lower	Upper	
200	100		
173	25.0	4.2	44.2
215	48.1	27.3	67.3

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#70

Pentachlorophenol

Concen: 39.784 ng




RT: 16.836 min Scan# 2363


Delta R.T. 0.006 min

Lab File: BP025734.D

Acq: 11 Sep 2025 16:54

Tgt Ion	266	Resp	248287
Ion Ratio	Lower	Upper	
266	100		
268	63.5	49.8	74.8
264	63.2	50.2	75.2





#71

Phenanthrene

Concen: 39.210 ng

RT: 17.224 min Scan# 2429

Delta R.T. -0.000 min

Lab File: BP025734.D

Acq: 11 Sep 2025 16:54

Instrument :

BNA_P

ClientSampleId :

ICVBP091225

Tgt Ion:178 Resp: 1716732

Ion Ratio Lower Upper

178 100

176 18.6 15.4 23.2





179 15.5 12.2 18.4

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#72

Anthracene

Concen: 40.026 ng

RT: 17.319 min Scan# 2445

Delta R.T. -0.000 min

Lab File: BP025734.D

Acq: 11 Sep 2025 16:54




Tgt Ion:178 Resp: 1778123


Ion Ratio Lower Upper

178 100

176 18.4 14.8 22.2

179 15.1 12.2 18.4









#73
Carbazole
Concen: 39.095 ng
RT: 17.601 min Scan# 2493
Delta R.T. -0.000 min
Lab File: BP025734.D
Acq: 11 Sep 2025 16:54

Instrument :
BNA_P
ClientSampleId :
ICVBP091225

Tgt Ion:167 Resp: 161464
Ion Ratio Lower Upper
167 100
166 21.2 17.0 25.4
139 13.5 10.6 16.0




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#74
Di-n-butylphthalate
Concen: 39.763 ng
RT: 18.189 min Scan# 2593
Delta R.T. 0.006 min
Lab File: BP025734.D
Acq: 11 Sep 2025 16:54


Tgt Ion:149 Resp: 2015320
Ion Ratio Lower Upper
149 100
150 9.3 7.4 11.0
104 5.3 4.3 6.5





#75
Fluoranthene
Concen: 38.475 ng
RT: 19.324 min Scan# 21
Delta R.T. 0.012 min
Lab File: BP025734.D
Acq: 11 Sep 2025 16:54




Instrument :
BNA_P
ClientSampleId :
ICVBP091225



Tgt Ion:202 Resp: 2020319
Ion Ratio Lower Upper
202 100
101 10.6 0.0 30.4
203 17.6 0.0 37.4




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.636 min Scan# 3179
Delta R.T. -0.006 min
Lab File: BP025734.D
Acq: 11 Sep 2025 16:54

Tgt Ion:240 Resp: 780297
Ion Ratio Lower Upper
240 100
120 9.6 8.0 12.0
236 26.1 20.7 31.1









#77
Benzidine
Concen: 32.730 ng m
RT: 19.513 min Scan# 2817
Delta R.T. 0.006 min
Lab File: BP025734.D
Acq: 11 Sep 2025 16:54

Instrument :
BNA_P
ClientSampleId :
ICVBP091225

Tgt Ion:184 Resp: 735659
Ion Ratio Lower Upper
184 100
185 14.1 11.5 17.3
183 11.3 9.2 13.8




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#78
Pyrene
Concen: 40.759 ng
RT: 19.701 min Scan# 2850
Delta R.T. 0.012 min
Lab File: BP025734.D
Acq: 11 Sep 2025 16:54

Tgt Ion:202 Resp: 2122125
Ion Ratio Lower Upper
202 100
200 20.8 17.0 25.6
203 17.4 13.9 20.9





#79

Terphenyl-d14

Concen: 70.424 ng

RT: 19.913 min Scan# 2886

Delta R.T. -0.000 min

Lab File: BP025734.D

Acq: 11 Sep 2025 16:54

Instrument :

BNA_P

ClientSampleId :

ICVBP091225

Tgt Ion:244 Resp: 3054578

Ion Ratio Lower Upper

244 100

212 7.4 5.9 8.9





122 9.2 7.1 10.7

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#80

Butylbenzylphthalate

Concen: 41.644 ng

RT: 20.636 min Scan# 3009

Delta R.T. -0.006 min

Lab File: BP025734.D

Acq: 11 Sep 2025 16:54




Tgt Ion:149 Resp: 950670


Ion Ratio Lower Upper

149 100

91 73.0 56.6 85.0


206 20.9 17.4 26.0





#81
Benzo(a)anthracene
Concen: 39.832 ng
RT: 21.612 min Scan# 3175
Delta R.T. -0.006 min
Lab File: BP025734.D
Acq: 11 Sep 2025 16:54




Instrument :
BNA_P
ClientSampleId :
ICVBP091225



Tgt Ion:228 Resp: 2127849
Ion Ratio Lower Upper
228 100
226 26.9 21.6 32.4
229 19.3 15.7 23.5




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#82
3,3'-Dichlorobenzidine
Concen: 38.168 ng
RT: 21.542 min Scan# 3163
Delta R.T. 0.006 min
Lab File: BP025734.D
Acq: 11 Sep 2025 16:54

Tgt Ion:252 Resp: 705014
Ion Ratio Lower Upper
252 100
254 65.1 51.4 77.0
126 10.9 8.3 12.5





#83

Chrysene

Concen: 40.103 ng

RT: 21.689 min Scan# 3188

Delta R.T. -0.000 min

Lab File: BP025734.D

Acq: 11 Sep 2025 16:54

Instrument :

BNA_P

ClientSampleId :

ICVBP091225

Tgt Ion:228 Resp: 2042185

Ion Ratio Lower Upper

228 100

226 29.9 23.8 35.6





229 19.1 15.6 23.4

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#84

Bis(2-ethylhexyl)phthalate

Concen: 40.547 ng

RT: 21.548 min Scan# 3164

Delta R.T. -0.000 min

Lab File: BP025734.D

Acq: 11 Sep 2025 16:54




Tgt Ion:149 Resp: 1354255


Ion Ratio Lower Upper

149 100

167 28.2 22.9 34.3


279 4.6 3.8 5.8





#85
Di-n-octyl phthalate
Concen: 39.973 ng
RT: 22.836 min Scan# 3382
Delta R.T. 0.006 min
Lab File: BP025734.D
Acq: 11 Sep 2025 16:54




Instrument :
BNA_P
ClientSampleId :
ICVBP091225




Tgt Ion: 149 Resp: 2374831
Ion Ratio Lower Upper
149 100
167 1.6 1.3 1.9
43 10.0 8.0 12.0

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025




#86
Perylene-d12
Concen: 20.000 ng
RT: 25.006 min Scan# 3752
Delta R.T. 0.006 min
Lab File: BP025734.D
Acq: 11 Sep 2025 16:54



Tgt Ion: 264 Resp: 833580
Ion Ratio Lower Upper
264 100
260 23.1 18.3 27.5
265 21.5 17.3 25.9





#87

Indeno(1,2,3-cd)pyrene

Concen: 40.180 ng

RT: 28.836 min Scan# 4403

Delta R.T. -0.000 min

Lab File: BP025734.D

Acq: 11 Sep 2025 16:54

Instrument :

BNA_P

ClientSampleId :

ICVBP091225

Tgt Ion:276 Resp: 2435714

Ion Ratio Lower Upper

276 100

138 15.7 13.4 20.2





277 25.1 9.1 13.7

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#88

Benzo(b)fluoranthene

Concen: 39.991 ng

RT: 23.936 min Scan# 3570

Delta R.T. 0.006 min

Lab File: BP025734.D

Acq: 11 Sep 2025 16:54




Tgt Ion:252 Resp: 2038540


Ion Ratio Lower Upper

252 100

253 21.8 17.9 26.9

125 8.6 7.3 10.9





#89

Benzo(k)fluoranthene

Concen: 41.447 ng

RT: 24.006 min Scan# 3581

Delta R.T. 0.006 min

Lab File: BP025734.D

Acq: 11 Sep 2025 16:54

Instrument :

BNA_P

ClientSampleId :

ICVBP091225

Tgt Ion:252 Resp: 2155908

Ion Ratio Lower Upper

252 100

253 21.2 17.5 26.3





125 9.2 7.5 11.3

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/12/2025

Supervised By :Jagrut Upadhyay 09/12/2025



#90

Benzo(a)pyrene

Concen: 39.834 ng

RT: 24.842 min Scan# 3724

Delta R.T. -0.000 min

Lab File: BP025734.D

Acq: 11 Sep 2025 16:54




Tgt Ion:252 Resp: 1988484


Ion Ratio Lower Upper

252 100

253 21.7 17.2 25.8

125 9.8 8.3 12.5









#91
Dibenzo(a,h)anthracene
Concen: 40.748 ng
RT: 28.900 min Scan# 4417
Delta R.T. -0.018 min
Lab File: BP025734.D
Acq: 11 Sep 2025 16:54

Instrument :
BNA_P
ClientSampleId :
ICVBP091225

Tgt Ion: 278 Resp: 2021392
Ion Ratio Lower Upper
278 100
139 15.4 12.1 18.1
279 24.2 19.6 29.4




Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 09/12/2025
Supervised By :Jagrut Upadhyay 09/12/2025



#92
Benzo(g,h,i)perylene
Concen: 39.644 ng
RT: 30.018 min Scan# 4604
Delta R.T. 0.006 min
Lab File: BP025734.D
Acq: 11 Sep 2025 16:54

Tgt Ion: 276 Resp: 1934037
Ion Ratio Lower Upper
276 100
277 24.0 18.7 28.1
138 19.8 16.0 24.0



Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP091225\
Data File : BP025734.D
Acq On : 11 Sep 2025 16:54
Operator : CG/JU
Sample : SSTDICV040
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
ICVBP091225

Quant Time: Sep 11 17:15:43 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP091225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Sep 11 16:45:04 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	86	0.00
2	1,4-Dioxane	0.520	0.492	5.4	77	0.00
3	Pyridine	1.432	1.426	0.4	78	0.00
4	n-Nitrosodimethylamine	0.676	0.668	1.2	80	0.00
5 S	2-Fluorophenol	1.240	1.211	2.3	76	-0.01
6	Aniline	2.262	2.343	-3.6	80	-0.01
7 S	Phenol-d6	1.648	1.642	0.4	76	-0.01
8	2-Chlorophenol	1.360	1.398	-2.8	80	-0.01
9	Benzaldehyde	0.987	1.046	-6.0	103	0.00
10 C	Phenol	1.737	1.796	-3.4	79	0.00
11	bis(2-Chloroethyl)ether	1.396	1.427	-2.2	79	0.00
12	1,3-Dichlorobenzene	1.548	1.565	-1.1	80	0.00
13 C	1,4-Dichlorobenzene	1.576	1.591	-1.0	81	0.00
14	1,2-Dichlorobenzene	1.531	1.530	0.1	80	0.00
15	Benzyl Alcohol	1.361	1.409	-3.5	80	-0.01
16	2,2'-oxybis(1-Chloropropane	2.282	2.343	-2.7	81	-0.01
17	2-Methylphenol	1.171	1.236	-5.6	80	0.00
18	Hexachloroethane	0.602	0.610	-1.3	81	0.00
19 P	n-Nitroso-di-n-propylamine	1.149	1.257	-9.4	82	0.00
20	3+4-Methylphenols	1.640	1.686	-2.8	80	0.00
21 I	Naphthalene-d8	1.000	1.000	0.0	87	0.00
22	Acetophenone	0.534	0.549	-2.8	81	0.00
23 S	Nitrobenzene-d5	0.453	0.391	13.7	69	0.00
24	Nitrobenzene	0.407	0.412	-1.2	80	-0.01
25	Isophorone	0.797	0.808	-1.4	82	0.00
26 C	2-Nitrophenol	0.181	0.190	-5.0	81	0.00
27	2,4-Dimethylphenol	0.317	0.329	-3.8	80	0.00
28	bis(2-Chloroethoxy)methane	0.461	0.472	-2.4	82	-0.01
29 C	2,4-Dichlorophenol	0.316	0.327	-3.5	81	0.00
30	1,2,4-Trichlorobenzene	0.356	0.352	1.1	81	0.00
31	Naphthalene	1.078	1.068	0.9	81	0.00
32	Benzoic acid	0.236	0.243	-3.0	81	-0.01
33	4-Chloroaniline	0.449	0.476	-6.0	81	0.00
34 C	Hexachlorobutadiene	0.229	0.224	2.2	81	0.00
35	Caprolactam	0.122	0.121	0.8	80	0.00
36 C	4-Chloro-3-methylphenol	0.377	0.386	-2.4	81	0.00
37	2-Methylnaphthalene	0.693	0.700	-1.0	81	0.00
38	1-Methylnaphthalene	0.739	0.749	-1.4	81	0.00
39 I	Acenaphthene-d10	1.000	1.000	0.0	90	0.00
40	1,2,4,5-Tetrachlorobenzene	0.606	0.607	-0.2	83	0.00
41 P	Hexachlorocyclopentadiene	0.330	0.334	-1.2	79	0.00
42 S	2,4,6-Tribromophenol	0.249	0.239	4.0	78	-0.01
43 C	2,4,6-Trichlorophenol	0.398	0.415	-4.3	84	0.00
44	2,4,5-Trichlorophenol	0.443	0.447	-0.9	80	0.00
45 S	2-Fluorobiphenyl	1.502	1.297	13.6	73	0.00
46	1,1'-Biphenyl	1.468	1.493	-1.7	84	0.00
47	2-Chloronaphthalene	1.156	1.132	2.1	82	0.00

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP091225\
 Data File : BP025734.D
 Acq On : 11 Sep 2025 16:54
 Operator : CG/JU
 Sample : SSTDICV040
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 ICVBP091225

Quant Time: Sep 11 17:15:43 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP091225.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Sep 11 16:45:04 2025
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
48	2-Nitroaniline	0.385	0.395	-2.6	81	0.00
49	Acenaphthylene	1.915	1.907	0.4	83	0.00
50	Dimethylphthalate	1.527	1.507	1.3	82	0.00
51	2,6-Dinitrotoluene	0.324	0.326	-0.6	82	0.00
52 C	Acenaphthene	1.104	1.077	2.4	81	0.00
53	3-Nitroaniline	0.340	0.347	-2.1	79	0.00
54 P	2,4-Dinitrophenol	0.183	0.186	-1.6	80	0.00
55	Dibenzofuran	1.800	1.771	1.6	83	0.00
56 P	4-Nitrophenol	0.258	0.257	0.4	75	0.00
57	2,4-Dinitrotoluene	0.460	0.471	-2.4	81	0.00
58	Fluorene	1.431	1.390	2.9	81	-0.01
59	2,3,4,6-Tetrachlorophenol	0.399	0.397	0.5	80	0.00
60	Diethylphthalate	1.549	1.550	-0.1	85	0.00
61	4-Chlorophenyl-phenylether	0.721	0.714	1.0	83	0.00
62	4-Nitroaniline	0.349	0.363	-4.0	81	-0.01
63	Azobenzene	1.498	1.485	0.9	81	0.00
64 I	Phenanthrene-d10	1.000	1.000	0.0	89	0.00
65	4,6-Dinitro-2-methylphenol	0.133	0.133	0.0	78	0.00
66 c	n-Nitrosodiphenylamine	0.612	0.609	0.5	81	0.00
67	4-Bromophenyl-phenylether	0.220	0.220	0.0	82	0.00
68	Hexachlorobenzene	0.245	0.243	0.8	83	0.00
69	Atrazine	0.234	0.236	-0.9	81	0.00
70 C	Pentachlorophenol	0.162	0.161	0.6	80	0.00
71	Phenanthrene	1.135	1.112	2.0	81	0.00
72	Anthracene	1.151	1.152	-0.1	83	0.00
73	Carbazole	1.070	1.046	2.2	79	0.00
74	Di-n-butylphthalate	1.313	1.306	0.5	81	0.00
75 C	Fluoranthene	1.361	1.309	3.8	80	0.01
76 I	Chrysene-d12	1.000	1.000	0.0	84	0.00
77	Benzydine	0.576	0.471	18.2	61	0.00
78	Pyrene	1.335	1.360	-1.9	80	0.01
79 S	Terphenyl-d14	1.112	0.979	12.0	70	0.00
80	Butylbenzylphthalate	0.585	0.609	-4.1	79	0.00
81	Benzo(a)anthracene	1.369	1.363	0.4	79	0.00
82	3,3'-Dichlorobenzidine	0.473	0.452	4.4	73	0.00
83	Chrysene	1.305	1.309	-0.3	80	0.00
84	Bis(2-ethylhexyl)phthalate	0.856	0.868	-1.4	77	0.00
85 c	Di-n-octyl phthalate	1.523	1.522	0.1	77	0.00
86 I	Perylene-d12	1.000	1.000	0.0	83	0.00
87	Indeno(1,2,3-cd)pyrene	1.454	1.461	-0.5	76	0.00
88	Benzo(b)fluoranthene	1.223	1.223	0.0	76	0.00
89	Benzo(k)fluoranthene	1.248	1.293	-3.6	80	0.00
90 C	Benzo(a)pyrene	1.198	1.193	0.4	76	0.00
91	Dibenzo(a,h)anthracene	1.190	1.212	-1.8	78	-0.02
92	Benzo(g,h,i)perylene	1.170	1.160	0.9	76	0.00

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP091225\
Data File : BP025734.D
Acq On : 11 Sep 2025 16:54
Operator : CG/JU
Sample : SSTDICV040
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
ICVBP091225

Quant Time: Sep 11 17:15:43 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP091225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Sep 11 16:45:04 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)

(#) = Out of Range

SPCC's out = 0 CCC's out = 0

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP091225\
Data File : BP025734.D
Acq On : 11 Sep 2025 16:54
Operator : CG/JU
Sample : SSTDICV040
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
ICVBP091225

Quant Time: Sep 11 17:15:43 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP091225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Sep 11 16:45:04 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 I	1,4-Dichlorobenzene-d4	20.000	20.000	0.0	86	0.00
2	1,4-Dioxane	40.000	37.832	5.4	77	0.00
3	Pyridine	40.000	39.824	0.4	78	0.00
4	n-Nitrosodimethylamine	40.000	39.520	1.2	80	0.00
5 S	2-Fluorophenol	80.000	78.179	2.3	76	-0.01
6	Aniline	40.000	41.441	-3.6	80	-0.01
7 S	Phenol-d6	80.000	79.719	0.4	76	-0.01
8	2-Chlorophenol	40.000	41.125	-2.8	80	-0.01
9	Benzaldehyde	40.000	42.354	-5.9	103	0.00
10 C	Phenol	40.000	41.357	-3.4	79	0.00
11	bis(2-Chloroethyl)ether	40.000	40.910	-2.3	79	0.00
12	1,3-Dichlorobenzene	40.000	40.451	-1.1	80	0.00
13 C	1,4-Dichlorobenzene	40.000	40.380	-1.0	81	0.00
14	1,2-Dichlorobenzene	40.000	39.971	0.1	80	0.00
15	Benzyl Alcohol	40.000	41.411	-3.5	80	-0.01
16	2,2'-oxybis(1-Chloropropane	40.000	41.060	-2.7	81	-0.01
17	2-Methylphenol	40.000	42.200	-5.5	80	0.00
18	Hexachloroethane	40.000	40.508	-1.3	81	0.00
19 P	n-Nitroso-di-n-propylamine	40.000	43.761	-9.4	82	0.00
20	3+4-Methylphenols	40.000	41.117	-2.8	80	0.00
21 I	Naphthalene-d8	20.000	20.000	0.0	87	0.00
22	Acetophenone	40.000	41.077	-2.7	81	0.00
23 S	Nitrobenzene-d5	80.000	69.063	13.7	69	0.00
24	Nitrobenzene	40.000	40.477	-1.2	80	-0.01
25	Isophorone	40.000	40.570	-1.4	82	0.00
26 C	2-Nitrophenol	40.000	42.019	-5.0	81	0.00
27	2,4-Dimethylphenol	40.000	41.566	-3.9	80	0.00
28	bis(2-Chloroethoxy)methane	40.000	40.986	-2.5	82	-0.01
29 C	2,4-Dichlorophenol	40.000	41.410	-3.5	81	0.00
30	1,2,4-Trichlorobenzene	40.000	39.530	1.2	81	0.00
31	Naphthalene	40.000	39.618	1.0	81	0.00
32	Benzoic acid	40.000	41.287	-3.2	81	-0.01
33	4-Chloroaniline	40.000	42.370	-5.9	81	0.00
34 C	Hexachlorobutadiene	40.000	39.159	2.1	81	0.00
35	Caprolactam	40.000	39.662	0.8	80	0.00
36 C	4-Chloro-3-methylphenol	40.000	40.986	-2.5	81	0.00
37	2-Methylnaphthalene	40.000	40.396	-1.0	81	0.00
38	1-Methylnaphthalene	40.000	40.566	-1.4	81	0.00
39 I	Acenaphthene-d10	20.000	20.000	0.0	90	0.00
40	1,2,4,5-Tetrachlorobenzene	40.000	40.058	-0.1	83	0.00
41 P	Hexachlorocyclopentadiene	40.000	40.525	-1.3	79	0.00
42 S	2,4,6-Tribromophenol	80.000	76.715	4.1	78	-0.01
43 C	2,4,6-Trichlorophenol	40.000	41.695	-4.2	84	0.00
44	2,4,5-Trichlorophenol	40.000	40.344	-0.9	80	0.00
45 S	2-Fluorobiphenyl	80.000	69.102	13.6	73	0.00
46	1,1'-Biphenyl	40.000	40.692	-1.7	84	0.00
47	2-Chloronaphthalene	40.000	39.167	2.1	82	0.00

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP091225\
Data File : BP025734.D
Acq On : 11 Sep 2025 16:54
Operator : CG/JU
Sample : SSTDICV040
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
ICVBP091225

Quant Time: Sep 11 17:15:43 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP091225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Sep 11 16:45:04 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
48	2-Nitroaniline	40.000	41.012	-2.5	81	0.00
49	Acenaphthylene	40.000	39.820	0.4	83	0.00
50	Dimethylphthalate	40.000	39.480	1.3	82	0.00
51	2,6-Dinitrotoluene	40.000	40.363	-0.9	82	0.00
52 C	Acenaphthene	40.000	39.008	2.5	81	0.00
53	3-Nitroaniline	40.000	40.770	-1.9	79	0.00
54 P	2,4-Dinitrophenol	40.000	38.055	4.9	80	0.00
55	Dibenzofuran	40.000	39.353	1.6	83	0.00
56 P	4-Nitrophenol	40.000	37.582	6.0	75	0.00
57	2,4-Dinitrotoluene	40.000	40.928	-2.3	81	0.00
58	Fluorene	40.000	38.831	2.9	81	-0.01
59	2,3,4,6-Tetrachlorophenol	40.000	39.712	0.7	80	0.00
60	Diethylphthalate	40.000	40.039	-0.1	85	0.00
61	4-Chlorophenyl-phenylether	40.000	39.592	1.0	83	0.00
62	4-Nitroaniline	40.000	41.707	-4.3	81	-0.01
63	Azobenzene	40.000	39.657	0.9	81	0.00
64 I	Phenanthrene-d10	20.000	20.000	0.0	89	0.00
65	4,6-Dinitro-2-methylphenol	40.000	39.916	0.2	78	0.00
66 c	n-Nitrosodiphenylamine	40.000	39.780	0.5	81	0.00
67	4-Bromophenyl-phenylether	40.000	40.075	-0.2	82	0.00
68	Hexachlorobenzene	40.000	39.667	0.8	83	0.00
69	Atrazine	40.000	40.399	-1.0	81	0.00
70 C	Pentachlorophenol	40.000	39.784	0.5	80	0.00
71	Phenanthrene	40.000	39.210	2.0	81	0.00
72	Anthracene	40.000	40.026	-0.1	83	0.00
73	Carbazole	40.000	39.095	2.3	79	0.00
74	Di-n-butylphthalate	40.000	39.763	0.6	81	0.00
75 C	Fluoranthene	40.000	38.475	3.8	80	0.01
76 I	Chrysene-d12	20.000	20.000	0.0	84	0.00
77	Benzydine	40.000	32.730	18.2	61	0.00
78	Pyrene	40.000	40.759	-1.9	80	0.01
79 S	Terphenyl-d14	80.000	70.424	12.0	70	0.00
80	Butylbenzylphthalate	40.000	41.644	-4.1	79	0.00
81	Benzo(a)anthracene	40.000	39.832	0.4	79	0.00
82	3,3'-Dichlorobenzidine	40.000	38.168	4.6	73	0.00
83	Chrysene	40.000	40.103	-0.3	80	0.00
84	Bis(2-ethylhexyl)phthalate	40.000	40.547	-1.4	77	0.00
85 c	Di-n-octyl phthalate	40.000	39.973	0.1	77	0.00
86 I	Perylene-d12	20.000	20.000	0.0	83	0.00
87	Indeno(1,2,3-cd)pyrene	40.000	40.180	-0.4	76	0.00
88	Benzo(b)fluoranthene	40.000	39.991	0.0	76	0.00
89	Benzo(k)fluoranthene	40.000	41.447	-3.6	80	0.00
90 C	Benzo(a)pyrene	40.000	39.834	0.4	76	0.00
91	Dibenzo(a,h)anthracene	40.000	40.748	-1.9	78	-0.02
92	Benzo(g,h,i)perylene	40.000	39.644	0.9	76	0.00

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP091225\
Data File : BP025734.D
Acq On : 11 Sep 2025 16:54
Operator : CG/JU
Sample : SSTDICV040
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
ICVBP091225

Quant Time: Sep 11 17:15:43 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP091225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Sep 11 16:45:04 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

7C

SEMIVOLATILE CONTINUING CALIBRATION CHECK

Lab Name: Alliance Contract: ALLI03
 Lab Code: ACE SDG No.: Q3015
 Instrument ID: BNA_P Calibration Date/Time: 09/17/2025 12:03
 Lab File ID: BP025769.D Init. Calib. Date(s): 09/11/2025 09/11/2025
 EPA Sample No.: SSTDCCC040 Init. Calib. Time(s): 08:56 15:20
 GC Column: ZB-GR ID: 0.25 (mm)

COMPOUND	RRF	RRF040	MIN RRF	%D	MAX%D
2-Fluorophenol	1.240	1.323		6.7	
Phenol-d6	1.648	1.712		3.9	
Nitrobenzene-d5	0.453	0.476		5.1	
2-Fluorobiphenyl	1.502	1.618		7.7	
2,4,6-Tribromophenol	0.249	0.276		10.8	
Atrazine	0.234	0.248		6.0	
Terphenyl-d14	1.112	1.118		0.5	

All other compounds must meet a minimum RRF of 0.010.

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP091725\
 Data File : BP025769.D
 Acq On : 17 Sep 2025 12:03
 Operator : CG/JU
 Sample : SSTDCCC040
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 SSTDCCC040

Quant Time: Sep 17 13:07:42 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP091225.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Sep 11 16:45:04 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.755	152	173185	20.000	ng	0.00
21) Naphthalene-d8	10.525	136	666754	20.000	ng	0.00
39) Acenaphthene-d10	14.372	164	429441	20.000	ng	0.00
64) Phenanthrene-d10	17.172	188	869670	20.000	ng	-0.01
76) Chrysene-d12	21.625	240	945078	20.000	ng	-0.02
86) Perylene-d12	24.989	264	1090693	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.384	112	916381	85.378	ng	0.00
7) Phenol-d6	6.943	99	1186093	83.139	ng	0.00
23) Nitrobenzene-d5	8.902	82	1270298	84.040	ng	0.00
42) 2,4,6-Tribromophenol	15.884	330	473551	88.408	ng	-0.02
45) 2-Fluorobiphenyl	12.984	172	2779480	86.179	ng	0.00
79) Terphenyl-d14	19.901	244	4228079	80.483	ng	-0.01
Target Compounds						
						Qvalue
2) 1,4-Dioxane	3.308	88	189529	42.073	ng	97
3) Pyridine	3.708	79	514384	41.469	ng	96
4) n-Nitrosodimethylamine	3.614	42	234509	40.066	ng	99
6) Aniline	7.090	93	787401	40.206	ng	99
8) 2-Chlorophenol	7.331	128	489949	41.610	ng	99
9) Benzaldehyde	6.908	77	278679	32.590	ng	98
10) Phenol	6.972	94	617195	41.029	ng	99
11) bis(2-Chloroethyl)ether	7.184	93	480562	39.762	ng	98
12) 1,3-Dichlorobenzene	7.649	146	553763	41.322	ng	98
13) 1,4-Dichlorobenzene	7.790	146	562206	41.185	ng	98
14) 1,2-Dichlorobenzene	8.102	146	535378	40.371	ng	99
15) Benzyl Alcohol	7.996	79	458926	38.929	ng	98
16) 2,2'-oxybis(1-Chloropr...	8.272	45	747810	37.836	ng	99
17) 2-Methylphenol	8.202	107	408022	40.231	ng	99
18) Hexachloroethane	8.819	117	215566	41.342	ng	98
19) n-Nitroso-di-n-propyla...	8.549	70	395032	39.700	ng	98
20) 3+4-Methylphenols	8.525	107	558123	39.294	ng	96
22) Acetophenone	8.566	105	759078	42.601	ng	# 99
24) Nitrobenzene	8.943	77	572699	42.234	ng	97
25) Isophorone	9.466	82	1076863	40.532	ng	100
26) 2-Nitrophenol	9.649	139	271302	45.064	ng	94
27) 2,4-Dimethylphenol	9.707	122	451831	42.780	ng	99
28) bis(2-Chloroethoxy)met...	9.937	93	638825	41.597	ng	100
29) 2,4-Dichlorophenol	10.184	162	456074	43.309	ng	99
30) 1,2,4-Trichlorobenzene	10.390	180	510577	43.021	ng	98
31) Naphthalene	10.572	128	1494587	41.572	ng	99
32) Benzoic acid	9.878	122	319224	40.652	ng	98
33) 4-Chloroaniline	10.684	127	641783	42.829	ng	100
34) Hexachlorobutadiene	10.855	225	330726	43.289	ng	99
35) Caprolactam	11.478	113	159515	39.295	ng	89
36) 4-Chloro-3-methylphenol	11.819	107	510131	40.632	ng	96
37) 2-Methylnaphthalene	12.178	142	949986	41.141	ng	99
38) 1-Methylnaphthalene	12.396	142	988358	40.138	ng	100
40) 1,2,4,5-Tetrachloroben...	12.554	216	581099	44.655	ng	99
41) Hexachlorocyclopentadiene	12.531	237	292523	41.273	ng	100
43) 2,4,6-Trichlorophenol	12.801	196	385236	45.031	ng	99

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP091725\
 Data File : BP025769.D
 Acq On : 17 Sep 2025 12:03
 Operator : CG/JU
 Sample : SSTDCCC040
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 SSTDCCC040


Quant Time: Sep 17 13:07:42 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP091225.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Sep 11 16:45:04 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	12.878	196	411981	43.271	ng	96
46) 1,1'-Biphenyl	13.196	154	1351846	42.887	ng	99
47) 2-Chloronaphthalene	13.237	162	1060854	42.742	ng	100
48) 2-Nitroaniline	13.448	65	354943	42.901	ng	96
49) Acenaphthylene	14.090	152	1740975	42.335	ng	99
50) Dimethylphthalate	13.825	163	1346102	41.057	ng	100
51) 2,6-Dinitrotoluene	13.943	165	294880	42.451	ng	96
52) Acenaphthene	14.437	154	986617	41.602	ng	99
53) 3-Nitroaniline	14.278	138	316169	43.284	ng	98
54) 2,4-Dinitrophenol	14.501	184	171547	40.517	ng	96
55) Dibenzofuran	14.778	168	1590903	41.159	ng	98
56) 4-Nitrophenol	14.625	139	230394	39.056	ng	94
57) 2,4-Dinitrotoluene	14.748	165	431402	43.639	ng	94
58) Fluorene	15.437	166	1267660	41.244	ng	99
59) 2,3,4,6-Tetrachlorophenol	15.013	232	373386	43.535	ng	96
60) Diethylphthalate	15.201	149	1357623	40.822	ng	100
61) 4-Chlorophenyl-phenyle...	15.431	204	636962	41.121	ng	96
62) 4-Nitroaniline	15.460	138	333600	44.579	ng	98
63) Azobenzene	15.725	77	1310077	40.740	ng	100
65) 4,6-Dinitro-2-methylph...	15.525	198	256487	44.347	ng	94
66) n-Nitrosodiphenylamine	15.648	169	1124825	42.264	ng	100
67) 4-Bromophenyl-phenylether	16.342	248	415076	43.445	ng	97
68) Hexachlorobenzene	16.466	284	457685	42.957	ng	92
69) Atrazine	16.619	200	431051	42.372	ng	97
70) Pentachlorophenol	16.819	266	294635	41.900	ng	98
71) Phenanthrene	17.213	178	2018791	40.922	ng	99
72) Anthracene	17.307	178	2085746	41.670	ng	100
73) Carbazole	17.589	167	1929650	41.466	ng	99
74) Di-n-butylphthalate	18.184	149	2382759	41.724	ng	99
75) Fluoranthene	19.301	202	2502712	42.300	ng	100
77) Benzidine	19.501	184	1237336	45.451	ng	99
78) Pyrene	19.678	202	2589027	41.056	ng	99
80) Butylbenzylphthalate	20.630	149	1153154	41.706	ng	99
81) Benzo(a)anthracene	21.601	228	2694945	41.652	ng	100
82) 3,3'-Dichlorobenzidine	21.525	252	999261	44.666	ng	100
83) Chrysene	21.672	228	2586426	41.935	ng	99
84) Bis(2-ethylhexyl)phtha...	21.536	149	1684056	41.630	ng	99
85) Di-n-octyl phthalate	22.819	149	2995948	41.635	ng	99
87) Indeno(1,2,3-cd)pyrene	28.824	276	3488433	43.981	ng	# 82
88) Benzo(b)fluoranthene	23.930	252	2845602	42.664	ng	99
89) Benzo(k)fluoranthene	23.995	252	2747631	40.370	ng	99
90) Benzo(a)pyrene	24.830	252	2731706	41.822	ng	99
91) Dibenzo(a,h)anthracene	28.895	278	2849000	43.893	ng	99
92) Benzo(g,h,i)perylene	30.012	276	2750875	43.095	ng	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040





- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11**
- 12
- 13
- 14
- 15
- 16
- 17



#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.755 min Scan# 81
Delta R.T. -0.005 min
Lab File: BP025769.D
Acq: 17 Sep 2025 12:03




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:152 Resp: 173185
Ion Ratio Lower Upper
152 100
150 153.5 124.3 186.5
115 59.1 50.3 75.5



#2
1,4-Dioxane
Concen: 42.073 ng
RT: 3.308 min Scan# 63
Delta R.T. 0.000 min
Lab File: BP025769.D
Acq: 17 Sep 2025 12:03

Tgt Ion: 88 Resp: 189529
Ion Ratio Lower Upper
88 100
58 79.4 65.5 98.3
43 30.3 25.2 37.8









#3
Pyridine
Concen: 41.469 ng
RT: 3.708 min Scan# 11
Delta R.T. 0.000 min
Lab File: BP025769.D
Acq: 17 Sep 2025 12:03




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion: 79 Resp: 514384
Ion Ratio Lower Upper
79 100
52 75.3 63.7 95.5
51 38.1 32.4 48.6



#4
n-Nitrosodimethylamine
Concen: 40.066 ng
RT: 3.614 min Scan# 115
Delta R.T. 0.000 min
Lab File: BP025769.D
Acq: 17 Sep 2025 12:03

Tgt Ion: 42 Resp: 234509
Ion Ratio Lower Upper
42 100
74 125.7 99.2 148.8
44 7.5 6.4 9.6









#5
2-Fluorophenol
Concen: 85.378 ng
RT: 5.384 min Scan# 416
Delta R.T. 0.000 min
Lab File: BP025769.D
Acq: 17 Sep 2025 12:03




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion: 112 Resp: 916381
Ion Ratio Lower Upper
112 100
64 61.3 50.2 75.4
63 32.0 26.7 40.1



#6
Aniline
Concen: 40.206 ng
RT: 7.090 min Scan# 706
Delta R.T. -0.006 min
Lab File: BP025769.D
Acq: 17 Sep 2025 12:03

Tgt Ion: 93 Resp: 787401
Ion Ratio Lower Upper
93 100
66 40.7 32.6 49.0
65 20.8 16.2 24.2









#7
Phenol-d6
Concen: 83.139 ng
RT: 6.943 min Scan# 61
Delta R.T. -0.006 min
Lab File: BP025769.D
Acq: 17 Sep 2025 12:03




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion: 99 Resp: 1186093
Ion Ratio Lower Upper
99 100
42 18.9 15.6 23.4
71 35.1 28.6 43.0



#8
2-Chlorophenol
Concen: 41.610 ng
RT: 7.331 min Scan# 747
Delta R.T. -0.006 min
Lab File: BP025769.D
Acq: 17 Sep 2025 12:03

Tgt Ion: 128 Resp: 489949
Ion Ratio Lower Upper
128 100
130 33.1 12.6 52.6
64 50.3 31.6 71.6









#9
Benzaldehyde
Concen: 32.590 ng
RT: 6.908 min Scan# 61
Delta R.T. -0.006 min
Lab File: BP025769.D
Acq: 17 Sep 2025 12:03




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion: 77 Resp: 278679
Ion Ratio Lower Upper
77 100
105 96.8 75.2 115.2
106 93.5 71.3 111.3



#10
Phenol
Concen: 41.029 ng
RT: 6.972 min Scan# 686
Delta R.T. 0.000 min
Lab File: BP025769.D
Acq: 17 Sep 2025 12:03

Tgt Ion: 94 Resp: 617195
Ion Ratio Lower Upper
94 100
65 30.3 10.2 50.2
66 40.6 21.4 61.4





#11

bis(2-Chloroethyl)ether

Concen: 39.762 ng

RT: 7.184 min Scan# 722

Delta R.T. 0.000 min

Lab File: BP025769.D

Acq: 17 Sep 2025 12:03

Instrument :

BNA_P

ClientSampleId :

SSTDCCC040





Tgt Ion: 93 Resp: 480562

Ion Ratio Lower Upper

93 100

63 80.6 62.6 102.6

95 31.9 13.2 53.2



#12

1,3-Dichlorobenzene

Concen: 41.322 ng

RT: 7.649 min Scan# 801

Delta R.T. 0.000 min

Lab File: BP025769.D

Acq: 17 Sep 2025 12:03




Tgt Ion: 146 Resp: 553763


Ion Ratio Lower Upper

146 100

148 63.1 52.7 79.1

75 32.8 26.4 39.6





#13

1,4-Dichlorobenzene

Concen: 41.185 ng

RT: 7.790 min Scan# 81

Delta R.T. 0.000 min

Lab File: BP025769.D

Acq: 17 Sep 2025 12:03

Instrument :

BNA_P

ClientSampleId :

SSTDCCC040





Tgt Ion:146 Resp: 562206

Ion Ratio Lower Upper

146 100

148 64.3 52.0 78.0

111 40.5 33.9 50.9



#14

1,2-Dichlorobenzene

Concen: 40.371 ng

RT: 8.102 min Scan# 878

Delta R.T. -0.006 min

Lab File: BP025769.D

Acq: 17 Sep 2025 12:03




Tgt Ion:146 Resp: 535378


Ion Ratio Lower Upper

146 100

148 63.6 51.7 77.5

111 43.5 35.5 53.3





#15

Benzyl Alcohol

Concen: 38.929 ng

RT: 7.996 min Scan# 80

Delta R.T. -0.006 min

Lab File: BP025769.D

Acq: 17 Sep 2025 12:03

Instrument :

BNA_P

ClientSampleId :

SSTDCCC040





Tgt Ion: 79 Resp: 458926

Ion Ratio Lower Upper

79 100

108 75.1 58.7 88.1

77 64.5 50.2 75.2



#16

2,2'-oxybis(1-chloropropane)

Concen: 37.836 ng

RT: 8.272 min Scan# 907

Delta R.T. -0.006 min

Lab File: BP025769.D

Acq: 17 Sep 2025 12:03




Tgt Ion: 45 Resp: 747810


Ion Ratio Lower Upper

45 100

77 13.6 0.0 33.1

79 10.4 0.0 30.0





#17

2-Methylphenol

Concen: 40.231 ng

RT: 8.202 min Scan# 895

Delta R.T. 0.000 min

Lab File: BP025769.D

Acq: 17 Sep 2025 12:03

Instrument :

BNA_P

ClientSampleId :

SSTDCCC040

Tgt Ion:107 Resp: 408022





Ion Ratio Lower Upper

107 100

108 113.4 89.6 134.4

77 48.5 39.3 58.9

79 47.4 37.8 56.6



#18

Hexachloroethane

Concen: 41.342 ng

RT: 8.819 min Scan# 1000

Delta R.T. -0.006 min

Lab File: BP025769.D

Acq: 17 Sep 2025 12:03




Tgt Ion:117 Resp: 215566


Ion Ratio Lower Upper

117 100

119 97.2 77.1 115.7

201 103.7 85.6 128.4





#19

n-Nitroso-di-n-propylamine

Concen: 39.700 ng

RT: 8.549 min Scan# 91

Delta R.T. -0.006 min

Lab File: BP025769.D

Acq: 17 Sep 2025 12:03

Instrument :

BNA_P

ClientSampleId :

SSTDCCC040

Tgt Ion: 70 Resp: 395032





Ion Ratio Lower Upper

70 100

42 60.0 49.0 73.4

101 9.5 7.9 11.9

130 19.7 16.6 25.0



#20

3+4-Methylphenols

Concen: 39.294 ng

RT: 8.525 min Scan# 950

Delta R.T. 0.000 min

Lab File: BP025769.D

Acq: 17 Sep 2025 12:03

Tgt Ion: 107 Resp: 558123




Ion Ratio Lower Upper


107 100

108 91.4 67.8 107.8

77 33.7 16.1 56.1

79 32.1 10.5 50.5





#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.525 min Scan# 11

Delta R.T. 0.000 min

Lab File: BP025769.D

Acq: 17 Sep 2025 12:03

Instrument :

BNA_P

ClientSampleId :

SSTDCCC040

Tgt Ion:136 Resp: 666754





Ion Ratio Lower Upper

136 100

137 10.7 8.7 13.1

54 8.8 7.5 11.3

68 5.7 5.0 7.6



#22

Acetophenone

Concen: 42.601 ng

RT: 8.566 min Scan# 957

Delta R.T. -0.006 min

Lab File: BP025769.D

Acq: 17 Sep 2025 12:03

Tgt Ion:105 Resp: 759078




Ion Ratio Lower Upper


105 100

71 2.8 1.8 2.8

51 30.3 23.5 35.3

120 22.5 17.7 26.5





#23

Nitrobenzene-d5

Concen: 84.040 ng

RT: 8.902 min Scan# 1014

Delta R.T. 0.000 min

Lab File: BP025769.D

Acq: 17 Sep 2025 12:03

Instrument :





BNA_P

ClientSampleId :

SSTDCCC040

Tgt Ion: 82 Resp: 1270298

Ion	Ratio	Lower	Upper
82	100		
128	42.6	32.9	49.3
54	52.9	43.4	65.2



#24

Nitrobenzene

Concen: 42.234 ng

RT: 8.943 min Scan# 1021




Delta R.T. -0.006 min


Lab File: BP025769.D

Acq: 17 Sep 2025 12:03

Tgt Ion: 77 Resp: 572699

Ion	Ratio	Lower	Upper
77	100		
123	45.1	34.4	51.6
65	13.8	10.8	16.2





#25

Isophorone

Concen: 40.532 ng

RT: 9.466 min Scan# 1110

Delta R.T. 0.000 min

Lab File: BP025769.D

Acq: 17 Sep 2025 12:03

Instrument :

BNA_P

ClientSampleId :

SSTDCCC040





Tgt Ion: 82 Resp: 1076863

Ion Ratio Lower Upper

82 100

95 7.3 5.8 8.8

138 17.0 13.5 20.3



#26

2-Nitrophenol

Concen: 45.064 ng

RT: 9.649 min Scan# 1141

Delta R.T. 0.000 min

Lab File: BP025769.D

Acq: 17 Sep 2025 12:03




Tgt Ion: 139 Resp: 271302


Ion Ratio Lower Upper

139 100

109 32.1 29.0 43.4

65 54.7 46.9 70.3





#27

2,4-Dimethylphenol

Concen: 42.780 ng

RT: 9.707 min Scan# 1151

Delta R.T. -0.006 min

Lab File: BP025769.D

Acq: 17 Sep 2025 12:03

Instrument :

BNA_P

ClientSampleId :

SSTDCCC040





Tgt Ion:122 Resp: 451831

Ion Ratio Lower Upper

122 100

107 123.0 97.9 146.9

121 58.7 47.4 71.0



#28

bis(2-Chloroethoxy)methane

Concen: 41.597 ng

RT: 9.937 min Scan# 1190

Delta R.T. -0.006 min

Lab File: BP025769.D

Acq: 17 Sep 2025 12:03




Tgt Ion: 93 Resp: 638825


Ion Ratio Lower Upper

93 100

95 31.9 25.6 38.4

123 11.2 9.2 13.8





#29

2,4-Dichlorophenol

Concen: 43.309 ng

RT: 10.184 min Scan# 1232

Delta R.T. 0.000 min

Lab File: BP025769.D

Acq: 17 Sep 2025 12:03

Instrument :

BNA_P

ClientSampleId :

SSTDCCC040





Tgt Ion:162 Resp: 456074

Ion Ratio Lower Upper

162 100

164 64.1 44.7 84.7

98 37.4 18.1 58.1



#30

1,2,4-Trichlorobenzene

Concen: 43.021 ng

RT: 10.390 min Scan# 1267

Delta R.T. 0.000 min

Lab File: BP025769.D

Acq: 17 Sep 2025 12:03




Tgt Ion:180 Resp: 510577


Ion Ratio Lower Upper

180 100

182 97.2 76.0 114.0

145 30.5 24.7 37.1









#31
Naphthalene
Concen: 41.572 ng
RT: 10.572 min Scan# 1299
Delta R.T. -0.006 min
Lab File: BP025769.D
Acq: 17 Sep 2025 12:03




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:128 Resp: 1494587
Ion Ratio Lower Upper
128 100
129 10.8 8.6 12.8
127 13.1 10.2 15.4



#32
Benzoic acid
Concen: 40.652 ng
RT: 9.878 min Scan# 1180
Delta R.T. 0.000 min
Lab File: BP025769.D
Acq: 17 Sep 2025 12:03

Tgt Ion:122 Resp: 319224
Ion Ratio Lower Upper
122 100
105 132.4 111.5 151.5
77 97.1 81.8 121.8









#33
4-Chloroaniline
Concen: 42.829 ng
RT: 10.684 min Scan# 11
Delta R.T. -0.006 min
Lab File: BP025769.D
Acq: 17 Sep 2025 12:03




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:	127	Resp:	641783
Ion	Ratio	Lower	Upper
127	100		
129	31.6	25.1	37.7
65	33.0	26.4	39.6
92	20.2	15.9	23.9



#34
Hexachlorobutadiene
Concen: 43.289 ng
RT: 10.855 min Scan# 1346
Delta R.T. -0.006 min
Lab File: BP025769.D
Acq: 17 Sep 2025 12:03

Tgt Ion:	225	Resp:	330726
Ion	Ratio	Lower	Upper
225	100		
223	61.8	50.1	75.1
227	63.1	51.2	76.8





#35

Caprolactam

Concen: 39.295 ng

RT: 11.478 min Scan# 1453

Delta R.T. -0.006 min

Lab File: BP025769.D

Acq: 17 Sep 2025 12:03

Instrument :

BNA_P

ClientSampleId :

SSTDCCC040





Tgt Ion:113 Resp: 159515

Ion Ratio Lower Upper

113 100

55 168.2 165.5 205.5

56 129.6 121.1 161.1



#36

4-Chloro-3-methylphenol

Concen: 40.632 ng

RT: 11.819 min Scan# 1510

Delta R.T. 0.000 min

Lab File: BP025769.D

Acq: 17 Sep 2025 12:03




Tgt Ion:107 Resp: 510131


Ion Ratio Lower Upper

107 100

144 24.7 19.4 29.2

142 75.2 63.8 95.6









#37
2-Methylnaphthalene
Concen: 41.141 ng
RT: 12.178 min Scan# 1571
Delta R.T. -0.006 min
Lab File: BP025769.D
Acq: 17 Sep 2025 12:03




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:142 Resp: 949986
Ion Ratio Lower Upper
142 100
141 86.6 69.6 104.4
115 37.1 30.0 45.0



#38
1-Methylnaphthalene
Concen: 40.138 ng
RT: 12.396 min Scan# 1608
Delta R.T. -0.006 min
Lab File: BP025769.D
Acq: 17 Sep 2025 12:03

Tgt Ion:142 Resp: 988358
Ion Ratio Lower Upper
142 100
141 91.3 72.7 109.1
116 4.2 3.5 5.3





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.372 min Scan# 1945

Delta R.T. -0.006 min

Lab File: BP025769.D

Acq: 17 Sep 2025 12:03

Instrument :

BNA_P

ClientSampleId :

SSTDCCC040





Tgt Ion:164 Resp: 429441

Ion Ratio Lower Upper

164 100

162 101.2 80.6 120.8

160 44.0 35.0 52.6



#40

1,2,4,5-Tetrachlorobenzene

Concen: 44.655 ng

RT: 12.554 min Scan# 1635

Delta R.T. 0.000 min

Lab File: BP025769.D

Acq: 17 Sep 2025 12:03

Tgt Ion:216 Resp: 581099




Ion Ratio Lower Upper


216 100

214 78.0 62.4 93.6

179 20.8 17.0 25.6

108 17.8 15.2 22.8









#41
Hexachlorocyclopentadiene
Concen: 41.273 ng
RT: 12.531 min Scan# 1631
Delta R.T. -0.006 min
Lab File: BP025769.D
Acq: 17 Sep 2025 12:03




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:237 Resp: 292523
Ion Ratio Lower Upper
237 100
235 62.0 41.9 81.9
272 12.0 0.0 31.8



#42
2,4,6-Tribromophenol
Concen: 88.408 ng
RT: 15.884 min Scan# 2201
Delta R.T. -0.023 min
Lab File: BP025769.D
Acq: 17 Sep 2025 12:03

Tgt Ion:330 Resp: 473551
Ion Ratio Lower Upper
330 100
332 97.5 76.9 115.3
141 35.0 31.0 46.4





#43

2,4,6-Trichlorophenol

Concen: 45.031 ng

RT: 12.801 min Scan# 1

Delta R.T. -0.006 min

Lab File: BP025769.D

Acq: 17 Sep 2025 12:03

Instrument :

BNA_P

ClientSampleId :

SSTDCCC040





Tgt Ion:196 Resp: 385236

Ion Ratio Lower Upper

196 100

198 95.1 77.2 115.8

200 30.7 24.2 36.2



#44

2,4,5-Trichlorophenol

Concen: 43.271 ng

RT: 12.878 min Scan# 1690

Delta R.T. -0.006 min

Lab File: BP025769.D

Acq: 17 Sep 2025 12:03

Tgt Ion:196 Resp: 411981




Ion Ratio Lower Upper


196 100

198 94.9 77.8 116.8

97 48.0 43.3 64.9

132 26.8 22.3 33.5





#45

2-Fluorobiphenyl

Concen: 86.179 ng

RT: 12.984 min Scan# 1708

Delta R.T. -0.006 min

Lab File: BP025769.D

Acq: 17 Sep 2025 12:03

Instrument :

BNA_P

ClientSampleId :

SSTDCCC040





Tgt Ion:172 Resp: 2779480

Ion Ratio Lower Upper

172 100

171 34.4 27.8 41.6

170 22.9 18.6 27.8



#46

1,1'-Biphenyl

Concen: 42.887 ng

RT: 13.196 min Scan# 1744

Delta R.T. -0.006 min

Lab File: BP025769.D

Acq: 17 Sep 2025 12:03




Tgt Ion:154 Resp: 1351846


Ion Ratio Lower Upper

154 100

153 39.7 19.7 59.7

76 12.2 0.0 33.3









#47
2-Chloronaphthalene
Concen: 42.742 ng
RT: 13.237 min Scan# 11
Delta R.T. -0.012 min
Lab File: BP025769.D
Acq: 17 Sep 2025 12:03




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:162 Resp: 1060854
Ion Ratio Lower Upper
162 100
127 40.2 32.2 48.4
164 33.2 26.5 39.7



#48
2-Nitroaniline
Concen: 42.901 ng
RT: 13.448 min Scan# 1787
Delta R.T. -0.006 min
Lab File: BP025769.D
Acq: 17 Sep 2025 12:03

Tgt Ion: 65 Resp: 354943
Ion Ratio Lower Upper
65 100
92 68.2 53.1 79.7
138 102.9 77.8 116.8





#49

Acenaphthylene

Concen: 42.335 ng

RT: 14.090 min Scan# 1896

Delta R.T. -0.012 min

Lab File: BP025769.D

Acq: 17 Sep 2025 12:03

Instrument :

BNA_P

ClientSampleId :

SSTDCCC040





Tgt Ion:152 Resp: 1740975

Ion Ratio Lower Upper

152 100

151 19.4 15.8 23.6

153 13.0 10.5 15.7



#50

Dimethylphthalate

Concen: 41.057 ng

RT: 13.825 min Scan# 1851

Delta R.T. -0.012 min

Lab File: BP025769.D

Acq: 17 Sep 2025 12:03




Tgt Ion:163 Resp: 1346102


Ion Ratio Lower Upper

163 100

194 4.2 3.4 5.2

164 10.4 8.2 12.2





#51

2,6-Dinitrotoluene

Concen: 42.451 ng

RT: 13.943 min Scan# 1873

Delta R.T. -0.012 min

Lab File: BP025769.D

Acq: 17 Sep 2025 12:03

Instrument :

BNA_P

ClientSampleId :

SSTDCCC040





Tgt Ion:165 Resp: 294880

Ion Ratio Lower Upper

165 100

63 57.1 48.1 72.1

89 53.9 45.4 68.0



#52

Acenaphthene

Concen: 41.602 ng

RT: 14.437 min Scan# 1955

Delta R.T. -0.018 min

Lab File: BP025769.D

Acq: 17 Sep 2025 12:03




Tgt Ion:154 Resp: 986617


Ion Ratio Lower Upper

154 100

153 112.7 89.4 134.0

152 53.4 42.5 63.7









#53
3-Nitroaniline
Concen: 43.284 ng
RT: 14.278 min Scan# 1928
Delta R.T. -0.012 min
Lab File: BP025769.D
Acq: 17 Sep 2025 12:03




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:138 Resp: 316169
Ion Ratio Lower Upper
138 100
108 11.0 8.7 13.1
92 116.4 94.6 142.0



#54
2,4-Dinitrophenol
Concen: 40.517 ng
RT: 14.501 min Scan# 1966
Delta R.T. -0.006 min
Lab File: BP025769.D
Acq: 17 Sep 2025 12:03

Tgt Ion:184 Resp: 171547
Ion Ratio Lower Upper
184 100
63 60.3 52.5 78.7
154 63.6 51.5 77.3









#55
Dibenzenofuran
Concen: 41.159 ng
RT: 14.778 min Scan# 2015
Delta R.T. -0.012 min
Lab File: BP025769.D
Acq: 17 Sep 2025 12:03




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:168 Resp: 1590903
Ion Ratio Lower Upper
168 100
139 38.0 31.7 47.5
169 13.4 10.8 16.2



#56
4-Nitrophenol
Concen: 39.056 ng
RT: 14.625 min Scan# 1987
Delta R.T. 0.006 min
Lab File: BP025769.D
Acq: 17 Sep 2025 12:03

Tgt Ion:139 Resp: 230394
Ion Ratio Lower Upper
139 100
109 73.7 62.9 102.9
65 100.1 83.4 123.4









#57
2,4-Dinitrotoluene
Concen: 43.639 ng
RT: 14.748 min Scan# 2008
Delta R.T. -0.006 min
Lab File: BP025769.D
Acq: 17 Sep 2025 12:03




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:165 Resp: 431402
Ion Ratio Lower Upper
165 100
63 43.5 37.7 56.5
89 71.0 61.0 91.6
182 3.0 2.4 3.6



#58
Fluorene
Concen: 41.244 ng
RT: 15.437 min Scan# 2125
Delta R.T. -0.018 min
Lab File: BP025769.D
Acq: 17 Sep 2025 12:03

Tgt Ion:166 Resp: 1267660
Ion Ratio Lower Upper
166 100
165 95.9 77.7 116.5
167 13.8 10.6 16.0





#59

2,3,4,6-Tetrachlorophenol

Concen: 43.535 ng

RT: 15.013 min Scan# 2053

Delta R.T. -0.012 min

Lab File: BP025769.D

Acq: 17 Sep 2025 12:03

Instrument :

BNA_P

ClientSampleId :

SSTDCCC040

Tgt Ion:232 Resp: 373386





Ion Ratio Lower Upper

232 100

131 42.2 36.7 55.1

130 2.3 2.0 3.0

166 30.4 25.4 38.2



#60

Diethylphthalate

Concen: 40.822 ng

RT: 15.201 min Scan# 2085

Delta R.T. -0.018 min

Lab File: BP025769.D

Acq: 17 Sep 2025 12:03




Tgt Ion:149 Resp: 1357623


Ion Ratio Lower Upper

149 100

177 22.1 17.7 26.5

150 12.9 10.0 15.0









#61
4-Chlorophenyl-phenylether
Concen: 41.121 ng
RT: 15.431 min Scan# 2126
Delta R.T. -0.012 min
Lab File: BP025769.D
Acq: 17 Sep 2025 12:03




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:204 Resp: 636962
Ion Ratio Lower Upper
204 100
206 33.9 26.0 39.0
141 58.2 49.7 74.5



#62
4-Nitroaniline
Concen: 44.579 ng
RT: 15.460 min Scan# 2129
Delta R.T. -0.018 min
Lab File: BP025769.D
Acq: 17 Sep 2025 12:03

Tgt Ion:138 Resp: 333600
Ion Ratio Lower Upper
138 100
92 53.1 33.3 73.3
108 83.3 66.7 106.7









#63
Azobenzene
Concen: 40.740 ng
RT: 15.725 min Scan# 2176
Delta R.T. -0.012 min
Lab File: BP025769.D
Acq: 17 Sep 2025 12:03




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion: 77 Resp: 1310077
Ion Ratio Lower Upper
77 100
182 25.0 5.2 45.2
105 20.7 1.1 41.1
51 31.7 11.6 51.6



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.172 min Scan# 2420
Delta R.T. -0.012 min
Lab File: BP025769.D
Acq: 17 Sep 2025 12:03

Tgt Ion: 188 Resp: 869670
Ion Ratio Lower Upper
188 100
94 8.8 7.4 11.0
80 9.9 7.7 11.5









#65
4,6-Dinitro-2-methylphenol
Concen: 44.347 ng
RT: 15.525 min Scan# 2140
Delta R.T. -0.012 min
Lab File: BP025769.D
Acq: 17 Sep 2025 12:03




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:198 Resp: 256487
Ion Ratio Lower Upper
198 100
51 48.1 33.4 73.4
105 41.9 24.3 64.3



#66
n-Nitrosodiphenylamine
Concen: 42.264 ng
RT: 15.648 min Scan# 2161
Delta R.T. -0.006 min
Lab File: BP025769.D
Acq: 17 Sep 2025 12:03

Tgt Ion:169 Resp: 1124825
Ion Ratio Lower Upper
169 100
168 66.0 52.6 78.8
167 35.6 28.5 42.7





#67

4-Bromophenyl-phenylether

Concen: 43.445 ng

RT: 16.342 min Scan# 21

Delta R.T. -0.012 min

Lab File: BP025769.D

Acq: 17 Sep 2025 12:03

Instrument :

BNA_P

ClientSampleId :

SSTDCCC040





Tgt Ion:248 Resp: 415076

Ion Ratio Lower Upper

248 100

250 97.6 77.5 116.3

141 70.2 60.2 90.4



#68

Hexachlorobenzene

Concen: 42.957 ng

RT: 16.466 min Scan# 2300

Delta R.T. -0.006 min

Lab File: BP025769.D

Acq: 17 Sep 2025 12:03




Tgt Ion:284 Resp: 457685


Ion Ratio Lower Upper

284 100

142 32.3 31.3 46.9

249 31.5 27.3 40.9





#69

Atrazine

Concen: 42.372 ng

RT: 16.619 min Scan# 21

Delta R.T. -0.018 min

Lab File: BP025769.D

Acq: 17 Sep 2025 12:03

Instrument :

BNA_P

ClientSampleId :

SSTDCCC040





Tgt Ion:200 Resp: 431051

Ion Ratio Lower Upper

200 100

173 25.4 4.2 44.2

215 49.2 27.3 67.3



#70

Pentachlorophenol

Concen: 41.900 ng

RT: 16.819 min Scan# 2360

Delta R.T. -0.012 min

Lab File: BP025769.D

Acq: 17 Sep 2025 12:03




Tgt Ion:266 Resp: 294635


Ion Ratio Lower Upper

266 100

268 64.2 49.8 74.8

264 63.4 50.2 75.2









#71
Phenanthrene
Concen: 40.922 ng
RT: 17.213 min Scan# 2427
Delta R.T. -0.012 min
Lab File: BP025769.D
Acq: 17 Sep 2025 12:03




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:178 Resp: 2018791
Ion Ratio Lower Upper
178 100
176 18.8 15.4 23.2
179 15.6 12.2 18.4



#72
Anthracene
Concen: 41.670 ng
RT: 17.307 min Scan# 2443
Delta R.T. -0.012 min
Lab File: BP025769.D
Acq: 17 Sep 2025 12:03

Tgt Ion:178 Resp: 2085746
Ion Ratio Lower Upper
178 100
176 18.7 14.8 22.2
179 15.4 12.2 18.4









#73
 Carbazole
 Concen: 41.466 ng
 RT: 17.589 min Scan# 2493
 Delta R.T. -0.012 min
 Lab File: BP025769.D
 Acq: 17 Sep 2025 12:03




Instrument :
 BNA_P
 ClientSampleId :
 SSTDCCC040


Tgt Ion:167 Resp: 1929650
 Ion Ratio Lower Upper
 167 100
 166 21.4 17.0 25.4
 139 12.8 10.6 16.0



#74
 Di-n-butylphthalate
 Concen: 41.724 ng
 RT: 18.184 min Scan# 2592
 Delta R.T. 0.000 min
 Lab File: BP025769.D
 Acq: 17 Sep 2025 12:03

Tgt Ion:149 Resp: 2382759
 Ion Ratio Lower Upper
 149 100
 150 9.3 7.4 11.0
 104 5.0 4.3 6.5









#75
Fluoranthene
Concen: 42.300 ng
RT: 19.301 min Scan# 21
Delta R.T. -0.012 min
Lab File: BP025769.D
Acq: 17 Sep 2025 12:03




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:202 Resp: 2502712
Ion Ratio Lower Upper
202 100
101 10.0 0.0 30.4
203 17.5 0.0 37.4



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.625 min Scan# 3177
Delta R.T. -0.018 min
Lab File: BP025769.D
Acq: 17 Sep 2025 12:03

Tgt Ion:240 Resp: 945078
Ion Ratio Lower Upper
240 100
120 9.2 8.0 12.0
236 26.1 20.7 31.1









#77
Benzidine
Concen: 45.451 ng
RT: 19.501 min Scan# 2816
Delta R.T. -0.006 min
Lab File: BP025769.D
Acq: 17 Sep 2025 12:03




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:184 Resp: 1237336
Ion Ratio Lower Upper
184 100
185 13.9 11.5 17.3
183 11.7 9.2 13.8



#78
Pyrene
Concen: 41.056 ng
RT: 19.678 min Scan# 2846
Delta R.T. -0.012 min
Lab File: BP025769.D
Acq: 17 Sep 2025 12:03

Tgt Ion:202 Resp: 2589027
Ion Ratio Lower Upper
202 100
200 20.8 17.0 25.6
203 17.6 13.9 20.9









#79
Terphenyl-d14
Concen: 80.483 ng
RT: 19.901 min Scan# 2884
Delta R.T. -0.012 min
Lab File: BP025769.D
Acq: 17 Sep 2025 12:03




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:244 Resp: 4228079
Ion Ratio Lower Upper
244 100
212 7.3 5.9 8.9
122 9.1 7.1 10.7



#80
Butylbenzylphthalate
Concen: 41.706 ng
RT: 20.630 min Scan# 3008
Delta R.T. -0.012 min
Lab File: BP025769.D
Acq: 17 Sep 2025 12:03

Tgt Ion:149 Resp: 1153154
Ion Ratio Lower Upper
149 100
91 70.5 56.6 85.0
206 22.9 17.4 26.0









#81
Benzo(a)anthracene
Concen: 41.652 ng
RT: 21.601 min Scan# 3173
Delta R.T. -0.018 min
Lab File: BP025769.D
Acq: 17 Sep 2025 12:03




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:228 Resp: 2694945
Ion Ratio Lower Upper
228 100
226 27.1 21.6 32.4
229 19.9 15.7 23.5



#82
3,3'-Dichlorobenzidine
Concen: 44.666 ng
RT: 21.525 min Scan# 3160
Delta R.T. -0.012 min
Lab File: BP025769.D
Acq: 17 Sep 2025 12:03

Tgt Ion:252 Resp: 999261
Ion Ratio Lower Upper
252 100
254 63.9 51.4 77.0
126 10.4 8.3 12.5





#83

Chrysene

Concen: 41.935 ng

RT: 21.672 min Scan# 3185

Delta R.T. -0.018 min

Lab File: BP025769.D

Acq: 17 Sep 2025 12:03

Instrument :

BNA_P

ClientSampleId :

SSTDCCC040





Tgt Ion:228 Resp: 2586426

Ion Ratio Lower Upper

228 100

226 30.3 23.8 35.6

229 19.4 15.6 23.4



#84

Bis(2-ethylhexyl)phthalate

Concen: 41.630 ng

RT: 21.536 min Scan# 3162

Delta R.T. -0.012 min

Lab File: BP025769.D

Acq: 17 Sep 2025 12:03




Tgt Ion:149 Resp: 1684056


Ion Ratio Lower Upper

149 100

167 28.2 22.9 34.3

279 4.5 3.8 5.8









#85
Di-n-octyl phthalate
Concen: 41.635 ng
RT: 22.819 min Scan# 311
Delta R.T. -0.012 min
Lab File: BP025769.D
Acq: 17 Sep 2025 12:03




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040


Tgt Ion:149 Resp: 2995948
Ion Ratio Lower Upper
149 100
167 1.6 1.3 1.9
43 9.6 8.0 12.0



#86
Perylene-d12
Concen: 20.000 ng
RT: 24.989 min Scan# 3749
Delta R.T. -0.012 min
Lab File: BP025769.D
Acq: 17 Sep 2025 12:03

Tgt Ion:264 Resp: 1090693
Ion Ratio Lower Upper
264 100
260 24.0 18.3 27.5
265 22.5 17.3 25.9





#87

Indeno(1,2,3-cd)pyrene

Concen: 43.981 ng

RT: 28.824 min Scan# 4403

Delta R.T. -0.012 min

Lab File: BP025769.D

Acq: 17 Sep 2025 12:03

Instrument :

BNA_P

ClientSampleId :

SSTDCCC040





Tgt Ion:276 Resp: 3488433

Ion Ratio Lower Upper

276 100

138 14.2 13.4 20.2

277 25.3 9.1 13.7#



#88

Benzo(b)fluoranthene

Concen: 42.664 ng

RT: 23.930 min Scan# 3569

Delta R.T. 0.000 min

Lab File: BP025769.D

Acq: 17 Sep 2025 12:03




Tgt Ion:252 Resp: 2845602


Ion Ratio Lower Upper

252 100

253 22.2 17.9 26.9

125 9.5 7.3 10.9





#89

Benzo(k)fluoranthene

Concen: 40.370 ng

RT: 23.995 min Scan# 3581

Delta R.T. -0.006 min

Lab File: BP025769.D

Acq: 17 Sep 2025 12:03

Instrument :

BNA_P

ClientSampleId :

SSTDCCC040





Tgt Ion:252 Resp: 2747631

Ion Ratio Lower Upper

252 100

253 21.9 17.5 26.3

125 8.6 7.5 11.3



#90

Benzo(a)pyrene

Concen: 41.822 ng

RT: 24.830 min Scan# 3722

Delta R.T. -0.012 min

Lab File: BP025769.D

Acq: 17 Sep 2025 12:03




Tgt Ion:252 Resp: 2731706


Ion Ratio Lower Upper

252 100

253 22.2 17.2 25.8

125 9.8 8.3 12.5









#91
Dibenzo(a,h)anthracene
Concen: 43.893 ng
RT: 28.895 min Scan# 4413
Delta R.T. -0.023 min
Lab File: BP025769.D
Acq: 17 Sep 2025 12:03




Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:278 Resp: 2849000
Ion Ratio Lower Upper
278 100
139 14.2 12.1 18.1
279 24.3 19.6 29.4



#92
Benzo(g,h,i)perylene
Concen: 43.095 ng
RT: 30.012 min Scan# 4603
Delta R.T. 0.000 min
Lab File: BP025769.D
Acq: 17 Sep 2025 12:03

Tgt Ion:276 Resp: 2750875
Ion Ratio Lower Upper
276 100
277 23.2 18.7 28.1
138 19.8 16.0 24.0



Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP091725\
Data File : BP025769.D
Acq On : 17 Sep 2025 12:03
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_P
LabSampleId :
SSTDCCC040

Quant Time: Sep 17 13:07:42 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP091225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Sep 11 16:45:04 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	120	0.00
2	1,4-Dioxane	0.520	0.547	-5.2	120	0.00
3	Pyridine	1.432	1.485	-3.7	114	0.00
4	n-Nitrosodimethylamine	0.676	0.677	-0.1	112	0.00
5 S	2-Fluorophenol	1.240	1.323	-6.7	116	0.00
6	Aniline	2.262	2.273	-0.5	108	0.00
7 S	Phenol-d6	1.648	1.712	-3.9	110	0.00
8	2-Chlorophenol	1.360	1.415	-4.0	112	0.00
9	Benzaldehyde	0.987	0.805	18.4	110	0.00
10 C	Phenol	1.737	1.782	-2.6	109	0.00
11	bis(2-Chloroethyl)ether	1.396	1.387	0.6	107	0.00
12	1,3-Dichlorobenzene	1.548	1.599	-3.3	114	0.00
13 C	1,4-Dichlorobenzene	1.576	1.623	-3.0	115	0.00
14	1,2-Dichlorobenzene	1.531	1.546	-1.0	112	0.00
15	Benzyl Alcohol	1.361	1.325	2.6	105	0.00
16	2,2'-oxybis(1-Chloropropane	2.282	2.159	5.4	104	0.00
17	2-Methylphenol	1.171	1.178	-0.6	107	0.00
18	Hexachloroethane	0.602	0.622	-3.3	115	0.00
19 P	n-Nitroso-di-n-propylamine	1.149	1.140	0.8	103	0.00
20	3+4-Methylphenols	1.640	1.611	1.8	106	0.00
21 I	Naphthalene-d8	1.000	1.000	0.0	108	0.00
22	Acetophenone	0.534	0.569	-6.6	104	0.00
23 S	Nitrobenzene-d5	0.453	0.476	-5.1	104	0.00
24	Nitrobenzene	0.407	0.429	-5.4	103	0.00
25	Isophorone	0.797	0.808	-1.4	101	0.00
26 C	2-Nitrophenol	0.181	0.203	-12.2	108	0.00
27	2,4-Dimethylphenol	0.317	0.339	-6.9	103	0.00
28	bis(2-Chloroethoxy)methane	0.461	0.479	-3.9	104	0.00
29 C	2,4-Dichlorophenol	0.316	0.342	-8.2	106	0.00
30	1,2,4-Trichlorobenzene	0.356	0.383	-7.6	109	0.00
31	Naphthalene	1.078	1.121	-4.0	106	0.00
32	Benzoic acid	0.236	0.239	-1.3	99	0.00
33	4-Chloroaniline	0.449	0.481	-7.1	102	0.00
34 C	Hexachlorobutadiene	0.229	0.248	-8.3	111	0.00
35	Caprolactam	0.122	0.120	1.6	98	0.00
36 C	4-Chloro-3-methylphenol	0.377	0.383	-1.6	100	0.00
37	2-Methylnaphthalene	0.693	0.712	-2.7	103	0.00
38	1-Methylnaphthalene	0.739	0.741	-0.3	100	0.00
39 I	Acenaphthene-d10	1.000	1.000	0.0	103	0.00
40	1,2,4,5-Tetrachlorobenzene	0.606	0.677	-11.7	105	0.00
41 P	Hexachlorocyclopentadiene	0.330	0.341	-3.3	92	0.00
42 S	2,4,6-Tribromophenol	0.249	0.276	-10.8	102	-0.02
43 C	2,4,6-Trichlorophenol	0.398	0.449	-12.8	103	0.00
44	2,4,5-Trichlorophenol	0.443	0.480	-8.4	98	0.00
45 S	2-Fluorobiphenyl	1.502	1.618	-7.7	104	0.00
46	1,1'-Biphenyl	1.468	1.574	-7.2	102	0.00
47	2-Chloronaphthalene	1.156	1.235	-6.8	102	-0.01

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP091725\
Data File : BP025769.D
Acq On : 17 Sep 2025 12:03
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_P
LabSampleId :
SSTDCCC040

Quant Time: Sep 17 13:07:42 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP091225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Sep 11 16:45:04 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
48	2-Nitroaniline	0.385	0.413	-7.3	97	0.00
49	Acenaphthylene	1.915	2.027	-5.8	101	-0.01
50	Dimethylphthalate	1.527	1.567	-2.6	97	-0.01
51	2,6-Dinitrotoluene	0.324	0.343	-5.9	98	-0.01
52 C	Acenaphthene	1.104	1.149	-4.1	99	-0.02
53	3-Nitroaniline	0.340	0.368	-8.2	96	-0.01
54 P	2,4-Dinitrophenol	0.183	0.200	-9.3	98	0.00
55	Dibenzofuran	1.800	1.852	-2.9	99	-0.01
56 P	4-Nitrophenol	0.258	0.268	-3.9	90	0.00
57	2,4-Dinitrotoluene	0.460	0.502	-9.1	99	0.00
58	Fluorene	1.431	1.476	-3.1	98	-0.02
59	2,3,4,6-Tetrachlorophenol	0.399	0.435	-9.0	100	-0.01
60	Diethylphthalate	1.549	1.581	-2.1	99	-0.02
61	4-Chlorophenyl-phenylether	0.721	0.742	-2.9	99	-0.01
62	4-Nitroaniline	0.349	0.388	-11.2	99	-0.02
63	Azobenzene	1.498	1.525	-1.8	95	-0.01
64 I	Phenanthrene-d10	1.000	1.000	0.0	100	-0.01
65	4,6-Dinitro-2-methylphenol	0.133	0.147	-10.5	98	-0.01
66 c	n-Nitrosodiphenylamine	0.612	0.647	-5.7	98	0.00
67	4-Bromophenyl-phenylether	0.220	0.239	-8.6	100	-0.01
68	Hexachlorobenzene	0.245	0.263	-7.3	101	0.00
69	Atrazine	0.234	0.248	-6.0	96	-0.02
70 C	Pentachlorophenol	0.162	0.169	-4.3	95	-0.01
71	Phenanthrene	1.135	1.161	-2.3	96	-0.01
72	Anthracene	1.151	1.199	-4.2	97	-0.01
73	Carbazole	1.070	1.109	-3.6	95	-0.01
74	Di-n-butylphthalate	1.313	1.370	-4.3	95	0.00
75 C	Fluoranthene	1.361	1.439	-5.7	100	-0.01
76 I	Chrysene-d12	1.000	1.000	0.0	102	-0.02
77	Benzidine	0.576	0.655	-13.7	102	0.00
78	Pyrene	1.335	1.370	-2.6	98	-0.01
79 S	Terphenyl-d14	1.112	1.118	-0.5	97	-0.01
80	Butylbenzylphthalate	0.585	0.610	-4.3	96	-0.01
81	Benzo(a)anthracene	1.369	1.426	-4.2	100	-0.02
82	3,3'-Dichlorobenzidine	0.473	0.529	-11.8	104	-0.01
83	Chrysene	1.305	1.368	-4.8	101	-0.02
84	Bis(2-ethylhexyl)phthalate	0.856	0.891	-4.1	96	-0.01
85 c	Di-n-octyl phthalate	1.523	1.585	-4.1	97	-0.01
86 I	Perylene-d12	1.000	1.000	0.0	109	-0.01
87	Indeno(1,2,3-cd)pyrene	1.454	1.599	-10.0	109	-0.01
88	Benzo(b)fluoranthene	1.223	1.304	-6.6	106	0.00
89	Benzo(k)fluoranthene	1.248	1.260	-1.0	102	0.00
90 C	Benzo(a)pyrene	1.198	1.252	-4.5	104	-0.01
91	Dibenzo(a,h)anthracene	1.190	1.306	-9.7	110	-0.02
92	Benzo(g,h,i)perylene	1.170	1.261	-7.8	108	0.00

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP091725\
Data File : BP025769.D
Acq On : 17 Sep 2025 12:03
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_P
LabSampleId :
SSTDCCC040

Quant Time: Sep 17 13:07:42 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP091225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Sep 11 16:45:04 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)

(#) = Out of Range

SPCC's out = 0 CCC's out = 0

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP091725\
Data File : BP025769.D
Acq On : 17 Sep 2025 12:03
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_P
LabSampleId :
SSTDCCC040

Quant Time: Sep 17 13:07:42 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP091225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Sep 11 16:45:04 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 I	1,4-Dichlorobenzene-d4	20.000	20.000	0.0	120	0.00
2	1,4-Dioxane	40.000	42.073	-5.2	120	0.00
3	Pyridine	40.000	41.469	-3.7	114	0.00
4	n-Nitrosodimethylamine	40.000	40.066	-0.2	112	0.00
5 S	2-Fluorophenol	80.000	85.378	-6.7	116	0.00
6	Aniline	40.000	40.206	-0.5	108	0.00
7 S	Phenol-d6	80.000	83.139	-3.9	110	0.00
8	2-Chlorophenol	40.000	41.610	-4.0	112	0.00
9	Benzaldehyde	40.000	32.590	18.5	110	0.00
10 C	Phenol	40.000	41.029	-2.6	109	0.00
11	bis(2-Chloroethyl)ether	40.000	39.762	0.6	107	0.00
12	1,3-Dichlorobenzene	40.000	41.322	-3.3	114	0.00
13 C	1,4-Dichlorobenzene	40.000	41.185	-3.0	115	0.00
14	1,2-Dichlorobenzene	40.000	40.371	-0.9	112	0.00
15	Benzyl Alcohol	40.000	38.929	2.7	105	0.00
16	2,2'-oxybis(1-Chloropropane	40.000	37.836	5.4	104	0.00
17	2-Methylphenol	40.000	40.231	-0.6	107	0.00
18	Hexachloroethane	40.000	41.342	-3.4	115	0.00
19 P	n-Nitroso-di-n-propylamine	40.000	39.700	0.7	103	0.00
20	3+4-Methylphenols	40.000	39.294	1.8	106	0.00
21 I	Naphthalene-d8	20.000	20.000	0.0	108	0.00
22	Acetophenone	40.000	42.601	-6.5	104	0.00
23 S	Nitrobenzene-d5	80.000	84.040	-5.1	104	0.00
24	Nitrobenzene	40.000	42.234	-5.6	103	0.00
25	Isophorone	40.000	40.532	-1.3	101	0.00
26 C	2-Nitrophenol	40.000	45.064	-12.7	108	0.00
27	2,4-Dimethylphenol	40.000	42.780	-7.0	103	0.00
28	bis(2-Chloroethoxy)methane	40.000	41.597	-4.0	104	0.00
29 C	2,4-Dichlorophenol	40.000	43.309	-8.3	106	0.00
30	1,2,4-Trichlorobenzene	40.000	43.021	-7.6	109	0.00
31	Naphthalene	40.000	41.572	-3.9	106	0.00
32	Benzoic acid	40.000	40.652	-1.6	99	0.00
33	4-Chloroaniline	40.000	42.829	-7.1	102	0.00
34 C	Hexachlorobutadiene	40.000	43.289	-8.2	111	0.00
35	Caprolactam	40.000	39.295	1.8	98	0.00
36 C	4-Chloro-3-methylphenol	40.000	40.632	-1.6	100	0.00
37	2-Methylnaphthalene	40.000	41.141	-2.9	103	0.00
38	1-Methylnaphthalene	40.000	40.138	-0.3	100	0.00
39 I	Acenaphthene-d10	20.000	20.000	0.0	103	0.00
40	1,2,4,5-Tetrachlorobenzene	40.000	44.655	-11.6	105	0.00
41 P	Hexachlorocyclopentadiene	40.000	41.273	-3.2	92	0.00
42 S	2,4,6-Tribromophenol	80.000	88.408	-10.5	102	-0.02
43 C	2,4,6-Trichlorophenol	40.000	45.031	-12.6	103	0.00
44	2,4,5-Trichlorophenol	40.000	43.271	-8.2	98	0.00
45 S	2-Fluorobiphenyl	80.000	86.179	-7.7	104	0.00
46	1,1'-Biphenyl	40.000	42.887	-7.2	102	0.00
47	2-Chloronaphthalene	40.000	42.742	-6.9	102	-0.01

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP091725\
Data File : BP025769.D
Acq On : 17 Sep 2025 12:03
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_P
LabSampleId :
SSTDCCC040

Quant Time: Sep 17 13:07:42 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP091225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Sep 11 16:45:04 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
48	2-Nitroaniline	40.000	42.901	-7.3	97	0.00
49	Acenaphthylene	40.000	42.335	-5.8	101	-0.01
50	Dimethylphthalate	40.000	41.057	-2.6	97	-0.01
51	2,6-Dinitrotoluene	40.000	42.451	-6.1	98	-0.01
52 C	Acenaphthene	40.000	41.602	-4.0	99	-0.02
53	3-Nitroaniline	40.000	43.284	-8.2	96	-0.01
54 P	2,4-Dinitrophenol	40.000	40.517	-1.3	98	0.00
55	Dibenzofuran	40.000	41.159	-2.9	99	-0.01
56 P	4-Nitrophenol	40.000	39.056	2.4	90	0.00
57	2,4-Dinitrotoluene	40.000	43.639	-9.1	99	0.00
58	Fluorene	40.000	41.244	-3.1	98	-0.02
59	2,3,4,6-Tetrachlorophenol	40.000	43.535	-8.8	100	-0.01
60	Diethylphthalate	40.000	40.822	-2.1	99	-0.02
61	4-Chlorophenyl-phenylether	40.000	41.121	-2.8	99	-0.01
62	4-Nitroaniline	40.000	44.579	-11.4	99	-0.02
63	Azobenzene	40.000	40.740	-1.9	95	-0.01
64 I	Phenanthrene-d10	20.000	20.000	0.0	100	-0.01
65	4,6-Dinitro-2-methylphenol	40.000	44.347	-10.9	98	-0.01
66 c	n-Nitrosodiphenylamine	40.000	42.264	-5.7	98	0.00
67	4-Bromophenyl-phenylether	40.000	43.445	-8.6	100	-0.01
68	Hexachlorobenzene	40.000	42.957	-7.4	101	0.00
69	Atrazine	40.000	42.372	-5.9	96	-0.02
70 C	Pentachlorophenol	40.000	41.900	-4.7	95	-0.01
71	Phenanthrene	40.000	40.922	-2.3	96	-0.01
72	Anthracene	40.000	41.670	-4.2	97	-0.01
73	Carbazole	40.000	41.466	-3.7	95	-0.01
74	Di-n-butylphthalate	40.000	41.724	-4.3	95	0.00
75 C	Fluoranthene	40.000	42.300	-5.7	100	-0.01
76 I	Chrysene-d12	20.000	20.000	0.0	102	-0.02
77	Benzydine	40.000	45.451	-13.6	102	0.00
78	Pyrene	40.000	41.056	-2.6	98	-0.01
79 S	Terphenyl-d14	80.000	80.483	-0.6	97	-0.01
80	Butylbenzylphthalate	40.000	41.706	-4.3	96	-0.01
81	Benzo(a)anthracene	40.000	41.652	-4.1	100	-0.02
82	3,3'-Dichlorobenzidine	40.000	44.666	-11.7	104	-0.01
83	Chrysene	40.000	41.935	-4.8	101	-0.02
84	Bis(2-ethylhexyl)phthalate	40.000	41.630	-4.1	96	-0.01
85 c	Di-n-octyl phthalate	40.000	41.635	-4.1	97	-0.01
86 I	Perylene-d12	20.000	20.000	0.0	109	-0.01
87	Indeno(1,2,3-cd)pyrene	40.000	43.981	-10.0	109	-0.01
88	Benzo(b)fluoranthene	40.000	42.664	-6.7	106	0.00
89	Benzo(k)fluoranthene	40.000	40.370	-0.9	102	0.00
90 C	Benzo(a)pyrene	40.000	41.822	-4.6	104	-0.01
91	Dibenzo(a,h)anthracene	40.000	43.893	-9.7	110	-0.02
92	Benzo(g,h,i)perylene	40.000	43.095	-7.7	108	0.00

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP091725\
Data File : BP025769.D
Acq On : 17 Sep 2025 12:03
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_P
LabSampleId :
SSTDCCC040

Quant Time: Sep 17 13:07:42 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP091225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Sep 11 16:45:04 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)

(#) = Out of Range

SPCC's out = 0 CCC's out = 0



QC SAMPLE DATA


- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP091225\
Data File : BP025724.D
Acq On : 11 Sep 2025 08:09
Operator : CG/JU
Sample : DFTPP
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
DFTPP

Integration File: rteint.p

Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP091225.M
Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
Last Update : Thu Sep 11 16:45:04 2025






AutoFind: Scans 2499, 2500, 2501; Background Corrected with Scan 2490

Target	Rel. to	Lower	Upper	Rel.	Raw	Result
Mass	Mass	Limit%	Limit%	Abn%	Abn	Pass/Fail
68	69	0.00	2	1.6	2392	PASS
69	69	100	100	100.0	148681	PASS
70	69	0.00	2	0.5	775	PASS
197	198	0.00	2	0.6	2274	PASS
198	198	100	100	100.0	407104	PASS
199	198	5	9	6.6	26775	PASS
365	198	1	100	3.3	13409	PASS
441	443	0.01	150	79.1	44067	PASS
442	442	100	100	100.0	282368	PASS
443	442	15	24	19.7	55680	PASS

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP091225\
Data File : BP025724.D
Acq On : 11 Sep 2025 08:09
Operator : CG/JU
Sample : DFTPP
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
DFTPP

Quant Time: Sep 11 12:58:54 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP091125.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Sep 11 09:20:45 2025
Response via : Initial Calibration



TIC: BP025724.D\data.ms

(70) Pentachlorophenol (C)

16.813min (-0.018) 7217.81 ng




response 589827

Ion	Exp%	Act%
265.70	100.00	100.00
268.00	67.10	62.64
264.00	63.80	62.05
0.00	0.00	0.00

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP091225\
Data File : BP025724.D
Acq On : 11 Sep 2025 08:09
Operator : CG/JU
Sample : DFTPP
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
DFTPP

Quant Time: Sep 11 12:58:54 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP091125.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Sep 11 09:20:45 2025
Response via : Initial Calibration



TIC: BP025724.D\data.ms

(77) Benzidine

19.513min (+ 0.006) 4369.52 ng

response 3272403

Ion	Exp%	Act%
184.00	100.00	100.00
185.00	14.00	13.55
183.00	11.50	11.52
0.00	0.00	0.00

DDT Breakdown


Date	Instrument Name	DFTPP Data File
9/12/2025	BNA_P	<u>BP025724.D</u>
Compound Name	Response	Retention Time
DDT	1712718	20.801
DDD	33235	20.342
DDE	3389	19.813
SUM(DDD+DDE)	SUM(DDT+DDD+DDE)	% Breakdown Of DDT
36624	1749342	2.09

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP091725\
Data File : BP025768.D
Acq On : 17 Sep 2025 11:22
Operator : CG/JU
Sample : DFTPP
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
DFTPP

Integration File: rteint.p

Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP091225.M
Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
Last Update : Thu Sep 11 16:45:04 2025






AutoFind: Scans 2499, 2500, 2501; Background Corrected with Scan 2490

Target	Rel. to	Lower	Upper	Rel.	Raw	Result
Mass	Mass	Limit%	Limit%	Abn%	Abn	Pass/Fail
68	69	0.00	2	1.7	2722	PASS
69	69	100	100	100.0	159833	PASS
70	69	0.00	2	0.5	762	PASS
197	198	0.00	2	0.6	2688	PASS
198	198	100	100	100.0	479553	PASS
199	198	5	9	6.5	31290	PASS
365	198	1	100	3.4	16511	PASS
441	443	0.01	150	78.8	56501	PASS
442	442	100	100	100.0	367637	PASS
443	442	15	24	19.5	71685	PASS

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP091725\
Data File : BP025768.D
Acq On : 17 Sep 2025 11:22
Operator : CG/JU
Sample : DFTPP
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
DFTPP

Quant Time: Sep 17 13:24:14 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP091225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Sep 11 16:45:04 2025
Response via : Initial Calibration



TIC: BP025768.D\data.ms

(70) Pentachlorophenol (C)

16.830min (-0.000) 1245628.62 ng




response 694952

Ion	Exp%	Act%
265.70	100.00	100.00
268.00	62.30	63.86
264.00	62.70	62.71
0.00	0.00	0.00

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP091725\
Data File : BP025768.D
Acq On : 17 Sep 2025 11:22
Operator : CG/JU
Sample : DFTPP
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
DFTPP

Quant Time: Sep 17 13:24:14 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP091225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Sep 11 16:45:04 2025
Response via : Initial Calibration



TIC: BP025768.D\data.ms

(77) Benzidine**19.512min (+ 0.006) 1057543.21 ng****response 3746937**

Ion	Exp%	Act%
184.00	100.00	100.00
185.00	14.40	14.16
183.00	11.50	11.77
0.00	0.00	0.00

DDT Breakdown

Date	Instrument Name	DFTPP Data File
9/17/2025	BNA_P	<u>BP025768.D</u>
Compound Name	Response	Retention Time
DDT	1963626	20.801
DDD	38286	20.336
DDE	5049	19.812
SUM(DDD+DDE)	SUM(DDT+DDD+DDE)	% Breakdown Of DDT
43335	2006961	2.16

Report of Analysis

Client:	Alliance Technical Group, LLC - Newark	Date Collected:	
Project:	NJ Waste Water PT	Date Received:	
Client Sample ID:	PB169719BL	SDG No.:	Q3015
Lab Sample ID:	PB169719BL	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOCMS Group6
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025776.D	1	09/17/25 09:05	09/17/25 21:56	PB169719

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
1912-24-9	Atrazine	1.00	U	1.00	5.00	ug/L
SURROGATES						
4165-60-0	Nitrobenzene-d5	73.4		67 - 132	73%	SPK: 100
321-60-8	2-Fluorobiphenyl	75.1		52 - 132	75%	SPK: 100
1718-51-0	Terphenyl-d14	71.7		42 - 152	72%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	179000	7.754			
1146-65-2	Naphthalene-d8	669000	10.525			
15067-26-2	Acenaphthene-d10	415000	14.372			
1517-22-2	Phenanthrene-d10	827000	17.172			
1719-03-5	Chrysene-d12	913000	21.613			
1520-96-3	Perylene-d12	985000	24.971			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP091725\
Data File : BP025776.D
Acq On : 17 Sep 2025 21:56
Operator : CG/JU
Sample : PB169719BL
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
PB169719BL

Quant Time: Sep 18 04:26:40 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP091225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Sep 11 16:45:04 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.754	152	179386	20.000	ng	0.00
21) Naphthalene-d8	10.525	136	669415	20.000	ng	0.00
39) Acenaphthene-d10	14.372	164	415180	20.000	ng	0.00
64) Phenanthrene-d10	17.172	188	826588	20.000	ng	-0.01
76) Chrysene-d12	21.613	240	912511	20.000	ng	-0.03
86) Perylene-d12	24.971	264	985422	20.000	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.384	112	1321221	118.842	ng	0.00
7) Phenol-d6	6.949	99	1609379	108.910	ng	0.00
23) Nitrobenzene-d5	8.901	82	1113438	73.370	ng	0.00
42) 2,4,6-Tribromophenol	15.883	330	574835	111.003	ng	-0.02
45) 2-Fluorobiphenyl	12.984	172	2342096	75.112	ng	0.00
79) Terphenyl-d14	19.901	244	3637790	71.718	ng	-0.01


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP091725\
Data File : BP025776.D
Acq On : 17 Sep 2025 21:56
Operator : CG/JU
Sample : PB169719BL
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
PB169719BL

Quant Time: Sep 18 04:26:40 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP091225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Sep 11 16:45:04 2025
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.754 min Scan# 819
Delta R.T. -0.006 min
Lab File: BP025776.D
Acq: 17 Sep 2025 21:56




Instrument :
BNA_P
ClientSampleId :
PB169719BL


Tgt Ion:152 Resp: 179386
Ion Ratio Lower Upper
152 100
150 151.6 124.3 186.5
115 61.2 50.3 75.5



#5
2-Fluorophenol
Concen: 118.842 ng
RT: 5.384 min Scan# 416
Delta R.T. -0.000 min
Lab File: BP025776.D
Acq: 17 Sep 2025 21:56

Tgt Ion:112 Resp: 1321221
Ion Ratio Lower Upper
112 100
64 61.4 50.2 75.4
63 32.1 26.7 40.1









#7
Phenol-d6
Concen: 108.910 ng
RT: 6.949 min Scan# 61
Delta R.T. -0.000 min
Lab File: BP025776.D
Acq: 17 Sep 2025 21:56

Instrument :
BNA_P
ClientSampleId :
PB169719BL

Tgt Ion: 99 Resp: 1609379




Ion	Ratio	Lower	Upper
99	100		
42	19.5	15.6	23.4
71	36.0	28.6	43.0




#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.525 min Scan# 1290
Delta R.T. -0.000 min
Lab File: BP025776.D
Acq: 17 Sep 2025 21:56

Tgt Ion: 136 Resp: 669415

Ion	Ratio	Lower	Upper
136	100		
137	10.5	8.7	13.1
54	9.8	7.5	11.3
68	6.2	5.0	7.6





#23

Nitrobenzene-d5

Concen: 73.370 ng

RT: 8.901 min Scan# 1014

Delta R.T. -0.000 min

Lab File: BP025776.D

Acq: 17 Sep 2025 21:56

Instrument :

BNA_P

ClientSampleId :

PB169719BL





Tgt Ion: 82 Resp: 1113438

Ion Ratio Lower Upper

82 100

128 41.5 32.9 49.3

54 52.9 43.4 65.2



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.372 min Scan# 1944

Delta R.T. -0.006 min

Lab File: BP025776.D

Acq: 17 Sep 2025 21:56




Tgt Ion: 164 Resp: 415180


Ion Ratio Lower Upper

164 100

162 99.9 80.6 120.8

160 43.7 35.0 52.6





#42

2,4,6-Tribromophenol

Concen: 111.003 ng

RT: 15.883 min Scan# 21

Delta R.T. -0.024 min

Lab File: BP025776.D

Acq: 17 Sep 2025 21:56

Instrument :

BNA_P

ClientSampleId :

PB169719BL





Tgt Ion:330 Resp: 574835

Ion Ratio Lower Upper

330 100

332 97.5 76.9 115.3

141 37.6 31.0 46.4



#45

2-Fluorobiphenyl

Concen: 75.112 ng

RT: 12.984 min Scan# 1708

Delta R.T. -0.006 min

Lab File: BP025776.D

Acq: 17 Sep 2025 21:56




Tgt Ion:172 Resp: 2342096


Ion Ratio Lower Upper

172 100

171 34.9 27.8 41.6

170 23.0 18.6 27.8









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.172 min Scan# 2420
Delta R.T. -0.012 min
Lab File: BP025776.D
Acq: 17 Sep 2025 21:56




Instrument :
BNA_P
ClientSampleId :
PB169719BL


Tgt Ion:188 Resp: 826588
Ion Ratio Lower Upper
188 100
94 8.5 7.4 11.0
80 10.3 7.7 11.5



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.613 min Scan# 3175
Delta R.T. -0.030 min
Lab File: BP025776.D
Acq: 17 Sep 2025 21:56

Tgt Ion:240 Resp: 912511
Ion Ratio Lower Upper
240 100
120 10.4 8.0 12.0
236 25.6 20.7 31.1





#79

Terphenyl-d14

Concen: 71.718 ng

RT: 19.901 min Scan# 21

Delta R.T. -0.012 min

Lab File: BP025776.D

Acq: 17 Sep 2025 21:56

Instrument :

BNA_P

ClientSampleId :

PB169719BL





Tgt Ion:244 Resp: 3637790

Ion Ratio Lower Upper

244 100

212 7.7 5.9 8.9

122 10.0 7.1 10.7



#86

Perylene-d12

Concen: 20.000 ng

RT: 24.971 min Scan# 3746

Delta R.T. -0.030 min

Lab File: BP025776.D

Acq: 17 Sep 2025 21:56




Tgt Ion:264 Resp: 985422

Ion Ratio Lower Upper

264 100

260 23.6 18.3 27.5

265 22.5 17.3 25.9



Report of Analysis

Client:	Alliance Technical Group, LLC - Newark	Date Collected:	
Project:	NJ Waste Water PT	Date Received:	
Client Sample ID:	PB169719BS	SDG No.:	Q3015
Lab Sample ID:	PB169719BS	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOCMS Group6
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025774.D	1	09/17/25 09:05	09/17/25 20:35	PB169719

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
1912-24-9	Atrazine	40.7		1.00	5.00	ug/L
SURROGATES						
4165-60-0	Nitrobenzene-d5	69.0		67 - 132	69%	SPK: 100
321-60-8	2-Fluorobiphenyl	68.9		52 - 132	69%	SPK: 100
1718-51-0	Terphenyl-d14	72.6		42 - 152	73%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	164000	7.755			
1146-65-2	Naphthalene-d8	643000	10.519			
15067-26-2	Acenaphthene-d10	417000	14.372			
1517-22-2	Phenanthrene-d10	849000	17.172			
1719-03-5	Chrysene-d12	847000	21.624			
1520-96-3	Perylene-d12	873000	24.971			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP091725\
 Data File : BP025774.D
 Acq On : 17 Sep 2025 20:35
 Operator : CG/JU
 Sample : PB169719BS
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 PB169719BS

Manual Integrations
 APPROVED

Reviewed By :Rahul Chavli 09/19/2025
 Supervised By :Jagrut Upadhyay 09/19/2025

Quant Time: Sep 18 04:24:23 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP091225.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Sep 11 16:45:04 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.755	152	164300	20.000	ng	0.00
21) Naphthalene-d8	10.519	136	643426	20.000	ng	0.00
39) Acenaphthene-d10	14.372	164	416776	20.000	ng	0.00
64) Phenanthrene-d10	17.172	188	849137	20.000	ng	-0.01
76) Chrysene-d12	21.624	240	847157	20.000	ng	-0.02
86) Perylene-d12	24.971	264	873039	20.000	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.384	112	1178875	115.774	ng	0.00
7) Phenol-d6	6.943	99	1479877	109.342	ng	0.00
23) Nitrobenzene-d5	8.896	82	1006405	68.995	ng	0.00
42) 2,4,6-Tribromophenol	15.889	330	585396	112.610	ng	-0.02
45) 2-Fluorobiphenyl	12.984	172	2158045	68.945	ng	0.00
79) Terphenyl-d14	19.901	244	3418819	72.601	ng	-0.01
Target Compounds						
						Qvalue
2) 1,4-Dioxane	3.314	88	135923	31.805	ng	99
3) Pyridine	3.708	79	382452	32.500	ng	99
4) n-Nitrosodimethylamine	3.614	42	204632	36.852	ng	99
6) Aniline	7.090	93	471572	25.382	ng	100
8) 2-Chlorophenol	7.331	128	434808	38.924	ng	100
9) Benzaldehyde	6.907	77	238499	29.400	ng	99
10) Phenol	6.972	94	552387	38.706	ng	99
11) bis(2-Chloroethyl)ether	7.184	93	427685	37.301	ng	96
12) 1,3-Dichlorobenzene	7.649	146	478704	37.653	ng	97
13) 1,4-Dichlorobenzene	7.790	146	489997	37.836	ng	99
14) 1,2-Dichlorobenzene	8.102	146	467804	37.183	ng	100
15) Benzyl Alcohol	7.996	79	397237	35.519	ng	98
16) 2,2'-oxybis(1-Chloropr...	8.266	45	691145	36.860	ng	100
17) 2-Methylphenol	8.196	107	365386	37.975	ng	99
18) Hexachloroethane	8.819	117	183140	37.023	ng	97
19) n-Nitroso-di-n-propyla...	8.549	70	338007	35.806	ng	99
20) 3+4-Methylphenols	8.519	107	488522	36.254	ng	99
22) Acetophenone	8.560	105	698464	40.621	ng	# 99
24) Nitrobenzene	8.937	77	498625	38.105	ng	97
25) Isophorone	9.460	82	925880	36.113	ng	99
26) 2-Nitrophenol	9.643	139	226790	39.036	ng	95
27) 2,4-Dimethylphenol	9.707	122	397240	38.974	ng	98
28) bis(2-Chloroethoxy)met...	9.931	93	566916	38.253	ng	100
29) 2,4-Dichlorophenol	10.184	162	412664	40.608	ng	100
30) 1,2,4-Trichlorobenzene	10.384	180	439123	38.342	ng	99
31) Naphthalene	10.572	128	1302186	37.533	ng	100
32) Benzoic acid	9.872	122	303703	40.078	ng	97
33) 4-Chloroaniline	10.684	127	293810	20.318	ng	99
34) Hexachlorobutadiene	10.854	225	285624	38.741	ng	99
35) Caprolactam	11.478	113	141780m	36.192	ng	
36) 4-Chloro-3-methylphenol	11.819	107	463277	38.238	ng	97
37) 2-Methylnaphthalene	12.178	142	838936	37.649	ng	99
38) 1-Methylnaphthalene	12.395	142	860734	36.222	ng	99
40) 1,2,4,5-Tetrachloroben...	12.548	216	524326	41.516	ng	99
41) Hexachlorocyclopentadiene	12.531	237	522921	76.023	ng	99
43) 2,4,6-Trichlorophenol	12.795	196	341500	41.132	ng	99

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP091725\
 Data File : BP025774.D
 Acq On : 17 Sep 2025 20:35
 Operator : CG/JU
 Sample : PB169719BS
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :

BNA_P

ClientSampleId :

PB169719BS

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/19/2025

Supervised By :Jagrut Upadhyay 09/19/2025

Quant Time: Sep 18 04:24:23 2025

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP091225.M

Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

QLast Update : Thu Sep 11 16:45:04 2025

Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	12.884	196	380833	41.215	ng	95
46) 1,1'-Biphenyl	13.195	154	1271773	41.573	ng	99
47) 2-Chloronaphthalene	13.237	162	931691	38.679	ng	99
48) 2-Nitroaniline	13.442	65	317780	39.576	ng	99
49) Acenaphthylene	14.089	152	1564782	39.207	ng	100
50) Dimethylphthalate	13.825	163	1232543	38.735	ng	100
51) 2,6-Dinitrotoluene	13.942	165	269502	39.977	ng	99
52) Acenaphthene	14.437	154	873516	37.952	ng	99
53) 3-Nitroaniline	14.284	138	202335	28.541	ng	99
54) 2,4-Dinitrophenol	14.501	184	319695	73.363	ng	98
55) Dibenzofuran	14.778	168	1444470	38.507	ng	98
56) 4-Nitrophenol	14.619	139	438046	72.215	ng	96
57) 2,4-Dinitrotoluene	14.742	165	389301	40.577	ng	95
58) Fluorene	15.436	166	1143758	38.344	ng	99
59) 2,3,4,6-Tetrachlorophenol	15.013	232	332721	39.973	ng	98
60) Diethylphthalate	15.207	149	1268288	39.295	ng	100
61) 4-Chlorophenyl-phenyle...	15.425	204	578906	38.509	ng	98
62) 4-Nitroaniline	15.460	138	285861	39.361	ng	98
63) Azobenzene	15.725	77	1224620	39.240	ng	99
65) 4,6-Dinitro-2-methylph...	15.531	198	227526	40.291	ng	95
66) n-Nitrosodiphenylamine	15.648	169	1039816	40.015	ng	100
67) 4-Bromophenyl-phenylether	16.348	248	378303	40.553	ng	99
68) Hexachlorobenzene	16.466	284	406369	39.063	ng	96
69) Atrazine	16.631	200	403995	40.672	ng	98
70) Pentachlorophenol	16.819	266	541321	78.842	ng	98
71) Phenanthrene	17.213	178	1884872	39.131	ng	99
72) Anthracene	17.313	178	1929629	39.483	ng	100
73) Carbazole	17.589	167	1799258	39.599	ng	100
74) Di-n-butylphthalate	18.177	149	2260758	40.545	ng	100
75) Fluoranthene	19.307	202	2240678	38.787	ng	99
77) Benzidine	19.507	184	835116	34.222	ng	99
78) Pyrene	19.683	202	2343737	41.462	ng	99
80) Butylbenzylphthalate	20.630	149	1029397	41.533	ng	98
81) Benzo(a)anthracene	21.601	228	2298048	39.623	ng	100
82) 3,3'-Dichlorobenzidine	21.524	252	557181	27.784	ng	100
83) Chrysene	21.677	228	2198224	39.761	ng	99
84) Bis(2-ethylhexyl)phtha...	21.536	149	1492612	41.163	ng	99
85) Di-n-octyl phthalate	22.813	149	2569490	39.836	ng	100
87) Indeno(1,2,3-cd)pyrene	28.812	276	2715724	42.775	ng	# 74
88) Benzo(b)fluoranthene	23.918	252	2231239	41.793	ng	99
89) Benzo(k)fluoranthene	23.989	252	2184839	40.104	ng	99
90) Benzo(a)pyrene	24.824	252	2114441	40.442	ng	99
91) Dibenzo(a,h)anthracene	28.889	278	2200197	42.348	ng	99
92) Benzo(g,h,i)perylene	29.983	276	2209083	43.235	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed


```
Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP091725\  
Data File : BP025774.D  
Acq On    : 17 Sep 2025   20:35  
Operator   : CG/JU  
Sample     : PB169719BS  
Misc       :  
ALS Vial   : 11    Sample Multiplier: 1
```


Instrument :
BNA_P
ClientSampleId :
PB169719BS

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 09/19/2025
Supervised By :Jagrut Upadhyay 09/19/2025

Quant Time: Sep 18 04:24:23 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP091225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Sep 11 16:45:04 2025
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.755 min Scan# 81
Delta R.T. -0.005 min
Lab File: BP025774.D
Acq: 17 Sep 2025 20:35

Instrument :
BNA_P
Client SampleId :
PB169719BS

Tgt Ion: 152 Resp: 164300
Ion Ratio Lower Upper
152 100
150 153.2 124.3 186.5
115 61.1 50.3 75.5




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/19/2025
Supervised By :Jagrut Upadhyay 09/19/2025



#2
1,4-Dioxane
Concen: 31.805 ng
RT: 3.314 min Scan# 64
Delta R.T. 0.006 min
Lab File: BP025774.D
Acq: 17 Sep 2025 20:35


Tgt Ion: 88 Resp: 135923
Ion Ratio Lower Upper
88 100
58 82.6 65.5 98.3
43 33.2 25.2 37.8





#3
Pyridine
Concen: 32.500 ng
RT: 3.708 min Scan# 11
Delta R.T. -0.000 min
Lab File: BP025774.D
Acq: 17 Sep 2025 20:35




Instrument :
BNA_P
ClientSampleId :
PB169719BS




Tgt Ion: 79 Resp: 382452
Ion Ratio Lower Upper
79 100
52 80.4 63.7 95.5
51 39.6 32.4 48.6

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 09/19/2025
Supervised By :Jagrut Upadhyay 09/19/2025




#4
n-Nitrosodimethylamine
Concen: 36.852 ng
RT: 3.614 min Scan# 115
Delta R.T. -0.000 min
Lab File: BP025774.D
Acq: 17 Sep 2025 20:35



Tgt Ion: 42 Resp: 204632
Ion Ratio Lower Upper
42 100
74 123.1 99.2 148.8
44 8.5 6.4 9.6









#5
2-Fluorophenol
Concen: 115.774 ng
RT: 5.384 min Scan# 416
Delta R.T. -0.000 min
Lab File: BP025774.D
Acq: 17 Sep 2025 20:35

Instrument :
BNA_P
ClientSampleId :
PB169719BS

Tgt Ion: 112 Resp: 117887
Ion Ratio Lower Upper
112 100
64 62.6 50.2 75.4
63 32.7 26.7 40.1




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/19/2025
Supervised By :Jagrut Upadhyay 09/19/2025



#6
Aniline
Concen: 25.382 ng
RT: 7.090 min Scan# 706
Delta R.T. -0.006 min
Lab File: BP025774.D
Acq: 17 Sep 2025 20:35

Tgt Ion: 93 Resp: 471572
Ion Ratio Lower Upper
93 100
66 40.9 32.6 49.0
65 20.7 16.2 24.2









#7
Phenol-d6
Concen: 109.342 ng
RT: 6.943 min Scan# 681
Delta R.T. -0.006 min
Lab File: BP025774.D
Acq: 17 Sep 2025 20:35

Instrument :
BNA_P
Client SampleId :
PB169719BS

Tgt Ion: 99 Resp: 147987
Ion Ratio Lower Upper
99 100
42 20.1 15.6 23.4
71 36.4 28.6 43.0




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/19/2025
Supervised By :Jagrut Upadhyay 09/19/2025



#8
2-Chlorophenol
Concen: 38.924 ng
RT: 7.331 min Scan# 747
Delta R.T. -0.006 min
Lab File: BP025774.D
Acq: 17 Sep 2025 20:35


Tgt Ion:128 Resp: 434808
Ion Ratio Lower Upper
128 100
130 33.1 12.6 52.6
64 51.6 31.6 71.6





#9
Benzaldehyde
Concen: 29.400 ng
RT: 6.907 min Scan# 61
Delta R.T. -0.006 min
Lab File: BP025774.D
Acq: 17 Sep 2025 20:35




Instrument :
BNA_P
ClientSampleId :
PB169719BS



Tgt Ion: 77 Resp: 238499
Ion Ratio Lower Upper
77 100
105 94.2 75.2 115.2
106 89.6 71.3 111.3




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/19/2025
Supervised By :Jagrut Upadhyay 09/19/2025



#10
Phenol
Concen: 38.706 ng
RT: 6.972 min Scan# 686
Delta R.T. -0.000 min
Lab File: BP025774.D
Acq: 17 Sep 2025 20:35

Tgt Ion: 94 Resp: 552387
Ion Ratio Lower Upper
94 100
65 30.5 10.2 50.2
66 40.5 21.4 61.4





#11

bis(2-Chloroethyl)ether

Concen: 37.301 ng

RT: 7.184 min Scan# 722

Delta R.T. -0.000 min

Lab File: BP025774.D


Acq: 17 Sep 2025 20:35

Instrument :

BNA_P

ClientSampleId :

PB169719BS



Tgt Ion: 93 Resp: 42768

Ion Ratio Lower Upper

93 100

63 78.9 62.6 102.6




95 32.1 13.2 53.2

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/19/2025

Supervised By :Jagrut Upadhyay 09/19/2025



#12

1,3-Dichlorobenzene

Concen: 37.653 ng

RT: 7.649 min Scan# 801

Delta R.T. -0.000 min

Lab File: BP025774.D

Acq: 17 Sep 2025 20:35




Tgt Ion:146 Resp: 478704


Ion Ratio Lower Upper

146 100

148 63.2 52.7 79.1

75 31.5 26.4 39.6





#13

1,4-Dichlorobenzene

Concen: 37.836 ng

RT: 7.790 min Scan# 81

Delta R.T. -0.000 min

Lab File: BP025774.D

Acq: 17 Sep 2025 20:35

Instrument :

BNA_P

ClientSampleId :

PB169719BS

Tgt Ion:146 Resp: 48999

Ion Ratio Lower Upper

146 100

148 64.5 52.0 78.0





111 42.1 33.9 50.9

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/19/2025

Supervised By :Jagrut Upadhyay 09/19/2025



#14

1,2-Dichlorobenzene

Concen: 37.183 ng

RT: 8.102 min Scan# 878

Delta R.T. -0.006 min

Lab File: BP025774.D

Acq: 17 Sep 2025 20:35




Tgt Ion:146 Resp: 467804


Ion Ratio Lower Upper

146 100

148 64.4 51.7 77.5

111 44.3 35.5 53.3





#15

Benzyl Alcohol

Concen: 35.519 ng

RT: 7.996 min Scan# 80

Delta R.T. -0.006 min

Lab File: BP025774.D

Acq: 17 Sep 2025 20:35

Instrument :

BNA_P

ClientSampleId :

PB169719BS

Tgt Ion: 79 Resp: 39723

Ion Ratio Lower Upper

79 100

108 76.2 58.7 88.1





77 63.8 50.2 75.2

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/19/2025

Supervised By :Jagrut Upadhyay 09/19/2025



#16

2,2'-oxybis(1-Chloropropane)

Concen: 36.860 ng

RT: 8.266 min Scan# 906

Delta R.T. -0.012 min

Lab File: BP025774.D

Acq: 17 Sep 2025 20:35




Tgt Ion: 45 Resp: 691145


Ion Ratio Lower Upper

45 100

77 13.1 0.0 33.1

79 9.8 0.0 30.0





#17

2-Methylphenol

Concen: 37.975 ng

RT: 8.196 min Scan# 895

Delta R.T. -0.006 min

Lab File: BP025774.D

Acq: 17 Sep 2025 20:35

Instrument :

BNA_P

ClientSampleId :

PB169719BS

Tgt Ion:107 Resp: 365380

Ion Ratio Lower Upper

107 100

108 111.2 89.6 134.4

77 48.8 39.3 58.9





79 47.0 37.8 56.6

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/19/2025

Supervised By :Jagrut Upadhyay 09/19/2025



#18

Hexachloroethane

Concen: 37.023 ng

RT: 8.819 min Scan# 1000

Delta R.T. -0.006 min

Lab File: BP025774.D

Acq: 17 Sep 2025 20:35




Tgt Ion:117 Resp: 183140


Ion Ratio Lower Upper

117 100

119 97.8 77.1 115.7

201 102.8 85.6 128.4





#19

n-Nitroso-di-n-propylamine

Concen: 35.806 ng

RT: 8.549 min Scan# 91

Delta R.T. -0.006 min

Lab File: BP025774.D

Acq: 17 Sep 2025 20:35

Instrument :

BNA_P

ClientSampleId :

PB169719BS

Tgt Ion: 70 Resp: 33800

Ion Ratio Lower Upper

70 100

42 60.7 49.0 73.4

101 9.8 7.9 11.9





130 20.1 16.6 25.0

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/19/2025

Supervised By :Jagrut Upadhyay 09/19/2025



#20

3+4-Methylphenols

Concen: 36.254 ng

RT: 8.519 min Scan# 949

Delta R.T. -0.006 min

Lab File: BP025774.D

Acq: 17 Sep 2025 20:35

Tgt Ion:107 Resp: 488522




Ion Ratio Lower Upper


107 100

108 88.6 67.8 107.8

77 34.5 16.1 56.1

79 29.5 10.5 50.5





#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.519 min Scan# 1289

Delta R.T. -0.006 min

Lab File: BP025774.D

Acq: 17 Sep 2025 20:35

Instrument :

BNA_P

ClientSampleId :

PB169719BS

Tgt Ion:136 Resp: 643420

Ion Ratio Lower Upper

136 100

137 11.1 8.7 13.1

54 9.0 7.5 11.3





68 6.5 5.0 7.6

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/19/2025

Supervised By :Jagrut Upadhyay 09/19/2025



#22

Acetophenone

Concen: 40.621 ng

RT: 8.560 min Scan# 956

Delta R.T. -0.012 min

Lab File: BP025774.D

Acq: 17 Sep 2025 20:35

Tgt Ion:105 Resp: 698464




Ion Ratio Lower Upper


105 100

71 3.2 1.8 2.8

51 30.4 23.5 35.3

120 21.8 17.7 26.5





#23

Nitrobenzene-d5

Concen: 68.995 ng

RT: 8.896 min Scan# 100640

Delta R.T. -0.006 min

Lab File: BP025774.D

Acq: 17 Sep 2025 20:35

Instrument :

BNA_P

ClientSampleId :

PB169719BS

Tgt Ion: 82 Resp: 100640

Ion Ratio Lower Upper

82 100

128 40.8 32.9 49.3





54 54.3 43.4 65.2

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/19/2025

Supervised By :Jagrut Upadhyay 09/19/2025



#24

Nitrobenzene

Concen: 38.105 ng

RT: 8.937 min Scan# 1020

Delta R.T. -0.012 min

Lab File: BP025774.D

Acq: 17 Sep 2025 20:35




Tgt Ion: 77 Resp: 498625


Ion Ratio Lower Upper

77 100

123 44.7 34.4 51.6

65 14.5 10.8 16.2









#25
Isophorone
Concen: 36.113 ng
RT: 9.460 min Scan# 1110
Delta R.T. -0.006 min
Lab File: BP025774.D
Acq: 17 Sep 2025 20:35

Instrument :
BNA_P
ClientSampleId :
PB169719BS

Tgt Ion: 82 Resp: 925880
Ion Ratio Lower Upper
82 100
95 7.1 5.8 8.8
138 16.7 13.5 20.3




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/19/2025
Supervised By :Jagrut Upadhyay 09/19/2025



#26
2-Nitrophenol
Concen: 39.036 ng
RT: 9.643 min Scan# 1140
Delta R.T. -0.006 min
Lab File: BP025774.D
Acq: 17 Sep 2025 20:35

Tgt Ion:139 Resp: 226790
Ion Ratio Lower Upper
139 100
109 32.8 29.0 43.4
65 55.7 46.9 70.3





#27

2,4-Dimethylphenol

Concen: 38.974 ng

RT: 9.707 min Scan# 1152

Delta R.T. -0.006 min

Lab File: BP025774.D

Acq: 17 Sep 2025 20:35

Instrument :

BNA_P

ClientSampleId :

PB169719BS

Tgt Ion:122 Resp: 397240

Ion Ratio Lower Upper

122 100

107 120.0 97.9 146.9





121 58.3 47.4 71.0

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/19/2025

Supervised By :Jagrut Upadhyay 09/19/2025



#28

bis(2-Chloroethoxy)methane

Concen: 38.253 ng

RT: 9.931 min Scan# 1189

Delta R.T. -0.012 min

Lab File: BP025774.D

Acq: 17 Sep 2025 20:35




Tgt Ion: 93 Resp: 566916


Ion Ratio Lower Upper

93 100

95 32.0 25.6 38.4

123 11.0 9.2 13.8





#29

2,4-Dichlorophenol

Concen: 40.608 ng

RT: 10.184 min Scan# 1232

Delta R.T. -0.000 min

Lab File: BP025774.D

Acq: 17 Sep 2025 20:35

Instrument :

BNA_P

ClientSampleId :

PB169719BS

Tgt Ion:162 Resp: 412664

Ion Ratio Lower Upper

162 100

164 64.2 44.7 84.7





98 38.0 18.1 58.1

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/19/2025

Supervised By :Jagrut Upadhyay 09/19/2025



#30

1,2,4-Trichlorobenzene

Concen: 38.342 ng

RT: 10.384 min Scan# 1266

Delta R.T. -0.006 min

Lab File: BP025774.D

Acq: 17 Sep 2025 20:35




Tgt Ion:180 Resp: 439123


Ion Ratio Lower Upper

180 100

182 96.4 76.0 114.0

145 31.5 24.7 37.1









#31
Naphthalene
Concen: 37.533 ng
RT: 10.572 min Scan# 1179
Delta R.T. -0.006 min
Lab File: BP025774.D
Acq: 17 Sep 2025 20:35

Instrument :
BNA_P
ClientSampleId :
PB169719BS

Tgt Ion:128 Resp: 1302180
Ion Ratio Lower Upper
128 100
129 11.0 8.6 12.8
127 12.8 10.2 15.4




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/19/2025
Supervised By :Jagrut Upadhyay 09/19/2025



#32
Benzoic acid
Concen: 40.078 ng
RT: 9.872 min Scan# 1179
Delta R.T. -0.006 min
Lab File: BP025774.D
Acq: 17 Sep 2025 20:35

Tgt Ion:122 Resp: 303703
Ion Ratio Lower Upper
122 100
105 126.6 111.5 151.5
77 99.9 81.8 121.8





#33
4-Chloroaniline
Concen: 20.318 ng
RT: 10.684 min Scan# 1317
Delta R.T. -0.006 min
Lab File: BP025774.D
Acq: 17 Sep 2025 20:35

Instrument :

BNA_P

ClientSampleId :





PB169719BS

Tgt Ion	Ratio	Lower	Upper
127	100		
129	32.3	25.1	37.7
65	33.9	26.4	39.6
92	19.8	15.9	23.9

Manual Integrations
APPROVED




Reviewed By :Rahul Chavli 09/19/2025


Supervised By :Jagrut Upadhyay 09/19/2025



#34
Hexachlorobutadiene
Concen: 38.741 ng
RT: 10.854 min Scan# 1346
Delta R.T. -0.006 min
Lab File: BP025774.D
Acq: 17 Sep 2025 20:35


Tgt Ion	Ratio	Lower	Upper
225	100		
223	61.2	50.1	75.1
227	63.3	51.2	76.8





#35
Caprolactam
Concen: 36.192 ng m
RT: 11.478 min Scan# 1453
Delta R.T. -0.006 min
Lab File: BP025774.D
Acq: 17 Sep 2025 20:35




Instrument :
BNA_P
ClientSampleId :
PB169719BS



Tgt Ion:113 Resp: 141780
Ion Ratio Lower Upper
113 100
55 181.4 165.5 205.5
56 140.5 121.1 161.1




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/19/2025
Supervised By :Jagrut Upadhyay 09/19/2025



#36
4-Chloro-3-methylphenol
Concen: 38.238 ng
RT: 11.819 min Scan# 1510
Delta R.T. -0.000 min
Lab File: BP025774.D
Acq: 17 Sep 2025 20:35


Tgt Ion:107 Resp: 463277
Ion Ratio Lower Upper
107 100
144 23.8 19.4 29.2
142 76.8 63.8 95.6





#37
2-Methylnaphthalene
Concen: 37.649 ng
RT: 12.178 min Scan# 1571
Delta R.T. -0.006 min
Lab File: BP025774.D
Acq: 17 Sep 2025 20:35




Instrument :
BNA_P
ClientSampleId :
PB169719BS




Tgt Ion:142 Resp: 838930
Ion Ratio Lower Upper
142 100
141 87.9 69.6 104.4
115 37.1 30.0 45.0

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 09/19/2025
Supervised By :Jagrut Upadhyay 09/19/2025




#38
1-Methylnaphthalene
Concen: 36.222 ng
RT: 12.395 min Scan# 1608
Delta R.T. -0.006 min
Lab File: BP025774.D
Acq: 17 Sep 2025 20:35




Tgt Ion:142 Resp: 860734
Ion Ratio Lower Upper
142 100
141 91.8 72.7 109.1
116 4.3 3.5 5.3





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.372 min Scan# 1945
Delta R.T. -0.006 min
Lab File: BP025774.D
Acq: 17 Sep 2025 20:35




Instrument :
BNA_P
ClientSampleId :
PB169719BS




Tgt Ion:164 Resp: 416770
Ion Ratio Lower Upper
164 100
162 99.5 80.6 120.8
160 44.1 35.0 52.6

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 09/19/2025
Supervised By :Jagrut Upadhyay 09/19/2025




#40
1,2,4,5-Tetrachlorobenzene
Concen: 41.516 ng
RT: 12.548 min Scan# 1634
Delta R.T. -0.006 min
Lab File: BP025774.D
Acq: 17 Sep 2025 20:35



Tgt Ion:216 Resp: 524326
Ion Ratio Lower Upper
216 100
214 78.2 62.4 93.6
179 21.2 17.0 25.6
108 20.4 15.2 22.8









#41
Hexachlorocyclopentadiene
Concen: 76.023 ng
RT: 12.531 min Scan# 1631
Delta R.T. -0.006 min
Lab File: BP025774.D
Acq: 17 Sep 2025 20:35

Instrument :
BNA_P
ClientSampleId :
PB169719BS

Tgt Ion: 237 Resp: 52292
Ion Ratio Lower Upper
237 100
235 62.0 41.9 81.9
272 12.9 0.0 31.8




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/19/2025
Supervised By :Jagrut Upadhyay 09/19/2025



#42
2,4,6-Tribromophenol
Concen: 112.610 ng
RT: 15.889 min Scan# 2202
Delta R.T. -0.018 min
Lab File: BP025774.D
Acq: 17 Sep 2025 20:35

Tgt Ion: 330 Resp: 585396
Ion Ratio Lower Upper
330 100
332 97.5 76.9 115.3
141 38.0 31.0 46.4





#43

2,4,6-Trichlorophenol

Concen: 41.132 ng

RT: 12.795 min Scan# 1676

Delta R.T. -0.012 min

Lab File: BP025774.D

Acq: 17 Sep 2025 20:35

Instrument :

BNA_P

ClientSampleId :

PB169719BS

Tgt Ion:196 Resp: 341500

Ion Ratio Lower Upper

196 100

198 97.3 77.2 115.8





200 31.3 24.2 36.2

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/19/2025

Supervised By :Jagrut Upadhyay 09/19/2025



#44

2,4,5-Trichlorophenol

Concen: 41.215 ng

RT: 12.884 min Scan# 1691

Delta R.T. -0.000 min

Lab File: BP025774.D

Acq: 17 Sep 2025 20:35

Tgt Ion:196 Resp: 380833




Ion Ratio Lower Upper


196 100

198 93.5 77.8 116.8

97 49.0 43.3 64.9

132 25.5 22.3 33.5





#45

2-Fluorobiphenyl

Concen: 68.945 ng

RT: 12.984 min Scan# 1708

Delta R.T. -0.006 min

Lab File: BP025774.D

Acq: 17 Sep 2025 20:35

Instrument :

BNA_P

ClientSampleId :

PB169719BS

Tgt Ion:172 Resp: 215804

Ion Ratio Lower Upper

172 100

171 34.7 27.8 41.6





170 23.1 18.6 27.8

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/19/2025

Supervised By :Jagrut Upadhyay 09/19/2025



#46

1,1'-Biphenyl

Concen: 41.573 ng

RT: 13.195 min Scan# 1744

Delta R.T. -0.006 min

Lab File: BP025774.D

Acq: 17 Sep 2025 20:35




Tgt Ion:154 Resp: 1271773


Ion Ratio Lower Upper

154 100

153 39.5 19.7 59.7

76 12.9 0.0 33.3





#47

2-Chloronaphthalene

Concen: 38.679 ng

RT: 13.237 min Scan# 1751

Delta R.T. -0.012 min

Lab File: BP025774.D

Acq: 17 Sep 2025 20:35

Instrument :

BNA_P

ClientSampleId :

PB169719BS

Tgt Ion:162 Resp: 93169

Ion Ratio Lower Upper

162 100

127 39.4 32.2 48.4





164 33.2 26.5 39.7

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/19/2025

Supervised By :Jagrut Upadhyay 09/19/2025



#48

2-Nitroaniline

Concen: 39.576 ng

RT: 13.442 min Scan# 1786

Delta R.T. -0.012 min

Lab File: BP025774.D

Acq: 17 Sep 2025 20:35




Tgt Ion: 65 Resp: 317780


Ion Ratio Lower Upper

65 100

92 66.0 53.1 79.7

138 98.7 77.8 116.8





#49

Acenaphthylene

Concen: 39.207 ng

RT: 14.089 min Scan# 1896

Delta R.T. -0.012 min

Lab File: BP025774.D

Acq: 17 Sep 2025 20:35

Instrument :

BNA_P

ClientSampleId :

PB169719BS

Tgt Ion:152 Resp: 156478

Ion Ratio Lower Upper

152 100

151 19.4 15.8 23.6





153 13.0 10.5 15.7

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/19/2025

Supervised By :Jagrut Upadhyay 09/19/2025



#50

Dimethylphthalate

Concen: 38.735 ng

RT: 13.825 min Scan# 1851

Delta R.T. -0.012 min

Lab File: BP025774.D

Acq: 17 Sep 2025 20:35




Tgt Ion:163 Resp: 1232543


Ion Ratio Lower Upper

163 100

194 4.1 3.4 5.2

164 10.1 8.2 12.2





#51
2,6-Dinitrotoluene
Concen: 39.977 ng
RT: 13.942 min Scan# 1871
Delta R.T. -0.012 min
Lab File: BP025774.D
Acq: 17 Sep 2025 20:35

Instrument :

BNA_P





ClientSampleId :

PB169719BS

Tgt Ion	Ratio	Lower	Upper
165	100		
63	59.6	48.1	72.1
89	57.8	45.4	68.0




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/19/2025
Supervised By :Jagrut Upadhyay 09/19/2025



#52
Acenaphthene
Concen: 37.952 ng
RT: 14.437 min Scan# 1955
Delta R.T. -0.018 min
Lab File: BP025774.D
Acq: 17 Sep 2025 20:35

Tgt Ion	Ratio	Lower	Upper
154	100		
153	110.6	89.4	134.0
152	53.0	42.5	63.7









#53
3-Nitroaniline
Concen: 28.541 ng
RT: 14.284 min Scan# 1930
Delta R.T. -0.006 min
Lab File: BP025774.D
Acq: 17 Sep 2025 20:35

Instrument :
BNA_P
ClientSampleId :
PB169719BS

Tgt Ion:138 Resp: 202335
Ion Ratio Lower Upper
138 100
108 11.6 8.7 13.1
92 119.2 94.6 142.0




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/19/2025
Supervised By :Jagrut Upadhyay 09/19/2025



#54
2,4-Dinitrophenol
Concen: 73.363 ng
RT: 14.501 min Scan# 1966
Delta R.T. -0.006 min
Lab File: BP025774.D
Acq: 17 Sep 2025 20:35


Tgt Ion:184 Resp: 319695
Ion Ratio Lower Upper
184 100
63 62.3 52.5 78.7
154 64.7 51.5 77.3





#55
Dibenzenofuran
Concen: 38.507 ng
RT: 14.778 min Scan# 2015
Delta R.T. -0.012 min
Lab File: BP025774.D
Acq: 17 Sep 2025 20:35




Instrument :
BNA_P
ClientSampleId :
PB169719BS



Tgt Ion:168 Resp: 1444470
Ion Ratio Lower Upper
168 100
139 37.9 31.7 47.5
169 13.2 10.8 16.2




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/19/2025
Supervised By :Jagrut Upadhyay 09/19/2025



#56
4-Nitrophenol
Concen: 72.215 ng
RT: 14.619 min Scan# 1986
Delta R.T. -0.000 min
Lab File: BP025774.D
Acq: 17 Sep 2025 20:35

Tgt Ion:139 Resp: 438046
Ion Ratio Lower Upper
139 100
109 81.0 62.9 102.9
65 108.2 83.4 123.4





#57
2,4-Dinitrotoluene
Concen: 40.577 ng
RT: 14.742 min Scan# 2009
Delta R.T. -0.012 min
Lab File: BP025774.D
Acq: 17 Sep 2025 20:35

Instrument :

BNA_P





ClientSampleId :

PB169719BS

Tgt Ion:165 Resp: 38930
Ion Ratio Lower Upper
165 100
63 45.4 37.7 56.5
89 70.7 61.0 91.6
182 2.9 2.4 3.6




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/19/2025
Supervised By :Jagrut Upadhyay 09/19/2025



#58
Fluorene
Concen: 38.344 ng
RT: 15.436 min Scan# 2125
Delta R.T. -0.018 min
Lab File: BP025774.D
Acq: 17 Sep 2025 20:35

Tgt Ion:166 Resp: 1143758
Ion Ratio Lower Upper
166 100
165 96.3 77.7 116.5
167 13.2 10.6 16.0





#59

2,3,4,6-Tetrachlorophenol

Concen: 39.973 ng

RT: 15.013 min Scan# 2053

Delta R.T. -0.012 min

Lab File: BP025774.D

Acq: 17 Sep 2025 20:35

Instrument :

BNA_P

ClientSampleId :

PB169719BS

Tgt Ion:232 Resp: 33272

Ion Ratio Lower Upper

232 100

131 44.5 36.7 55.1

130 2.4 2.0 3.0





166 31.1 25.4 38.2

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/19/2025

Supervised By :Jagrut Upadhyay 09/19/2025



#60

Diethylphthalate

Concen: 39.295 ng

RT: 15.207 min Scan# 2086

Delta R.T. -0.012 min

Lab File: BP025774.D

Acq: 17 Sep 2025 20:35




Tgt Ion:149 Resp: 1268288


Ion Ratio Lower Upper

149 100

177 21.7 17.7 26.5


150 12.5 10.0 15.0





#61
4-Chlorophenyl-phenylether
Concen: 38.509 ng
RT: 15.425 min Scan# 2126
Delta R.T. -0.018 min
Lab File: BP025774.D
Acq: 17 Sep 2025 20:35




Instrument :
BNA_P
ClientSampleId :
PB169719BS




Tgt Ion:204 Resp: 578900
Ion Ratio Lower Upper
204 100
206 33.0 26.0 39.0
141 60.5 49.7 74.5

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 09/19/2025
Supervised By :Jagrut Upadhyay 09/19/2025




#62
4-Nitroaniline
Concen: 39.361 ng
RT: 15.460 min Scan# 2129
Delta R.T. -0.018 min
Lab File: BP025774.D
Acq: 17 Sep 2025 20:35




Tgt Ion:138 Resp: 285861
Ion Ratio Lower Upper
138 100
92 54.7 33.3 73.3
108 84.8 66.7 106.7





#63
Azobenzene
Concen: 39.240 ng
RT: 15.725 min Scan# 2176
Delta R.T. -0.012 min
Lab File: BP025774.D
Acq: 17 Sep 2025 20:35




Instrument :
BNA_P
ClientSampleId :
PB169719BS




Tgt Ion: 77 Resp: 1224620
Ion Ratio Lower Upper
77 100
182 25.0 5.2 45.2
105 20.5 1.1 41.1
51 31.4 11.6 51.6

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 09/19/2025
Supervised By :Jagrut Upadhyay 09/19/2025




#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.172 min Scan# 2420
Delta R.T. -0.012 min
Lab File: BP025774.D
Acq: 17 Sep 2025 20:35



Tgt Ion:188 Resp: 849137
Ion Ratio Lower Upper
188 100
94 9.0 7.4 11.0
80 10.7 7.7 11.5





#65

4,6-Dinitro-2-methylphenol

Concen: 40.291 ng

RT: 15.531 min Scan# 2142

Delta R.T. -0.006 min

Lab File: BP025774.D

Acq: 17 Sep 2025 20:35

Instrument :

BNA_P

ClientSampleId :

PB169719BS

Tgt Ion:198 Resp: 227520

Ion Ratio Lower Upper

198 100

51 47.9 33.4 73.4





105 43.4 24.3 64.3

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/19/2025

Supervised By :Jagrut Upadhyay 09/19/2025



#66

n-Nitrosodiphenylamine

Concen: 40.015 ng

RT: 15.648 min Scan# 2161

Delta R.T. -0.006 min

Lab File: BP025774.D

Acq: 17 Sep 2025 20:35




Tgt Ion:169 Resp: 1039816


Ion Ratio Lower Upper

169 100

168 65.8 52.6 78.8


167 35.9 28.5 42.7





#67
4-Bromophenyl-phenylether
Concen: 40.553 ng
RT: 16.348 min Scan# 2100
Delta R.T. -0.006 min
Lab File: BP025774.D
Acq: 17 Sep 2025 20:35




Instrument :
BNA_P
ClientSampleId :
PB169719BS



Tgt Ion:248 Resp: 37830
Ion Ratio Lower Upper
248 100
250 96.9 77.5 116.3
141 73.5 60.2 90.4




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/19/2025
Supervised By :Jagrut Upadhyay 09/19/2025



#68
Hexachlorobenzene
Concen: 39.063 ng
RT: 16.466 min Scan# 2300
Delta R.T. -0.006 min
Lab File: BP025774.D
Acq: 17 Sep 2025 20:35

Tgt Ion:284 Resp: 406369
Ion Ratio Lower Upper
284 100
142 35.6 31.3 46.9
249 33.2 27.3 40.9









#69
Atrazine
Concen: 40.672 ng
RT: 16.631 min Scan# 21
Delta R.T. -0.006 min
Lab File: BP025774.D
Acq: 17 Sep 2025 20:35

Instrument :
BNA_P
ClientSampleId :
PB169719BS

Tgt Ion:200 Resp: 40399
Ion Ratio Lower Upper
200 100
173 25.3 4.2 44.2
215 48.2 27.3 67.3




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/19/2025
Supervised By :Jagrut Upadhyay 09/19/2025



#70
Pentachlorophenol
Concen: 78.842 ng
RT: 16.819 min Scan# 2360
Delta R.T. -0.012 min
Lab File: BP025774.D
Acq: 17 Sep 2025 20:35

Tgt Ion:266 Resp: 541321
Ion Ratio Lower Upper
266 100
268 64.6 49.8 74.8
264 63.5 50.2 75.2









#71
Phenanthrene
Concen: 39.131 ng
RT: 17.213 min Scan# 2427
Delta R.T. -0.012 min
Lab File: BP025774.D
Acq: 17 Sep 2025 20:35

Instrument :
BNA_P
ClientSampleId :
PB169719BS

Tgt Ion:178 Resp: 188487
Ion Ratio Lower Upper
178 100
176 19.1 15.4 23.2
179 15.7 12.2 18.4




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/19/2025
Supervised By :Jagrut Upadhyay 09/19/2025



#72
Anthracene
Concen: 39.483 ng
RT: 17.313 min Scan# 2444
Delta R.T. -0.006 min
Lab File: BP025774.D
Acq: 17 Sep 2025 20:35


Tgt Ion:178 Resp: 1929629
Ion Ratio Lower Upper
178 100
176 18.2 14.8 22.2
179 15.3 12.2 18.4





#73
Carbazole
Concen: 39.599 ng
RT: 17.589 min Scan# 2491
Delta R.T. -0.012 min
Lab File: BP025774.D
Acq: 17 Sep 2025 20:35




Instrument :
BNA_P
ClientSampleId :
PB169719BS




Tgt Ion:167 Resp: 1799258
Ion Ratio Lower Upper
167 100
166 21.4 17.0 25.4
139 13.4 10.6 16.0

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 09/19/2025
Supervised By :Jagrut Upadhyay 09/19/2025




#74
Di-n-butylphthalate
Concen: 40.545 ng
RT: 18.177 min Scan# 2591
Delta R.T. -0.006 min
Lab File: BP025774.D
Acq: 17 Sep 2025 20:35




Tgt Ion:149 Resp: 2260758
Ion Ratio Lower Upper
149 100
150 9.3 7.4 11.0
104 5.3 4.3 6.5





#75
Fluoranthene
Concen: 38.787 ng
RT: 19.307 min Scan# 21
Delta R.T. -0.006 min
Lab File: BP025774.D
Acq: 17 Sep 2025 20:35




Instrument :
BNA_P
ClientSampleId :
PB169719BS




Tgt Ion:202 Resp: 2240678
Ion Ratio Lower Upper
202 100
101 11.2 0.0 30.4
203 17.4 0.0 37.4

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 09/19/2025
Supervised By :Jagrut Upadhyay 09/19/2025




#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.624 min Scan# 3177
Delta R.T. -0.018 min
Lab File: BP025774.D
Acq: 17 Sep 2025 20:35



Tgt Ion:240 Resp: 847157
Ion Ratio Lower Upper
240 100
120 10.2 8.0 12.0
236 25.5 20.7 31.1









#77
Benzidine
Concen: 34.222 ng
RT: 19.507 min Scan# 2817
Delta R.T. -0.000 min
Lab File: BP025774.D
Acq: 17 Sep 2025 20:35

Instrument :
BNA_P
ClientSampleId :
PB169719BS

Tgt Ion:184 Resp: 835110
Ion Ratio Lower Upper
184 100
185 14.0 11.5 17.3
183 11.5 9.2 13.8




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/19/2025
Supervised By :Jagrut Upadhyay 09/19/2025



#78
Pyrene
Concen: 41.462 ng
RT: 19.683 min Scan# 2847
Delta R.T. -0.006 min
Lab File: BP025774.D
Acq: 17 Sep 2025 20:35


Tgt Ion:202 Resp: 2343737
Ion Ratio Lower Upper
202 100
200 20.6 17.0 25.6
203 17.3 13.9 20.9





#79
 Terphenyl-d14
 Concen: 72.601 ng
 RT: 19.901 min Scan# 2884
 Delta R.T. -0.012 min
 Lab File: BP025774.D
 Acq: 17 Sep 2025 20:35




Instrument :
 BNA_P
 ClientSampleId :
 PB169719BS




Tgt Ion:244 Resp: 3418819
 Ion Ratio Lower Upper
 244 100
 212 7.7 5.9 8.9
 122 10.0 7.1 10.7

Manual Integrations
 APPROVED



Reviewed By :Rahul Chavli 09/19/2025
 Supervised By :Jagrut Upadhyay 09/19/2025




#80
 Butylbenzylphthalate
 Concen: 41.533 ng
 RT: 20.630 min Scan# 3008
 Delta R.T. -0.012 min
 Lab File: BP025774.D
 Acq: 17 Sep 2025 20:35




Tgt Ion:149 Resp: 1029397
 Ion Ratio Lower Upper
 149 100
 91 72.5 56.6 85.0
 206 23.5 17.4 26.0





#81
Benzo(a)anthracene
Concen: 39.623 ng
RT: 21.601 min Scan# 3176
Delta R.T. -0.018 min
Lab File: BP025774.D
Acq: 17 Sep 2025 20:35




Instrument :
BNA_P
ClientSampleId :
PB169719BS




Tgt Ion:228 Resp: 229804
Ion Ratio Lower Upper
228 100
226 27.2 21.6 32.4
229 19.8 15.7 23.5

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 09/19/2025
Supervised By :Jagrut Upadhyay 09/19/2025




#82
3,3'-Dichlorobenzidine
Concen: 27.784 ng
RT: 21.524 min Scan# 3160
Delta R.T. -0.012 min
Lab File: BP025774.D
Acq: 17 Sep 2025 20:35



Tgt Ion:252 Resp: 557181
Ion Ratio Lower Upper
252 100
254 64.3 51.4 77.0
126 10.7 8.3 12.5





#83

Chrysene

Concen: 39.761 ng

RT: 21.677 min Scan# 3186

Delta R.T. -0.012 min

Lab File: BP025774.D

Acq: 17 Sep 2025 20:35

Instrument :

BNA_P

ClientSampleId :

PB169719BS

Tgt Ion:228 Resp: 2198224

Ion Ratio Lower Upper

228 100

226 29.9 23.8 35.6





229 20.0 15.6 23.4

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/19/2025

Supervised By :Jagrut Upadhyay 09/19/2025



#84

Bis(2-ethylhexyl)phthalate

Concen: 41.163 ng

RT: 21.536 min Scan# 3162

Delta R.T. -0.012 min

Lab File: BP025774.D

Acq: 17 Sep 2025 20:35




Tgt Ion:149 Resp: 1492612


Ion Ratio Lower Upper

149 100

167 28.1 22.9 34.3

279 4.6 3.8 5.8









#85
Di-n-octyl phthalate
Concen: 39.836 ng
RT: 22.813 min Scan# 31
Delta R.T. -0.018 min
Lab File: BP025774.D
Acq: 17 Sep 2025 20:35

Instrument :
BNA_P
ClientSampleId :
PB169719BS

Tgt Ion:149 Resp: 2569490
Ion Ratio Lower Upper
149 100
167 1.6 1.3 1.9
43 10.0 8.0 12.0




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 09/19/2025
Supervised By :Jagrut Upadhyay 09/19/2025



#86
Perylene-d12
Concen: 20.000 ng
RT: 24.971 min Scan# 3746
Delta R.T. -0.029 min
Lab File: BP025774.D
Acq: 17 Sep 2025 20:35

Tgt Ion:264 Resp: 873039
Ion Ratio Lower Upper
264 100
260 23.9 18.3 27.5
265 23.0 17.3 25.9





#87

Indeno(1,2,3-cd)pyrene

Concen: 42.775 ng

RT: 28.812 min Scan# 41

Delta R.T. -0.024 min

Lab File: BP025774.D


Acq: 17 Sep 2025 20:35

Instrument :

BNA_P

ClientSampleId :

PB169719BS



Tgt Ion:276 Resp: 2715724

Ion Ratio Lower Upper

276 100

138 8.5 13.4 20.2




277 25.3 9.1 13.7

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/19/2025

Supervised By :Jagrut Upadhyay 09/19/2025



#88

Benzo(b)fluoranthene


Concen: 41.793 ng

RT: 23.918 min Scan# 3567

Delta R.T. -0.012 min

Lab File: BP025774.D

Acq: 17 Sep 2025 20:35





Tgt Ion:252 Resp: 2231239


Ion Ratio Lower Upper

252 100

253 21.8 17.9 26.9

125 9.4 7.3 10.9





#89

Benzo(k)fluoranthene

Concen: 40.104 ng

RT: 23.989 min Scan# 3581

Delta R.T. -0.012 min

Lab File: BP025774.D

Acq: 17 Sep 2025 20:35

Instrument :

BNA_P

ClientSampleId :

PB169719BS

Tgt Ion:252 Resp: 218483

Ion Ratio Lower Upper

252 100

253 21.7 17.5 26.3





125 8.6 7.5 11.3

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 09/19/2025

Supervised By :Jagrut Upadhyay 09/19/2025



#90

Benzo(a)pyrene

Concen: 40.442 ng

RT: 24.824 min Scan# 3721

Delta R.T. -0.018 min

Lab File: BP025774.D

Acq: 17 Sep 2025 20:35




Tgt Ion:252 Resp: 2114441


Ion Ratio Lower Upper

252 100

253 21.8 17.2 25.8


125 10.2 8.3 12.5





#91
Dibenzo(a,h)anthracene
Concen: 42.348 ng
RT: 28.889 min Scan# 4417
Delta R.T. -0.029 min
Lab File: BP025774.D
Acq: 17 Sep 2025 20:35




Instrument :
BNA_P
ClientSampleId :
PB169719BS



Tgt Ion: 278 Resp: 220019
Ion Ratio Lower Upper
278 100
139 14.9 12.1 18.1
279 24.2 19.6 29.4




Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 09/19/2025
Supervised By :Jagrut Upadhyay 09/19/2025



#92
Benzo(g,h,i)perylene
Concen: 43.235 ng
RT: 29.983 min Scan# 4598
Delta R.T. -0.029 min
Lab File: BP025774.D
Acq: 17 Sep 2025 20:35

Tgt Ion: 276 Resp: 2209083
Ion Ratio Lower Upper
276 100
277 23.8 18.7 28.1
138 19.6 16.0 24.0



Report of Analysis

Client:	Alliance Technical Group, LLC - Newark	Date Collected:	
Project:	NJ Waste Water PT	Date Received:	
Client Sample ID:	PB169719BSD	SDG No.:	Q3015
Lab Sample ID:	PB169719BSD	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOCMS Group6
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025775.D	1	09/17/25 09:05	09/17/25 21:16	PB169719

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
1912-24-9	Atrazine	39.9		1.00	5.00	ug/L
SURROGATES						
4165-60-0	Nitrobenzene-d5	69.8		67 - 132	70%	SPK: 100
321-60-8	2-Fluorobiphenyl	69.9		52 - 132	70%	SPK: 100
1718-51-0	Terphenyl-d14	72.7		42 - 152	73%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	165000	7.755			
1146-65-2	Naphthalene-d8	637000	10.525			
15067-26-2	Acenaphthene-d10	414000	14.372			
1517-22-2	Phenanthrene-d10	845000	17.178			
1719-03-5	Chrysene-d12	850000	21.63			
1520-96-3	Perylene-d12	857000	24.983			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP091725\
 Data File : BP025775.D
 Acq On : 17 Sep 2025 21:16
 Operator : CG/JU
 Sample : PB169719BSD
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 PB169719BSD

Quant Time: Sep 18 04:25:29 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP091225.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Sep 11 16:45:04 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.755	152	164703	20.000	ng	0.00
21) Naphthalene-d8	10.525	136	637233	20.000	ng	0.00
39) Acenaphthene-d10	14.372	164	413759	20.000	ng	0.00
64) Phenanthrene-d10	17.178	188	845328	20.000	ng	0.00
76) Chrysene-d12	21.630	240	850188	20.000	ng	-0.01
86) Perylene-d12	24.983	264	857103	20.000	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.384	112	1187548	116.341	ng	0.00
7) Phenol-d6	6.943	99	1497740	110.391	ng	0.00
23) Nitrobenzene-d5	8.902	82	1008718	69.826	ng	0.00
42) 2,4,6-Tribromophenol	15.889	330	585379	113.428	ng	-0.02
45) 2-Fluorobiphenyl	12.984	172	2172930	69.926	ng	0.00
79) Terphenyl-d14	19.901	244	3437645	72.740	ng	-0.01
Target Compounds						
						Qvalue
2) 1,4-Dioxane	3.314	88	140155	32.715	ng	99
3) Pyridine	3.708	79	388608	32.942	ng	98
4) n-Nitrosodimethylamine	3.614	42	205369	36.894	ng	98
6) Aniline	7.090	93	488835	26.246	ng	98
8) 2-Chlorophenol	7.331	128	437783	39.095	ng	99
9) Benzaldehyde	6.913	77	242697	29.844	ng	99
10) Phenol	6.972	94	558256	39.022	ng	99
11) bis(2-Chloroethyl)ether	7.184	93	437619	38.074	ng	98
12) 1,3-Dichlorobenzene	7.649	146	481264	37.762	ng	98
13) 1,4-Dichlorobenzene	7.790	146	493735	38.032	ng	99
14) 1,2-Dichlorobenzene	8.102	146	473440	37.539	ng	98
15) Benzyl Alcohol	7.996	79	399861	35.666	ng	98
16) 2,2'-oxybis(1-Chloropr...	8.272	45	695251	36.988	ng	100
17) 2-Methylphenol	8.202	107	367765	38.129	ng	99
18) Hexachloroethane	8.819	117	188643	38.042	ng	98
19) n-Nitroso-di-n-propyla...	8.549	70	344161	36.369	ng	99
20) 3+4-Methylphenols	8.525	107	497913	36.860	ng	99
22) Acetophenone	8.566	105	694903	40.806	ng	99
24) Nitrobenzene	8.943	77	503635	38.862	ng	98
25) Isophorone	9.466	82	935933	36.860	ng	99
26) 2-Nitrophenol	9.649	139	232236	40.362	ng	94
27) 2,4-Dimethylphenol	9.713	122	397141	39.343	ng	99
28) bis(2-Chloroethoxy)met...	9.937	93	561954	38.287	ng	99
29) 2,4-Dichlorophenol	10.184	162	406578	40.397	ng	98
30) 1,2,4-Trichlorobenzene	10.390	180	442026	38.970	ng	99
31) Naphthalene	10.572	128	1308580	38.084	ng	99
32) Benzoic acid	9.878	122	310336	41.351	ng	96
33) 4-Chloroaniline	10.684	127	288398	20.138	ng	99
34) Hexachlorobutadiene	10.860	225	282532	38.694	ng	99
35) Caprolactam	11.478	113	142021	36.606	ng	98
36) 4-Chloro-3-methylphenol	11.819	107	464577	38.718	ng	97
37) 2-Methylnaphthalene	12.184	142	830855	37.648	ng	98
38) 1-Methylnaphthalene	12.401	142	874135	37.144	ng	100
40) 1,2,4,5-Tetrachloroben...	12.548	216	519332	41.421	ng	99
41) Hexachlorocyclopentadiene	12.531	237	525022	76.885	ng	99
43) 2,4,6-Trichlorophenol	12.801	196	336607	40.838	ng	99

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP091725\
 Data File : BP025775.D
 Acq On : 17 Sep 2025 21:16
 Operator : CG/JU
 Sample : PB169719BSD
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 PB169719BSD


Quant Time: Sep 18 04:25:29 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP091225.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Sep 11 16:45:04 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	12.878	196	363764	39.655	ng	99
46) 1,1'-Biphenyl	13.201	154	1256026	41.357	ng	99
47) 2-Chloronaphthalene	13.243	162	927183	38.773	ng	98
48) 2-Nitroaniline	13.448	65	320953	40.263	ng	98
49) Acenaphthylene	14.090	152	1573291	39.708	ng	100
50) Dimethylphthalate	13.831	163	1223345	38.727	ng	99
51) 2,6-Dinitrotoluene	13.948	165	264565	39.531	ng	99
52) Acenaphthene	14.437	154	878336	38.440	ng	100
53) 3-Nitroaniline	14.290	138	193474	27.490	ng	95
54) 2,4-Dinitrophenol	14.507	184	319344	73.787	ng	99
55) Dibenzofuran	14.778	168	1425642	38.282	ng	99
56) 4-Nitrophenol	14.625	139	437941	72.692	ng	97
57) 2,4-Dinitrotoluene	14.748	165	385720	40.497	ng	98
58) Fluorene	15.442	166	1127137	38.062	ng	100
59) 2,3,4,6-Tetrachlorophenol	15.019	232	326930	39.563	ng	100
60) Diethylphthalate	15.213	149	1245832	38.880	ng	100
61) 4-Chlorophenyl-phenyle...	15.431	204	566110	37.932	ng	99
62) 4-Nitroaniline	15.466	138	283646	39.340	ng	98
63) Azobenzene	15.731	77	1190017	38.409	ng	99
65) 4,6-Dinitro-2-methylph...	15.531	198	227000	40.379	ng	94
66) n-Nitrosodiphenylamine	15.660	169	1035040	40.011	ng	99
67) 4-Bromophenyl-phenylether	16.348	248	370443	39.890	ng	99
68) Hexachlorobenzene	16.466	284	398949	38.523	ng	98
69) Atrazine	16.636	200	394105	39.855	ng	98
70) Pentachlorophenol	16.825	266	544904	79.722	ng	99
71) Phenanthrene	17.225	178	1871116	39.021	ng	100
72) Anthracene	17.319	178	1900966	39.072	ng	100
73) Carbazole	17.601	167	1782815	39.414	ng	99
74) Di-n-butylphthalate	18.183	149	2172820	39.143	ng	100
75) Fluoranthene	19.313	202	2258488	39.271	ng	100
77) Benzidine	19.507	184	844260	34.474	ng	99
78) Pyrene	19.689	202	2341307	41.272	ng	99
80) Butylbenzylphthalate	20.630	149	1046003	42.053	ng	98
81) Benzo(a)anthracene	21.601	228	2337622	40.162	ng	99
82) 3,3'-Dichlorobenzidine	21.524	252	556223	27.637	ng	98
83) Chrysene	21.677	228	2189029	39.453	ng	100
84) Bis(2-ethylhexyl)phtha...	21.536	149	1492610	41.016	ng	100
85) Di-n-octyl phthalate	22.813	149	2538713	39.218	ng	99
87) Indeno(1,2,3-cd)pyrene	28.818	276	2655840	42.609	ng	# 76
88) Benzo(b)fluoranthene	23.913	252	2187404	41.733	ng	99
89) Benzo(k)fluoranthene	23.977	252	2274107	42.519	ng	100
90) Benzo(a)pyrene	24.812	252	2087891	40.677	ng	99
91) Dibenzo(a,h)anthracene	28.883	278	2174745	42.636	ng	99
92) Benzo(g,h,i)perylene	30.006	276	2173956	43.339	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Instrument :
BNA_P
ClientSampleId :
PB169719BSD





- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17



#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.755 min Scan# 81
Delta R.T. -0.005 min
Lab File: BP025775.D
Acq: 17 Sep 2025 21:16




Instrument :
BNA_P
ClientSampleId :
PB169719BSD


Tgt Ion:152 Resp: 164703
Ion Ratio Lower Upper
152 100
150 161.1 124.3 186.5
115 64.2 50.3 75.5



#2
1,4-Dioxane
Concen: 32.715 ng
RT: 3.314 min Scan# 64
Delta R.T. 0.006 min
Lab File: BP025775.D
Acq: 17 Sep 2025 21:16

Tgt Ion: 88 Resp: 140155
Ion Ratio Lower Upper
88 100
58 81.4 65.5 98.3
43 31.1 25.2 37.8









#3
Pyridine
Concen: 32.942 ng
RT: 3.708 min Scan# 11
Delta R.T. -0.000 min
Lab File: BP025775.D
Acq: 17 Sep 2025 21:16




Instrument :
BNA_P
ClientSampleId :
PB169719BSD


Tgt Ion: 79 Resp: 388608
Ion Ratio Lower Upper
79 100
52 78.6 63.7 95.5
51 39.1 32.4 48.6



#4
n-Nitrosodimethylamine
Concen: 36.894 ng
RT: 3.614 min Scan# 115
Delta R.T. -0.000 min
Lab File: BP025775.D
Acq: 17 Sep 2025 21:16

Tgt Ion: 42 Resp: 205369
Ion Ratio Lower Upper
42 100
74 125.8 99.2 148.8
44 8.5 6.4 9.6









#5
2-Fluorophenol
Concen: 116.341 ng
RT: 5.384 min Scan# 416
Delta R.T. -0.000 min
Lab File: BP025775.D
Acq: 17 Sep 2025 21:16




Instrument :
BNA_P
ClientSampleId :
PB169719BSD


Tgt Ion:112 Resp: 1187548
Ion Ratio Lower Upper
112 100
64 62.2 50.2 75.4
63 32.9 26.7 40.1



#6
Aniline
Concen: 26.246 ng
RT: 7.090 min Scan# 706
Delta R.T. -0.006 min
Lab File: BP025775.D
Acq: 17 Sep 2025 21:16

Tgt Ion: 93 Resp: 488835
Ion Ratio Lower Upper
93 100
66 42.1 32.6 49.0
65 20.9 16.2 24.2









#7
Phenol-d6
Concen: 110.391 ng
RT: 6.943 min Scan# 61
Delta R.T. -0.006 min
Lab File: BP025775.D
Acq: 17 Sep 2025 21:16




Instrument :
BNA_P
ClientSampleId :
PB169719BSD


Tgt Ion: 99 Resp: 1497740
Ion Ratio Lower Upper
99 100
42 19.4 15.6 23.4
71 35.2 28.6 43.0



#8
2-Chlorophenol
Concen: 39.095 ng
RT: 7.331 min Scan# 747
Delta R.T. -0.006 min
Lab File: BP025775.D
Acq: 17 Sep 2025 21:16

Tgt Ion: 128 Resp: 437783
Ion Ratio Lower Upper
128 100
130 32.8 12.6 52.6
64 50.2 31.6 71.6









#9
Benzaldehyde
Concen: 29.844 ng
RT: 6.913 min Scan# 61
Delta R.T. -0.000 min
Lab File: BP025775.D
Acq: 17 Sep 2025 21:16




Instrument :
BNA_P
ClientSampleId :
PB169719BSD


Tgt Ion: 77 Resp: 242697
Ion Ratio Lower Upper
77 100
105 95.0 75.2 115.2
106 90.2 71.3 111.3



#10
Phenol
Concen: 39.022 ng
RT: 6.972 min Scan# 686
Delta R.T. -0.000 min
Lab File: BP025775.D
Acq: 17 Sep 2025 21:16

Tgt Ion: 94 Resp: 558256
Ion Ratio Lower Upper
94 100
65 30.0 10.2 50.2
66 40.0 21.4 61.4





#11

bis(2-Chloroethyl)ether

Concen: 38.074 ng

RT: 7.184 min Scan# 722

Delta R.T. -0.000 min

Lab File: BP025775.D

Acq: 17 Sep 2025 21:16

Instrument :

BNA_P

ClientSampleId :

PB169719BSD





Tgt Ion: 93 Resp: 437619

Ion Ratio Lower Upper

93 100

63 81.3 62.6 102.6

95 31.9 13.2 53.2



#12

1,3-Dichlorobenzene

Concen: 37.762 ng

RT: 7.649 min Scan# 801

Delta R.T. -0.000 min

Lab File: BP025775.D

Acq: 17 Sep 2025 21:16




Tgt Ion: 146 Resp: 481264


Ion Ratio Lower Upper

146 100

148 63.3 52.7 79.1

75 32.5 26.4 39.6





#13

1,4-Dichlorobenzene

Concen: 38.032 ng

RT: 7.790 min Scan# 81

Delta R.T. -0.000 min

Lab File: BP025775.D

Acq: 17 Sep 2025 21:16

Instrument :

BNA_P

ClientSampleId :

PB169719BSD





Tgt Ion:146 Resp: 493735

Ion Ratio Lower Upper

146 100

148 64.3 52.0 78.0

111 42.6 33.9 50.9



#14

1,2-Dichlorobenzene

Concen: 37.539 ng

RT: 8.102 min Scan# 878

Delta R.T. -0.006 min

Lab File: BP025775.D

Acq: 17 Sep 2025 21:16




Tgt Ion:146 Resp: 473440


Ion Ratio Lower Upper

146 100

148 62.9 51.7 77.5

111 43.5 35.5 53.3





#15

Benzyl Alcohol

Concen: 35.666 ng

RT: 7.996 min Scan# 80

Delta R.T. -0.006 min

Lab File: BP025775.D

Acq: 17 Sep 2025 21:16

Instrument :

BNA_P

ClientSampleId :

PB169719BSD





Tgt Ion: 79 Resp: 399861

Ion Ratio Lower Upper

79 100

108 74.7 58.7 88.1

77 64.0 50.2 75.2



#16

2,2'-oxybis(1-chloropropane)

Concen: 36.988 ng

RT: 8.272 min Scan# 907

Delta R.T. -0.006 min

Lab File: BP025775.D

Acq: 17 Sep 2025 21:16




Tgt Ion: 45 Resp: 695251


Ion Ratio Lower Upper

45 100

77 13.1 0.0 33.1

79 10.0 0.0 30.0









#17
2-Methylphenol
Concen: 38.129 ng
RT: 8.202 min Scan# 895
Delta R.T. -0.000 min
Lab File: BP025775.D
Acq: 17 Sep 2025 21:16

Instrument :
BNA_P
ClientSampleId :
PB169719BSD

Tgt Ion:107 Resp: 367765




Ion	Ratio	Lower	Upper
107	100		
108	112.8	89.6	134.4
77	46.4	39.3	58.9
79	47.5	37.8	56.6




#18
Hexachloroethane
Concen: 38.042 ng
RT: 8.819 min Scan# 1000
Delta R.T. -0.006 min
Lab File: BP025775.D
Acq: 17 Sep 2025 21:16

Tgt Ion:117 Resp: 188643

Ion	Ratio	Lower	Upper
117	100		
119	96.7	77.1	115.7
201	103.2	85.6	128.4





#19

n-Nitroso-di-n-propylamine

Concen: 36.369 ng

RT: 8.549 min Scan# 91

Delta R.T. -0.006 min

Lab File: BP025775.D

Acq: 17 Sep 2025 21:16

Instrument :

BNA_P

ClientSampleId :

PB169719BSD

Tgt Ion: 70 Resp: 344161





Ion Ratio Lower Upper

70 100

42 60.4 49.0 73.4

101 9.5 7.9 11.9

130 19.8 16.6 25.0



#20

3+4-Methylphenols

Concen: 36.860 ng

RT: 8.525 min Scan# 950

Delta R.T. -0.000 min

Lab File: BP025775.D

Acq: 17 Sep 2025 21:16

Tgt Ion: 107 Resp: 497913




Ion Ratio Lower Upper


107 100

108 89.1 67.8 107.8

77 35.5 16.1 56.1

79 29.9 10.5 50.5









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.525 min Scan# 11
Delta R.T. -0.000 min
Lab File: BP025775.D
Acq: 17 Sep 2025 21:16




Instrument :
BNA_P
ClientSampleId :
PB169719BSD


Tgt Ion:	136	Resp:	637233
Ion	Ratio	Lower	Upper
136	100		
137	10.8	8.7	13.1
54	9.7	7.5	11.3
68	6.5	5.0	7.6



#22
Acetophenone
Concen: 40.806 ng
RT: 8.566 min Scan# 957
Delta R.T. -0.006 min
Lab File: BP025775.D
Acq: 17 Sep 2025 21:16

Tgt Ion:	105	Resp:	694903
Ion	Ratio	Lower	Upper
105	100		
71	2.5	1.8	2.8
51	29.6	23.5	35.3
120	21.3	17.7	26.5





#23

Nitrobenzene-d5

Concen: 69.826 ng

RT: 8.902 min Scan# 1014

Delta R.T. -0.000 min

Lab File: BP025775.D

Acq: 17 Sep 2025 21:16

Instrument :

BNA_P

ClientSampleId :

PB169719BSD





Tgt Ion: 82 Resp: 1008718

Ion Ratio Lower Upper

82 100

128 42.7 32.9 49.3

54 53.5 43.4 65.2



#24

Nitrobenzene

Concen: 38.862 ng

RT: 8.943 min Scan# 1021

Delta R.T. -0.006 min

Lab File: BP025775.D

Acq: 17 Sep 2025 21:16




Tgt Ion: 77 Resp: 503635


Ion Ratio Lower Upper

77 100

123 44.5 34.4 51.6

65 13.9 10.8 16.2









#25
Isophorone
Concen: 36.860 ng
RT: 9.466 min Scan# 1110
Delta R.T. -0.000 min
Lab File: BP025775.D
Acq: 17 Sep 2025 21:16




Instrument :
BNA_P
ClientSampleId :
PB169719BSD


Tgt Ion: 82 Resp: 935933
Ion Ratio Lower Upper
82 100
95 7.2 5.8 8.8
138 16.6 13.5 20.3



#26
2-Nitrophenol
Concen: 40.362 ng
RT: 9.649 min Scan# 1141
Delta R.T. -0.000 min
Lab File: BP025775.D
Acq: 17 Sep 2025 21:16

Tgt Ion: 139 Resp: 232236
Ion Ratio Lower Upper
139 100
109 32.7 29.0 43.4
65 54.3 46.9 70.3





#27

2,4-Dimethylphenol

Concen: 39.343 ng

RT: 9.713 min Scan# 1152

Delta R.T. -0.000 min

Lab File: BP025775.D

Acq: 17 Sep 2025 21:16

Instrument :

BNA_P

ClientSampleId :

PB169719BSD





Tgt Ion:122 Resp: 397141

Ion Ratio Lower Upper

122 100

107 120.8 97.9 146.9

121 58.3 47.4 71.0



#28

bis(2-Chloroethoxy)methane

Concen: 38.287 ng

RT: 9.937 min Scan# 1190

Delta R.T. -0.006 min

Lab File: BP025775.D

Acq: 17 Sep 2025 21:16




Tgt Ion: 93 Resp: 561954


Ion Ratio Lower Upper

93 100

95 32.6 25.6 38.4

123 11.2 9.2 13.8





#29

2,4-Dichlorophenol

Concen: 40.397 ng

RT: 10.184 min Scan# 1232

Delta R.T. -0.000 min

Lab File: BP025775.D

Acq: 17 Sep 2025 21:16

Instrument :

BNA_P

ClientSampleId :

PB169719BSD





Tgt Ion:162 Resp: 406578

Ion Ratio Lower Upper

162 100

164 62.6 44.7 84.7

98 38.0 18.1 58.1



#30

1,2,4-Trichlorobenzene

Concen: 38.970 ng

RT: 10.390 min Scan# 1267

Delta R.T. -0.000 min

Lab File: BP025775.D

Acq: 17 Sep 2025 21:16




Tgt Ion:180 Resp: 442026


Ion Ratio Lower Upper

180 100

182 95.7 76.0 114.0

145 30.3 24.7 37.1









#31
Naphthalene
Concen: 38.084 ng
RT: 10.572 min Scan# 1299
Delta R.T. -0.006 min
Lab File: BP025775.D
Acq: 17 Sep 2025 21:16




Instrument :
BNA_P
ClientSampleId :
PB169719BSD


Tgt Ion:128 Resp: 1308580
Ion Ratio Lower Upper
128 100
129 11.1 8.6 12.8
127 12.8 10.2 15.4



#32
Benzoic acid
Concen: 41.351 ng
RT: 9.878 min Scan# 1180
Delta R.T. -0.000 min
Lab File: BP025775.D
Acq: 17 Sep 2025 21:16

Tgt Ion:122 Resp: 310336
Ion Ratio Lower Upper
122 100
105 124.8 111.5 151.5
77 99.0 81.8 121.8









#33
4-Chloroaniline
Concen: 20.138 ng
RT: 10.684 min Scan# 11
Delta R.T. -0.006 min
Lab File: BP025775.D
Acq: 17 Sep 2025 21:16




Instrument :
BNA_P
ClientSampleId :
PB169719BSD


Tgt Ion:	127	Resp:	288398
Ion	Ratio	Lower	Upper
127	100		
129	31.3	25.1	37.7
65	33.5	26.4	39.6
92	21.5	15.9	23.9



#34
Hexachlorobutadiene
Concen: 38.694 ng
RT: 10.860 min Scan# 1347
Delta R.T. -0.000 min
Lab File: BP025775.D
Acq: 17 Sep 2025 21:16

Tgt Ion:	225	Resp:	282532
Ion	Ratio	Lower	Upper
225	100		
223	63.2	50.1	75.1
227	64.4	51.2	76.8





#35

Caprolactam

Concen: 36.606 ng

RT: 11.478 min Scan# 1453

Delta R.T. -0.006 min

Lab File: BP025775.D

Acq: 17 Sep 2025 21:16

Instrument :

BNA_P

ClientSampleId :

PB169719BSD





Tgt Ion:113 Resp: 142021

Ion Ratio Lower Upper

113 100

55 188.0 165.5 205.5

56 139.3 121.1 161.1



#36

4-Chloro-3-methylphenol

Concen: 38.718 ng

RT: 11.819 min Scan# 1510

Delta R.T. -0.000 min

Lab File: BP025775.D

Acq: 17 Sep 2025 21:16




Tgt Ion:107 Resp: 464577


Ion Ratio Lower Upper

107 100

144 24.6 19.4 29.2

142 76.1 63.8 95.6









#37
2-Methylnaphthalene
Concen: 37.648 ng
RT: 12.184 min Scan# 11
Delta R.T. -0.000 min
Lab File: BP025775.D
Acq: 17 Sep 2025 21:16




Instrument :
BNA_P
ClientSampleId :
PB169719BSD


Tgt Ion	Ratio	Lower	Upper
142	100		
141	89.3	69.6	104.4
115	37.3	30.0	45.0



#38
1-Methylnaphthalene
Concen: 37.144 ng
RT: 12.401 min Scan# 1609
Delta R.T. -0.000 min
Lab File: BP025775.D
Acq: 17 Sep 2025 21:16

Tgt Ion	Ratio	Lower	Upper
142	100		
141	91.1	72.7	109.1
116	4.1	3.5	5.3









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.372 min Scan# 1945
Delta R.T. -0.006 min
Lab File: BP025775.D
Acq: 17 Sep 2025 21:16




Instrument :
BNA_P
ClientSampleId :
PB169719BSD


Tgt Ion:164 Resp: 413759
Ion Ratio Lower Upper
164 100
162 102.0 80.6 120.8
160 44.0 35.0 52.6



#40
1,2,4,5-Tetrachlorobenzene
Concen: 41.421 ng
RT: 12.548 min Scan# 1634
Delta R.T. -0.006 min
Lab File: BP025775.D
Acq: 17 Sep 2025 21:16

Tgt Ion:216 Resp: 519332
Ion Ratio Lower Upper
216 100
214 78.8 62.4 93.6
179 21.1 17.0 25.6
108 20.0 15.2 22.8









#41
Hexachlorocyclopentadiene
Concen: 76.885 ng
RT: 12.531 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025775.D
Acq: 17 Sep 2025 21:16




Instrument :
BNA_P
ClientSampleId :
PB169719BSD


Tgt Ion:237 Resp: 525022
Ion Ratio Lower Upper
237 100
235 63.0 41.9 81.9
272 11.9 0.0 31.8



#42
2,4,6-Tribromophenol
Concen: 113.428 ng
RT: 15.889 min Scan# 2202
Delta R.T. -0.018 min
Lab File: BP025775.D
Acq: 17 Sep 2025 21:16

Tgt Ion:330 Resp: 585379
Ion Ratio Lower Upper
330 100
332 97.2 76.9 115.3
141 37.9 31.0 46.4





#43

2,4,6-Trichlorophenol

Concen: 40.838 ng

RT: 12.801 min Scan# 1

Delta R.T. -0.006 min

Lab File: BP025775.D

Acq: 17 Sep 2025 21:16

Instrument :

BNA_P

ClientSampleId :

PB169719BSD





Tgt Ion:196 Resp: 336607

Ion Ratio Lower Upper

196 100

198 97.1 77.2 115.8

200 31.2 24.2 36.2



#44

2,4,5-Trichlorophenol

Concen: 39.655 ng

RT: 12.878 min Scan# 1690

Delta R.T. -0.006 min

Lab File: BP025775.D

Acq: 17 Sep 2025 21:16

Tgt Ion:196 Resp: 363764




Ion Ratio Lower Upper


196 100

198 97.1 77.8 116.8

97 52.7 43.3 64.9

132 28.0 22.3 33.5





#45

2-Fluorobiphenyl

Concen: 69.926 ng

RT: 12.984 min Scan# 1708

Delta R.T. -0.006 min

Lab File: BP025775.D

Acq: 17 Sep 2025 21:16

Instrument :

BNA_P

ClientSampleId :

PB169719BSD





Tgt Ion:172 Resp: 2172930

Ion Ratio Lower Upper

172 100

171 35.2 27.8 41.6

170 23.0 18.6 27.8



#46

1,1'-Biphenyl

Concen: 41.357 ng

RT: 13.201 min Scan# 1745

Delta R.T. -0.000 min

Lab File: BP025775.D

Acq: 17 Sep 2025 21:16




Tgt Ion:154 Resp: 1256026


Ion Ratio Lower Upper

154 100

153 39.5 19.7 59.7

76 12.9 0.0 33.3





#47

2-Chloronaphthalene

Concen: 38.773 ng

RT: 13.243 min Scan# 1

Delta R.T. -0.006 min

Lab File: BP025775.D

Acq: 17 Sep 2025 21:16

Instrument :

BNA_P

ClientSampleId :

PB169719BSD





Tgt Ion:162 Resp: 927183

Ion Ratio Lower Upper

162 100

127 38.9 32.2 48.4

164 32.2 26.5 39.7



#48

2-Nitroaniline

Concen: 40.263 ng

RT: 13.448 min Scan# 1787

Delta R.T. -0.006 min

Lab File: BP025775.D

Acq: 17 Sep 2025 21:16




Tgt Ion: 65 Resp: 320953


Ion Ratio Lower Upper

65 100

92 69.1 53.1 79.7

138 98.6 77.8 116.8





#49

Acenaphthylene

Concen: 39.708 ng

RT: 14.090 min Scan# 1896

Delta R.T. -0.012 min

Lab File: BP025775.D

Acq: 17 Sep 2025 21:16

Instrument :





BNA_P

ClientSampleId :

PB169719BSD

Tgt Ion:152 Resp: 1573291

Ion	Ratio	Lower	Upper
152	100		
151	19.6	15.8	23.6
153	13.3	10.5	15.7



#50

Dimethylphthalate

Concen: 38.727 ng

RT: 13.831 min Scan# 1852




Delta R.T. -0.006 min


Lab File: BP025775.D

Acq: 17 Sep 2025 21:16

Tgt Ion:163 Resp: 1223345

Ion	Ratio	Lower	Upper
163	100		
194	4.1	3.4	5.2
164	10.5	8.2	12.2





#51

2,6-Dinitrotoluene

Concen: 39.531 ng

RT: 13.948 min Scan# 1872

Delta R.T. -0.006 min

Lab File: BP025775.D

Acq: 17 Sep 2025 21:16

Instrument :

BNA_P

ClientSampleId :

PB169719BSD





Tgt Ion:165 Resp: 264565

Ion Ratio Lower Upper

165 100

63 59.6 48.1 72.1

89 57.9 45.4 68.0



#52

Acenaphthene

Concen: 38.440 ng

RT: 14.437 min Scan# 1955

Delta R.T. -0.018 min

Lab File: BP025775.D

Acq: 17 Sep 2025 21:16




Tgt Ion:154 Resp: 878336


Ion Ratio Lower Upper

154 100

153 112.0 89.4 134.0

152 53.7 42.5 63.7









#53
3-Nitroaniline
Concen: 27.490 ng
RT: 14.290 min Scan# 1930
Delta R.T. -0.000 min
Lab File: BP025775.D
Acq: 17 Sep 2025 21:16




Instrument :
BNA_P
ClientSampleId :
PB169719BSD


Tgt Ion:138 Resp: 193474
Ion Ratio Lower Upper
138 100
108 11.7 8.7 13.1
92 123.9 94.6 142.0



#54
2,4-Dinitrophenol
Concen: 73.787 ng
RT: 14.507 min Scan# 1967
Delta R.T. 0.000 min
Lab File: BP025775.D
Acq: 17 Sep 2025 21:16

Tgt Ion:184 Resp: 319344
Ion Ratio Lower Upper
184 100
63 65.7 52.5 78.7
154 63.2 51.5 77.3









#55
Dibenzofuran
Concen: 38.282 ng
RT: 14.778 min Scan# 2015
Delta R.T. -0.012 min
Lab File: BP025775.D
Acq: 17 Sep 2025 21:16




Instrument :
BNA_P
ClientSampleId :
PB169719BSD


Tgt Ion:168 Resp: 1425642
Ion Ratio Lower Upper
168 100
139 38.5 31.7 47.5
169 13.3 10.8 16.2



#56
4-Nitrophenol
Concen: 72.692 ng
RT: 14.625 min Scan# 1987
Delta R.T. 0.006 min
Lab File: BP025775.D
Acq: 17 Sep 2025 21:16

Tgt Ion:139 Resp: 437941
Ion Ratio Lower Upper
139 100
109 81.2 62.9 102.9
65 107.4 83.4 123.4





#57

2,4-Dinitrotoluene

Concen: 40.497 ng

RT: 14.748 min Scan# 2009

Delta R.T. -0.006 min

Lab File: BP025775.D

Acq: 17 Sep 2025 21:16

Instrument :

BNA_P

ClientSampleId :

PB169719BSD

Tgt Ion:165 Resp: 385720





Ion Ratio Lower Upper

165 100

63 46.2 37.7 56.5

89 73.9 61.0 91.6

182 2.8 2.4 3.6



#58

Fluorene

Concen: 38.062 ng

RT: 15.442 min Scan# 2126

Delta R.T. -0.012 min

Lab File: BP025775.D

Acq: 17 Sep 2025 21:16




Tgt Ion:166 Resp: 1127137


Ion Ratio Lower Upper

166 100

165 97.0 77.7 116.5

167 13.2 10.6 16.0





#59

2,3,4,6-Tetrachlorophenol

Concen: 39.563 ng

RT: 15.019 min Scan# 2054

Delta R.T. -0.006 min

Lab File: BP025775.D

Acq: 17 Sep 2025 21:16

Instrument :

BNA_P

ClientSampleId :

PB169719BSD

Tgt Ion:232 Resp: 326930


Ion Ratio Lower Upper

232 100




131 46.0 36.7 55.1

130 2.5 2.0 3.0

166 31.2 25.4 38.2



Abundance



#60

Diethylphthalate

Concen: 38.880 ng

RT: 15.213 min Scan# 2087

Delta R.T. -0.006 min

Lab File: BP025775.D

Acq: 17 Sep 2025 21:16


Tgt Ion:149 Resp: 1245832

Ion Ratio Lower Upper



149 100


177 22.1 17.7 26.5

150 12.4 10.0 15.0



Abundance









#61
4-Chlorophenyl-phenylether
Concen: 37.932 ng
RT: 15.431 min Scan# 2124
Delta R.T. -0.012 min
Lab File: BP025775.D
Acq: 17 Sep 2025 21:16




Instrument :
BNA_P
ClientSampleId :
PB169719BSD


Tgt Ion:204 Resp: 566110
Ion Ratio Lower Upper
204 100
206 33.5 26.0 39.0
141 61.5 49.7 74.5



#62
4-Nitroaniline
Concen: 39.340 ng
RT: 15.466 min Scan# 2130
Delta R.T. -0.012 min
Lab File: BP025775.D
Acq: 17 Sep 2025 21:16

Tgt Ion:138 Resp: 283646
Ion Ratio Lower Upper
138 100
92 54.1 33.3 73.3
108 84.4 66.7 106.7









#63
Azobenzene
Concen: 38.409 ng
RT: 15.731 min Scan# 2175
Delta R.T. -0.006 min
Lab File: BP025775.D
Acq: 17 Sep 2025 21:16




Instrument :
BNA_P
ClientSampleId :
PB169719BSD


Tgt Ion: 77 Resp: 1190017
Ion Ratio Lower Upper
77 100
182 24.7 5.2 45.2
105 20.4 1.1 41.1
51 31.1 11.6 51.6



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.178 min Scan# 2421
Delta R.T. -0.006 min
Lab File: BP025775.D
Acq: 17 Sep 2025 21:16

Tgt Ion: 188 Resp: 845328
Ion Ratio Lower Upper
188 100
94 9.5 7.4 11.0
80 10.3 7.7 11.5









#65
4,6-Dinitro-2-methylphenol
Concen: 40.379 ng
RT: 15.531 min Scan# 2142
Delta R.T. -0.006 min
Lab File: BP025775.D
Acq: 17 Sep 2025 21:16




Instrument :
BNA_P
ClientSampleId :
PB169719BSD


Tgt Ion	Ratio	Lower	Upper
198	100		
51	47.6	33.4	73.4
105	42.0	24.3	64.3



#66
n-Nitrosodiphenylamine
Concen: 40.011 ng
RT: 15.660 min Scan# 2163
Delta R.T. 0.006 min
Lab File: BP025775.D
Acq: 17 Sep 2025 21:16

Tgt Ion	Ratio	Lower	Upper
169	100		
168	66.9	52.6	78.8
167	35.6	28.5	42.7





#67

4-Bromophenyl-phenylether

Concen: 39.890 ng

RT: 16.348 min Scan# 21

Delta R.T. -0.006 min

Lab File: BP025775.D

Acq: 17 Sep 2025 21:16

Instrument :

BNA_P

ClientSampleId :

PB169719BSD





Tgt Ion:248 Resp: 370443

Ion Ratio Lower Upper

248 100

250 96.1 77.5 116.3

141 75.6 60.2 90.4



#68

Hexachlorobenzene

Concen: 38.523 ng

RT: 16.466 min Scan# 2300

Delta R.T. -0.006 min

Lab File: BP025775.D

Acq: 17 Sep 2025 21:16




Tgt Ion:284 Resp: 398949


Ion Ratio Lower Upper

284 100

142 37.5 31.3 46.9

249 33.7 27.3 40.9









#69
Atrazine
Concen: 39.855 ng
RT: 16.636 min Scan# 21
Delta R.T. -0.000 min
Lab File: BP025775.D
Acq: 17 Sep 2025 21:16




Instrument :
BNA_P
ClientSampleId :
PB169719BSD


Tgt Ion:200 Resp: 394105
Ion Ratio Lower Upper
200 100
173 25.1 4.2 44.2
215 48.5 27.3 67.3



#70
Pentachlorophenol
Concen: 79.722 ng
RT: 16.825 min Scan# 2361
Delta R.T. -0.006 min
Lab File: BP025775.D
Acq: 17 Sep 2025 21:16

Tgt Ion:266 Resp: 544904
Ion Ratio Lower Upper
266 100
268 63.2 49.8 74.8
264 62.7 50.2 75.2









#71
Phenanthrene
Concen: 39.021 ng
RT: 17.225 min Scan# 2429
Delta R.T. -0.000 min
Lab File: BP025775.D
Acq: 17 Sep 2025 21:16




Instrument :
BNA_P
ClientSampleId :
PB169719BSD


Tgt Ion:178 Resp: 1871116
Ion Ratio Lower Upper
178 100
176 19.1 15.4 23.2
179 15.2 12.2 18.4



#72
Anthracene
Concen: 39.072 ng
RT: 17.319 min Scan# 2445
Delta R.T. -0.000 min
Lab File: BP025775.D
Acq: 17 Sep 2025 21:16

Tgt Ion:178 Resp: 1900966
Ion Ratio Lower Upper
178 100
176 18.7 14.8 22.2
179 15.3 12.2 18.4









#73
Carbazole
Concen: 39.414 ng
RT: 17.601 min Scan# 2493
Delta R.T. -0.000 min
Lab File: BP025775.D
Acq: 17 Sep 2025 21:16




Instrument :
BNA_P
ClientSampleId :
PB169719BSD


Tgt Ion:167 Resp: 1782815
Ion Ratio Lower Upper
167 100
166 21.5 17.0 25.4
139 13.0 10.6 16.0



#74
Di-n-butylphthalate
Concen: 39.143 ng
RT: 18.183 min Scan# 2592
Delta R.T. -0.000 min
Lab File: BP025775.D
Acq: 17 Sep 2025 21:16

Tgt Ion:149 Resp: 2172820
Ion Ratio Lower Upper
149 100
150 9.4 7.4 11.0
104 5.5 4.3 6.5





#75

Fluoranthene

Concen: 39.271 ng

RT: 19.313 min Scan# 21

Delta R.T. -0.000 min

Lab File: BP025775.D

Acq: 17 Sep 2025 21:16

Instrument :

BNA_P

ClientSampleId :

PB169719BSD





Tgt Ion:202 Resp: 2258488

Ion Ratio Lower Upper

202 100

101 10.4 0.0 30.4

203 17.7 0.0 37.4



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.630 min Scan# 3178

Delta R.T. -0.012 min

Lab File: BP025775.D

Acq: 17 Sep 2025 21:16




Tgt Ion:240 Resp: 850188


Ion Ratio Lower Upper

240 100

120 9.9 8.0 12.0

236 25.5 20.7 31.1





#77

Benzidine

Concen: 34.474 ng

RT: 19.507 min Scan# 2817

Delta R.T. -0.000 min

Lab File: BP025775.D

Acq: 17 Sep 2025 21:16

Instrument :

BNA_P

ClientSampleId :

PB169719BSD





Tgt Ion:184 Resp: 844260

Ion Ratio Lower Upper

184 100

185 14.1 11.5 17.3

183 11.2 9.2 13.8



#78

Pyrene

Concen: 41.272 ng

RT: 19.689 min Scan# 2848

Delta R.T. -0.000 min

Lab File: BP025775.D

Acq: 17 Sep 2025 21:16




Tgt Ion:202 Resp: 2341307


Ion Ratio Lower Upper

202 100

200 20.6 17.0 25.6

203 17.5 13.9 20.9









#79
Terphenyl-d14
Concen: 72.740 ng
RT: 19.901 min Scan# 21
Delta R.T. -0.012 min
Lab File: BP025775.D
Acq: 17 Sep 2025 21:16




Instrument :
BNA_P
ClientSampleId :
PB169719BSD


Tgt Ion:244 Resp: 3437645
Ion Ratio Lower Upper
244 100
212 7.7 5.9 8.9
122 10.1 7.1 10.7



#80
Butylbenzylphthalate
Concen: 42.053 ng
RT: 20.630 min Scan# 3008
Delta R.T. -0.012 min
Lab File: BP025775.D
Acq: 17 Sep 2025 21:16

Tgt Ion:149 Resp: 1046003
Ion Ratio Lower Upper
149 100
91 72.8 56.6 85.0
206 21.8 17.4 26.0









#81
Benzo(a)anthracene
Concen: 40.162 ng
RT: 21.601 min Scan# 3173
Delta R.T. -0.018 min
Lab File: BP025775.D
Acq: 17 Sep 2025 21:16




Instrument :
BNA_P
ClientSampleId :
PB169719BSD


Tgt Ion:228 Resp: 2337622
Ion Ratio Lower Upper
228 100
226 26.6 21.6 32.4
229 19.4 15.7 23.5



#82
3,3'-Dichlorobenzidine
Concen: 27.637 ng
RT: 21.524 min Scan# 3160
Delta R.T. -0.012 min
Lab File: BP025775.D
Acq: 17 Sep 2025 21:16

Tgt Ion:252 Resp: 556223
Ion Ratio Lower Upper
252 100
254 62.8 51.4 77.0
126 10.1 8.3 12.5





#83

Chrysene

Concen: 39.453 ng

RT: 21.677 min Scan# 3186

Delta R.T. -0.012 min

Lab File: BP025775.D

Acq: 17 Sep 2025 21:16

Instrument :

BNA_P

ClientSampleId :

PB169719BSD





Tgt Ion:228 Resp: 2189029

Ion Ratio Lower Upper

228 100

226 29.8 23.8 35.6

229 19.3 15.6 23.4



#84

Bis(2-ethylhexyl)phthalate

Concen: 41.016 ng

RT: 21.536 min Scan# 3162

Delta R.T. -0.012 min

Lab File: BP025775.D

Acq: 17 Sep 2025 21:16




Tgt Ion:149 Resp: 1492610


Ion Ratio Lower Upper

149 100

167 28.6 22.9 34.3

279 4.5 3.8 5.8









#85
Di-n-octyl phthalate
Concen: 39.218 ng
RT: 22.813 min Scan# 31
Delta R.T. -0.018 min
Lab File: BP025775.D
Acq: 17 Sep 2025 21:16




Instrument :
BNA_P
ClientSampleId :
PB169719BSD


Tgt Ion:149 Resp: 2538713
Ion Ratio Lower Upper
149 100
167 1.6 1.3 1.9
43 10.3 8.0 12.0



#86
Perylene-d12
Concen: 20.000 ng
RT: 24.983 min Scan# 3748
Delta R.T. -0.018 min
Lab File: BP025775.D
Acq: 17 Sep 2025 21:16

Tgt Ion:264 Resp: 857103
Ion Ratio Lower Upper
264 100
260 23.5 18.3 27.5
265 21.3 17.3 25.9









#87
Indeno(1,2,3-cd)pyrene
Concen: 42.609 ng
RT: 28.818 min Scan# 4403
Delta R.T. -0.018 min
Lab File: BP025775.D
Acq: 17 Sep 2025 21:16




Instrument :
BNA_P
ClientSampleId :
PB169719BSD


Tgt Ion:276 Resp: 2655840
Ion Ratio Lower Upper
276 100
138 23.6 13.4 20.2#
277 25.4 9.1 13.7#



#88
Benzo(b)fluoranthene
Concen: 41.733 ng
RT: 23.913 min Scan# 3566
Delta R.T. -0.018 min
Lab File: BP025775.D
Acq: 17 Sep 2025 21:16

Tgt Ion:252 Resp: 2187404
Ion Ratio Lower Upper
252 100
253 22.0 17.9 26.9
125 9.3 7.3 10.9





#89

Benzo(k)fluoranthene

Concen: 42.519 ng

RT: 23.977 min Scan# 31

Delta R.T. -0.024 min

Lab File: BP025775.D

Acq: 17 Sep 2025 21:16

Instrument :

BNA_P

ClientSampleId :

PB169719BSD





Tgt Ion:252 Resp: 2274107

Ion Ratio Lower Upper

252 100

253 21.9 17.5 26.3

125 9.2 7.5 11.3



#90

Benzo(a)pyrene

Concen: 40.677 ng

RT: 24.812 min Scan# 3719

Delta R.T. -0.029 min

Lab File: BP025775.D

Acq: 17 Sep 2025 21:16




Tgt Ion:252 Resp: 2087891


Ion Ratio Lower Upper

252 100

253 22.3 17.2 25.8

125 10.4 8.3 12.5









#91
Dibenzo(a,h)anthracene
Concen: 42.636 ng
RT: 28.883 min Scan# 4411
Delta R.T. -0.035 min
Lab File: BP025775.D
Acq: 17 Sep 2025 21:16




Instrument :
BNA_P
ClientSampleId :
PB169719BSD

Tgt Ion:278 Resp: 2174745
Ion Ratio Lower Upper
278 100
139 15.1 12.1 18.1
279 23.4 19.6 29.4



#92
Benzo(g,h,i)perylene
Concen: 43.339 ng
RT: 30.006 min Scan# 4602
Delta R.T. -0.006 min
Lab File: BP025775.D
Acq: 17 Sep 2025 21:16

Tgt Ion:276 Resp: 2173956
Ion Ratio Lower Upper
276 100
277 22.9 18.7 28.1
138 20.8 16.0 24.0



Manual Integration Report

Sequence:	BP091225	Instrument	BNA_p

Sample ID	File ID	Parameter	Review By	Review On	Supervised By	Supervised On	Reason
SSTDICC2.5	BP025725.D	n-Nitroso-di-n-propylamine	Rahul	9/12/2025 10:21:39 AM	Jagrut	9/12/2025 11:46:19 AM	Peak Integrated by Software
SSTDICC005	BP025726.D	4-Nitroaniline	Rahul	9/12/2025 10:21:42 AM	Jagrut	9/12/2025 11:46:21 AM	Peak Integrated by Software
SSTDICC010	BP025727.D	Benzaldehyde	Rahul	9/12/2025 10:21:45 AM	Jagrut	9/12/2025 11:46:23 AM	Peak Integrated by Software
SSTDICC010	BP025727.D	Benzoic acid	Rahul	9/12/2025 10:21:45 AM	Jagrut	9/12/2025 11:46:23 AM	Peak Integrated by Software
SSTDICC010	BP025727.D	Caprolactam	Rahul	9/12/2025 10:21:45 AM	Jagrut	9/12/2025 11:46:23 AM	Peak Integrated by Software
SSTDICC020	BP025728.D	Benzaldehyde	Rahul	9/12/2025 10:21:48 AM	Jagrut	9/12/2025 11:46:26 AM	Peak Integrated by Software
SSTDICCC040	BP025729.D	Benzaldehyde	Rahul	9/12/2025 10:21:51 AM	Jagrut	9/12/2025 11:46:29 AM	Peak Integrated by Software
SSTDICC050	BP025733.D	Benzaldehyde	Rahul	9/12/2025 10:21:53 AM	Jagrut	9/12/2025 11:49:15 AM	Peak Integrated by Software
SSTDICV040	BP025734.D	Benzaldehyde	Rahul	9/12/2025 10:21:56 AM	Jagrut	9/12/2025 11:49:18 AM	Peak Integrated by Software
SSTDICV040	BP025734.D	Benzidine	Rahul	9/12/2025 10:21:56 AM	Jagrut	9/12/2025 11:49:18 AM	Peak Integrated by Software
SSTDCCC040	BP025744.D	Benzaldehyde	Rahul	9/15/2025 8:28:08 AM	Jagrut	9/15/2025 10:12:19 AM	Peak Integrated by Software
SSTDCCC040	BP025744.D	Benzo(g,h,i)perylene	Rahul	9/15/2025 8:28:08 AM	Jagrut	9/15/2025 10:12:19 AM	Peak Integrated by Software



Manual Integration Report			
Sequence:	BP091225	Instrument	BNA_p

Sample ID	File ID	Parameter	Review By	Review On	Supervised By	Supervised On	Reason

Manual Integration Report

Sequence:	BP091725	Instrument	BNA_p

Sample ID	File ID	Parameter	Review By	Review On	Supervised By	Supervised On	Reason
PB169719BS	BP025774.D	Caprolactam	Rahul	9/19/2025 8:47:34 AM	Jagrut	9/19/2025 10:17:58 AM	Peak Integrated by Software

Instrument ID: **BNA_P**

Daily Analysis Runlog For Sequence/QC Batch ID # BP091225

Review By	Rahul	Review On	9/12/2025 10:23:37 AM
Supervise By	Jagrut	Supervise On	9/12/2025 11:49:47 AM
SubDirectory	BP091225	HP Acquire Method	BNA_P
		HP Processing Method	BP091225
STD. NAME	STD REF.#		
Tune/Reschk	SP6757		
Initial Calibration Stds	SP6833,SP6834,SP6835,SP6836,SP6837,SP6838,SP6839,SP6840		
CCC	SP6836		
Internal Standard/PEM	S13174,10ul/1000ul sample		
ICV/I.BLK	SP6796		
Surrogate Standard			
MS/MSD Standard			
LCS Standard			

Sr#	SampleId	Data File Name	Date-Time	Operator	Status
1	DFTPP	BP025724.D	11 Sep 2025 08:09	CG/JU	Ok
2	SSTDICC2.5	BP025725.D	11 Sep 2025 08:56	CG/JU	Ok,M
3	SSTDICC005	BP025726.D	11 Sep 2025 09:37	CG/JU	Ok,M
4	SSTDICC010	BP025727.D	11 Sep 2025 10:18	CG/JU	Ok,M
5	SSTDICC020	BP025728.D	11 Sep 2025 10:59	CG/JU	Ok,M
6	SSTDICCC040	BP025729.D	11 Sep 2025 12:21	CG/JU	Ok,M
7	SSTDICC050	BP025730.D	11 Sep 2025 13:02	CG/JU	Not Ok
8	SSTDICC060	BP025731.D	11 Sep 2025 13:43	CG/JU	Ok
9	SSTDICC080	BP025732.D	11 Sep 2025 14:24	CG/JU	Ok
10	SSTDICC050	BP025733.D	11 Sep 2025 15:20	CG/JU	Ok,M
11	SSTDICV040	BP025734.D	11 Sep 2025 16:54	CG/JU	Ok,M
12	PB169633BL	BP025735.D	11 Sep 2025 17:35	CG/JU	Ok
13	DFTPP	BP025736.D	12 Sep 2025 09:03	CG/JU	Ok
14	SSTDCCC040	BP025737.D	12 Sep 2025 10:24	CG/JU	Ok
15	PB169490BL	BP025738.D	12 Sep 2025 11:05	CG/JU	Ok
16	Q2893-02	BP025739.D	12 Sep 2025 11:46	CG/JU	Ok,M
17	Q2893-08	BP025740.D	12 Sep 2025 12:27	CG/JU	Ok,M
18	Q2893-01	BP025741.D	12 Sep 2025 13:08	CG/JU	Ok,M
19	Q2893-07	BP025742.D	12 Sep 2025 13:49	CG/JU	Ok,M
20	PB169499BL	BP025743.D	12 Sep 2025 14:30	CG/JU	Ok
21	SSTDCCC040	BP025744.D	12 Sep 2025 15:35	CG/JU	Ok,M

M : Manual Integration

Instrument ID: BNA_P

Daily Analysis Runlog For Sequence/QC Batch ID # BP091725

Review By	Rahul	Review On	9/18/2025 1:34:08 PM
Supervise By	Jagrut	Supervise On	9/18/2025 5:22:36 PM
SubDirectory	BP091725	HP Acquire Method	BNA_P
		HP Processing Method	BP091225
STD. NAME	STD REF.#		
Tune/Reschk	SP6757		
Initial Calibration Stds	SP6833,SP6834,SP6835,SP6836,SP6837,SP6838,SP6839,SP6840		
CCC	SP6836		
Internal Standard/PEM	S13175,10ul/1000ul sample		
ICV/I.BLK	SP6796		
Surrogate Standard			
MS/MSD Standard			
LCS Standard			

Sr#	SampleId	Data File Name	Date-Time	Operator	Status
1	DFTPP	BP025768.D	17 Sep 2025 11:22	CG/JU	Ok
2	SSTDCCC040	BP025769.D	17 Sep 2025 12:03	CG/JU	Ok
3	PB169672BL	BP025770.D	17 Sep 2025 14:26	CG/JU	Ok
4	Q3015-03	BP025771.D	17 Sep 2025 15:07	CG/JU	Dilution
5	Q3015-03DL	BP025772.D	17 Sep 2025 17:51	CG/JU	Ok,M
6	Q3015-22	BP025773.D	17 Sep 2025 19:13	CG/JU	Ok
7	PB169719BS	BP025774.D	17 Sep 2025 20:35	CG/JU	Ok,M
8	PB169719BSD	BP025775.D	17 Sep 2025 21:16	CG/JU	Ok
9	PB169719BL	BP025776.D	17 Sep 2025 21:56	CG/JU	Ok
10	SSTDCCC040	BP025777.D	17 Sep 2025 22:37	CG/JU	Ok

M : Manual Integration

Instrument ID: BNA_P

Daily Analysis Runlog For Sequence/QC Batch ID # BP091225

Review By	Rahul	Review On	9/12/2025 10:23:37 AM
Supervise By	Jagrut	Supervise On	9/12/2025 11:49:47 AM
SubDirectory	BP091225	HP Acquire Method	BNA_P
		HP Processing Method	BP091225

STD. NAME	STD REF.#
Tune/Reschk	SP6757
Initial Calibration Stds	SP6833,SP6834,SP6835,SP6836,SP6837,SP6838,SP6839,SP6840
CCC	SP6836
Internal Standard/PEM	S13174,10ul/1000ul sample
ICV/I.BLK	SP6796
Surrogate Standard	
MS/MSD Standard	
LCS Standard	

Sr#	SampleID	ClientID	Data File Name	Date-Time	Comment	Operator	Status
1	DFTPP	DFTPP	BP025724.D	11 Sep 2025 08:09		CG/JU	Ok
2	SSTDICC2.5	SSTDICC2.5	BP025725.D	11 Sep 2025 08:56		CG/JU	Ok,M
3	SSTDICC005	SSTDICC005	BP025726.D	11 Sep 2025 09:37		CG/JU	Ok,M
4	SSTDICC010	SSTDICC010	BP025727.D	11 Sep 2025 10:18		CG/JU	Ok,M
5	SSTDICC020	SSTDICC020	BP025728.D	11 Sep 2025 10:59		CG/JU	Ok,M
6	SSTDICCC040	SSTDICCC040	BP025729.D	11 Sep 2025 12:21	Compound#54 & 56 are Kept on LR	CG/JU	Ok,M
7	SSTDICC050	SSTDICC050	BP025730.D	11 Sep 2025 13:02	Not Used	CG/JU	Not Ok
8	SSTDICC060	SSTDICC060	BP025731.D	11 Sep 2025 13:43		CG/JU	Ok
9	SSTDICC080	SSTDICC080	BP025732.D	11 Sep 2025 14:24		CG/JU	Ok
10	SSTDICC050	SSTDICC050	BP025733.D	11 Sep 2025 15:20		CG/JU	Ok,M
11	SSTDICV040	ICVBP091225	BP025734.D	11 Sep 2025 16:54		CG/JU	Ok,M
12	PB169633BL	PB169633BL	BP025735.D	11 Sep 2025 17:35		CG/JU	Ok
13	DFTPP	DFTPP	BP025736.D	12 Sep 2025 09:03		CG/JU	Ok
14	SSTDICCC040	SSTDICCC040	BP025737.D	12 Sep 2025 10:24		CG/JU	Ok
15	PB169490BL	PB169490BL	BP025738.D	12 Sep 2025 11:05		CG/JU	Ok
16	Q2893-02	LOQ-SOIL-02-QT3-202	BP025739.D	12 Sep 2025 11:46	LOQ-SOIL-10PPM	CG/JU	Ok,M
17	Q2893-08	LOQ-WATER-02-QT3-2	BP025740.D	12 Sep 2025 12:27	LOQ-WATER-10 PPM	CG/JU	Ok,M

Instrument ID: BNA_P

Daily Analysis Runlog For Sequence/QC Batch ID # BP091225

Review By	Rahul	Review On	9/12/2025 10:23:37 AM		
Supervise By	Jagrut	Supervise On	9/12/2025 11:49:47 AM		
SubDirectory	BP091225	HP Acquire Method	BNA_P	HP Processing Method	BP091225
STD. NAME		STD REF.#			
Tune/Reschk		SP6757			
Initial Calibration Stds		SP6833,SP6834,SP6835,SP6836,SP6837,SP6838,SP6839,SP6840			
CCC		SP6836			
Internal Standard/PEM		S13174,10ul/1000ul sample			
ICV/I.BLK		SP6796			
Surrogate Standard					
MS/MSD Standard					
LCS Standard					

18	Q2893-01	LOD-MDL-SOIL-01-QT	BP025741.D	12 Sep 2025 13:08	LOD-MDL-SOIL-8PPM	CG/JU	Ok,M
19	Q2893-07	LOD-MDL-WATER-01-QT	BP025742.D	12 Sep 2025 13:49	LOD-MDL-WATER-8PPM	CG/JU	Ok,M
20	PB169499BL	PB169499BL	BP025743.D	12 Sep 2025 14:30		CG/JU	Ok
21	SSTDCCC040	SSTDCCC040EC	BP025744.D	12 Sep 2025 15:35		CG/JU	Ok,M

M : Manual Integration

Instrument ID: BNA_P

Daily Analysis Runlog For Sequence/QC Batch ID # BP091725

Review By	Rahul	Review On	9/18/2025 1:34:08 PM
Supervise By	Jagrut	Supervise On	9/18/2025 5:22:36 PM
SubDirectory	BP091725	HP Acquire Method	BNA_P
		HP Processing Method	BP091225

STD. NAME	STD REF.#
Tune/Reschk	SP6757
Initial Calibration Stds	SP6833,SP6834,SP6835,SP6836,SP6837,SP6838,SP6839,SP6840
CCC	SP6836
Internal Standard/PEM	S13175,10ul/1000ul sample
ICV/I.BLK	SP6796
Surrogate Standard	
MS/MSD Standard	
LCS Standard	

Sr#	SampleId	ClientID	Data File Name	Date-Time	Comment	Operator	Status
1	DFTPP	DFTPP	BP025768.D	17 Sep 2025 11:22		CG/JU	Ok
2	SSTDCCC040	SSTDCCC040	BP025769.D	17 Sep 2025 12:03		CG/JU	Ok
3	PB169672BL	PB169672BL	BP025770.D	17 Sep 2025 14:26		CG/JU	Ok
4	Q3015-03	WP0925-PT-BN-WP	BP025771.D	17 Sep 2025 15:07	PT Sample-Need 5X dilution	CG/JU	Dilution
5	Q3015-03DL	WP0925-PT-BN-WPDL	BP025772.D	17 Sep 2025 17:51		CG/JU	Ok,M
6	Q3015-22	WP0925-RR-TRIAZINE	BP025773.D	17 Sep 2025 19:13		CG/JU	Ok
7	PB169719BS	PB169719BS	BP025774.D	17 Sep 2025 20:35		CG/JU	Ok,M
8	PB169719BSD	PB169719BSD	BP025775.D	17 Sep 2025 21:16		CG/JU	Ok
9	PB169719BL	PB169719BL	BP025776.D	17 Sep 2025 21:56		CG/JU	Ok
10	SSTDCCC040	SSTDCCC040EC	BP025777.D	17 Sep 2025 22:37		CG/JU	Ok

M : Manual Integration

SOP ID:	M3510C,3580A-Extraction SVOC-21		
Clean Up SOP #:	N/A	Extraction Start Date :	09/17/2025
Matrix :	Water	Extraction Start Time :	09:05
Weigh By:	N/A	Extraction By:	RJ
Balance check:	N/A	Extraction End Date :	09/17/2025
Balance ID:	N/A	Filter By:	RJ
pH Strip Lot#:	E3953	Extraction End Time :	14:15
		Concentration By:	EH
		Supervisor By :	ritesh
Extraction Method:	☒ Separatory Funnel ☐ Continuous Liquid/Liquid ☐ Sonication ☐ Waste Dilution ☐ Soxhlet		

Standard Name	MLS USED	Concentration ug/mL	STD REF. # FROM LOG
Spike Sol 1	1.0ML	50/100 PPM	SP6865
Surrogate	1.0ML	100/150 PPM	SP6869
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
Methylene Chloride	N/A	E3973
Baked Na2SO4	N/A	EP2639
H2SO4 1:1	N/A	EP2610
10N NaOH	N/A	EP2609
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Extraction Conformance/Non-Conformance Comments:

pH Adjusted to < 2 with 1:1 H2SO4 & >12 with 10N NaOH, 1.5ML Vial Lot # 2210443.


KD Bath ID:	WATER BATH-1,2	Envap ID:	NE VAP-02
KD Bath Temperature:	60 °C	Envap Temperature:	40 °C

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
9/17/25	RJ (Ext-Lab)	RCL/voc
14:20	Preparation Group	Analysis Group

Analytical Method: M3510C,3580A-Extraction SVOC-21

Concentration Date: 09/17/2025

Sample ID	Client Sample ID	Test	g / mL	PH	Surr/Spike By:		Final Vol. (mL)	JarID	Comments	Prep Pos
					AddedBy	VerifiedBy				
PB169719BL	SBLK719	SVOCMS Group2	1000	6	ritesh	Evelyn	1			SEP-1
PB169719BS	SLCS719	SVOCMS Group2	1000	6	ritesh	Evelyn	1			2
PB169719BS D	SLCSD719	SVOCMS Group2	1000	6	ritesh	Evelyn	1			3
Q3015-03	WP0925-PT-BN-WP	SVOCMS Group1	1000	6	ritesh	Evelyn	1			4
Q3015-06	WP0925-PT-ACIDS-WP	SVOCMS Group2	1000	6	ritesh	Evelyn	1			5
Q3015-22	WP0925-RR-TRIAZINE-WP	SVOCMS Group6	1000	6	ritesh	Evelyn	1			6
Q3083-03	MW3S	SVOCMS Group2	1000	6	ritesh	Evelyn	1	F		7
Q3103-01	TW-WTS-14	SVOCMS Group4	1000	6	ritesh	Evelyn	1	D		8
Q3108-01	MW2	SVOCMS Group1	1000	6	ritesh	Evelyn	1	C		9



RJ
9/17

* Extracts relinquished on the same date as received.

9:05
Q3015-SVOCMS Group6

WORKLIST(Hardcopy Internal Chain)

WorkList Name : Q3108 WorkList ID : 191910 Department : Extraction Date : 09-17-2025 09:00:24

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q3015-03	WP0925-PT-BN-WP	Water	SVOCMS Group1	Cool 4 deg C	ALLI03	QA Of	09/02/2025	8270E
Q3015-06	WP0925-PT-ACIDS-WP	Water	SVOCMS Group2	Cool 4 deg C	ALLI03	QA Of	09/02/2025	8270E
Q3015-22	WP0925-RR-TRIAZINE-WP	Water	SVOCMS Group6	Cool 4 deg C	ALLI03	QA Of	09/05/2025	8270E
Q3083-03	MW3S	Water	SVOCMS Group2	Cool 4 deg C	GENV01	D31	09/11/2025	8270E
Q3103-01	TW-WTS-14	Water	SVOCMS Group4	Cool 4 deg C	ENTA05	J22	09/15/2025	8270E
Q3108-01	MW2	Water	SVOCMS Group1	Cool 4 deg C	GENV01	A11	09/15/2025	8270E

Date/Time 9/17/25 9:00
Raw Sample Received by: RJ (EPA-Celo)
Raw Sample Relinquished by: RJ SH

Date/Time 9/17/25 9:30
Raw Sample Received by: RJ SH
Raw Sample Relinquished by: RJ (EPA-Celo)

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17

Prep Standard - Chemical Standard Summary

Order ID : Q3015
Test : SVOCMS Group6
Prepbatch ID : PB169719,
Sequence ID/Qc Batch ID: BP091725,

Standard ID :
EP2609,EP2610,EP2639,SP6757,SP6795,SP6796,SP6832,SP6833,SP6834,SP6835,SP6836,SP6837,SP6838,SP6839,SP6840,SP6865,SP6869,

Chemical ID :
10ul/1000ul
sample,E3657,E3875,E3904,E3932,E3939,E3942,E3965,E3973,M6157,S10105,S11073,S11484,S11496,S11652,S11808,S12115,S12195,S12197,S12199,S12200,S12216,S12220,S12221,S12272,S12277,S12278,S12498,S12507,S12508,S12544,S12552,S12553,S12554,S12555,S12556,S12557,S12558,S12559,S12577,S12667,S12670,S12903,S12904,S12986,S13057,S13078,S13089,S13090,S13091,S13092,S13093,S13094,S13095,S13096,S13118,S13119,S13120,S13149,S13160,S13175,S13207,S13208,S13209,S13210,S13211,S13239,S13240,S13241,S13242,S13243,S13244,S13269,W3112,

Extractions STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
1874	10 N SODIUM HYDROXIDE SOLN	EP2609	05/07/2025	11/07/2025	RUPESHKUMAR SHAH	Extraction_SC ALE_2	None	Riteshkumar Patel

(EX-SC-2)

FROM 1000.00000ml of W3112 + 400.00000gram of E3657 = Final Quantity: 1000.000 ml

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
314	1.1 H2SO4 SOLN	EP2610	05/07/2025	11/07/2025	RUPESHKUMAR SHAH	Extraction_SC ALE_2	None	Riteshkumar Patel

(EX-SC-2)

FROM 1000.00000ml of M6157 + 1000.00000ml of W3112 = Final Quantity: 2000.000 ml

Extractions STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
3923	Baked Sodium Sulfate	EP2639	09/12/2025	01/28/2026	Riteshkumar Patel	Extraction_SC ALE_2 (EX-SC-2)	None	Evelyn Huang 09/12/2025

FROM 4000.00000gram of E3875 = Final Quantity: 4000.000 gram

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
3895	50 ug/ml DFTTP 8270E	SP6757	03/31/2025	09/30/2025	Rahul Chavli	None	None	Jagrut Upadhyay 04/01/2025

FROM 1.00000ml of S12577 + 19.00000ml of E3904 = Final Quantity: 20.000 ml

SVOC STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
18	Second Source Calibration Stock Standard, 100 PPM,	SP6795	06/05/2025	09/18/2025	Jagrut Upadhyay	None	None	Rahul Chavli
(8270/825/CLP) FROM 0.04000ml of S12195 + 0.08000ml of S12216 + 0.10000ml of S11073 + 0.20000ml of S12498 + 0.20000ml of S12544 + 0.20000ml of S12986 + 1.18000ml of E3939 = Final Quantity: 2.000 ml								

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
416	40 ng BNA ICV, 40 PPM	SP6796	06/05/2025	09/18/2025	Jagrut Upadhyay	None	None	Rahul Chavli
FROM 0.01000ml of S12667 + 0.60000ml of E3939 + 0.40000ml of SP6795 = Final Quantity: 1.010 ml								

SVOC STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
4178	8270/625.1 Stock Solution-2 100 ng	SP6832	06/19/2025	10/28/2025	Jagrut Upadhyay	None	None	Rahul Chavli
								07/21/2025

FROM 0.20000ml of S13211 + 0.26700ml of S10105 + 0.40000ml of S11496 + 0.40000ml of S12278 + 0.50000ml of S12115 + 0.50000ml of S13209 + 0.50000ml of S13210 + 0.60000ml of S12277 + 1.00000ml of S12272 + 1.00000ml of S13057 + 1.00000ml of S13078 + 1.00000ml of S13208 + 2.63300ml of E3942 = Final Quantity: 10.000 ml

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
4179	80 ng BNA ICC	SP6833	06/19/2025	10/28/2025	Jagrut Upadhyay	None	None	Rahul Chavli
								07/21/2025

FROM 0.01000ml of S12670 + 0.20000ml of E3942 + 0.80000ml of SP6832 = Final Quantity: 1.010 ml

SVOC STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
4180	60 ng BNA ICC	SP6834	06/19/2025	10/28/2025	Jagrut Upadhyay	None	None	Rahul Chavli
								07/21/2025

FROM 0.01000ml of S12670 + 0.40000ml of E3942 + 0.60000ml of SP6832 = Final Quantity: 1.010 ml

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
4181	50 ng BNA ICC	SP6835	06/19/2025	10/28/2025	Jagrut Upadhyay	None	None	Rahul Chavli
								07/21/2025

FROM 0.01000ml of S12670 + 0.50000ml of E3942 + 0.50000ml of SP6832 = Final Quantity: 1.010 ml

SVOC STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
4182	40 ng BNA ICC	SP6836	06/19/2025	10/28/2025	Jagrut Upadhyay	None	None	Rahul Chavli
								07/21/2025

FROM 0.01000ml of S12670 + 0.60000ml of E3942 + 0.40000ml of SP6832 = Final Quantity: 1.010 ml

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
4183	20 ng BNA ICC	SP6837	06/19/2025	10/28/2025	Jagrut Upadhyay	None	None	Rahul Chavli
								07/21/2025

FROM 0.01000ml of S12670 + 0.80000ml of E3942 + 0.20000ml of SP6832 = Final Quantity: 1.010 ml

SVOC STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
4184	10 ng BNA ICC	SP6838	06/19/2025	10/28/2025	Jagrut Upadhyay	None	None	Rahul Chavli
								07/21/2025

FROM 0.01000ml of S12670 + 0.90000ml of E3942 + 0.10000ml of SP6832 = Final Quantity: 1.010 ml

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
4185	5 ng BNA ICC	SP6839	06/19/2025	10/28/2025	Jagrut Upadhyay	None	None	Rahul Chavli
								07/21/2025

FROM 0.01000ml of S12670 + 0.95000ml of E3942 + 0.05000ml of SP6832 = Final Quantity: 1.010 ml

SVOC STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
4186	2.5 ng BNA ICC	SP6840	06/19/2025	10/28/2025	Jagrut Upadhyay	None	None	Rahul Chavli
								07/21/2025

FROM 0.01000ml of S12670 + 0.50000ml of E3942 + 0.50000ml of SP6839 = Final Quantity: 1.010 ml

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
171	8270/625 Spike Solution, 50/100 PPM	SP6865	08/25/2025	10/30/2025	Jagrut Upadhyay	None	None	Rahul Chavli
								08/26/2025

FROM 0.40000ml of S11484 + 0.40000ml of S11652 + 0.40000ml of S12552 + 0.40000ml of S13149 + 0.40000ml of S13160 + 0.40000ml of S13207 + 0.90000ml of S12507 + 0.90000ml of S13089 + 1.10000ml of S13120 + 1.20000ml of S12553 + 1.20000ml of S12554 + 1.20000ml of S12555 + 1.20000ml of S12556 + 1.20000ml of S12557 + 1.20000ml of S12558 + 1.20000ml of S12559 + 1.20000ml of S13269 + 1.30000ml of S11808 + 1.30000ml of S12508 + 1.30000ml of S13090 + 1.30000ml of S13091 + 1.30000ml of S13092 + 1.30000ml of S13093 + 1.30000ml of S13094 + 1.30000ml of S13095 + 1.30000ml of S13096 + 1.30000ml of S13118 + 1.30000ml of S13119 + 1.30000ml of S13239 + 1.30000ml of S13240 + 1.30000ml of S13241 + 1.30000ml of S13242 + 1.30000ml of S13243 + 1.30000ml of S13244 + 163.00000ml of E3932 = Final Quantity: 200.000 ml

SVOC STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
19	8270/CLP Surrogate Solution, 100 PPM BN/150 PPM ACID	SP6869	09/10/2025	01/02/2026	Jagrut Upadhyay	None	None	Rahul Chavli
FROM 3.00000ml of S12197 + 3.00000ml of S12220 + 5.60000ml of S12221 + 5.60000ml of S12903 + 5.80000ml of S12904 + 6.00000ml of S12199 + 6.00000ml of S12200 + 965.00000ml of E3965 = Final Quantity: 1000.000 ml								

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	PC19510-5 / Sodium Hydroxide Pellets 2.5 Kg, Pk of 4	23B1556310	12/31/2025	12/04/2023 / Rajesh	12/01/2023 / Rajesh	E3657

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	PC19631-100 / SODIUM SULFATE, ANHYDROUS, PEST GRADE, 1	417203	01/28/2026	07/28/2025 / RUPESH	01/29/2025 / Rajesh	E3875

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9644-A4 / Methylene Chloride,U-Resi, Cycle-Tainer (215L)	24K1762005	01/07/2026	03/13/2025 / RUPESH	12/27/2024 / RUPESH	E3904

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9254-03 / Acetone, Ultra Resi (cs/4x4L)	24H1462005	11/05/2025	05/05/2025 / RUPESH	04/23/2025 / RUPESH	E3932

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9644-A4 / Methylene Chloride,U-Resi, Cycle-Tainer (215L)	25A2862010	11/22/2025	05/22/2025 / RUPESH	02/28/2025 / RUPESH	E3939

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9644-A4 / Methylene Chloride,U-Resi, Cycle-Tainer (215L)	25A2862010	12/13/2025	06/13/2025 / Rajesh	02/28/2025 / Rajesh	E3942

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9254-03 / Acetone, Ultra Resi (cs/4x4L)	24H1462005	05/24/2027	08/22/2025 / RUPESH	08/20/2025 / RUPESH	E3965

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9644-A4 / Methylene Chloride,U-Resi, Cycle-Tainer (215L)	25C1262005	04/16/2026	09/15/2025 / Riteshkumar	09/15/2025 / Riteshkumar	E3973

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9673-33 / Sulfuric Acid, Instra-Analyzed (cs/6c2.5L)	24i1262013	11/07/2025	05/07/2025 / RUPESH	02/18/2025 / Mohan	M6157

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
CPI International	Z-112090-04 / CLP Acid Surrogate Solution, 7500 mg/L, 1ml	440246	12/19/2025	06/19/2025 / Jagrut	12/09/2021 / Christian	S10105

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	31853 / 1,4-Dioxane, 2000 ug/ml , Solvent: Methylene Chloride	A0187043	11/16/2025	05/16/2025 / Jagrut	02/06/2023 / Christian	S11073

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	555870 / Custom Standard, 2,4-dinitrophenol Std [CS 5328-3]	A0200549	10/30/2025	04/30/2025 / Rahul	08/10/2023 / yogesh	S11484

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
CPI International	Z-110094-02 / CLP Base/Neutral Surrogate Solution, 5000 mg/L, 1ml	506889	10/28/2025	04/28/2025 / Jagrut	08/11/2023 / Yogesh	S11496

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	555872 / Custom Standard, pentachlorophenol Std [CS 5328-5]	A0201728	01/30/2026	07/30/2025 / Rahul	11/09/2023 / Yogesh	S11652

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	31853 / 1,4-Dioxane, 2000 ug/ml , Solvent: Methylene Chloride	A0200655	02/25/2026	08/25/2025 / Jagrut	11/21/2023 / rahul	S11808

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
CPI International	z-010223-01 / 1,4-Dioxane Solution, 2,000mg/L, 1ml	454157	10/28/2025	04/28/2025 / Jagrut	03/08/2024 / Rahul	S12115

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	31087 / Acid Surrogate 10,000ug/ml,methanol,5ml/ ampul	A0206206	09/18/2025	03/18/2025 / anahy	03/15/2024 / Rahul	S12195

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	31087 / Acid Surrogate 10,000ug/ml,methanol,5ml/ ampul	A0206206	01/02/2026	07/02/2025 / Jagrut	03/15/2024 / Rahul	S12197

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	31087 / Acid Surrogate 10,000ug/ml,methanol,5ml/ ampul	A0206206	03/10/2026	09/10/2025 / Jagrut	03/15/2024 / Rahul	S12199

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	31087 / Acid Surrogate 10,000ug/ml,methanol,5ml/ ampul	A0206206	03/10/2026	09/10/2025 / Jagrut	03/15/2024 / Rahul	S12200

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	31086 / Base Neutral Surrogate 5000ug/ml,CH ₂ Cl ₂ ,5ml	A0206381	09/18/2025	03/18/2025 / anahy	03/15/2024 / Rahul	S12216

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	31086 / Base Neutral Surrogate 5000ug/ml,CH ₂ Cl ₂ ,5ml	A0206381	01/02/2026	07/02/2025 / Jagrut	03/15/2024 / Rahul	S12220

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	31086 / Base Neutral Surrogate 5000ug/ml,CH ₂ Cl ₂ ,5ml	A0206381	03/10/2026	09/10/2025 / Jagrut	03/15/2024 / Rahul	S12221

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
CPI International	z-110381-01 / 8270 Calibration Solution, 76-1, 500 & 1,000 mg/L, 1ml	520963	12/03/2025	06/03/2025 / Jagrut	05/24/2024 / Rahul	S12272

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
CPI International	Z-010442-07 / Benzaldehyde Solution, 1000 mg/L, 1.3 ml, (Maximum Expiration: 90 Days)	495833	11/05/2025	05/05/2025 / Jagrut	05/24/2024 / Rahul	S12277

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
CPI International	Z-010442-07 / Benzaldehyde Solution, 1000 mg/L, 1.3 ml, (Maximum Expiration: 90 Days)	495833	12/19/2025	06/19/2025 / Jagrut	05/24/2024 / Rahul	S12278

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	555223 / Custom 8270 Plus Std #1 [2nd lot at \$100 per ampul if requested - contact ARM with Request]	A0214021	12/04/2025	06/04/2025 / Jagrut	07/23/2024 / RAHUL	S12498

[CS 4978-1]

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	555223 / Custom 8270 Plus Std #1 [2nd lot at \$100 per ampul if requested - contact ARM with Request]	A0214021	01/01/2026	07/01/2025 / Rahul	07/23/2024 / RAHUL	S12507

[CS 4978-1]

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	555223 / Custom 8270 Plus Std #1 [2nd lot at \$100 per ampul if requested - contact ARM with Request]	A0214021	02/25/2026	08/25/2025 / Jagrut	07/23/2024 / RAHUL	S12508

[CS 4978-1]

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	555224 / Custom 8270 Plus Std #2 [2nd lot at \$85 per ampul if requested - contact ARM with Request]	A0214017	12/04/2025	06/04/2025 / Jagrut	07/23/2024 / RAHUL	S12544

[CS 4978-2]

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	555224 / Custom 8270 Plus Std #2 [2nd lot at \$85 per ampul if requested - contact ARM with Request]	A0214017	01/01/2026	07/01/2025 / Rahul	07/23/2024 / RAHUL	S12552

[CS 4978-2]

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	555224 / Custom 8270 Plus Std #2 [2nd lot at \$85 per ampul if requested - contact ARM with Request]	A0214017	02/25/2026	08/25/2025 / Jagrut	07/23/2024 / RAHUL	S12553

[CS 4978-2]

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	555224 / Custom 8270 Plus Std #2 [2nd lot at \$85 per ampul if requested - contact ARM with Request]	A0214017	02/25/2026	08/25/2025 / Jagrut	07/23/2024 / RAHUL	S12554

[CS 4978-2]

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	555224 / Custom 8270 Plus Std #2 [2nd lot at \$85 per ampul if requested - contact ARM with Request]	A0214017	02/25/2026	08/25/2025 / Jagrut	07/23/2024 / RAHUL	S12555

[CS 4978-2]

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	555224 / Custom 8270 Plus Std #2 [2nd lot at \$85 per ampul if requested - contact ARM with Request]	A0214017	02/25/2026	08/25/2025 / Jagrut	07/23/2024 / RAHUL	S12556

[CS 4978-2]

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	555224 / Custom 8270 Plus Std #2 [2nd lot at \$85 per ampul if requested - contact ARM with Request]	A0214017	02/25/2026	08/25/2025 / Jagrut	07/23/2024 / RAHUL	S12557

[CS 4978-2]

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	555224 / Custom 8270 Plus Std #2 [2nd lot at \$85 per ampul if requested - contact ARM with Request]	A0214017	02/25/2026	08/25/2025 / Jagrut	07/23/2024 / RAHUL	S12558

[CS 4978-2]

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	555224 / Custom 8270 Plus Std #2 [2nd lot at \$85 per ampul if requested - contact ARM with Request]	A0214017	02/25/2026	08/25/2025 / Jagrut	07/23/2024 / RAHUL	S12559

[CS 4978-2]

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	31615 / SV Mixture, GC/MS Tuning Mixture, CH ₂ Cl ₂ , 1mL,	A0212955	06/30/2027	03/31/2025 / Rahul	08/01/2024 / Rahul	S12577

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	31206 / SV Mix, CLP method, Internal Std, 2000ug/mL, CH ₂ Cl ₂ , 1mL	A0212266	11/28/2025	05/28/2025 / Rahul	09/20/2024 / anahy	S12667

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	31206 / SV Mix, CLP method, Internal Std, 2000ug/mL, CH ₂ Cl ₂ , 1mL	A0212266	12/16/2025	06/16/2025 / anahy	09/20/2024 / anahy	S12670

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	31086 / Base Neutral Surrogate 5000ug/ml,CH ₂ Cl ₂ ,5ml	A0216785	03/10/2026	09/10/2025 / Jagrut	12/09/2024 / anahy	S12903

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	31086 / Base Neutral Surrogate 5000ug/ml, CH ₂ Cl ₂ , 5ml	A0216785	03/10/2026	09/10/2025 / Jagrut	12/09/2024 / anahy	S12904

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	31850 / 8270 SV Mix, 8270 Mega Mix 1mL, 1000ug/mL, CH ₂ Cl ₂ [New Solvent 100% CH ₂ Cl ₂]	A0219438	09/30/2025	06/04/2025 / Jagrut	12/11/2024 / anahy	S12986

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
CPI International	Z-110816-01 / Custom 8270 Mix, 4-79, 1000 mg/L, 1 mL, (Maximum Expiration: 180 Days)	531243	12/19/2025	06/19/2025 / Jagrut	01/16/2025 / anahy	S13057

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
CPI International	Z-010074-07 / 3,3'-Dichlorobenzidine Solution, 1,000 mg/L, 1 ml, (Maximum Expiration: 180 days)	525551	11/05/2025	05/05/2025 / Jagrut	03/10/2025 / anahy	S13078

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	31850 / 8270 SV Mix, 8270 Mega Mix 1mL, 1000ug/mL, CH ₂ Cl ₂ [New Solvent 100% CH ₂ Cl ₂]	A0221014	11/30/2025	07/01/2025 / Rahul	05/20/2025 / Rahul	S13089

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	31850 / 8270 SV Mix, 8270 Mega Mix 1mL, 1000ug/mL, CH ₂ Cl ₂ [New Solvent 100% CH ₂ Cl ₂]	A0221014	11/30/2025	08/25/2025 / Jagrut	05/20/2025 / Rahul	S13090

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	31850 / 8270 SV Mix, 8270 Mega Mix 1mL, 1000ug/mL, CH ₂ Cl ₂ [New Solvent 100% CH ₂ Cl ₂]	A0221014	11/30/2025	08/25/2025 / Jagrut	05/20/2025 / Rahul	S13091

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	31850 / 8270 SV Mix, 8270 Mega Mix 1mL, 1000ug/mL, CH ₂ Cl ₂ [New Solvent 100% CH ₂ Cl ₂]	A0221014	11/30/2025	08/25/2025 / Jagrut	05/20/2025 / Rahul	S13092

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	31850 / 8270 SV Mix, 8270 Mega Mix 1mL, 1000ug/mL, CH ₂ Cl ₂ [New Solvent 100% CH ₂ Cl ₂]	A0221014	11/30/2025	08/25/2025 / Jagrut	05/20/2025 / Rahul	S13093

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	31850 / 8270 SV Mix, 8270 Mega Mix 1mL, 1000ug/mL, CH ₂ Cl ₂ [New Solvent 100% CH ₂ Cl ₂]	A0221014	11/30/2025	08/25/2025 / Jagrut	05/20/2025 / Rahul	S13094

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	31850 / 8270 SV Mix, 8270 Mega Mix 1mL, 1000ug/mL, CH ₂ Cl ₂ [New Solvent 100% CH ₂ Cl ₂]	A0221014	11/30/2025	08/25/2025 / Jagrut	05/20/2025 / Rahul	S13095

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	31850 / 8270 SV Mix, 8270 Mega Mix 1mL, 1000ug/mL, CH ₂ Cl ₂ [New Solvent 100% CH ₂ Cl ₂]	A0221014	11/30/2025	08/25/2025 / Jagrut	05/20/2025 / Rahul	S13096

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	31853 / 1,4-Dioxane, 2000 ug/ml , Solvent: Methylene Chloride	A0218894	02/25/2026	08/25/2025 / Jagrut	05/20/2025 / Rahul	S13118

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	31853 / 1,4-Dioxane, 2000 ug/ml , Solvent: Methylene Chloride	A0218894	02/25/2026	08/25/2025 / Jagrut	05/20/2025 / Rahul	S13119

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	31853 / 1,4-Dioxane, 2000 ug/ml , Solvent: Methylene Chloride	A0218894	02/25/2026	08/25/2025 / Jagrut	05/20/2025 / Rahul	S13120

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	555869 / Custom Standard, hexachlorocyclopentadiene Std [CS 5328-2]	A0201702	02/25/2026	08/25/2025 / Jagrut	11/13/2023 / Rahul	S13149

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	555871 / Custom Standard, 4-nitrophenol Std [CS 5238-4]	A0226283	02/25/2026	08/25/2025 / Jagrut	06/04/2025 / Rahul	S13160

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	31206 / SV Mix, CLP method, Internal Std, 2000ug/mL, CH2Cl2, 1mL	A0224359	03/15/2026	09/15/2025 / rahul	06/02/2025 / anahy	S13175

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	555868 / Custom Standard, Benzidine Std [CS 5328-1]	A0226493	02/12/2026	08/12/2025 / Jagrut	06/11/2025 / anahy	S13207

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	70434 / Acetophenone, Single compound solution, 1000 PPM	121622	12/19/2025	06/19/2025 / Rahul	06/19/2025 / Rahul	S13208

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	91126 / Benzoic acid 2000 ug/mL	060625	12/19/2025	06/19/2025 / Rahul	06/19/2025 / Rahul	S13209

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	90495 / 1,1-Biphenyl 2000 ug/mL	042325	12/19/2025	06/19/2025 / Rahul	06/19/2025 / Rahul	S13210

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	34571 / 1,2,4,5-Tetrachlorobenzene 5000 ug/mL	092324	12/19/2025	06/19/2025 / Rahul	06/19/2025 / Rahul	S13211

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	555223 / Custom 8270 Plus Std #1 [2nd lot at \$100 per ampul if requested - contact ARM with Request] [CS 4978-1]	A0228451	02/25/2026	08/25/2025 / Jagrut	08/06/2025 / Rahul	S13239

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	555223 / Custom 8270 Plus Std #1 [2nd lot at \$100 per ampul if requested - contact ARM with Request]	A0228451	02/25/2026	08/25/2025 / Jagrut	08/06/2025 / Rahul	S13240

[CS 4978-1]

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	555223 / Custom 8270 Plus Std #1 [2nd lot at \$100 per ampul if requested - contact ARM with Request]	A0228451	02/25/2026	08/25/2025 / Jagrut	08/06/2025 / Rahul	S13241

[CS 4978-1]

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	555223 / Custom 8270 Plus Std #1 [2nd lot at \$100 per ampul if requested - contact ARM with Request]	A0228451	02/25/2026	08/25/2025 / Jagrut	08/06/2025 / Rahul	S13242

[CS 4978-1]

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	555223 / Custom 8270 Plus Std #1 [2nd lot at \$100 per ampul if requested - contact ARM with Request]	A0228451	02/25/2026	08/25/2025 / Jagrut	08/06/2025 / Rahul	S13243

[CS 4978-1]

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	555223 / Custom 8270 Plus Std #1 [2nd lot at \$100 per ampul if requested - contact ARM with Request]	A0228451	02/25/2026	08/25/2025 / Jagrut	08/06/2025 / Rahul	S13244

[CS 4978-1]

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	555224 / Custom 8270 Plus Std #2 [2nd lot at \$85 per ampul if requested - contact ARM with Request]	A0228494	02/25/2026	08/25/2025 / Jagrut	08/06/2025 / Rahul	S13269

[CS 4978-2]

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	DIW / DI Water	Daily Lab-Certified	07/03/2029	07/03/2024 / lwona	07/03/2024 / lwona	W3112

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17



5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

Manufacturer's Quality System
Audited & Registered
by TUV USA to ISO 9001:2015

Date Received: _____

Certificate of Analysis

Rev 0

Page 1 of 1

Catalog No.:	Lot No.:	Storage:	Solvent:	Exp. Date:	Description:
Z-112090	440246	≤ -10 °C	Methylene Chloride	2/16/2026	CLP Acid Surrogate Solution, 7,500 mg/L, 1 mL
-04					

Compound	CAS No.	Purity (%)	Compound Lot No.	Concentration, mg/L
2-chlorophenol-d ₄	93951-73-6	99.3	248.12.7P	7487 ± 17.2
2-fluorophenol	367-12-4	99.8	10.7.3.3P	7513 ± 17.26
phenol-d ₆	13127-88-3	99.9	949.120.8P	7481 ± 17.19
2,4,6-tribromophenol	118-79-6	99.8	12.1.6P	7469 ± 17.17

Received on

02/25/21

by
CG

S9236
to

S9240

*Not a certified value

Manufactured by o2si smart solutions, Accredited to ISO 9001:2008 by NSF and ISO/IEC 17025:2005 (Certification No. 3031.01) and ISO Guide 34:2009 (Certification No. 3031.02) by A2LA

All weights are traceable through N. I. S. T. Test No. 822/264157-00.
Concentration (correct for purity) and uncertainty (95% confidence) values listed are determined gravimetrically.

Certified By: _____

Erica Castiglione
Chemist



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: (800)356-1688
Fax: (814)353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Received on
02/08/23

b1
CG

S 11071
to
S 11075

Catalog No. : 31853 Lot No.: A0187043
Description : 1,4-dioxane
1,4-Dioxane 2,000µg/mL, Methylene Chloride, 1mL/ampul
Container Size : 2 mL Pkg Amt: > 1 mL
Expiration Date : July 31, 2027 Storage: 0°C or colder
Ship: Ambient

CERTIFIED VALUES

Elution Order	Compound	Grav. Conc. (weight/volume)	Expanded Uncertainty (95% C.L.; K=2)
1	1,4-Dioxane CAS # 123-91-1 Purity 99% (Lot SHBN5929)	2,019.0 µg/mL	+/- 11.8486 µg/mL Gravimetric +/- 43.2570 µg/mL Unstressed +/- 44.5129 µg/mL Stressed

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%

Column:

105m x 0.53mm x 3.0µm
Rtx-502.2 (cat.#10910)

Carrier Gas:

hydrogen-constant pressure 11.0 psi.

Temp. Program:

40°C (hold 2 min.) to 240°C
@ 8°C/min. (hold 5 min.)

Inj. Temp:


200°C

Det. Temp:

250°C

Det. Type:

FID



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Brittany Federinko - Operations Tech I

Date Mixed: 07-Jul-2022

Balance: 1128360905

Marlina Cowan - Operations Tech II ARM QC

Date Passed: 12-Jul-2022

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

Acetone
BAKER RESI-ANALYZED® Reagent
For Organic Residue Analysis

avantors[™]



Material No.: 9254-03

Batch No.: 24H1462005

Manufactured Date: 2024-05-24

Expiration Date: 2027-05-24

Revision No.: 0

Certificate of Analysis

Test	Specification	Result
Assay ((CH ₃) ₂ CO) (by GC, corrected for water)	>= 99.4 %	99.8 %
Color (APHA)	<= 10	5
Residue after Evaporation	<= 1.0 ppm	0.2 ppm
Substances Reducing Permanganate	Passes Test	Passes Test
Titration Acid (μeq/g)	<= 0.3	0.2
Titration Base (μeq/g)	<= 0.6	<0.1
Water (H ₂ O)	<= 0.5 %	0.2 %
FID-Sensitive Impurities (as 2-Octanol) Single Impurity Peak (ng/mL)	<= 5	<1
ECD Sensitive Impurities (as Heptachlor Epoxide) Single Peak (pg/mL)	<= 10	1

For Laboratory, Research, or Manufacturing Use

MEETS SPECIFICATIONS WITHIN THE EXPIRATION PERIOD

Country of Origin: United States

Packaging Site: Phillipsburg Mfg Ctr & DC

Rec on 8/20/25

E3965

Jamie Croak
Director Quality Operations, Bioscience Production

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700



Certificate of Analysis

Sodium Hydroxide (Pellets)

Material: 0583
Grade: ACS GRADE
Batch Number: 23B1556310

Chemical Formula: NaOH
Molecular Weight: 40
CAS #: 1310-73-2
Appearance:

Manufacture Date: 12/14/2022
Expiration Date: 12/31/2025

Storage: Room Temperature

Pellets

TEST	SPECIFICATION	ANALYSIS	DISPOSITION
Calcium	$\leq 0.005 \%$	$< 0.005 \%$	PASS
Chloride	$\leq 0.005 \%$	0.002 %	PASS
Heavy Metals	$\leq 0.002 \%$	$< 0.002 \%$	PASS
Iron	$\leq 0.001 \%$	$< 0.001 \%$	PASS
Magnesium	$\leq 0.002 \%$	$< 0.002 \%$	PASS
Mercury	$\leq 0.1 \text{ ppm}$	$< 0.1 \text{ ppm}$	PASS
Nickel	$\leq 0.001 \%$	$< 0.001 \%$	PASS
Nitrogen Compounds	$\leq 0.001 \%$	$< 0.001 \%$	PASS
Phosphate	$\leq 0.001 \%$	$< 0.001 \%$	PASS
Potassium	$\leq 0.02 \%$	$< 0.02 \%$	PASS
Purity	$\geq 97.0 \%$	99.2 %	PASS
Sodium Carbonate	$\leq 1.0 \%$	0.5 %	PASS
Sulfate	$\leq 0.003 \%$	$< 0.003 \%$	PASS

Internal ID #: 710

Signature

We certify that this batch conforms to the specifications listed.


This document has been electronically produced and is valid without a signature.

Leona Edwardson, Quality Control Sr. Manager - Solon
VWR Chemicals, LLC.
28600 Fountain Parkway, Solon OH 44139 USA

Additional Information

Analysis may have been rounded to significant digits in specification limits.

Product meets analytical specifications of the grades listed.





**PRODUCTOS
QUÍMICOS
MONTERREY, S.A. DE C.V.**

MIRADOR 201, COL. MIRADOR
MONTERREY, N.L. MÉXICO
CP 64070
TEL +52 81 13 52 67 67
www.pqm.com.mx

CERTIFICATE OF ANALYSIS

PRODUCT :	SODIUM SULFATE CRYSTALS ANHYDROUS		
QUALITY :	ACS (CODE RMB3375)	FORMULA :	Na ₂ SO ₄
SPECIFICATION NUMBER:	6399	RELEASE DATE:	MAY/23/2024
LOT NUMBER :	417203		

TEST	SPECIFICATIONS	LOT VALUES
Assay (Na ₂ SO ₄)	Min. 99.0%	99.8 %
pH of a 5% solution at 25°C	5.2 - 9.2	6.2
Insoluble matter	Max. 0.01%	0.001 %
Loss on ignition	Max. 0.5%	0.1 %
Chloride (Cl)	Max. 0.001%	<0.001 %
Nitrogen compounds (as N)	Max. 5 ppm	<5 ppm
Phosphate (PO ₄)	Max. 0.001%	<0.001 %
Heavy metals (as Pb)	Max. 5 ppm	<5 ppm
Iron (Fe)	Max. 0.001%	<0.001 %
Calcium (Ca)	Max. 0.01%	0.001 %
Magnesium (Mg)	Max. 0.005%	0.001 %
Potassium (K)	Max. 0.008%	0.001 %
Extraction-concentration suitability	Passes test	Passes test
Appearance	Passes test	Passes test
Identification	Passes test	Passes test
Solubility and foreign matter	Passes test	Passes test
Retained on US Standard No. 10 sieve	Max. 1%	0.2 %
Retained on US Standard No. 60 sieve	Min. 94%	96.2 %
Through US Standard No. 60 sieve	Max. 5%	3.5 %
Through US Standard No. 100 sieve	Max. 10%	0.1 %

COMMENTS

QC: PhC Irma Belmares

If you need further details, please call our factory or contact our local distributor.

RE-02-01, Ed. 3

E 3875

Acetone
BAKER RESI-ANALYZED® Reagent
For Organic Residue Analysis

avantor™



Material No.: 9254-03

Batch No.: 24H1462005

Manufactured Date: 2024-05-24

Expiration Date: 2027-05-24

Revision No.: 0

Certificate of Analysis

Test	Specification	Result
Assay ((CH ₃) ₂ CO) (by GC, corrected for water)	>= 99.4 %	99.8 %
Color (APHA)	<= 10	5
Residue after Evaporation	<= 1.0 ppm	0.2 ppm
Substances Reducing Permanganate	Passes Test	Passes Test
Titration Acid (µeq/g)	<= 0.3	0.2
Titration Base (µeq/g)	<= 0.6	<0.1
Water (H ₂ O)	<= 0.5 %	0.2 %
FID-Sensitive Impurities (as 2-Octanol) Single Impurity Peak (ng/mL)	<= 5	<1
ECD Sensitive Impurities (as Heptachlor Epoxide) Single Peak (pg/mL)	<= 10	1

For Laboratory, Research, or Manufacturing Use

MEETS SPECIFICATIONS WITHIN THE EXPIRATION PERIOD

RS

Country of Origin: United States

Packaging Site: Phillipsburg Mfg Ctr & DC

E 3932

Jamie Croak

Director Quality Operations, Bioscience Production

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700

Methylene Chloride
ULTRA RESI-ANALYZED
For Organic Residue Analysis
(dichloromethane)



Material No.: 9266-A4
Batch No.: 25A2862010
Manufactured Date: 2024-12-18
Expiration Date: 2026-03-19
Revision No.: 0

Certificate of Analysis

Test	Specification	Result
FID-Sensitive Impurities (as 2-Octanol) Single Impurity Peak (ng/mL)	≤ 5	<1
ECD Sensitive Impurities (as Heptachlor Epoxide) Single Peak (pg/mL)	≤ 10	2
Assay (CH ₂ Cl ₂) (by GC, exclusive of preservative, corrected for water)	$\geq 99.8 \%$	99.9 %
Color (APHA)	≤ 10	5
Residue after Evaporation	≤ 1.0 ppm	0.3 ppm
Titration Acid (μ eq/g)	≤ 0.3	<0.1
Chloride (Cl)	≤ 10 ppm	<5 ppm
Water (by KF, coulometric)	$\leq 0.02 \%$	<0.01 %

For Laboratory, Research, or Manufacturing Use
MEETS SPECIFICATIONS WITHIN THE EXPIRATION PERIOD

Country of Origin: United States
Packaging Site: Phillipsburg Mfg Ctr & DC

E3939

Jamie Croak
Director Quality Operations, Bioscience Production

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700

Avantor Performance Materials, LLC

100 Matsonford Rd, Suite 200, Radnor, PA, 19087, U.S.A. Phone 610.386.1700

Methylene Chloride
ULTRA RESI-ANALYZED
For Organic Residue Analysis
(dichloromethane)



Material No.: 9266-A4
Batch No.: 25A2862010
Manufactured Date: 2024-12-18
Expiration Date: 2026-03-19
Revision No.: 0

Certificate of Analysis

Test	Specification	Result
FID-Sensitive Impurities (as 2-Octanol) Single Impurity Peak (ng/mL)	≤ 5	<1
ECD Sensitive Impurities (as HeptachlorEpoxide) Single Peak (pg/mL)	≤ 10	2
Assay (CH_2Cl_2) (by GC, exclusive of preservative, corrected for water)	$\geq 99.8 \%$	99.9 %
Color (APHA)	≤ 10	5
Residue after Evaporation	$\leq 1.0 \text{ ppm}$	0.3 ppm
Titration Acid ($\mu\text{eq/g}$)	≤ 0.3	<0.1
Chloride (Cl)	$\leq 10 \text{ ppm}$	<5 ppm
Water (by KF, coulometric)	$\leq 0.02 \%$	<0.01 %

For Laboratory, Research, or Manufacturing Use
MEETS SPECIFICATIONS WITHIN THE EXPIRATION PERIOD

Country of Origin: United States
Packaging Site: Phillipsburg Mfg Ctr & DC

E3942

Jamie Croak
Director Quality Operations, Bioscience Production

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700

Methylene Chloride
ULTRA RESI-ANALYZED
For Organic Residue Analysis
(dichloromethane)



Material No.: 9266-A4
Batch No.: 25C1262005
Manufactured Date: 2025-01-15
Expiration Date: 2026-04-16
Revision No.: 0

Certificate of Analysis

Test	Specification	Result
FID-Sensitive Impurities (as 2-Octanol) Single Impurity Peak (ng/mL)	≤ 5	1
ECD Sensitive Impurities (as HeptachlorEpoxide) Single Peak (pg/mL)	≤ 10	1
Assay (CH_2Cl_2) (by GC, exclusive of preservative, corrected for water)	$\geq 99.8\%$	100.0 %
Color (APHA)	≤ 10	5
Residue after Evaporation	≤ 1.0 ppm	0.1 ppm
Titration Acid ($\mu\text{eq/g}$)	≤ 0.3	< 0.1
Chloride (Cl)	≤ 10 ppm	< 5 ppm
Water (by KF, coulometric)	$\leq 0.02\%$	$< 0.01\%$

For Laboratory, Research, or Manufacturing Use
MEETS SPECIFICATIONS WITHIN THE EXPIRATION PERIOD

Country of Origin: United States
Packaging Site: Phillipsburg Mfg Ctr & DC

E 3973

Jamie Croak
Director Quality Operations, Bioscience Production

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700

Sulfuric Acid
BAKER INSTRA-ANALYZED® Reagent
For Trace Metal Analysis
Low Selenium

avantor™



MG157
MB

Material No.: 9673-33

Batch No.: 24I1262013

Manufactured Date: 2024-08-07

Retest Date: 2029-08-06

Revision No.: 0

Certificate of Analysis

Test	Specification	Result
ACS – Assay (H ₂ SO ₄)	95.0 – 98.0 %	96.2 %
Appearance	Passes Test	Passes Test
ACS – Color (APHA)	<= 10	5
ACS – Residue after Ignition	<= 3 ppm	<1 ppm
ACS – Substances Reducing Permanganate(as SO ₂)	<= 2 ppm	<2 ppm
Ammonium (NH ₄)	<= 1 ppm	<1 ppm
Chloride (Cl)	<= 0.1 ppm	<0.1 ppm
Nitrate (NO ₃)	<= 0.2 ppm	0.1 ppm
Phosphate (PO ₄)	<= 0.5 ppm	<0.1 ppm
Trace Impurities – Aluminum (Al)	<= 30.0 ppb	<5.0 ppb
Arsenic & Antimony (as As)	<= 4.0 ppb	<2.0 ppb
Trace Impurities – Boron (B)	<= 10.0 ppb	<5.0 ppb
Trace Impurities – Cadmium (Cd)	<= 2.0 ppb	<1.0 ppb
Trace Impurities – Chromium (Cr)	<= 6.0 ppb	<1.0 ppb
Trace Impurities – Cobalt (Co)	<= 0.5 ppb	<0.3 ppb
Trace Impurities – Copper (Cu)	<= 1.0 ppb	<1.0 ppb
Trace Impurities – Gold (Au)	<= 10.0 ppb	<5.0 ppb
Heavy Metals (as Pb)	<= 500.0 ppb	<100.0 ppb
Trace Impurities – Iron (Fe)	<= 50.0 ppb	<1.0 ppb
Trace Impurities – Lead (Pb)	<= 0.5 ppb	<0.5 ppb
Trace Impurities – Magnesium (Mg)	<= 7.0 ppb	<1.0 ppb
Trace Impurities – Manganese (Mn)	<= 1.0 ppb	<1.0 ppb
Trace Impurities – Mercury (Hg)	<= 0.5 ppb	<0.1 ppb
Trace Impurities – Nickel (Ni)	<= 2.0 ppb	<0.3 ppb
Trace Impurities – Potassium (K)	<= 500.0 ppb	<10.0 ppb
Trace Impurities – Selenium (Se)	<= 50.0 ppb	7.2 ppb
Trace Impurities – Silicon (Si)	<= 100.0 ppb	12.8 ppb
Trace Impurities – Silver (Ag)	<= 1.0 ppb	<1.0 ppb

Sulfuric Acid
BAKER INSTRA-ANALYZED® Reagent
For Trace Metal Analysis
Low Selenium

 **avantors**™



Material No.: 9673-33
Batch No.: 24I1262013

Test	Specification	Result
Trace Impurities – Sodium (Na)	≤ 500.0 ppb	< 5.0 ppb
Trace Impurities – Strontium (Sr)	≤ 5.0 ppb	< 1.0 ppb
Trace Impurities – Tin (Sn)	≤ 5.0 ppb	1.1 ppb
Trace Impurities – Zinc (Zn)	≤ 5.0 ppb	< 1.0 ppb

For Laboratory, Research, or Manufacturing Use

Country of Origin: United States
Packaging Site: Phillipsburg Mfg Ctr & DC



Jamie Croak
Director Quality Operations, Bioscience Production



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

gravimetric



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 555870 **Lot No.:** A0200549

Description : Custom 2,4-Dinitrophenol Standard
Custom 2,4-Dinitrophenol Standard 25,000µg/mL, Methanol, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : August 31, 2026 **Storage:** 10°C or colder

Ship: Ambient

51148h
↓
511493
Y.P.
08/10/28

CERTIFIED VALUES

Component #	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	2,4-Dinitrophenol	51-28-5	DR230417RSR	99%	25,008.0 µg/mL	+/- 777.3323

Solvent: Methanol
CAS # 67-56-1
Purity 99%

Tom Suckal - Mix Technician

Date Mixed: 02-Aug-2023

Balance: 1128342314

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ uncertainty} = k \sqrt{u_{gravimetric}^2 + u_{homogeneity}^2 + u_{storage\ stability}^2 + u_{shipping\ stability}^2}$$

k is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.



5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

Manufacturer's Quality System
Audited & Registered
by TUV USA to ISO 9001:2015

Date Received: _____

Certificate of Analysis

Rev 0

Page 1 of 1

Catalog No.:	Lot No.:	Storage:	Solvent:	Exp. Date:	Description:
Z-110094-02	506889	≤ -10 °C	Methylene Chloride	7/25/2028	CLP Base/Neutral Surrogate Solution, 5,000 mg/L, 1 ml

Compound	CAS No.	Purity (%)	Compound Lot No.	Concentration, mg/L
1,2-dichlorobenzene-d ₄	2199-69-1	99.7	247.29.3P	5035 ± 28.02
2-fluorobiphenyl	321-60-8	99.69	8.286.1.1P	4999 ± 103.66
nitrobenzene-d5	4165-60-0	99.67	7.9.3P	4988 ± 27.32
p-terphenyl-d14	1718-51-0	99.3	9.120.8P	5005 ± 27.85

511494 } Y.P.
↓
511498 } 08/11/2023

*Not a certified value

Certified By: Shane C. Tipton
Clint Tipton
Chemist

All weights are traceable through N. I. S. T. Test No. 822/264157-00.
Concentration (correct for purity) and uncertainty (95% confidence) values
listed are determined gravimetrically.



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

gravimetric



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 555872 **Lot No.:** A0201728

Description : Custom Pentachlorophenol Standard

Custom Pentachlorophenol Standard 25,000µg/mL, Methanol, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : September 30, 2026 **Storage:** 10°C or colder

Ship: Ambient

511649
↓
511658
Y.P.
11/13/23

CERTIFIED VALUES

Component #	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	Pentachlorophenol	87-86-5	RP230530RSR	99%	25,000.0 µg/mL	+/- 777.0837

Solvent: Methanol
CAS # 67-56-1
Purity 99%

Josh McCloskey - Operations Technician I

Date Mixed: 05-Sep-2023 **Balance:** B251644995

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ uncertainty} = k \sqrt{u_{gravimetric}^2 + u_{homogeneity}^2 + u_{storage\ stability}^2 + u_{shipping\ stability}^2}$$

k is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic plus



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 31853 **Lot No.:** A0200655
Description : 1,4-dioxane
1,4-Dioxane 2,000µg/mL, Methylene Chloride, 1mL/ampul
Container Size : 2 mL **Pkg Amt:** > 1 mL
Expiration Date : August 31, 2028 **Storage:** 0°C or colder
Ship: Ambient

S11795
↓
S11808 } RC / 11/30/23

CERTIFIED VALUES

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	1,4-Dioxane	123-91-1	SHBQ1693	99%	2,007.0 µg/mL	+/- 24.9775

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%

Quality Confirmation Test

Column:

30m x 0.25mm x 0.25µm
Rtx-5 (cat.#10223)

Carrier Gas:

hydrogen-constant flow 1.8 mL/min.

Temp. Program:

80°C (hold 0.1 min.) to 330°C
@ 9.6°C/min. (hold 2.86 min.)

Inj. Temp:

250°C

Det. Temp:

340°C

Det. Type:


FID

Split Vent:

100 mL/min.

Inj. Vol

1µL



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Penelope Riglin - Operations Tech I

Date Mixed: 06-Aug-2023

Balance Serial # 1128360905

Jennifer Pollino - Operations Tech III - ARM QC

Date Passed: 08-Aug-2023

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ uncertainty} = k \sqrt{u_{gravimetric}^2 + u_{homogeneity}^2 + u_{storage\ stability}^2 + u_{shipping\ stability}^2}$$

k is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.



5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

Manufacturer's Quality System
Audited & Registered
by TUV USA to ISO 9001:2015

Date Received: _____

Certificate of Analysis

Rev 0

Page 1 of 1

Catalog No.:	Lot No.:	Storage:	Solvent:	Exp. Date:	Description:
Z-020223-01	454157	≤ -10 °C	P/T Methanol	6/10/2026	1,4-Dioxane Solution, 2000 mg/L, 1 mL

<u>Compound</u>	<u>CAS No.</u>	<u>Purity (%)</u>	<u>Compound Lot No.</u>	<u>Concentration, mg/L</u>
1,4-dioxane	123-91-1	100	223.1.3P	1997 ± 57.08

512112 } RC/
↓
912116 } 03/08/24

*Not a certified value

Certified By: _____

Melissa Workoff
Chemist

All weights are traceable through N. I. S. T. Test No. 822/264157-00.
Concentration (correct for purity) and uncertainty (95% confidence) values
listed are determined gravimetrically.



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic plus



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 31087 **Lot No.:** A0206206
Description : Acid Surrogate Mix (4/89 SOW)
Acid Surrogate 10, 000µg/mL, Methanol, 5mL/ampul
Container Size : 5 mL **Pkg Amt:** > 5 mL
Expiration Date : January 31, 2032 **Storage:** 10°C or colder
Ship: Ambient

512187 } RC/
↓
512206 } 03/18/24

CERTIFIED VALUES

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	2-Fluorophenol	367-12-4	STBK1705	99%	10,005.3 µg/mL	+/- 302.5390
2	Phenol-d6	13127-88-3	PR-33287A	99%	10,005.5 µg/mL	+/- 302.5475
3	2,4,6-Tribromophenol	118-79-6	RP230831RSR	99%	10,006.6 µg/mL	+/- 302.5783

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: Methanol
CAS # 67-56-1
Purity 99%

Quality Confirmation Test

Column:

30m x 0.25mm x 0.25µm
Rtx-5 (cat.#10223)

Carrier Gas:

hydrogen-constant pressure 10 psi.

Temp. Program:

40°C (hold 2 min.) to 330°C
@ 10°C/min. (hold 10 min.)

Inj. Temp:

250°C

Det. Temp:

330°C

Det. Type:


FID

Split Vent:

2 ml/min.

Inj. Vol

1µl



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Penelope A. Riglin

Penelope Riglin - Operations Tech I

Date Mixed: 04-Jan-2024

Balance Serial # 1128360905

Christie Mills

Christie Mills - Operations Lead Tech - ARM QC

Date Passed: 08-Jan-2024

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic plus



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 31086 **Lot No.:** A0206381
Description : B/N Surrogate Mix (4/89 SOW)
Base Neutral Surrogate 5000µg/mL, Methylene Chloride, 5mL/ampul
Container Size : 5 mL **Pkg Amt:** > 5 mL
Expiration Date : December 31, 2029 **Storage:** 10°C or colder
Handling: Sonicate prior to use. **Ship:** Ambient

S12207 } RC/
↓
S12221 } 03/18/24

CERTIFIED VALUES

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	Nitrobenzene-d5	4165-60-0	I-25158	99%	5,029.3 µg/mL	+/- 226.5204
2	2-Fluorobiphenyl	321-60-8	00021384	99%	5,030.9 µg/mL	+/- 226.5936
3	p-Terphenyl-d14	1718-51-0	PR-32599	99%	5,026.4 µg/mL	+/- 226.3909

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%

Tech Tips:

Due to the limited solubility of p-terphenyl-d14 in methanol, we do not recommend that this mixture be diluted in methanol.

Quality Confirmation Test

Column:

30m x 0.25mm x 0.25µm
Rtx-S (cat.#10223)

Carrier Gas:

hydrogen-constant pressure 10 psi.

Temp. Program:

40°C (hold 2 min.) to 330°C
@ 10°C/min. (hold 10 min.)

Inj. Temp:

250°C

Det. Temp:

330°C

Det. Type:


FID

Split Vent:

2 ml/min.

Inj. Vol

1µl



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Jess Hoy - Operations Tech I

Date Mixed: 09-Jan-2024

Balance Serial # 1128360905

Jennifer Pollino - Operations Tech III - ARM QC

Date Passed: 11-Jan-2024

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397



5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

Manufacturer's Quality System
Audited & Registered
by TUV USA to ISO 9001:2015

Date Received: _____

Certificate of Analysis

Rev 0

Page 1 of 4

Catalog No.:	Lot No.:	Storage:	Solvent:	Exp. Date:	Description:
Z-110381-01	520963	≤ -10 °C	Methylene Chloride	10/10/2028	Method 8270 Calibration Solution, 76-1, 500 & 1,000 mg/L, 1 mL

Compound	CAS No.	Purity (%)	Compound Lot No.	Concentration, mg/L
acenaphthene	83-32-9	99.9	13.1.5P	1010 ± 9.89
acenaphthylene	208-96-8	97.6	14.290.1P	1014 ± 9.93
aniline	62-53-3	99.97	64.1.4P	1001 ± 9.8
anthracene	120-12-7	99.5	15.7.1P	999.6 ± 9.79
azobenzene	103-33-3	98.1	252.7.2P	999.1 ± 9.8
benzo[a]anthracene	56-55-3	100	16.7.3P	1007 ± 9.86
benzo[b]fluoranthene	205-99-2	99.8	17.421.3P	1011 ± 14.11
benzo[k]fluoranthene	207-08-9	98.9	18.421.4P	1001 ± 10.96
benzo[ghi]perylene	191-24-2	93	19.286.4P	999.6 ± 13.95
benzo[a]pyrene	50-32-8	97	20.286.2P	999.9 ± 22.24
benzyl alcohol	100-51-6	99.9	65.18.1P	1001 ± 9.82
bis(2-chloroethoxy)methane	111-91-1	99.1	31.3.15P	1000 ± 14.69
bis(2-chloroethyl)ether	111-44-4	99.8	32.7.1P	1003 ± 13.89
bis(2-chloro-1-methylethyl) ether	108-60-1	99.5	34.3.15P	999.4 ± 14.68
bis(2-ethylhexyl)adipate	103-23-1	99.5	874.7.1P	999.5 ± 9.8
bis(2-ethylhexyl)phthalate	117-81-7	99.4	33.29.1P	998.8 ± 17.03
4-bromophenyl phenyl ether	101-55-3	99.4	35.7.1.1P	1000 ± 13.85
butyl benzyl phthalate	85-68-7	98.4	36.1.6P	984.7 ± 16.79
carbazole	86-74-8	99.4	239.7.2P	1000 ± 9.8

*Not a certified value

512270 } RC/
↓
512274 } 05/24/24

Kerry Kane

Certified By: _____

Kerry Kane
Chemist

All weights are traceable through N. I. S. T. Test No. 822/264157-00.
Concentration (correct for purity) and uncertainty (95% confidence) values
listed are determined gravimetrically.

Certificate of Analysis

Page 2 of 4

Catalog No.: Z-110381-01

Lot No.: 520963

Expiration Date: 10/10/2028

Compound	CAS No.	Purity (%)	Compound Lot No.	Concentration, mg/L
4-chloroaniline	106-47-8	100	66.7.1P	1000 ± 9.79
4-chlorophenylphenyl ether	7005-72-3	98	37.158.2P	1001 ± 17.07
4-chloro-3-methylphenol	59-50-7	99	102.1.2P	1006 ± 17.16
2-chloronaphthalene	91-58-7	99.9	42.7.6P	1000 ± 9.79
2-chlorophenol	95-57-8	99.8	103.7.1P	1007 ± 13.96
chrysene	218-01-9	96	21.286.2P	998.4 ± 12.85
dibenz[a,h]anthracene	53-70-3	99.44	22.286.3P	1000 ± 9.74
dibenzofuran	132-64-9	100	67.7.2.1P	1002 ± 9.77
di-n-butyl phthalate	84-74-2	99.84	40.286.1P	1007 ± 24.48
1,2-dichlorobenzene	95-50-1	99.8	43.7.1P	1000 ± 9.79
1,3-dichlorobenzene	541-73-1	99.5	44.1.3P	999.4 ± 9.79
1,4-dichlorobenzene	106-46-7	99.9	45.29.2P	1000 ± 9.79
2,4-dichlorophenol	120-83-2	99.6	104.7.1.1P	1005 ± 13.93
diethyl phthalate	84-66-2	99.8	38.7.1P	1011 ± 14
2,4-dimethylphenol	105-67-9	99.6	105.7.1.1P	1009 ± 13.98
dimethyl phthalate	131-11-3	99.9	39.9.2P	996.5 ± 13.8
1,2-dinitrobenzene	528-29-0	99.86	86.7.3.1P	999.5 ± 9.75
1,3-dinitrobenzene	99-65-0	100	313.7.2P	998 ± 9.79
1,4-dinitrobenzene	100-25-4	100	907.7.1P	999.5 ± 9.8
2,4-dinitrophenol	51-28-5	99.9	106.1.6DP	1002 ± 13.89
2,4-dinitrotoluene	121-14-2	100	87.7.3P	999.8 ± 13.85
2,6-dinitrotoluene	606-20-2	99.4	88.7.2.1P	999.6 ± 13.85
di-n-octyl phthalate	117-84-0	99.1	41.7.5P	991.6 ± 13.74
diphenylamine	122-39-4	100	78.1.6P	998 ± 13.79
2,3,5,6-tetrachlorophenol	935-95-5	97	1112.286.1P	1004 ± 14.02
fluoranthene	206-44-0	98.6	23.7.4P	999.6 ± 9.79
fluorene	86-73-7	98.4	24.7.1P	999.7 ± 9.79

*Not a certified value

Kerry Kane

Certified By:

Kerry Kane
Chemist

All weights are traceable through N. I. S. T. Test No. 822/264157-00.
Concentration (correct for purity) and uncertainty (95% confidence) values listed are determined gravimetrically.

Certificate of Analysis

Page 3 of 4

Catalog No.: Z-110381-01

Lot No.: 520963

Expiration Date: 10/10/2028

Compound	CAS No.	Purity (%)	Compound Lot No.	Concentration, mg/L
hexachlorobenzene	118-74-1	99	46.158.4P	999.9 ± 13.96
hexachlorobutadiene	87-68-3	97.4	47.1.4P	1000 ± 9.79
hexachlorocyclopentadiene	77-47-4	99.2	48.2.2P	1001 ± 9.8
hexachloroethane	67-72-1	99.9	49.1.4P	1003 ± 9.82
indeno[1,2,3-cd]pyrene	193-39-5	98	25.286.4P	999.4 ± 22.23
isophorone	78-59-1	98.9	90.1.4P	999.9 ± 13.85
2-methyl-4,6-dinitrophenol	534-52-1	99.6	107.421.2DP	991 ± 24.09
1-methylnaphthalene	90-12-0	97.1	249.7.5P	999.2 ± 13.95
2-methylnaphthalene	91-57-6	97.4	68.7.2P	1006 ± 22.38
2-methylphenol	95-48-7	99.6	114.7.3P	1001 ± 13.87
3-methylphenol	108-39-4	99.1	115.7.4P	499.7 ± 6.92
4-methylphenol	106-44-5	99.5	116.7.1P	501.2 ± 6.94
naphthalene	91-20-3	99.8	26.9.1P	1018 ± 9.97
2-nitroaniline	88-74-4	99.7	69.29.1P	999.6 ± 9.79
3-nitroaniline	99-09-2	100	70.7.3P	1000 ± 9.74
4-nitroaniline	100-01-6	99.7	71.29.1P	1001 ± 9.8
nitrobenzene	98-95-3	100	94.7.1P	1000 ± 13.85
2-nitrophenol	88-75-5	99.1	108.29.1P	996.5 ± 13.81
4-nitrophenol	100-02-7	100	109.7.1P	1000 ± 13.82
N-nitrosodimethylamine	62-75-9	99.5	57.3.19P	998.5 ± 14.67
N-nitrosodi-n-propylamine	621-64-7	99.8	59.286.1P	996.8 ± 17
pentachlorophenol	87-86-5	99	110.1.7P	1004 ± 13.92
phenanthrene	85-01-8	99.7	27.1.5P	999 ± 12.87
phenol	108-95-2	100	112.7.1P	998.5 ± 13.8
pyrene	129-00-0	99.2	28.9.2P	998.9 ± 9.78
pyridine	110-86-1	100	101.24.1P	999 ± 9.73
2,3,4,6-Tetrachlorophenol	58-90-2	91.8	120.421.1P	996.5 ± 13.92

*Not a certified value

Kerry Kane

Certified By:

Kerry Kane
Chemist

All weights are traceable through N. I. S. T. Test No. 822/264157-00.
Concentration (correct for purity) and uncertainty (95% confidence) values listed are determined gravimetrically.

Certificate of Analysis

Page 4 of 4

Catalog No.: Z-110381-01

Lot No.: 520963

Expiration Date: 10/10/2028

Compound	CAS No.	Purity (%)	Compound Lot No.	Concentration, mg/L
1,2,4-trichlorobenzene	120-82-1	99.6	54.29.1P	999.6 ± 9.79
2,4,5-trichlorophenol	95-95-4	96.5	121.7.1.1P	999.5 ± 13.85
2,4,6-trichlorophenol	88-06-2	99.6	113.7.1P	996 ± 13.8

*Not a certified value



Certified By:

Kerry Kane
Chemist

All weights are traceable through N. I. S. T. Test No. 822/264157-00.
Concentration (correct for purity) and uncertainty (95% confidence) values
listed are determined gravimetrically.



5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

Manufacturer's Quality System
Audited & Registered
by TUV USA to ISO 9001:2015

Date Received: _____

Certificate of Analysis

Rev 0

Page 1 of 1

Catalog No.:	Lot No.:	Storage:	Solvent:	Exp. Date:	Description:
Z-010442-07	495833	≤ -10 °C	Methylene Chloride	1/16/2028	Benzaldehyde Solution, 1000 mg/L, 1.3 mL
Compound		CAS No.	Purity (%)	Compound Lot No.	Concentration, mg/L
benzaldehyde		100-52-7	98.3	442.421.1P	996.8 ± 11.49

512275 } RC/
↓
512279 } 05/24/24

*Not a certified value

Certified By: _____

S. Hunter

Scott Hunter
Chemist

All weights are traceable through N. I. S. T. Test No. 822/264157-00.
Concentration (correct for purity) and uncertainty (95% confidence) values
listed are determined gravimetrically.



5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

Manufacturer's Quality System
Audited & Registered
by TUV USA to ISO 9001:2015

Date Received: _____

Certificate of Analysis

Rev 0

Page 1 of 1

Catalog No.:	Lot No.:	Storage:	Solvent:	Exp. Date:	Description:
Z-010442-07	495833	≤ -10 °C	Methylene Chloride	1/16/2028	Benzaldehyde Solution, 1000 mg/L, 1.3 mL
Compound		CAS No.	Purity (%)	Compound Lot No.	Concentration, mg/L
benzaldehyde		100-52-7	98.3	442.421.1P	996.8 ± 11.49

512275 } RC/
↓
512279 } 05/24/24

*Not a certified value

Certified By: _____

S. Hunter

Scott Hunter
Chemist

All weights are traceable through N. I. S. T. Test No. 822/264157-00.
Concentration (correct for purity) and uncertainty (95% confidence) values
listed are determined gravimetrically.



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

gravimetric



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 555223 **Lot No.:** A0214021

Description : Custom 8270 Plus Standard #1
Custom 8270 Plus Standard #1 1,000µg/mL, Methylene Chloride, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : July 31, 2026 **Storage:** 10°C or colder

Handling: This product is photosensitive. **Ship:** Ambient

CERTIFIED VALUES

Component #	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	3,3'-Dichlorobenzidine	91-94-1	S240326RSR	99%	1,004.0 µg/mL	+/- 23.0487
2	Atrazine	1912-24-9	5FYWL	99%	1,005.0 µg/mL	+/- 23.0717
3	Benzidine	92-87-5	S240430RSR	99%	1,006.0 µg/mL	+/- 23.0947
4	epsilon-Caprolactam	105-60-2	Y16H012	99%	1,000.0 µg/mL	+/- 22.9569

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%

S12449 } RC/
↓
S12508 } 7/24/24

Rebecca Gingerich - Operations Tech II

Date Mixed: 18-Jul-2024

Balance: 1128353505

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ uncertainty} = k \sqrt{u_{gravimetric}^2 + u_{homogeneity}^2 + u_{storage\ stability}^2 + u_{shipping\ stability}^2}$$

k is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

gravimetric



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 555224 **Lot No.:** A0214017

Description : Custom 8270 Plus Standard #2

Custom 8270 Plus Standard #2 1,000µg/mL, Methylene Chloride, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : July 31, 2026 **Storage:** 10°C or colder

Ship: Ambient

CERTIFIED VALUES

Component #	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	1,2,4,5-Tetrachlorobenzene	95-94-3	MKCT9480	99%	1,005.0 µg/mL	+/- 29.541899
2	Acetophenone	98-86-2	STBH8205	99%	1,005.0 µg/mL	+/- 29.541899
3	Benzaldehyde	100-52-7	RD231129RSRA	99%	1,008.0 µg/mL	+/- 29.630084
4	Benzoic acid	65-85-0	MKCR2694	99%	1,010.0 µg/mL	+/- 29.688874
5	Biphenyl	92-52-4	MKCS5928	99%	1,008.0 µg/mL	+/- 29.630084

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%

S12509 } RC/
↓
S12568 } 7/24/24


Jess Hoy - Operations Tech I

Date Mixed: 18-Jul-2024

Balance: 1128360905

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ uncertainty} = k \sqrt{u_{gravimetric}^2 + u_{homogeneity}^2 + u_{storage\ stability}^2 + u_{shipping\ stability}^2}$$

k is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.

Quality Confirmation Test

Column:
30m x 0.25mm x 0.25µm
Rtx-5 (cat.#10223)

Carrier Gas:
hydrogen-constant pressure 10 psi.

Temp. Program:
75°C (hold 1 min.) to 330°C
@ 20°C/min. (hold 10 min.)


Inj. Temp:
250°C

Det. Temp:
330°C

Det. Type:
FID

Split Vent:
10 ml/min.


Inj. Vol
1µl



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.


Ethan Winiarski - Operations Tech I

Date Mixed: 19-Jun-2024 Balance Serial # 1128353505


Jennifer Pollino - Operations Tech III - ARM QC

Date Passed: 26-Jun-2024

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic plus



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 31206 **Lot No.:** A0212266

Description : SV Internal Standard Mix 2mg/ml
SV Internal Standard Mix 2mg/ml 2000 µg/ml, Methylene Chloride, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : April 30, 2030 **Storage:** 10°C or colder

Handling: Sonication required. Mix is photosensitive. **Ship:** Ambient

CERTIFIED VALUES

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	1,4-Dichlorobenzene-d4	3855-82-1	PR-30447	99%	2,000.6 µg/mL	+/- 90.1075
2	Naphthalene-d8	1146-65-2	M-2180	99%	2,000.3 µg/mL	+/- 90.0925
3	Acenaphthene-d10	15067-26-2	PR-33507	99%	2,000.4 µg/mL	+/- 90.1000
4	Phenanthrene-d10	1517-22-2	PR-34099	99%	2,000.5 µg/mL	+/- 90.1037
5	Chrysene-d12	1719-03-5	PR-33506	99%	2,000.7 µg/mL	+/- 90.1112
6	Perylene-d12	1520-96-3	PR-33205	99%	2,000.6 µg/mL	+/- 90.1075

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%

S12645
↓
S12674 } AC
10/1/24



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic plus



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 31850 **Lot No.:** A0219438

Description : 8270 MegaMix®
8270 MegaMix® 500-1000 µg/mL, Methylene Chloride, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : September 30, 2025 **Storage:** 0°C or colder

Handling: Sonication required. Mix is photosensitive. **Ship:** Ambient

S12963
↓
S12992 } AC
12/17/20

CERTIFIED VALUES

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	Pyridine	110-86-1	SHBP6240	99%	1,008.3 µg/mL	+/- 36.6849
2	N-Nitrosodimethylamine	62-75-9	S240313RSR	99%	1,008.6 µg/mL	+/- 36.6985
3	Phenol	108-95-2	MKCK1120	99%	1,003.5 µg/mL	+/- 36.5120
4	Aniline	62-53-3	X22F726	99%	1,002.9 µg/mL	+/- 36.4893
5	Bis(2-chloroethyl)ether	111-44-4	002891T24M	99%	1,003.0 µg/mL	+/- 36.4938
6	2-Chlorophenol	95-57-8	STBJ3909	99%	1,005.6 µg/mL	+/- 36.5894
7	1,3-Dichlorobenzene	541-73-1	BCCD5315	99%	1,004.1 µg/mL	+/- 36.5348
8	1,4-Dichlorobenzene	106-46-7	MKBS7929V	99%	1,002.1 µg/mL	+/- 36.4620
9	Benzyl alcohol	100-51-6	SHBK5469	99%	1,003.5 µg/mL	+/- 36.5120
10	1,2-Dichlorobenzene	95-50-1	SHBL6287	99%	1,005.3 µg/mL	+/- 36.5757
11	2-Methylphenol (o-cresol)	95-48-7	SHBN7598	99%	1,008.4 µg/mL	+/- 36.6894
12	2,2'-oxybis(1-chloropropane)	108-60-1	29-MAR-45-5	99%	1,004.6 µg/mL	+/- 36.5530
13	3-Methylphenol (m-cresol)	108-39-4	STBJ0710	99%	502.1 µg/mL	+/- 18.2697
14	4-Methylphenol (p-cresol)	106-44-5	SHBN3411	99%	503.8 µg/mL	+/- 18.3288
15	N-Nitroso-di-n-propylamine	621-64-7	N63MG	99%	1,006.5 µg/mL	+/- 36.6212
16	Hexachloroethane	67-72-1	DAXRI	99%	1,004.5 µg/mL	+/- 36.5484
17	Nitrobenzene	98-95-3	10224044	99%	1,002.5 µg/mL	+/- 36.4757

18	Isophorone	78-59-1	MKCR3249	99%	1,003.4	µg/mL	+/- 36.5075
19	2-Nitrophenol	88-75-5	RP230710	99%	1,002.5	µg/mL	+/- 36.4757
20	2,4-Dimethylphenol	105-67-9	XW5GK	99%	1,006.5	µg/mL	+/- 36.6212
21	Bis(2-chloroethoxy)methane	111-91-1	15705100	99%	1,006.6	µg/mL	+/- 36.6257
22	2,4-Dichlorophenol	120-83-2	BCKK6969	99%	1,001.5	µg/mL	+/- 36.4393
23	1,2,4-Trichlorobenzene	120-82-1	SHBP5900	99%	1,006.4	µg/mL	+/- 36.6166
24	Naphthalene	91-20-3	STBL1057	99%	1,002.1	µg/mL	+/- 36.4620
25	4-Chloroaniline	106-47-8	BCCJ3217	99%	1,004.4	µg/mL	+/- 36.5439
26	Hexachlorobutadiene	87-68-3	X05J	98%	1,002.5	µg/mL	+/- 36.4771
27	4-Chloro-3-methylphenol	59-50-7	BCCD4461	99%	1,004.5	µg/mL	+/- 36.5484
28	2-Methylnaphthalene	91-57-6	STBL3028	99%	1,000.0	µg/mL	+/- 36.3847
29	1-Methylnaphthalene	90-12-0	5234.00-8	98%	990.2	µg/mL	+/- 36.0269
30	Hexachlorocyclopentadiene	77-47-4	099063I14L	98%	1,001.3	µg/mL	+/- 36.4325
31	2,4,6-Trichlorophenol	88-06-2	STBK8870	99%	1,006.4	µg/mL	+/- 36.6166
32	2,4,5-Trichlorophenol	95-95-4	3YFRE	97%	1,004.6	µg/mL	+/- 36.5505
33	2-Chloronaphthalene	91-58-7	RPN7O	99%	1,004.3	µg/mL	+/- 36.5393
34	2-Nitroaniline	88-74-4	RP240715RSR	99%	1,004.4	µg/mL	+/- 36.5439
35	1,4-Dinitrobenzene	100-25-4	RP240703RSR	99%	1,002.8	µg/mL	+/- 36.4847
36	Acenaphthylene	208-96-8	RP241029RSR	98%	1,000.0	µg/mL	+/- 36.3835
37	1,3-Dinitrobenzene	99-65-0	TRC3-1075941-2-1	99%	1,006.3	µg/mL	+/- 36.6121
38	Dimethylphthalate	131-11-3	358221L17K	99%	1,008.9	µg/mL	+/- 36.7076
39	2,6-Dinitrotoluene	606-20-2	BCCG1833	99%	1,006.6	µg/mL	+/- 36.6257
40	1,2-Dinitrobenzene	528-29-0	RP240701RSR	99%	1,002.5	µg/mL	+/- 36.4757
41	Acenaphthene	83-32-9	MKCR7169	99%	1,000.0	µg/mL	+/- 36.3847
42	3-Nitroaniline	99-09-2	RP240708RSR	99%	1,004.6	µg/mL	+/- 36.5530
43	2,4-Dinitrophenol	51-28-5	D240927RSR	----%	1,005.6	µg/mL	+/- 36.5894
44	Dibenzofuran	132-64-9	MKCN1772	99%	1,003.5	µg/mL	+/- 36.5120
45	2,4-Dinitrotoluene	121-14-2	102869V26E	99%	1,008.3	µg/mL	+/- 36.6849
46	4-Nitrophenol	100-02-7	20241029-2-AN	99%	1,004.8	µg/mL	+/- 36.5575
47	2,3,4,6-Tetrachlorophenol	58-90-2	PR-34476	99%	1,005.8	µg/mL	+/- 36.5939
48	2,3,5,6-Tetrachlorophenol	935-95-5	RP231219RSR	99%	1,006.4	µg/mL	+/- 36.6166
49	Fluorene	86-73-7	10246250	98%	1,000.7	µg/mL	+/- 36.4102
50	4-Chlorophenyl phenyl ether	7005-72-3	MKCT7248	99%	1,004.9	µg/mL	+/- 36.5621
51	Diethylphthalate	84-66-2	BCCJ6241	99%	1,003.9	µg/mL	+/- 36.5257
52	4-Nitroaniline	100-01-6	RP230111	99%	1,006.6	µg/mL	+/- 36.6257
53	4,6-Dinitro-2-methylphenol (Dinitro-o-cresol)	534-52-1	S241008RSR	99%	1,001.3	µg/mL	+/- 36.4302

54	Diphenylamine	122-39-4	MKCT1512	99%	1,003.0	µg/mL	+/- 36.4938
55	Azobenzene	103-33-3	BCKK0887	99%	1,002.4	µg/mL	+/- 36.4711
56	4-Bromophenyl phenyl ether	101-55-3	STBH6361	99%	1,008.8	µg/mL	+/- 36.7031
57	Hexachlorobenzene	118-74-1	15458400	99%	1,005.1	µg/mL	+/- 36.5712
58	Pentachlorophenol	87-86-5	RP240517RSR	99%	1,005.9	µg/mL	+/- 36.5984
59	Phenanthrene	85-01-8	MKCT3391	99%	1,004.9	µg/mL	+/- 36.5621
60	Anthracene	120-12-7	101492T18R	99%	1,005.1	µg/mL	+/- 36.5712
61	Carbazole	86-74-8	15276700	99%	1,005.4	µg/mL	+/- 36.5803
62	Di-n-butylphthalate	84-74-2	MKCN4337	99%	1,006.3	µg/mL	+/- 36.6121
63	Fluoranthene	206-44-0	MKCQ4728	99%	1,003.5	µg/mL	+/- 36.5120
64	Pyrene	129-00-0	BCKK2592	99%	1,002.0	µg/mL	+/- 36.4575
65	Benzyl butyl phthalate	85-68-7	X12I018	99%	1,007.5	µg/mL	+/- 36.6576
66	Bis(2-ethylhexyl)adipate	103-23-1	MKCM1988	99%	1,005.9	µg/mL	+/- 36.5984
67	Benz(a)anthracene	56-55-3	I70012022BAA	99%	1,005.5	µg/mL	+/- 36.5848
68	Chrysene	218-01-9	RP241007RSR	99%	1,005.3	µg/mL	+/- 36.5757
69	Bis(2-ethylhexyl)phthalate	117-81-7	MKCS8065	99%	1,007.5	µg/mL	+/- 36.6576
70	Di-n-octyl phthalate	117-84-0	15566400	99%	1,002.3	µg/mL	+/- 36.4666
71	Benzo(b)fluoranthene	205-99-2	052013B	99%	1,004.1	µg/mL	+/- 36.5348
72	Benzo(k)fluoranthene	207-08-9	012022K	99%	1,002.8	µg/mL	+/- 36.4847
73	Benzo(a)pyrene	50-32-8	NQLXA	98%	1,006.2	µg/mL	+/- 36.6108
74	Indeno(1,2,3-cd)pyrene	193-39-5	12-JKL-118-9	97%	1,001.8	µg/mL	+/- 36.4490
75	Dibenz(a,h)anthracene	53-70-3	2-ASA-59-1	99%	1,003.3	µg/mL	+/- 36.5029
76	Benzo(g,h,i)perylene	191-24-2	RP241014RSR	98%	1,003.8	µg/mL	+/- 36.5217

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%

Tech Tips:

N-Nitrosodiphenylamine (86-30-6) is prone to breakdown in the injection port and will be converted to Diphenylamine (122-39-4). When comparing the response of Diphenylamine to mixtures manufactured using N-Nitrosodiphenylamine, a difference in response will be observed. The ratio of the MW can be used to calculate the theoretical concentration of the N-Nitrosodiphenylamine.



5580 Skyline Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

Manufacturer's Quality System
Audited & Registered
by TUV USA to ISO 9001:2015

Date Received: _____

Certificate of Analysis

Rev 0

Page 1 of 1

Catalog No.:	Lot No.:	Storage:	Solvent:	Exp. Date:	Description:
Z-110816-01	531243	$\leq -10^{\circ}\text{C}$	Methylene Chloride	1/2/2030	Custom 8270 Mix, 4-79, 1000 mg/L, 1 mL

Compound	CAS No.	Purity (%)	Compound Lot No.	Concentration, mg/L
atrazine	1912-24-9	99.5	337.7.4P	997 $\pm$ 5.81
benzidine	92-87-5	99.9	124.18.6.2P	993.8 $\pm$ 5.78
caprolactam	105-60-2	99.9	271.1.6P	999 $\pm$ 5.82

513057 } AC
↓
513061 } 1/16/25

*Not a certified value

Manufactured by o2si smart solutions, Accredited to ISO 9001:2008 by NSF and ISO/IEC 17025:2005 (Certification No. 3031.01) and ISO Guide 34:2009 (Certification No. 3031.02) by A2LA

Certified By: _____

Melissa Workoff
Chemist

All weights are traceable through N. I. S. T. Test No. 822/264157-00.
Concentration (correct for purity) and uncertainty (95% confidence) values listed are determined gravimetrically.



5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

Manufacturer's Quality System
Audited & Registered
by TUV USA to ISO 9001:2015

Date Received: _____

Certificate of Analysis

Rev 0

Page 1 of 1

Catalog No.:	Lot No.:	Storage:	Solvent:	Exp. Date:	Description:
Z-010074-07	525551	-18°C +/- 4°C	Methylene Chloride	9/3/2029	3,3'-Dichlorobenzidine Solution, 1,000 mg/L, 1 mL

Compound	CAS No.	Purity (%)	Compound Lot No.	Concentration, mg/L
3,3'-dichlorobenzidine	91-94-1	97.9	74.421.2P	994.7 ± 30.56

This RM is intended for use as a calibration standard or a quality control standard for chromatography equipment such as GC, GC/MS, HPLC, and HPLC/MS. It may also be used for various USEPA, NIOSH and ASTM methods.

Recommended storage container for ampuled products after opening is a 12 mm x 32 mm amber vial with screw cap Teflon lined silicon septum. The modeled % change per day can be calculated using the following:

$$\% \text{ Change} = 116192x^{-2.578} + 40.383e^{-0.03y}$$

where x = boiling point of the most volatile analyte in the mix (in degrees K)

y = boiling point of the solvent (in degrees K)

This model assumes the container is stored at -10 °C and is unopened during storage. The user should determine what the acceptable error for their process is and calculate the maximum number of days the opened ampule should be stored. The minimum sample size recommended for use is 1µL.

513078 } AC
↓
513087 } 3/10/25

Manufactured by

Raevyn Steele

Chemist

All weights are traceable through N. I. S. T. Test No. 822/264157-00. Concentration (correct for purity) and uncertainty (95% confidence) values listed are determined gravimetrically.

*Not a certified value



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic plus



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 31850 **Lot No.:** A0221014

Description : 8270 MegaMix®

8270 MegaMix® 500-1000 µg/mL, Methylene Chloride, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : November 30, 2025 **Storage:** 0°C or colder

Handling: Sonication required. Mix is photosensitive. **Ship:** Ambient

513088 }
↓
513117 } 5/20/25.

CERTIFIED VALUES

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	Pyridine	110-86-1	SHBR4811	99%	1,005.2 µg/mL	+/- 36.5730
2	N-Nitrosodimethylamine	62-75-9	S241226RSR	99%	1,005.5 µg/mL	+/- 36.5848
3	Phenol	108-95-2	MKCK1120	99%	1,005.3 µg/mL	+/- 36.5780
4	Aniline	62-53-3	X22F726	99%	1,005.4 µg/mL	+/- 36.5816
5	Bis(2-chloroethyl)ether	111-44-4	002891T24M	99%	1,004.7 µg/mL	+/- 36.5562
6	2-Chlorophenol	95-57-8	STBJ3909	99%	1,005.3 µg/mL	+/- 36.5766
7	1,3-Dichlorobenzene	541-73-1	BCCD5315	99%	1,004.6 µg/mL	+/- 36.5530
8	1,4-Dichlorobenzene	106-46-7	MKBS7929V	99%	1,006.3 µg/mL	+/- 36.6125
9	Benzyl alcohol	100-51-6	SHBK5469	99%	1,005.5 µg/mL	+/- 36.5853
10	1,2-Dichlorobenzene	95-50-1	SHBL6287	99%	1,004.6 µg/mL	+/- 36.5507
11	2-Methylphenol (o-cresol)	95-48-7	SHBN7598	99%	1,004.8 µg/mL	+/- 36.5575
12	2,2'-oxybis(1-chloropropane)	108-60-1	29-MAR-45-5	99%	1,005.4 µg/mL	+/- 36.5803
13	3-Methylphenol (m-cresol)	108-39-4	STBL3873	99%	502.7 µg/mL	+/- 18.2888
14	4-Methylphenol (p-cresol)	106-44-5	SHBN3411	99%	502.6 µg/mL	+/- 18.2869
15	N-Nitroso-di-n-propylamine	621-64-7	N63MG	99%	1,004.6 µg/mL	+/- 36.5502
16	Hexachloroethane	67-72-1	DAXRI	99%	1,004.6 µg/mL	+/- 36.5530
17	Nitrobenzene	98-95-3	10224044	99%	1,005.3 µg/mL	+/- 36.5780

18	Isophorone	78-59-1	MKCR3249	99%	1,004.6	µg/mL	+/- 36.5511	
19	2-Nitrophenol	88-75-5	RP230710	99%	1,005.7	µg/mL	+/- 36.5916	
20	2,4-Dimethylphenol	105-67-9	DIRAF	99%	1,004.9	µg/mL	+/- 36.5612	
21	Bis(2-chloroethoxy)methane	111-91-1	15705100	99%	1,004.3	µg/mL	+/- 36.5402	1
22	2,4-Dichlorophenol	120-83-2	BCCK6969	99%	1,004.7	µg/mL	+/- 36.5571	2
23	1,2,4-Trichlorobenzene	120-82-1	SHBP5900	99%	1,004.6	µg/mL	+/- 36.5516	3
24	Naphthalene	91-20-3	STBL1057	99%	1,006.8	µg/mL	+/- 36.6335	4
25	4-Chloroaniline	106-47-8	BCCJ3217	99%	1,005.9	µg/mL	+/- 36.5980	5
26	Hexachlorobutadiene	87-68-3	X05J	98%	1,004.1	µg/mL	+/- 36.5328	6
27	4-Chloro-3-methylphenol	59-50-7	BCCD4461	99%	1,005.4	µg/mL	+/- 36.5793	7
28	2-Methylnaphthalene	91-57-6	STBL3028	99%	1,006.3	µg/mL	+/- 36.6144	8
29	1-Methylnaphthalene	90-12-0	5234.00-8	98%	990.2	µg/mL	+/- 36.0269	9
30	Hexachlorocyclopentadiene	77-47-4	099063P13G	99%	1,005.9	µg/mL	+/- 36.5975	10
31	2,4,6-Trichlorophenol	88-06-2	STBK8870	99%	1,004.7	µg/mL	+/- 36.5566	11
32	2,4,5-Trichlorophenol	95-95-4	3YFRE	97%	1,004.7	µg/mL	+/- 36.5571	12
33	2-Chloronaphthalene	91-58-7	RPN7O	99%	1,005.3	µg/mL	+/- 36.5757	13
34	2-Nitroaniline	88-74-4	RP240715RSR	99%	1,004.8	µg/mL	+/- 36.5584	14
35	1,4-Dinitrobenzene	100-25-4	RP240703RSR	99%	1,004.5	µg/mL	+/- 36.5475	15
36	Acenaphthylene	208-96-8	214935V18H	95%	1,000.1	µg/mL	+/- 36.3888	16
37	1,3-Dinitrobenzene	99-65-0	TRC3-1075941-2-1	99%	1,004.9	µg/mL	+/- 36.5616	17
38	Dimethylphthalate	131-11-3	358221L17K	99%	1,004.5	µg/mL	+/- 36.5489	
39	2,6-Dinitrotoluene	606-20-2	BCCG1833	99%	1,005.2	µg/mL	+/- 36.5734	
40	1,2-Dinitrobenzene	528-29-0	RP240701RSR	99%	1,005.9	µg/mL	+/- 36.6003	
41	Acenaphthene	83-32-9	MKCR7169	99%	1,000.0	µg/mL	+/- 36.3847	
42	3-Nitroaniline	99-09-2	RP240708RSR	99%	1,004.6	µg/mL	+/- 36.5525	
43	2,4-Dinitrophenol	51-28-5	D240927RSR	99%	1,005.0	µg/mL	+/- 36.5657	
44	Dibenzofuran	132-64-9	MKCN1772	99%	1,005.4	µg/mL	+/- 36.5803	
45	2,4-Dinitrotoluene	121-14-2	102869V26E	99%	1,005.4	µg/mL	+/- 36.5803	
46	4-Nitrophenol	100-02-7	20241120-1-AN	99%	1,005.7	µg/mL	+/- 36.5930	
47	2,3,4,6-Tetrachlorophenol	58-90-2	PR-34476	99%	1,004.9	µg/mL	+/- 36.5616	
48	2,3,5,6-Tetrachlorophenol	935-95-5	RP240523RSR	99%	1,005.2	µg/mL	+/- 36.5739	
49	Fluorene	86-73-7	10246250	98%	1,005.8	µg/mL	+/- 36.5948	
50	4-Chlorophenyl phenyl ether	7005-72-3	002531K02D	99%	1,004.8	µg/mL	+/- 36.5584	
51	Diethylphthalate	84-66-2	STBL3611	99%	1,005.3	µg/mL	+/- 36.5762	
52	4-Nitroaniline	100-01-6	RP240830RSR	99%	1,005.5	µg/mL	+/- 36.5844	
53	4,6-Dinitro-2-methylphenol (Dinitro-o-cresol)	534-52-1	S241008RSR	99%	1,004.8	µg/mL	+/- 36.5589	

54	Diphenylamine	122-39-4	MKCT1512	99%	1,005.2	µg/mL	+/- 36.5725
55	Azobenzene	103-33-3	BCCL3292	99%	1,004.7	µg/mL	+/- 36.5566
56	4-Bromophenyl phenyl ether	101-55-3	STBH6361	99%	1,005.6	µg/mL	+/- 36.5875
57	Hexachlorobenzene	118-74-1	15828800	99%	1,005.3	µg/mL	+/- 36.5789
58	Pentachlorophenol	87-86-5	RP240517RSR	99%	1,005.4	µg/mL	+/- 36.5825
59	Phenanthrene	85-01-8	MKCT3391	99%	1,004.8	µg/mL	+/- 36.5584
60	Anthracene	120-12-7	MKCW9141	99%	1,005.5	µg/mL	+/- 36.5834
61	Carbazole	86-74-8	15630800	99%	1,005.3	µg/mL	+/- 36.5789
62	Di-n-butylphthalate	84-74-2	MKCN4337	99%	1,005.5	µg/mL	+/- 36.5848
63	Fluoranthene	206-44-0	A0458721	99%	1,005.4	µg/mL	+/- <0.0001
64	Pyrene	129-00-0	BCCL8032	99%	1,005.2	µg/mL	+/- 36.5734
65	Benzyl butyl phthalate	85-68-7	X12I018	99%	1,004.8	µg/mL	+/- 36.5584
66	Bis(2-ethylhexyl)adipate	103-23-1	MKCR8567	99%	1,004.5	µg/mL	+/- 36.5480
67	Benz(a)anthracene	56-55-3	I60012022BAA	99%	1,005.5	µg/mL	+/- 36.5844
68	Chrysene	218-01-9	RP241212RSR	99%	1,005.5	µg/mL	+/- 36.5848
69	Bis(2-ethylhexyl)phthalate	117-81-7	MKCS8065	99%	1,004.7	µg/mL	+/- 36.5548
70	Di-n-octyl phthalate	117-84-0	15817300	99%	1,004.8	µg/mL	+/- 36.5607
71	Benzo(b)fluoranthene	205-99-2	022013B	99%	1,005.1	µg/mL	+/- 36.5716
72	Benzo(k)fluoranthene	207-08-9	012022K	98%	1,004.6	µg/mL	+/- 36.5511
73	Benzo(a)pyrene	50-32-8	NQLXA	98%	1,004.2	µg/mL	+/- 36.5377
74	Indeno(1,2,3-cd)pyrene	193-39-5	12-JKL-118-9	97%	1,004.1	µg/mL	+/- 36.5337
75	Dibenz(a,h)anthracene	53-70-3	712061504-1-1	99%	1,005.7	µg/mL	+/- 36.5930
76	Benzo(g,h,i)perylene	191-24-2	RP241014RSR	98%	1,005.4	µg/mL	+/- 36.5814

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%

Tech Tips:

N-Nitrosodiphenylamine (86-30-6) is prone to breakdown in the injection port and will be converted to Diphenylamine (122-39-4). When comparing the response of Diphenylamine to mixtures manufactured using N-Nitrosodiphenylamine, a difference in response will be observed. The ratio of the MW can be used to calculate the theoretical concentration of the N-Nitrosodiphenylamine.

Quality Confirmation Test

Column:

30m x 0.25mm x 0.25µm
Rtx-5 (cat.#10223)

Carrier Gas:

hydrogen-constant flow 1.8 mL/min.

Temp. Program:

80°C (hold 0.1 min.) to 330°C
@ 9.6°C/min. (hold 2.86 min.)

Inj. Temp:

250°C

Det. Temp:

340°C

Det. Type:


FID

Split Vent:


100 ml/min.

Inj. Vol

1µl




This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.


Penelope Riglin - Operations Tech I

Date Mixed: 12-Jan-2025

Balance Serial # 1128360905


Dillan Murphy - Operations Technician I

Date Passed: 21-Jan-2025

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic plus



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 31853 **Lot No.:** A0218894
Description : 1,4-dioxane
1,4-Dioxane 2,000µg/mL, Methylene Chloride, 1mL/ampul
Container Size : 2 mL **Pkg Amt:** > 1 mL
Expiration Date : November 30, 2029 **Storage:** 0°C or colder
Ship: Ambient

513118 } RC/
↓
513147 } 5/20/25.

CERTIFIED VALUES

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	1,4-Dioxane	123-91-1	SHBQ1693	99%	2,002.4 µg/mL	+/- 24.9202

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%

Quality Confirmation Test

Column:

30m x 0.25mm x 0.25µm
Rtx-5 (cat.#10223)

Carrier Gas:

hydrogen-constant flow 1.8 mL/min.

Temp. Program:

80°C (hold 0.1 min.) to 330°C
@ 9.6°C/min. (hold 2.86 min.)

Inj. Temp:

250°C

Det. Temp:

340°C

Det. Type:


FID

Split Vent:

100 mL/min.

Inj. Vol

1µl



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Penelope Riglin - Operations Tech I

Date Mixed: 07-Nov-2024

Balance Serial # 1128360905

Dillan Murphy - Operations Technician I

Date Passed: 11-Nov-2024

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

gravimetric



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 555871 **Lot No.:** A0226283

Description : Custom 4-Nitrophenol Standard
Custom 4-Nitrophenol Standard 25,000µg/mL, Methanol, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : June 30, 2028 **Storage:** 10°C or colder
Ship: Ambient

513158 } RC/
↓
513167 } 6/4/25

CERTIFIED VALUES

Component #	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	4-Nitrophenol	100-02-7	20241120-1-AN	99%	25,192.0 µg/mL	+/- 783.0517

Solvent: Methanol
CAS # 67-56-1
Purity 99%

Morgan Craighead - Mix Technician

Date Mixed: 02-Jun-2025

Balance: C322230531

REVIEWED
By: [Signature] Murphy at 11:21 am, Jan 05, 2025

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic plus



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 31206 **Lot No.:** A0224359

Description : SV Internal Standard Mix 2mg/ml
SV Internal Standard Mix 2mg/ml 2000 µg/ml, Methylene Chloride, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : March 31, 2031 **Storage:** 10°C or colder

Handling: Sonication required. Mix is photosensitive. **Ship:** Ambient

S13168
↓
S13197 } AC
6/9/25

CERTIFIED VALUES

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	1,4-Dichlorobenzene-d4	3855-82-1	PR-30447	99%	2,000.0 µg/mL	+/- 90.0812
2	Naphthalene-d8	1146-65-2	M-2180	99%	2,000.8 µg/mL	+/- 90.1187
3	Acenaphthene-d10	15067-26-2	PR-33507	99%	2,000.8 µg/mL	+/- 90.1187
4	Phenanthrene-d10	1517-22-2	PR-34099	99%	2,000.0 µg/mL	+/- 90.0812
5	Chrysene-d12	1719-03-5	PR-33506	99%	2,000.8 µg/mL	+/- 90.1187
6	Perylene-d12	1520-96-3	PR-33205	99%	2,000.0 µg/mL	+/- 90.0812

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%



110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

gravimetric



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 555868 **Lot No.:** A0226493

Description : Custom Benzidine Standard
Custom Benzidine Standard 25,000µg/mL, Methanol, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : June 30, 2028 **Storage:** 10°C or colder


Handling: Contains carcinogen/reproductive toxin. **Ship:** Ambient

S13198
↓
S13207 } AC
6/11/25

CERTIFIED VALUES

Component #	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	Benzidine	92-87-5	S250227ECS	99%	25,004.0 µg/mL	+/- 495.8040

Solvent: Methanol
CAS # 67-56-1
Purity 99%


Laith Clemente - Operations Technician I

Date Mixed: 09-Jun-2025

Balance: 1122030677

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397



CERTIFIED WEIGHT REPORT

Part Number: **70434**
Lot Number: **121622**
Description: **Acetophenone**

Solvent(s): **Lot#**
Methylene chloride **C21F09CAS0000DCM**

Expiration Date: **121627**
Recommended Storage: **Refrigerate (4 °C)**
Nominal Concentration (µg/mL): **1000**
NIST Test ID#: **8UTB**

Weight(s) shown below were combined and diluted to (mL): **50.0** **5E-05** Balance Uncertainty


0.001 Flask Uncertainty

		121622
Formulated By:	Benson Chan	DATE
		121622
Reviewed By:	Pedro L. Rentas	DATE



Compound	RM#	Lot Number	Nominal Conc (µg/mL)	Purity (%)	Uncertainty Purity	Target Weight(g)	Actual Weight(g)	Actual Conc (µg/mL)	Expanded Uncertainty (+/-) (µg/mL)	SDS Information (Solvent Safety Info. On Attached pg.)		
										CAS#	OSHA PEL (TWA)	LD50
1. Acetophenone	434	04511JX	1000	99	0.2	0.05055	0.05075	1004.0	4.5	98-86-2	N/A	ori-rat 815mg/kg

Method: GC6MSD-1. Detector: MSD. Column: Vocol (60m X 0.25mm ID X 1.5µm film thickness). Oven Profile: Temp. 1 = 35°C (10min.), Temp. 2 = 200°C (8.75 min.), Rate = 4°C/min., Injector Temp. = 200°C, Detector Temp. = 220°C. Analyst: Candice Warren. Solvent delay = 25 minutes.

TIC: [BSB3]70434.D



Scan 2222 (50.704 min): [BSB3]70434.D




5132083 Rel
6/19/25

- The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- All Standards, after opening ampule, should be stored with caps tight and under appropriate laboratory conditions.
- Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, DC, (1994).



Comments

GC13-M1 Analysis by Melissa Stonier
Column ID SPB-Vocol 105 meter X 0.53mm X 3.0µm film thickness
Flow rates: Total flow=290mL/min., Helium (carrier)=10mL/min.,
Helium(make-up)=10mL/min., Hydrogen(make-up)=40mL/min., Air(make-up)=230mL/min.
Oven Profile: Temp. 1=35°C (Time 1=10 min.), Temp 2=200°C (Time 2=8.75 min.),
Rate = 4°C/min., Total run time=60 min. Injector temp.=200°C, FID Temp.=200°C.
FID Signal = Edaq Channel 1
Standard injection = 0.5µL, Range=3





CERTIFIED WEIGHT REPORT

Part Number: **91126**
Lot Number: **060625**
Description: **Benzoic acid**

Solvent(s):
Methylene chloride
Lot#
23343



Expiration Date: **060630**
Recommended Storage: **Refrigerate (4 °C)**
Nominal Concentration (µg/mL): **2000**
NIST Test ID#: **6UTB**

Weight(s) shown below were combined and diluted to (mL): **100.0**
5E-05 Balance Uncertainty
0.031 Flask Uncertainty

<i>Anthony Mahoney</i>		060625
Formulated By:	Anthony Mahoney	DATE
<i>Pedro L. Rentas</i>		060625
Reviewed By:	Pedro L. Rentas	DATE

Compound	RM#	Lot Number	Nominal Conc (µg/mL)	Purity (%)	Uncertainty Purity	Target Weight(g)	Actual Weight(g)	Actual Conc (µg/mL)	Expanded Uncertainty (+/-) (µg/mL)	SDS Information (Solvent Safety Info. On Attached pg.)		
										CAS#	OSHA PEL (TWA)	LD50
1. Benzoic acid	34	11930AW	2000.0	99	0.2	0.20211	0.20227	2001.6	8.2	65-85-0	N/A	ori-rat 1700mg/kg

Method GC8MSD-3.M: Column:SPB-5 (30m X 0.25mm ID X 0.25µm film thickness) Temp 1 = 50°C (1min.), Temp 2 = 300°C (9min.), Rate = 10°C/min., Injector B= 200°C. Detector B = 275°C, Split Ratio = 100:1, Scan Rate = 2. Analysis performed by: Melissa Stonier.



513209 } RC
6/19/25

- The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
 - Standards are prepared gravimetrically using balances that are calibrated by an ISO 17025 certified organization with weights traceable through NIST to the SI kilogram (see above).
 - Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
 - All Standards, after opening ampule, should be stored with caps tight and under appropriate laboratory conditions.
 - Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, DC, (1994).
- Rev 1.0, 2/25/2025



CERTIFIED WEIGHT REPORT

Part Number: **34571**
Lot Number: **092324**
Description: **1,2,4,5-Tetrachlorobenzene**

Solvent(s):
Methanol

Lot#
EI863-US

Expiration Date: 092334
Recommended Storage: Refrigerate (4 °C)
Nominal Concentration (µg/mL): 5000
NIST Test ID#: 6UTB

Weight(s) shown below were combined and diluted to (mL): 25.0




CAUTION: Sonicate Before Use

5E-05 Balance Uncertainty
0.004 Flask Uncertainty

		092324
Formulated By:	Lawrence Barry	DATE
		092324
Reviewed By:	Pedro L. Rentas	DATE

Compound	RM#	Lot Number	Nominal Conc (µg/mL)	Purity (%)	Uncertainty Purity	Target Weight (g)	Actual Weight (g)	Actual Conc (µg/mL)	Expanded Uncertainty (+/-) (µg/mL)	SDS Information (Solvent Safety Info. On Attached pg.)		
										CAS#	OSHA PEL (TWA)	LD50
1. 1,2,4,5-Tetrachlorobenzene	274	10408AS	5000	98	0.20	0.12761	0.12765	5001.4	20.8	95-94-3	N/A	orl-rat 1500mg/kg

Method GC8MSD-3.M: Column:SPB-5 (30m X 0.25mm ID X 0.25µm film thickness) Temp 1 = 50°C (1min.), Temp 2 = 300°C (9min.), Rate = 10°C/min., Injector B= 200°C, Detector B = 275°C, Split Ratio = 100:1, Scan Rate = 2. Analysis performed by: Gina McLane.



- The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- All Standards, after opening ampule, should be stored with caps tight and under appropriate laboratory conditions.
- Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, DC, (1994).

5132113 RC
6/19/25.




Run 31, “P34571 L092324 [5000µg/mL in MeOH]”

Run Length: 35.00 min, 20999 points at 10 points/second.
Created: Fri, Jan 3, 2025 at 11:24:40 AM.
Sampled: Sequence “010225-GC4M1”, Method “GC4-M1”.
Analyzed using Method “GC4-M1”.

Comments

GC4-M1 Analysis by Melissa Stonier
Column ID SPB5 L#60062-01A : 30 meter x 0.53mm x 1.5µm Film Thickness
Flow rates: Total Flow = 300 ml/min, Helium (carrier) = 6.5 mL, Helium (make-up) = 25 mL, Hydrogen (detector) = 30 mL, Air (detector) = 360 mL
Oven Temp 1 = 50°C (1 min), Rate = 10°C/min, Oven Temp 2 = 300°C (9 min), Total Run Time = 35 Minutes.
Injector Temp = 200°C, FID Temp = 300°C, FID Signal = eDAQ Channel 1.
Gas Chromatograph = HP 5890, Auto Sampler = HP 7673, Standard Injection = 0.5 µL, Range = 7





110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

gravimetric



FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 555223 **Lot No.:** A0228451

Description : Custom 8270 Plus Standard #1
Custom 8270 Plus Standard #1 1,000µg/mL, Methylene Chloride, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : August 31, 2027 **Storage:** 10°C or colder

Handling: This product is photosensitive. **Ship:** Ambient

S13239 } RC/
↓
S13268 } 08/06/25

CERTIFIED VALUES

Component #	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	3,3'-Dichlorobenzidine	91-94-1	S250226RSR	99%	1,006.0 µg/mL	+/- 23.0947
2	Atrazine	1912-24-9	5FYWL	99%	1,007.0 µg/mL	+/- 23.1176
3	Benzidine	92-87-5	S250227ECS	99%	1,003.0 µg/mL	+/- 23.0258
4	epsilon-Caprolactam	105-60-2	Y16H012	99%	1,003.0 µg/mL	+/- 23.0258

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%

Tom Sucka - Mix Technician

Date Mixed: 01-Aug-2025

Balance: 1128360905

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397



SHIPPING DOCUMENTS

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17

Packing List

6390 Joyce Dr., #100
Golden, CO 80403

Tel: +1-303-940-0033
Fax: +1-303-940-0043
info@phenova.com
www.phenova.com

For terms and conditions of your order, please visit:
www.phenova.com/home/termsandsale

Date	Order #
09/02/2025	333290



Ship To

Alliance Tech Group - Newark
ATTN: Sohil Jodhani
284 Sheffield St., #1
Mountainside, NJ 07092
USA

Received by: *ST* 9/4/2025
9:25

Customer PO #	Terms	PT Acct #	Customer #	Ship Via	F.O.B.
PO2-3159	Net 30	ZCM-100	1500470	FedEx 2nd Day	Golden, CO

Qty Ordered	Qty Shipped	Qty Backorder	Part Number	Part Description	Study Number	Lot Number
			PT-TMSET-WP	WP Trace Metals Set : (TM1, HG and SNTI)		
1	1	0	PT-TM1-WP	WP Trace Metals 1	WP0925	8270-04
1	1	0	PT-HG-WP	WP Mercury	WP0925	8270-05
1	1	0	PT-SNTI-WP	WP Tin & Titanium	WP0925	8270-38
1	1	0	PT-CR6-WP	WP Hexavalent Chromium	WP0925	8270-06
1	1	0	PT-DEM-WP	WP Demand	WP0925	8270-07
			PT-MINSET-WP	WP Minerals Set : (MIN1, MIN2 and COND)		
1	1	0	PT-MIN1-WP	WP Minerals 1 Only	WP0925	8270-08
1	1	0	PT-MIN2-WP	WP Minerals 2 Only	WP0925	8270-102
1	1	0	PT-COND-WP	WP Conductivity Only	WP0925	8270-72
1	1	0	PT-COND-WP	WP Conductivity Only	WP0925	8270-72
1	1	0	PT-SOL-WP	WP Solids	WP0925	8270-09
			PT-NUTSET-WP	WP Nutrients Set : (NUT1, NUT2 and NUT3)		
1	1	0	PT-NUT1-WP	WP NUT1 Simple Nutrients Only	WP0925	8270-10
1	1	0	PT-NUT2-WP	WP NUT2 - Complex Nutrients	WP0925	8270-11
1	1	0	PT-NUT3-WP	WP NUT3 - Nitrite Only	WP0925	8270-69
1	1	0	PT-OGR1L-WP	WP Oil and Grease 1L	WP0925	8270-103
1	1	0	PT-CL-WP	WP Residual Chlorine	WP0925	8270-13
1	1	0	PT-PH-WP	WP pH	WP0925	8270-15
1	1	0	PT-CN-WP	WP Cyanide	WP0925	8270-14

6390 Joyce Dr., #100
Golden, CO 80403

Tel: +1-303-940-0033
Fax: +1-303-940-0043
info@phenova.com
www.phenova.com

For terms and conditions of your order, please visit:
www.phenova.com/home/termsofsale

Date	Order #
09/02/2025	333290



Ship To

Alliance Tech Group - Newark
ATTN: Sohil Jodhani
284 Sheffield St., #1
Mountainside, NJ 07092
USA

Received by: SJ
9/4/2025
9:25

Customer PO #	Terms	PT Acct #	Customer #	Ship Via	F.O.B.
PO2-3159	Net 30	ZCM-100	1500470	FedEx 2nd Day	Golden, CO

Qty Ordered	Qty Shipped	Qty Backorder	Part Number	Part Description	Study Number	Lot Number
1	1	0	PT-PHEN-WP	WP Phenolics	WP0925	8270-16
1	1	0	PT-S2-WP	WP Sulfide	WP0925	8270-22
1	1	0	PT-SSOL-WP	WP Settleable Solids	WP0925	8270-17
1	1	0	PT-VSOL-WP	WP Volatile Solids	WP0925	8270-18
1	1	0	PT-TURB-WP	WP Turbidity	WP0925	8270-20
1	1	0	PT-SIO2-WP	WP Silica	WP0925	8270-21
1	1	0	PT-COL-WP	WP Color	WP0925	8270-51
1	1	0	PT-VOA-WP	WP Volatiles	WP0925	8270-26
1	1	0	PT-BN-WP	WP Base Neutrals	WP0925	8270-27
1	1	0	PT-ACIDS-WP	WP Acids	WP0925	8270-28
1	1	0	PT-PEST-WP	WP Pesticides	WP0925	8270-29
1	1	0	PT-CHLR-WP	WP Chlordane	WP0925	8270-30
1	1	0	PT-TXP-WP	WP Toxaphene	WP0925	8270-31
1	1	0	PT-PCBW-WP	WP PCBs in Water	WP0925	8270-32
1	1	0	PT-HERB-WP	WP Herbicides	WP0925	8270-36
1	1	0	RR-TPH1L-WP	WP TPH 1L	R41815	R41815-104
1	1	0	RR-PAH-WP	WP PAH-Low Level	R41815	R41815-37
1	1	0	RR-GAS-WP	WP Gasoline Range Organics	R41815	R41815-62
1	1	0	RR-DIES-WP	WP Diesel Range Organics	R41815	R41815-63
1	1	0	RR-8011-WP	WP EDB/DBCP/TCP	R41815	R41815-98

Packing List

6390 Joyce Dr., #100
Golden, CO 80403

Tel: +1-303-940-0033
Fax: +1-303-940-0043
info@phenova.com
www.phenova.com

For terms and conditions of your order, please visit:
www.phenova.com/home/termsandsale

Date	Order #
09/05/2025	340092



Ship To

Alliance Tech Group - Newark
ATTN: Sohil Jodhani
284 Sheffield St., #1
Mountainside, NJ 07092
USA

Received by: SJ

9/9/2025 12:20

Customer PO #	Terms	PT Acct #	Customer #	Ship Via	F.O.B.
PO2-3159	Net 30	ZCM-100	1500470	FedEx 2nd Day	Golden, CO

Qty Ordered	Qty Shipped	Qty Backorder	Part Number	Part Description	Study Number	Lot Number
1	1	0	RR-TRIAZINE-WP	WP Triazine Pesticides	R41854	R41854-108

Laboratory Certification

Certified By	License No.
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255425
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	TX-C25-00189
Virginia	460312