

LAB CHRONICLE

OrderID:	Q3019	OrderDate:	9/4/2025 10:19:00 AM
Client:	Alliance Technical Group, LLC - Newark	Project:	NJ Waste Water PT
Contact:	Mohammad Ahmed	Location:	QA Office

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q3019-01	WP0925-PT-CR6-WP	WATER	Hexavalent Chromium	7196A	09/02/25 10:00		09/19/25 15:17	09/04/25
Q3019-02	WP0925-PT-CR6-WP	WATER	Hexavalent Chromium	SM3500-Cr B	09/02/25 10:00		09/18/25 17:22	09/04/25
Q3019-03	WP0925-PT-DEM-WP	WATER	BOD5	SM5210 B	09/02/25 10:00		09/17/25 10:15	09/04/25
			CBOD5	SM5210 B			09/17/25 09:30	
			COD	SM5220 D			09/22/25 14:27	
			TOC	SM5310B			10/07/25 12:54	
Q3019-03DL	WP0925-PT-DEM-WP DL	WATER	TOC	SM5310B	09/02/25 10:00		10/07/25 14:16	09/04/25
Q3019-04	WP0925-PT-DEM-WP	WATER	TOC	9060A	09/02/25 10:00		10/07/25 12:54	09/04/25
Q3019-04DL	WP0925-PT-DEM-WP DL	WATER			09/02/25 10:00			09/04/25

LAB CHRONICLE

TOC 9060A 10/07/25
14:16

Q3019-05 WP0925-PT-MIN1-WP WATER 09/02/25 10:00 09/04/25

Alkalinity SM2320 B 10/06/25
12:24
Anions Group1 300.0 09/11/25
11:49
Chloride SM4500-CL C 09/15/25
15:45
Sulfate SM 10/07/25
4500-SO4E 12:45

Q3019-05DL WP0925-PT-MIN1-WP DL WATER 09/02/25 10:00 09/04/25

Anions Group1 300.0 09/11/25
13:16
Sulfate SM 10/07/25
4500-SO4E 12:48

Q3019-05DL WP0925-PT-MIN1-WP WATER 09/02/25 10:00 09/04/25
2 DL2

Anions Group1 300.0 09/11/25
13:37

Q3019-06 WP0925-PT-MIN1-WP WATER 09/02/25 10:00 09/04/25

Anions Group1 9056A 09/11/25
11:49
Sulfate 9038 10/07/25
11:45

Q3019-06DL WP0925-PT-MIN1-WP WATER 09/02/25 10:00 09/04/25
DL

Anions Group1 9056A 09/11/25
13:16
Sulfate 9038 10/07/25
11:48

Q3019-06DL WP0925-PT-MIN1-WP WATER 09/02/25 10:00 09/04/25
2 DL2

LAB CHRONICLE

			Anions Group1	9056A		09/11/25 13:37	
Q3019-07	WP0925-PT-COND-W	Water			09/02/25 10:00		09/04/25
			Conductance	SM2510 B		09/12/25 13:45	
Q3019-08	WP0925-PT-COND-WP	Water			09/02/25 10:00		09/04/25
			Conductance	120.1		09/12/25 13:45	
Q3019-09	WP0925-PT-COND-WP	Water			09/02/25 10:00		09/04/25
			Conductance	9050A		09/12/25 13:45	
Q3019-10	WP0925-PT-SOL-WP	WATER			09/02/25 10:00		09/04/25
			TDS	SM2540 C		10/15/25 12:30	
			TS	SM2540 B		10/15/25 12:00	
			TSS	SM2540 D		10/16/25 09:35	
Q3019-11	WP0925-PT-NUT1-WP	WATER			09/02/25 10:00		09/04/25
			Ammonia	SM4500-NH3		09/16/25	09/17/25 10:43
			Anions Group2	300.0			09/11/25 12:33
Q3019-11DL	WP0925-PT-NUT1-WP DL	WATER			09/02/25 10:00		09/04/25
			Ammonia	SM4500-NH3		09/16/25	09/17/25 11:10
			Anions Group2	300.0			09/11/25 13:59
Q3019-12	WP0925-PT-NUT1-WP	WATER			09/02/25 10:00		09/04/25

LAB CHRONICLE

			Anions Group2	9056A		09/11/25 12:33	
			Phosphorus-Ortho	SM4500-P E		09/25/25 12:17	
Q3019-12DL	WP0925-PT-NUT1-WP DL	WATER			09/02/25 10:00		09/04/25
			Anions Group2	9056A		09/11/25 13:59	
			Phosphorus-Ortho	SM4500-P E		09/25/25 12:19	
Q3019-13	WP0925-PT-NUT2-WP	WATER			09/02/25 10:00		09/04/25
			Phosphorus-Total	365.3		09/25/25 13:37	
			TKN	SM4500-N Org C-11 plus NH3 B plus G-11		09/16/25 12:38	
Q3019-13DL	WP0925-PT-NUT2-WP DL	WATER			09/02/25 10:00		09/04/25
			Phosphorus-Total	365.3		09/25/25 13:39	
Q3019-14	WP0925-PT-NUT3-WP	WATER			09/02/25 10:00		09/04/25
			Nitrite	SM4500-NO2 B		09/11/25 12:16	
Q3019-14DL	WP0925-PT-NUT3-WP DL	WATER			09/02/25 10:00		09/04/25
			Nitrite	SM4500-NO2 B		09/11/25 12:40	
Q3019-15	WP0925-PT-NUT3-WP	WATER			09/02/25 10:00		09/04/25

LAB CHRONICLE

			Anions Group4	300.0		09/11/25 12:54	
Q3019-16	WP0925-PT-NUT3-WP	WATER			09/02/25 10:00		09/04/25
			Anions Group5	9056A		09/11/25 12:54	
Q3019-17	WP0925-PT-ORG1L-W P	WATER			09/02/25 10:00		09/04/25
			Oil and Grease	1664A		09/10/25 11:25	
Q3019-18	WP0925-PT-TPH1L-W P	WATER			09/02/25 10:00		09/04/25
			TPH	1664A		09/10/25 12:40	
Q3019-19	WP0925-PT-CL-WP	Water			09/02/25 10:00		09/04/25
			Residual Chlorine	SM4500 CI G		09/10/25 11:24	
Q3019-20	WP0925-PT-PH-WP	WATER			09/02/25 10:00		09/04/25
			pH	9040C		09/18/25 10:35	
Q3019-21	WP0925-PT-PH-WP	WATER			09/02/25 10:00		09/04/25
			pH	SM 4500-H B		09/18/25 10:35	
Q3019-22	WP0925-PT-CN-WP	WATER			09/02/25 10:00		09/04/25
			Cyanide	SM4500-CN C,E	09/10/25	09/10/25 14:55	
Q3019-22DL	WP0925-PT-CN-WPDL	WATER			09/02/25 10:00		09/04/25
			Cyanide	SM4500-CN C,E	09/10/25	09/10/25 14:55	

LAB CHRONICLE

Q3019-23	WP0925-PT-CN-SP	WATER			09/02/25 10:00			09/04/25
			Cyanide	9012B		09/10/25	09/10/25 11:48	
Q3019-23DL	WP0925-PT-CN-SPDL	WATER			09/02/25 10:00			09/04/25
			Cyanide	9012B		09/10/25	09/10/25 12:41	
Q3019-24	WP0925-PT-CN-SP	WATER			09/02/25 10:00			09/04/25
			Cyanide	9014		09/10/25	09/10/25 14:14	
Q3019-24DL	WP0925-PT-CN-SPDL	WATER			09/02/25 10:00			09/04/25
			Cyanide	9014		09/10/25	09/10/25 14:14	
Q3019-25	WP0925-PT-PHEN-WP	WATER			09/02/25 10:00			09/04/25
			Phenolics	9065		09/11/25	09/11/25 14:57	
Q3019-26	WP0925-PT-PHEN-WP	WATER			09/02/25 10:00			09/04/25
			Phenolics	420.1		09/11/25	09/11/25 14:14	
Q3019-27	WP0925-PT-COL-WP	Water			09/02/25 10:00			09/04/25
			Apparent Color	SM2120 B			09/15/25 13:45	
Q3019-28	WP0925-PT-S2-WP	WATER			09/02/25 10:00			09/04/25
			Sulfide	SM4500 S EorF		09/10/25	09/10/25 12:49	
Q3019-29	WP0925-PT-S2-WP	WATER			09/02/25 10:00			09/04/25

LAB CHRONICLE

			Sulfide	9034		09/10/25	09/10/25 12:09	
Q3019-30	WP0925-PT-SSOL-WP	Water			09/02/25 10:00			09/04/25
			Settleable Solids	SM2540 F			09/12/25 12:15	
Q3019-31	WP0925-PT-VSOL-WP	WATER			09/02/25 10:00			09/04/25
			TVS	160.4			10/08/25 17:00	
Q3019-32	WP0925-PT-VSOL-WP	WATER			09/02/25 10:00			09/04/25
			TVS	SM2540 G			10/08/25 17:00	
Q3019-33	WP0925-PT-TURB-WP	Water			09/02/25 10:00			09/04/25
			Turbidity	SM2130 B			10/09/25 15:47	
Q3019-34	WP0925-PT-TURB-WP	Water			09/02/25 10:00			09/04/25
			Turbidity	180.1			10/09/25 15:47	