

Report of Analysis

Client:	PSEG	Date Collected:	
Project:	Tonnelle Ave Sub	Date Received:	
Client Sample ID:	PB169599BS	SDG No.:	Q3022
Lab Sample ID:	PB169599BS	Matrix:	Water
Analytical Method:	NJEPH	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH
Prep Method :	SW3510		

Prep Date :	Date Analyzed :	Prep Batch ID
09/04/25 14:40	09/08/25 15:44	PB169599

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units	
TARGETS								
Aliphatic C9-C12	Aliphatic C9-C12	156		1	8.28	30.0	ug/l	FC069817.D
Aliphatic C12-C16	Aliphatic C12-C16	134		1	13.5	20.0	ug/l	FC069817.D
Aliphatic C16-C21	Aliphatic C16-C21	245		1	8.34	30.0	ug/l	FC069817.D
Aliphatic C21-C28	Aliphatic C21-C28	346		1	12.5	40.0	ug/l	FC069817.D
Aliphatic C28-C40	Aliphatic C28-C40	557		1	23.8	60.0	ug/l	FC069817.D
Aromatic C10-C12	Aromatic C10-C12	174		1	2.07	20.0	ug/l	FD049730.D
Aromatic C12-C16	Aromatic C12-C16	292		1	4.26	30.0	ug/l	FD049730.D
Aromatic C16-C21	Aromatic C16-C21	520		1	8.27	50.0	ug/l	FD049730.D
Aromatic C21-C36	Aromatic C21-C36	858		1	23.8	80.0	ug/l	FD049730.D
Total AliphaticEPH	Total AliphaticEPH	1440			66.4	180	ug/l	
Total AromaticEPH	Total AromaticEPH	1840			38.4	180	ug/l	
Total EPH	Total EPH	3280			105	360	ug/l	

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	PSEG	Date Collected:	
Project:	Tonnelle Ave Sub	Date Received:	
Client Sample ID:	PB169599BS	SDG No.:	Q3022
Lab Sample ID:	PB169599BS	Matrix:	Water
Analytical Method:	NJEPH	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	2000 uL
Soil Aliquot Vol:		Test:	EPH
Prep Method :	SW3510		

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FC069817.D	1	09/04/25	09/08/25	PB169599

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C12	Aliphatic C9-C12	156		8.28	30.0	ug/l
Aliphatic C12-C16	Aliphatic C12-C16	134		13.5	20.0	ug/l
Aliphatic C16-C21	Aliphatic C16-C21	245		8.34	30.0	ug/l
Aliphatic C21-C28	Aliphatic C21-C28	346		12.5	40.0	ug/l
Aliphatic C28-C40	Aliphatic C28-C40	557		23.8	60.0	ug/l
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	36.9		40 - 140	74%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	0.00		40 - 140	0%	SPK: 50

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	PB169599BS	Acq On:	08 Sep 2025 15:44
Client Sample ID:	PB169599BS	Operator:	YP/AJ
Data file:	FC069817.D	Misc:	
Instrument:	FID_C	ALS Vial:	12
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.310	6.604	9922441	78.145	300	ug/ml
Aliphatic C12-C16	6.605	10.003	8618196	67.151	200	ug/ml
Aliphatic C16-C21	10.004	13.368	14480833	122.971	300	ug/ml
Aliphatic C21-C28	13.369	17.031	17793078	173.378	400	ug/ml
Aliphatic C28-C40	17.032	22.005	22722102	278.991	600	ug/ml
Aliphatic EPH	3.310	22.005	73536650	720.637		ug/ml
ortho-Terphenyl (SURR)	0.000	0.000	0	0		ug/ml
1-chlorooctadecane (SURR)	13.104	13.104	3528715	36.88		ug/ml
Aliphatic C9-C28	3.310	17.031	50814548	441.645	1200	ug/ml