

Report of Analysis

Client:	PSEG	Date Collected:	
Project:	Tonnelle Ave Sub	Date Received:	
Client Sample ID:	PB169599BL	SDG No.:	Q3022
Lab Sample ID:	PB169599BL	Matrix:	Water
Analytical Method:	NJEPH	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH
Prep Method :	SW3510		

Prep Date :	Date Analyzed :	Prep Batch ID
09/04/25 14:40	09/08/25 15:02	PB169599

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units	
TARGETS								
Aliphatic C9-C12	Aliphatic C9-C12	30.0	U	1	8.28	30.0	ug/l	FC069816.D
Aliphatic C12-C16	Aliphatic C12-C16	20.0	U	1	13.5	20.0	ug/l	FC069816.D
Aliphatic C16-C21	Aliphatic C16-C21	30.0	U	1	8.34	30.0	ug/l	FC069816.D
Aliphatic C21-C28	Aliphatic C21-C28	40.0	U	1	12.5	40.0	ug/l	FC069816.D
Aliphatic C28-C40	Aliphatic C28-C40	60.0	U	1	23.8	60.0	ug/l	FC069816.D
Aromatic C10-C12	Aromatic C10-C12	20.0	U	1	2.07	20.0	ug/l	FD049729.D
Aromatic C12-C16	Aromatic C12-C16	30.0	U	1	4.26	30.0	ug/l	FD049729.D
Aromatic C16-C21	Aromatic C16-C21	50.0	U	1	8.27	50.0	ug/l	FD049729.D
Aromatic C21-C36	Aromatic C21-C36	80.0	U	1	23.8	80.0	ug/l	FD049729.D
Total AliphaticEPH	Total AliphaticEPH	180	U		66.4	180	ug/l	
Total AromaticEPH	Total AromaticEPH	180	U		38.4	180	ug/l	
Total EPH	Total EPH	360	U		105	360	ug/l	

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	PSEG	Date Collected:	
Project:	Tonnelle Ave Sub	Date Received:	
Client Sample ID:	PB169599BL	SDG No.:	Q3022
Lab Sample ID:	PB169599BL	Matrix:	Water
Analytical Method:	NJEPH	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH
Prep Method :	SW3510		

Prep Date :	Date Analyzed :	Prep Batch ID
09/04/25 14:40	09/08/25 15:02	PB169599

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units	
TARGETS								
Aliphatic C9-C12	Aliphatic C9-C12	30.0	U	1	8.28	30.0	ug/l	FC069816.D
Aliphatic C12-C16	Aliphatic C12-C16	20.0	U	1	13.5	20.0	ug/l	FC069816.D
Aliphatic C16-C21	Aliphatic C16-C21	30.0	U	1	8.34	30.0	ug/l	FC069816.D
Aliphatic C21-C28	Aliphatic C21-C28	40.0	U	1	12.5	40.0	ug/l	FC069816.D
Aliphatic C28-C40	Aliphatic C28-C40	60.0	U	1	23.8	60.0	ug/l	FC069816.D
Aromatic C10-C12	Aromatic C10-C12	20.0	U	1	2.07	20.0	ug/l	FD049729.D
Aromatic C12-C16	Aromatic C12-C16	30.0	U	1	4.26	30.0	ug/l	FD049729.D
Aromatic C16-C21	Aromatic C16-C21	50.0	U	1	8.27	50.0	ug/l	FD049729.D
Aromatic C21-C36	Aromatic C21-C36	80.0	U	1	23.8	80.0	ug/l	FD049729.D
Total AliphaticEPH	Total AliphaticEPH	180	U		66.4	180	ug/l	
Total AromaticEPH	Total AromaticEPH	180	U		38.4	180	ug/l	
Total EPH	Total EPH	360	U		105	360	ug/l	

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	PSEG	Date Collected:	
Project:	Tonnelle Ave Sub	Date Received:	
Client Sample ID:	PB169599BL	SDG No.:	Q3022
Lab Sample ID:	PB169599BL	Matrix:	Water
Analytical Method:	NJEPH	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH
Prep Method :	SW3510		

Prep Date :	Date Analyzed :	Prep Batch ID
09/04/25 08:00	09/08/25 15:02	PB169599

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units	
TARGETS								
Aliphatic C9-C12	Aliphatic C9-C12	8.28	U	1	8.28	30.0	ug/l	FC069816.D
Aliphatic C12-C16	Aliphatic C12-C16	13.5	U	1	13.5	20.0	ug/l	FC069816.D
Aliphatic C16-C21	Aliphatic C16-C21	8.34	U	1	8.34	30.0	ug/l	FC069816.D
Aliphatic C21-C28	Aliphatic C21-C28	12.5	U	1	12.5	40.0	ug/l	FC069816.D
Aliphatic C28-C40	Aliphatic C28-C40	23.8	U	1	23.8	60.0	ug/l	FC069816.D
Aromatic C10-C12	Aromatic C10-C12	2.07	U	1	2.07	20.0	ug/l	FD049729.D
Aromatic C12-C16	Aromatic C12-C16	4.26	U	1	4.26	30.0	ug/l	FD049729.D
Aromatic C16-C21	Aromatic C16-C21	8.27	U	1	8.27	50.0	ug/l	FD049729.D
Aromatic C21-C36	Aromatic C21-C36	23.8	U	1	23.8	80.0	ug/l	FD049729.D
Total AliphaticEPH	Total AliphaticEPH	66.4	U		66.4	180	ug/l	
Total AromaticEPH	Total AromaticEPH	38.4	U		38.4	180	ug/l	
Total EPH	Total EPH	105	U		105	360	ug/l	

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	PSEG	Date Collected:	
Project:	Tonnelle Ave Sub	Date Received:	
Client Sample ID:	PB169599BL	SDG No.:	Q3022
Lab Sample ID:	PB169599BL	Matrix:	Water
Analytical Method:	NJEPH	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	2000 uL
Soil Aliquot Vol:		Test:	EPH
Prep Method :	SW3510		

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FC069816.D	1	09/04/25	09/08/25	PB169599

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C12	Aliphatic C9-C12	8.28	U	8.28	30.0	ug/l
Aliphatic C12-C16	Aliphatic C12-C16	13.5	U	13.5	20.0	ug/l
Aliphatic C16-C21	Aliphatic C16-C21	8.34	U	8.34	30.0	ug/l
Aliphatic C21-C28	Aliphatic C21-C28	12.5	U	12.5	40.0	ug/l
Aliphatic C28-C40	Aliphatic C28-C40	23.8	U	23.8	60.0	ug/l
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	32.9		40 - 140	66%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	0.00		40 - 140	0%	SPK: 50

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	PB169599BL	Acq On:	08 Sep 2025 15:02
Client Sample ID:	PB169599BL	Operator:	YP/AJ
Data file:	FC069816.D	Misc:	
Instrument:	FID_C	ALS Vial:	11
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.310	6.604	0	0	300	ug/ml
Aliphatic C12-C16	6.605	10.003	0	0	200	ug/ml
Aliphatic C16-C21	10.004	13.368	0	0	300	ug/ml
Aliphatic C21-C28	13.369	17.031	0	0	400	ug/ml
Aliphatic C28-C40	17.032	22.005	0	0	600	ug/ml
Aliphatic EPH	3.310	22.005	0	0		ug/ml
ortho-Terphenyl (SURR)	0.000	0.000	0	0		ug/ml
1-chlorooctadecane (SURR)	13.104	13.104	3148955	32.91		ug/ml
Aliphatic C9-C28	3.310	17.031	0	0	1200	ug/ml