

## Preparation Blank Summary

**Client:** Holland Manufacturing Co.

**SDG No.:** Q3028

**Project:** Pre Treatment Plant 2025

| Analyte                                             | Units | Result   | Acceptance Limits | Conc Qual | MDL   | RDL  | Analysis Date |
|-----------------------------------------------------|-------|----------|-------------------|-----------|-------|------|---------------|
| Sample ID: <b>LB137083BL</b><br>Oil and Grease      | mg/L  | < 2.5000 | 2.5000            | U         | 0.29  | 5.0  | 09/05/2025    |
| Sample ID: <b>LB137092BL</b><br>BOD5                | mg/L  | < 0.2000 | 0.2000            | U         | 0.20  | 2.0  | 09/05/2025    |
| Sample ID: <b>LB137099BL</b><br>Orthophosphate as P | mg/L  | 0.008    | 0.0250            | J         | 0.004 | 0.05 | 09/05/2025    |
| Sample ID: <b>LB137104BL</b><br>TSS                 | mg/L  | 1        | 2.0000            | J         | 1     | 4    | 09/08/2025    |
| Sample ID: <b>PB169579BL</b><br>Phosphorus, Total   | mg/L  | 0.009    | 0.0250            | J         | 0.005 | 0.05 | 09/05/2025    |
| Sample ID: <b>PB169587BL</b><br>Ammonia as N        | mg/L  | < 0.0500 | 0.0500            | U         | 0.03  | 0.1  | 09/08/2025    |