

Cover Page

Order ID : Q3032

Project ID : 3 Coal Ave., Morristown, NJ

Client : Zuccaro Inc.

Lab Sample Number

Q3032-01
Q3032-02
Q3032-03
Q3032-04
Q3032-05
Q3032-06

Client Sample Number

SOIL-PILE-1
SOIL-PILE-1
SOIL-PILE-1
SOIL-PILE-2
SOIL-PILE-2
SOIL-PILE-2

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : _____

Date: 9/18/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

CASE NARRATIVE

Zuccaro Inc.

Project Name: 3 Coal Ave., Morristown, NJ

Project # N/A

Order ID # Q3032

Test Name: TCLP VOA,VOC-TCLVOA-10

A. Number of Samples and Date of Receipt:

6 Solid samples were received on 09/05/2025.

B. Parameters

According to the Chain of Custody document, the following analyses were requested:

. This data package contains results for TCLP VOA(8260D), VOC-TCLVOA-10(8260D).

C. Analytical Techniques:

VOC-TCLVOA-10 : The analysis performed on instrument MSVOA_Y were done using GC column Rxi-624SIL MS 30m, 0.25mm, 1.4 um, Cat. #13868.The analysis of VOC-TCLVOA-10 was based on method 8260D.

TCLP VOA : The analysis performed on instrument MSVOA_N were done using GC column Rxi-624SIL MS 30m, 0.25mm, 1.4 um, Cat. #13868.The analysis of TCLP VOA was based on method 8260D and TCLP extraction method was 1311.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Surrogate recoveries were met for all analysis.

The Internal Standards Areas were met for all analysis.

The Retention Times were met for all analysis.

The RPD were met for all analysis.

The Blank Spike met requirements for all compounds.

The Blank Spike Duplicate met requirements for all compounds.

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements except following

VOC-TCLVOA-10 : The %RSD is greater than 20% in the Initial Calibration method (82Y081225S.M) for Methylene chloride passing on Linear regression.

The Continuous Calibration met the requirements except following



284 Sheffield Street, Mountainside, NJ 07092
Phone: 908 789 8900 Fax: 908 789 8922

VOC-TCLVOA-10 : The Continuous Calibration File ID VY023290.D met the requirements except for Tetrachloroethene is failing high but no positive hit in associate sample therefore no corrective action taken.

The Tuning criteria met requirements.

E. Additional Comments:

Samples for MS/MSD for VOC analysis were not provided with this set of samples. The Blank Spike Duplicate is reported with the data.

Trip Blank was not provided with this set of samples.

The soil samples results are based on a dry weight basis.

Please use %D calculated based on Avg RF and CCRF for all compounds using Average Response Factor when the %RSD value for a compound is <20% for the Initial Calibration curve and use %D calculated based on Amount added and Calculated amount for all compounds using Linear Regression when the %RSD value for a compound is > 20% for the Initial Calibration curve for SW-846 analysis.

F. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____



284 Sheffield Street, Mountainside, NJ 07092
Phone: 908 789 8900 Fax: 908 789 8922

CASE NARRATIVE

Zuccaro Inc.

Project Name: 3 Coal Ave., Morristown, NJ

Project # N/A

Order ID # Q3032

Test Name: SVOC-TCL BNA -20,TCLP BNA

A. Number of Samples and Date of Receipt:

6 Solid samples were received on 09/05/2025.

B. Parameters

According to the Chain of Custody document, the following analyses were requested:

. This data package contains results for SVOC-TCL BNA -20(8270E), TCLP BNA(8270E).

C. Analytical Techniques:

SVOC-TCL BNA -20 : The samples were analyzed on instrument BNA_F using GC Column DB-UI 8270D which is 20 meters, 0.18 mm ID, 0.36 um df. The samples were analyzed on instrument BNA_G using GC Column ZB-SemiVolatiles Guardian which is 30 meters, 0.25 mm ID, 0.5 um df, Catalog # 7HG-G027-17-GGA. The analysis of SVOC-TCL BNA -20 was based on method 8270E and extraction was done based on method 3541.

TCLP BNA : The samples were analyzed on instrument BNA_F using GC Column DB-UI 8270D which is 20 meters, 0.18 mm ID, 0.36 um df. The analysis of TCLP BNA was based on method 8270E and extraction was done based on method 3510 and TCLP extraction method was 1311.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Surrogate recoveries were met for all analysis.

The Internal Standards Areas were met for all analysis.

The Retention Times were met for all analysis.

The MS {Q3032-01MS} with File ID: BG064310.D recoveries met the requirements for all compounds except for 2,2-oxybis(1-Chloropropane)[65%], 3,3-Dichlorobenzidine[42%], 3-Nitroaniline[50%] and 4-Chloroaniline[29%], these compounds did not meet the NJDKQP criteria but met the in-house criteria.

The MSD {Q3032-01MSD} with File ID: BG064311.D recoveries met the acceptable requirements except for 2,2-oxybis(1-Chloropropane)[65%], 3,3-Dichlorobenzidine[43%], 3-Nitroaniline[55%] and 4-Chloroaniline[32%], these compounds did not meet the NJDKQP criteria but met the in-house criteria.

The RPD were met for all analysis.

The Blank Spike for {PB169593BS} with File ID: BG064331.D met requirements for all samples except for 2,2-oxybis(1-Chloropropane)[59%], 3,3-Dichlorobenzidine[65%] and 4-Chloroaniline[54%], these compounds did not meet the NJDKQP criteria but met the in-house criteria.

The Blank Spike Duplicate met requirements for all compounds.

The Blank analysis did not indicate the presence of lab contamination.

The %RSD is greater than 20% in the Method 8270-BG082825.M for 2,4-Dinitrophenol & it is passing on Linear regression.

The Continuous Calibration File ID BG064301.D met the requirements except for 2,2-oxybis(1-Chloropropane), marginally biased low and 4,6-Dinitro-2-methylphenol, Hexachlorobutadiene, Hexachlorocyclopentadiene and 2,4,6-Tribromophenol failing biased high, The associate samples have no positive hit for these compounds therefore no corrective action was taken.

The Continuous Calibration File ID BG064329.D met the requirements except for 1,2,4,5-Tetrachlorobenzene, 2,3,4,6-Tetrachlorophenol, 2,4,5-Trichlorophenol, 2,4-Dichlorophenol, 2,4-Dinitrophenol, 2-Nitrophenol, 4,6-Dinitro-2-methylphenol, 4-Bromophenyl-phenylether, 4-Nitroaniline, Atrazine, Hexachlorobutadiene, Hexachlorocyclopentadiene, Pentachlorophenol, The associate samples have no positive hit for these compounds therefore no corrective action was taken.. and 2,4,6-Tribromophenol, biased high therefore no corrective action was taken.

The Tuning criteria met requirements.

SVOC-TCL BNA -20 : Samples SOIL-PILE-2 was diluted due to viscous and concentrated matrix.



284 Sheffield Street, Mountainside, NJ 07092
Phone: 908 789 8900 Fax: 908 789 8922

E. Additional Comments:

The Form 6 is not included in the data package because the Initial Calibration was performed using 7 points.

The soil samples results are based on a dry weight basis.

Please use %D calculated based on Avg RF and CCRF for all compounds using Average Response Factor when the %RSD value for a compound is <20% for the Initial Calibration curve and use %D calculated based on Amount added and Calculated amount for all compounds using Linear Regression when the %RSD value for a compound is > 20% for the Initial Calibration curve for SW-846 analysis.

F. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____



284 Sheffield Street, Mountainside, NJ 07092
Phone: 908 789 8900 Fax: 908 789 8922

CASE NARRATIVE

Zuccaro Inc.

Project Name: 3 Coal Ave., Morristown, NJ

Project # N/A

Order ID # Q3032

Test Name: PCB,Pesticide-TCL,TCLP Herbicide,TCLP Pesticide

A. Number of Samples and Date of Receipt:

6 Solid samples were received on 09/05/2025.

B. Parameters

According to the Chain of Custody document, the following analyses were requested:

. This data package contains results for PCB(8082A), Pesticide-TCL(8081B), TCLP Herbicide(8151A), TCLP Pesticide(8081B).

C. Analytical Techniques:

PCB : The analyses were performed on instrument GCECD_P. The front column is ZB-MR1 which is 30 meters, 0.32 mm ID, 0.5 um df, Catalogue # 7HM-G016-17. The rear column is ZB-MR2 which is 30 meters, 0.32 mm ID, 0.25 µm; Catalogue # 7HM-G017-11. The analysis of PCBs was based on method 8082A and extraction was done based on method 3541.

TCLP Herbicide : The analysis was performed on instrument ECD_S. The front column is RTX-CLPesticides which is 30 meters, 0.32 mm ID, 0.5 um df,: Catalog # 11139. The rear column is RTX-CLPesticides2 which is 30 meters, 0.32 mm ID, 0.25 um df, Catalog #: 11324. The analysis of TCLP Herbicides was based on method 8151A and extraction was done based on method 3510 and TCLP extraction method was 1311.

TCLP Pesticide : The analysis was performed on instrument ECD_L. The front column is ZB-MR1 which is 30 meters, 0.32 mm ID, 0.5 um df,: Catalog # 7HM-G016-17. The rear column is ZB-MR2 which is 30 meters, 0.32 mm ID, 0.25 um df, Catalog #: 7HMG017- 11. The analysis of TCLP Pesticides was based on method 8081B and extraction was done based on method 3510 and TCLP extraction method was 1311.

Pesticide-TCL : The analysis was performed on instrument ECD_D. The front column is ZB-MR1 which is 30 meters, 0.32 mm ID, 0.5 um df,: Catalog # 7HM-G016-17. The rear column is ZB-MR2 which is 30 meters, 0.32 mm ID, 0.25 um df, Catalog #: 7HMG017- 11. The analysis of Pesticide-TCLs was based on method 8081B and extraction was done based on method 3541.

D. QA/ QC Samples:

The Holding Times were met for all analysis.



284 Sheffield Street, Mountainside, NJ 07092
Phone: 908 789 8900 Fax: 908 789 8922

The Surrogate recoveries were met for all analysis except following
TCLP Herbicide : SOIL-PILE-1MSD [2,4-DCAA(2)132%]. This compound did not
meet the NJDKQP criteria but met the in-house criteria.

Pesticide-TCL : SOIL-PILE-2 [Decachlorobiphenyl(2)24%]. This compound did not
meet the NJDKQP criteria but met the in-house criteria.

The Retention Times were met for all analysis.

The MS recoveries met the requirements for all compounds.

The MSD recoveries met the requirements for all compounds.

The RPD were met for all analysis.

The Blank Spike met requirements for all compounds.

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements.

The Continuous Calibration met the requirements.

E. Additional Comments:

The soil samples results are based on a dry weight basis.

F. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information
on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the
contract, both technically and for completeness, for other than the conditions detailed
above. The laboratory manager or his designee, as verified by the following signature has
authorized release of the data contained in this hard copy data package.

Signature_____



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

CASE NARRATIVE

Zuccaro Inc.

Project Name: 3 Coal Ave., Morristown, NJ

Project # N/A

Order ID # Q3032

Test Name: Mercury, Metals ICP-TAL, TCLP ICP Metals, TCLP Mercury

A. Number of Samples and Date of Receipt:

6 Solid samples were received on 09/05/2025.

B. Parameters:

According to the Chain of Custody document, the following analyses were requested: Cyanide, Mercury, Metals ICP-TAL, PCB, Pesticide-TCL, SVOC-TCL BNA -20, TCL+30/TAL, TCLP BNA, TCLP Extraction, TCLP Herbicide, TCLP ICP Metals, TCLP Mercury, TCLP Pesticide, TCLP VOA, TCLP ZHE Extraction, TCLP-FULL and VOC-TCLVOA-10. This data package contains results for Mercury, Metals ICP-TAL, TCLP ICP Metals, TCLP Mercury.

C. Analytical Techniques:

The analysis of Metals ICP-TAL, TCLP ICP Metals was based on method 6010D, digestion based on method 3050 (soils).

The analysis and digestion of TCLP Mercury was based on method 7470A. and TCLP extraction method was 1311.

The analysis and digestion of Mercury was based on method 7471B.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Blank Spike met requirements for all compounds.

The Duplicate analysis met criteria for all compounds except following Mercury, Metals ICP-TAL : The Duplicate (SOIL-PILE-2MSD) analysis met criteria for all compounds except for Manganese due to Chemical Interference during Digestion Process.

TCLP ICP Metals, TCLP Mercury : The Duplicate (VNJ-223MSD) analysis met criteria for all compounds except for Barium due to Chemical Interference during Digestion Process.

The MS recoveries met the requirements for all compounds except following Mercury, Metals ICP-TAL : The Matrix Spike (SOIL-PILE-2MS) analysis met criteria for



all compounds except for Antimony, Arsenic, Barium, Beryllium, Lead, Selenium and Sodium due to Chemical Interference during Digestion Process.

The MSD recoveries met the requirements for all compounds except following Mercury, Metals ICP-TAL : The Matrix Spike Duplicate (SOIL-PILE-2MSD) analysis met criteria for all compounds except for Antimony, Arsenic, Barium, Beryllium, Lead, Selenium and Sodium due to Chemical Interference during Digestion Process.

The Serial Dilution met criteria for all compounds except following Mercury, Metals ICP-TAL : The Serial Dilution (SOIL-PILE-2L) met criteria for all compounds except for Aluminum, Calcium, Magnesium and Manganese due to sample matrix interference.

E. Additional Comments:

The Post Digest Spike (SOIL-PILE-2A) analysis met criteria for all compounds except for Beryllium and Sodium due to unknown chemical interference of matrix with the addition of spike amount after digestion and before analysis; matrix has suppression effect during addition of spike.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

CASE NARRATIVE

Zuccaro Inc.

Project Name: 3 Coal Ave., Morristown, NJ

Project # N/A

Order ID # Q3032

Test Name: Cyanide

A. Number of Samples and Date of Receipt:

2 Solid samples were received on 09/05/2025.

B. Parameters:

According to the Chain of Custody document, the following analyses were requested: Cyanide. This data package contains results for Cyanide.

C. Analytical Techniques:

The analysis of Cyanide was based on method 9012B.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Blank Spike met requirements for all compounds.

The Duplicate analysis met criteria for all compounds.

The Matrix Spike analysis met criteria for all compounds.

The Matrix Spike Duplicate analysis met criteria for all compounds.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

E. Additional Comments:

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____

DATA REPORTING QUALIFIERS- INORGANIC

For reporting results, the following “ Results Qualifiers” are used:

J	Indicates the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL), but greater than or equal to the Instrument Detection Limit (IDL).
U	Indicates the analyte was analyzed for, but not detected.
ND	Indicates the analyte was analyzed for, but not detected
E	Indicates the reported value is estimated because of the presence of interference
M	Indicates Duplicate injection precision not met.
N	Indicates the spiked sample recovery is not within control limits.
S	Indicates the reported value was determined by the Method of Standard Addition (MSA).
*	Indicates that the duplicate analysis is not within control limits.
+	Indicates the correlation coefficient for the MSA is less than 0.995.
D	Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range.
M	Method qualifiers “P” for ICP instrument “PM” for ICP when Microwave Digestion is used “CV” for Manual Cold Vapor AA “AV” for automated Cold Vapor AA “CA” for MIDI-Distillation Spectrophotometric “AS” for Semi -Automated Spectrophotometric “C” for Manual Spectrophotometric “T” for Titrimetric “NR” for analyte not required to be analyzed
OR	Indicates the analyte’s concentration exceeds the calibrated range of the instrument for that specific analysis.
Q	Indicates the LCS did not meet the control limits requirements
H	Sample Analysis Out Of Hold Time

DATA REPORTING QUALIFIERS- ORGANIC

For reporting results, the following “Results Qualifiers” are used:

Value	If the result is a value greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. “10 U”. This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
ND	Indicates the analyte was analyzed for, but not detected
J	Indicates an estimated value. This flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3 ug/L was calculated report as 3 J. This flag is used when similar situation arise on any organic parameter i.e. Pest, PCB and others.
B	Indicates the analyte was found in the blank as well as the sample report as “12 B”.
E	Indicates the analyte ‘s concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide/PCB target analyte when there is >25% difference for detected concentrations between the two GC columns. The lower of the two values is reported on Form 1 and flagged with a “P”.
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
A	This flag indicates that a Tentatively Identified Compound is a suspected aldol-condensation product.
Q	Indicates the LCS did not meet the control limits requirements

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: Q3032

Completed

For thorough review, the report must have the following:

GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: SOHIL JODHANI

Date: 09/18/2025