

Report of Analysis

Client:	Zuccaro Inc.		Date Collected:		
Project:	3 Coal Ave., Morristown, NJ		Date Received:		
Client Sample ID:	VN0908WBS01		SDG No.:	Q3032	
Lab Sample ID:	VN0908WBS01		Matrix:	TCLP	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	TCLP VOA	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VN087752.D	1	09/08/25 10:59	VN090825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-01-4	Vinyl Chloride	19.6		0.26	5.00	ug/L
75-35-4	1,1-Dichloroethene	18.7		0.23	5.00	ug/L
78-93-3	2-Butanone	84.1		0.98	25.0	ug/L
56-23-5	Carbon Tetrachloride	20.1		0.25	5.00	ug/L
67-66-3	Chloroform	18.0		0.25	5.00	ug/L
71-43-2	Benzene	18.0		0.15	5.00	ug/L
107-06-2	1,2-Dichloroethane	17.7		0.22	5.00	ug/L
79-01-6	Trichloroethene	18.4		0.090	5.00	ug/L
127-18-4	Tetrachloroethene	18.4		0.23	5.00	ug/L
108-90-7	Chlorobenzene	18.5		0.12	5.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	41.3		70 (74) - 130 (125)	83%	SPK: 50
1868-53-7	Dibromofluoromethane	45.2		70 (75) - 130 (124)	90%	SPK: 50
2037-26-5	Toluene-d8	45.1		70 (86) - 130 (113)	90%	SPK: 50
460-00-4	4-Bromofluorobenzene	44.1		70 (77) - 130 (121)	88%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	259000	8.2			
540-36-3	1,4-Difluorobenzene	485000	9.082			
3114-55-4	Chlorobenzene-d5	441000	11.841			
3855-82-1	1,4-Dichlorobenzene-d4	222000	13.77			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products