



SHIPPING DOCUMENTS



284 Sheffield Street, Mountainside, New Jersey 07092 Phone : 908 789 8900 Fax : 908 789 8922

Alliance Project No. :

23052

Client Contact Information				Bottle Order ID : B2508043				Courier : FGALDUN				1 of 3 COCs													
Client ID : GFELO1 Project ID : 238 FLORIDA ST ELIZABETH NJ				Sampler Name(s) : FRANK GALDUN				Analysis				Matrix													
Customer GFE LLC Name : Address : 58 Nokomis Ave				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																	
				Phone Number : 646-542-3465																					
				Fax Number : 973-334-1692																					
Site Details: 280 CONNECTICUT AVE NORWALK, CT																									
City : Lake Hiawatha				Analysis Turnaround Time 5 DAY				Data Package Type : RESULTS ONLY				Indoor/Ambient Air Soil Gas													
State : NJ				Standard : 10 business days OR				EDD Type : PDF																	
Zip Code : 07034				Rush (Specify): 5 Days																					
Country :																									
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15										
SVI	9/6/25	9:54	11:54	OVER 30	7	75	75	-30	-5.5	10767	10321	6 L	50	VL042860.D	1										
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15)															
Ambient																						Maximum		Minimum	
Start																									
Stop																									
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions.															
										REPORT ONLY: PCE, TCE, cis-1,2-DCE, TRANS-1,2-DCE, 1,1,1-TCA, 1,1-DCA, 1,2-DCA, VINYL CHLORIDE															
Ambient										Maximum		Minimum		Please follow the instructions on the back of this COC.											
Start																									
Stop																									
Special Instructions/QC Requirements & Comments :																									
Suspected Contamination: High Medium Low PID Readings: 1, 0																									
Sampling site (State):																									
Quick Connector required : NO																									
Canisters Shipped by: FG				Date/Time: 8/27/25				Canisters Received by: CG				Date/Time: 9/8/25 13:20				B2508043 - 6									
Samples Relinquished by: FG				Date/Time: 9/8/25				Received by:				Date/Time:													
Relinquished by:				Date/Time:				Received by:				Date/Time:													

Client Contact Information				Bottle Order ID : B2508043				Courier : FGaldun				2 of 4 COCs				
Client ID : GFELO1				Project ID : 333 FLORIDA ST ELIZABETH NJ				Sampler Name(s) : FRANK Galdun				Analysis		Matrix		
Customer : GFE LLC Name : Address : 58 Nokomis Ave				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified								
				Phone Number : 646-542-3465												
				Fax Number : 973-334-1692												
Site Details: 280 CONNECTICUT AVE NORWALK, CT																
City : Lake Hiawatha				Analysis Turnaround Time 5 DAY				Data Package Type : RESULTS ONLY								
State : NJ				Standard : 10 business days OR												
Zip Code : 07034				Rush (Specify): 5 Days				EDD Type : PDF								
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum In Field ("Hg) (Start)	Can Vacuum In Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
SV2	9/6/25	11:15	1:15	OVER 30	5.5	75	78	-30	-7.5	10525	10590	6 L	50	VL042860.D	1	
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) 						
		Ambient	Maximum	Minimum												
Start																
Stop																
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY: PCE, TCE, CIS-1,2-DCE, TRANS-1,2-DCE, 1,1,1-TCA, 1,1-DCA, 1,2-DCA, VINYLCHLORIDE Please follow the instructions on the back of this COC.						
		Ambient	Maximum	Minimum												
Start																
Stop																
Special Instructions/QC Requirements & Comments :																
Suspected Contamination: High Medium Low PID Readings: 50																
Sampling site (State):																
Quick Connector required : NO																
Canisters Shipped by: FG				Date/Time: 9/27/25				Canisters Received by: OG				Date/Time: 9/8/25 13:20				
Samples Relinquished by: FG				Date/Time: 9/8/25				Received by:				Date/Time:				
Relinquished by:				Date/Time:				Received by:				Date/Time:				



284 Sheffield Street, Mountainside, New Jersey 07092 Phone : 908 789 8900 Fax : 908 789 8922

Alliance Project No. :

Q3052

Client Contact Information				Bottle Order ID : B2508043				Courier : FGALDUN				43 of 418 COCs					
Client ID : GFELO1 Project ID : 283 FLORIDA CT ELIZABETH NJ				Sampler Name(s) : FRANK GALDUN				Analysis				Matrix					
Customer Name : GFE LLC Address : 58 Nokomis Ave				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Individual Certified									
				Phone Number : 646-542-3465													
				Fax Number : 973-334-1692													
City : Lake Hiawatha				Site Details: 280 CONNECTICUT AVE NORWALK CT													
State : NJ				Analysis Turnaround Time 5 DAY													
Zip Code : 07034				Standard : 10 business days OR				Data Package Type : RESULTS ONLY									
Country :				Rush (Specify): 5 Days				EDD Type : PDF									
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
IAI	9/6/25	11:08	1:08	OVER 30	4.5	75	78	-30	-5.1	10707	10280	6 L	50	VL042860.D	1	1	
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15)							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY: PCE, TCE, cis-1,2-DCE, TRANS-1,2-DCE, 1,1,1-TCF, 1,1-DCA, 1,2-DCA, VINYLCHLORIDE Please follow the instructions on the back of this COC.							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Special Instructions/QC Requirements & Comments :																	
Suspected Contamination: High Medium Low PID Readings: 0.0																	
Sampling site (State):																	
Quick Connector required : NO																	
Canisters Shipped by: FGALDUN		Date/Time: 8/27/25		Canisters Received by: AG		Date/Time: 9/8/25 1320		B2508043 - 4									
Samples Relinquished by:		Date/Time: 9/8/25		Received by:		Date/Time:											
Relinquished by:		Date/Time:		Received by:		Date/Time:											

Client Contact Information				Bottle Order ID : 82508043				Courier : <u>FGALDUN</u>				4 of 4 COCs			
Client ID : GFEL01				Project ID : <u>273 FLORIDA ST ELIZABETH NJ</u>				Sampler Name(s) : <u>FRANK GALDUN</u>				Analysis		Matrix	
Customer Name : GFE LLC Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified							
				Phone Number : 646-542-3465											
				Fax Number : 973-334-1692											
				Site Details: <u>280 CONNECTICUT AVE</u> <u>NORWALK, CT</u>											
				Analysis Turnaround Time <u>5 DAY</u>				Data Package Type : <u>RESULTS ONLY</u>							
				Standard : <u>10 business days</u> OR				EDD Type : <u>PDF</u>							
Rush (Specify): <u>5</u> Days															

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
OA1	9/6/25	10:25	12:28	30	6	/	/	-30	-5.1	10528	10315	6 L	50	VL042860.D	1	1

Temperature (Fahrenheit)					GC/MS Analyst Signature (TO-15)
	Ambient	Maximum	Minimum		
Start	80				
Stop	84				

Pressure (Inches of Hg)					** Submittal of this COC Indicates approval of the analysis based on existing conditions. REPORT ONLY: PCE, TCE, cis-1,2-DCE, TRANS-1,2-DCE, 1,1,1-TCA, 1,1-DCA, 1,2-DCA, VINYLCHLORIDE Please follow the instructions on the back of this COC.
	Ambient	Maximum	Minimum		
Start					
Stop					

Special Instructions/QC Requirements & Comments :

Suspected Contamination: High Medium Low PID Readings: 0.0

Sampling site (State):

Quick Connector required : NR

Canisters Shipped by: <u>NR</u>	Date/Time: <u>8/27/25</u>	Canisters Received by: <u>CR</u>	Date/Time: <u>9/8/25 1320</u>
Samples Relinquished by:	Date/Time:	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:

B2508043 - 5

Laboratory Certification

Certified By	License No.
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255425
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	TX-C25-00189
Virginia	460312

New Jersey Department of Environmental Protection

Internal Chain of Custody

Instructions: Use 1 form for each 20 samples of aliquot

Laboratory Person Breaking Field Seal on Sample Shuttle & Accepting Responsibility for Sample

Laboratory: Chemtech

Location: 284 Sheffield Street, Mountainside, NJ 7092

~~None~~

Title: Sample Custodian

OK

Field Sample Seal No. Q3052

Date Broken 9/8/2025

Military Time Seal Broken: 13:20:00

Case No.: 280 CONNECTICUT AVE NC

Analytical Parameter/Fraction/MC/MS Group2

Sample No.	Aliquot/Extract No.	Sample No.	Aliquot/Extract No.
Q3052-01	SV1		
Q3052-02	SV2		
Q3052-03	IA1		
Q3052-04	OAI		

Date	Time	Relinquished By		Received By		Purpose of Change of Custody
9/8/25	5:15	Signature		Signature		
		Printed Name	Cassanova Perle	Printed Name	Andrew P. P. P.	
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		

Distribution: White - Original (Sent With Report)

Yellow - Contractor Archive

Pink - Sample Custodian - Interim Copy