

Report of Analysis

Client:	GFE LLC	Date Collected:	09/06/25
Project:	280 CONNECTICUT AVE NORWALK CT	Date Received:	09/08/25
Client Sample ID:	SV1	SDG No.:	Q3052
Lab Sample ID:	Q3052-01	Matrix:	Air
Analytical Method:	TO-15	Test:	VOCMS Group2
Sample Wt/Vol:	400	Units:	mL

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042910.D	40		09/08/25 18:56	VL090825

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-01-4	Vinyl Chloride	1.00	2.56	U	2.56	3.07	ug/m3
156-60-5	trans-1,2-Dichloroethene	4.80	19.0	U	19.0	79.3	ug/m3
75-34-3	1,1-Dichloroethane	5.20	21.1	U	21.1	81.0	ug/m3
156-59-2	cis-1,2-Dichloroethene	4.00	15.9	U	15.9	79.3	ug/m3
71-55-6	1,1,1-Trichloroethane	0.64	3.49	U	3.49	6.55	ug/m3
107-06-2	1,2-Dichloroethane	3.70	15.0	U	15.0	81.0	ug/m3
79-01-6	Trichloroethene	1.20	6.45		5.16	6.45	ug/m3
127-18-4	Tetrachloroethene	1600	10800	E	4.07	8.14	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	11.1			65 - 135	111%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	134000			2.784		
540-36-3	1,4-Difluorobenzene	336000			3.952		
3114-55-4	Chlorobenzene-d5	298000			8.875		

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements