

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,

Fax: 908 789 8922

Report of Analysis

Client:PSEGDate Collected:09/08/25 23:20Project:PSEG Spring ValleyDate Received:09/09/25Client Sample ID:MH-385SDG No.:Q3054

Lab Sample ID: Q3054-01 Matrix: SOIL

% Solid: 90.1

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weigh	nt) Prep Date	Date Ana.	Ana Met.
Hexavalent Chromium	0.44	U	1	0.076	0.44	mg/Kg	09/11/25 08:00	09/11/25 14:17	7196A
Ignitability	NO		1	0	0	oC		09/09/25 14:30	1030
Paint Filter	1.00	U	1	1.00	1.00	ml/100gm		09/10/25 13:35	9095B

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits