

DATA PACKAGE

SUB DATA

PROJECT NAME : NYSOMH EMERGENCY SERVICE

CHA COMPANIES, INC.

III Winners Circle

P.O. Box 5269

Albany, NY - 12205-0269

Phone No: 518-453-4500

ORDER ID : Q3062

ATTENTION : Carrie Robinson



Cover Page

Order ID : Q3062

Project ID : NYSOMH Emergency Service

Client : CHA Companies, Inc.

Lab Sample Number

Q3062-01
Q3062-02
Q3062-03
Q3062-04
Q3062-05
Q3062-06
Q3062-07

Client Sample Number

B2-W16-RM4080-SINK
B2-W16-RM4056-SINK
B2-W16-RM4057-RHSINK
B2-W16-LHDrinking Fountain
B2-W16-RM4065-Eyewash
B2-W16-RM4088-SINK
B2-W16-RM4075-SINK

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature :

APPROVED

By Nimisha Pandya, QA/QC Supervisor at 4:20 pm, Sep 12, 2025



Garden State Laboratories, Inc.

Report of Analysis

410 Hillside Ave.
Hillside, NJ 07205

Telephone: 800-273-8901
Email: info@gslabs.com
Internet: www.gslabs.com

Main Lab
NJDEP Lab Cert. #20044

Jersey Shore Lab
NJDEP Lab Cert. #15037

Lakehurst Lab
NJDEP Lab Cert. #15041

Mathew Klein, M.S., Founder (1916-1996)
Harvey Klein, M.S., Laboratory Director
Jordan B. Klein, B.A., Exec. Vice President
Sharon Ercoliani, B.A. Manager Emerita

For: Alliance Technical Group, LLC.
284 Sheffield Street
Suite 1
Mountainside, NJ 07092

Laboratory Director:

Attention: Yazmeen Gomez

Client Number: ALL01

Report Date: 09/12/2025

Sample ID: B2-W16-RM4080-SINK Lab Sample ID: 250910063-01
Site: Collection Date/Time: 09/09/2025 08:53
Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
E. coli	SM 9223 B Colilert	16	1	Absent per 100ml	Absent	1		20044	09/10/25 10:30	
Total Coliform	SM 9223 B Colilert	16	1	Absent per 100ml	Absent	1		20044	09/10/25 10:30	

Sample ID: B2-W16-RM4056-SINK Lab Sample ID: 250910063-02
Site: Collection Date/Time: 09/09/2025 09:07
Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
E. coli	SM 9223 B Colilert	16	1	Absent per 100ml	Absent	1		20044	09/10/25 10:30	
Total Coliform	SM 9223 B Colilert	16	1	Absent per 100ml	Absent	1		20044	09/10/25 10:30	

Sample ID: B2-W16-RM4057-RHSINK Lab Sample ID: 250910063-03
Site: Collection Date/Time: 09/09/2025 09:12
Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
E. coli	SM 9223 B Colilert	16	1	Absent per 100ml	Absent	1		20044	09/10/25 10:30	
Total Coliform	SM 9223 B Colilert	16	1	Absent per 100ml	Absent	1		20044	09/10/25 10:30	

Sample ID: B2-W16-LHDrinking Fountain Lab Sample ID: 250910063-04
Site: Collection Date/Time: 09/09/2025 09:15
Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
E. coli	SM 9223 B Colilert	16	1	Absent per 100ml	Absent	1		20044	09/10/25 10:30	
Total Coliform	SM 9223 B Colilert	16	1	Absent per 100ml	Absent	1		20044	09/10/25 10:30	



Garden State Laboratories, Inc.

Sample ID: B2-W16-RM4065-Eyewash Lab Sample ID: 250910063-05
Site: Collection Date/Time: 09/09/2025 09:22
Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
E. coli	SM 9223 B Colilert	16	1	Absent per 100ml	Absent	1		20044	09/10/25 10:30	
Total Coliform	SM 9223 B Colilert	16	1	Absent per 100ml	Absent	1		20044	09/10/25 10:30	

Sample ID: B2-W16-RM4088-SINK Lab Sample ID: 250910063-06
Site: Collection Date/Time: 09/09/2025 08:56
Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
E. coli	SM 9223 B Colilert	16	1	Absent per 100ml	Absent	1		20044	09/10/25 10:30	
Total Coliform	SM 9223 B Colilert	16	1	Absent per 100ml	Absent	1		20044	09/10/25 10:30	

Sample ID: B2-W16-RM4075-SINK Lab Sample ID: 250910063-07
Site: Collection Date/Time: 09/09/2025 09:02
Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
E. coli	SM 9223 B Colilert	16	1	Absent per 100ml	Absent	1		20044	09/10/25 10:30	
Total Coliform	SM 9223 B Colilert	16	1	Absent per 100ml	Absent	1		20044	09/10/25 10:30	

DF=Dilution factor, <=less than, MCL=Maximum Contaminant Level, Rep. Limit=Reporting Limit,
MDL=Method Detection Limit, SM YR=Standard Methods Publication Year, and NC=Not Certified.
The liability of Garden State Laboratories, Inc. for services rendered shall in no event exceed the amount of the invoice.
Main Lab certified by NJDEP #20044-TNI, NY Dept. of Health #11550 and PADEP #68-03680.

ALLO1 250910063-01-05

CHAIN OF CUSTODY RECORD

Sub Lab INFORMATION		CLIENT PROJECT INFORMATION		CLIENT BILLING INFORMATION	
COMPANY : Garden State Lab		ORDER ID : Q3062		BILL TO: CHEMTECH PO# : Q3062	
ADDRESS :		PROJECT ID: NYSOMH Emergency Service		ADDRESS : 284, Sheffield Street	
CITY: State : NJ ZIP :	PROJECT MANAGER YAZMEEN		CITY: Mountainside State : NJ ZIP : 07092		
E-mail :		E-mail : yazmeen.gomez@alliancetg.com		ATTENTION : YAZMEE	
PHONE : _-_-		PHONE : (908) 789 8900	FAX: (908) 789 8922	PHONE : (908) 789 8900 FAX : (908) 789 8922	

EDD : EXCEL NOCLEAN	Report : Level 1	Comment : GRAB NY - portable water - Results by 9/12
---------------------	------------------	--

ID	CLIENT SAMPLE IDENTIFICATION	SAMPLE MATRIX	ANALYSIS	Preservative	Method	SAMPLE COLLECTION		# OF BOTTLES	TAT DAYS
						DATE	TIME		
01	B2-W16-RM4080-SINK	Water	Ecoli 6201	um thiosulfate(Na2S2)	(sub) 9020	09/09/2025	08:53:00	1	3
01	+	Water	Total Coliform - MF 1	um thiosulfate(Na2S2)	9222	+	+	1	3
02	B2-W16-RM4056-SINK	Water	Ecoli 6302	um thiosulfate(Na2S2)	(sub) 9020	09/09/2025	09:07:00	1	3
02	+	Water	Total Coliform - MF 1	um thiosulfate(Na2S2)	9222	+	+	1	3
03	B2-W16-RM4057-RHSINK	Water	Ecoli 6203	um thiosulfate(Na2S2)	(sub) 9020	09/09/2025	09:12:00	1	3
03	+	Water	Total Coliform - MF 1	um thiosulfate(Na2S2)	9222	+	+	1	3
04	B2-W16-LHDinking Fountain	Water	Ecoli 6204	um thiosulfate(Na2S2)	(sub) 9020	09/09/2025	09:15:00	1	3
04	+	Water	Total Coliform - MF 1	um thiosulfate(Na2S2)	9222	+	+	1	3
05	B2-W16-RM4065-Eyewash	Water	Ecoli 6305	um thiosulfate(Na2S2)	(sub) 9020	09/09/2025	09:22:00	1	3

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGES POSSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY SAMPLER: 1.	DATETIME: 8:35 9-10-25	RECEIVED BY: 1.	Conditions of bottles or Coolers at receipt: ☐ Compliant ☐ Non Compliant Cooler Temp _____ Ice or Cooler? _____
RELINQUISHED BY: 2.	DATETIME:	RECEIVED BY: 2.	9/10/25 8:38 B.L.C
RELINQUISHED BY: 3.	DATETIME:	RECEIVED BY: 3.	☐ OVERNIGHT ☐ OVERNIGHT Shipment Complete: ☐ YES ☐ NO

ALL01 250910063-05-07

CHAIN OF CUSTODY RECORD

Sub Lab INFORMATION		CLIENT PROJECT INFORMATION		CLIENT BILLING INFORMATION	
COMPANY : Garden State Lab		ORDER ID : Q3062		BILL TO: CHEMTECH PO# : Q3062	
ADDRESS :		PROJECT ID:NYSOMH Emergency Service		ADDRESS : 284, Sheffield Street	
CITY:	State :NJ ZIP :	PROJECT MANAGER YAZMEEN		CITY: Mountainside State : NJ ZIP : 07092	
E-mail :		E-mail : yazmeen.gomez@alliancetg.com		ATTENTION : YAZMEE	
PHONE : _-_-		PHONE : (908) 789 8900	FAX: (908) 789 8922	PHONE : (908) 789 8900 FAX : (908) 789 8922	

EDD : EXCEL NOCLEAN Report : Level 1 Comment : GRAB NY , portable water - Results by 9/12

ID	CLIENT SAMPLE IDENTIFICATION	SAMPLE MATRIX	ANALYSIS	Preservative	Method	SAMPLE COLLECTION		# OF BOTTLES	TAT DAYS
						DATE	TIME		
05	1	Water	Total Coliform - MF 6305	um thiosulfate(Na2S2)	9222	1	1	1	3
06	B2-W16-RM4088-SINK	Water	Ecoli 6306	um thiosulfate(Na2S2)	(sub) 9020	09/09/2025	08:56:00	1	3
06	1	Water	Total Coliform - MF 1	um thiosulfate(Na2S2)	9222	1	1	1	3
07	B2-W16-RM4075-SINK	Water	Ecoli 6307	um thiosulfate(Na2S2)	(sub) 9020	09/09/2025	09:02:00	1	3
07	1	Water	Total Coliform - MF 1	um thiosulfate(Na2S2)	9222	1	1	1	3

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGES POSSESSION INCLUDING COURIER DELIVERY					
RELINQUISHED BY SAMPLER: 1.	DATETIME: 8:35 9-10-25	RECEIVED BY: 1.	Conditions of bottles or Coolers at receipt: 9/10/25 8:38 0,1C	☐ Compliant ☐ Non Compliant	Cooler Temp _____ Ice or Cooler? _____
RELINQUISHED BY: 2.	DATETIME:	RECEIVED BY: 2.			
RELINQUISHED BY: 3.	DATETIME:	RECEIVED BY: 3.	Page 2 of 2	☐ OVERNIGHT ☐ OVERNIGHT	Shipment Complete: ☐ YES ☐ NO

CLIENT INFORMATION

REPORT TO BE SENT TO:

COMPANY: **CHA Consulting, Inc**
ADDRESS: **3 Winners Circle**
CITY **Albany** STATE: **NY** ZIP: **12205**
ATTENTION: **Carrie Robinson**
PHONE: **518-453-8703** FAX:

CLIENT PROJECT INFORMATION

PROJECT NAME: **NYSOMH Emergency Service**
PROJECT NO.: **98107.100** LOCATION: **Kingsboro, PC**
PROJECT MANAGER: **Carrie Robinson**
e-mail: **crobenson@chasolutions.com**
PHONE: **518-453-8703** FAX:

CLIENT BILLING INFORMATION

BILL TO: **invoices@chasolutions.com** PO#: **098107.1001**
ADDRESS: **com**
CITY STATE: ZIP:
ATTENTION: PHONE:

ANALYSIS

DATA TURNAROUND INFORMATION

FAX (RUSH) **results by 9/12/25** DAYS*
HARDCOPY (DATA PACKAGE): **9/12/25** DAYS*
EDD: **need results by 9/12/25** DAYS*
*TO BE APPROVED BY CHEMTECH
STANDARD HARDCOPY TURNAROUND TIME IS 10 BUSINESS

DATA DELIVERABLE INFORMATION

☒ Level 1 (Results Only) ☐ Level 4 (QC + Full Raw Data)
☐ Level 2 (Results + QC) ☐ NJ Reduced ☐ US EPA CLP
☐ Level 3 (Results + QC) ☐ NYS ASP A ☐ NYS ASP B
+ Raw Data ☐ Other
☐ EDD FORMAT

**Total Coliform
Turbidity
Chlorine**

PRESERVATIVES

COMMENTS

ALLIANCE SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE		SAMPLE COLLECTION		# OF BOTTLES	PRESERVATIVES									COMMENTS
			COMP	GRAB	DATE	TIME		F	-	-							
1.	B2-W16-Rm4080-Sink	DW		X	9/9/25	853	3	X	X	X							F = Na2S2O3
2.	B2-W16-Rm4056-Sink	DW		X		907	3	X	X	X							
3.	B2-W16-Rm4057-RH Sink	DW		X		912	3	X	X	X							
4.	B2-W16-LH Drinking Fountain	DW		X		915	3	X	X	X							
5.	B2-W16-Rm4065-Eyewash	DW		X		922	3	X	X	X							
6.	B2-W16-Rm4088-Sink	DW		X		856	3	X	X	X							
7.	B2-W16-Rm4075-Sink	DW		X		902	3	X	X	X							
8.																	
9.																	
10.																	

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY SAMPLER:	DATE/TIME:	RECEIVED BY:	Conditions of bottles or coolers at receipt: ☐ COMPLIANT ☐ NON COMPLIANT ☐ COOLER TEMP 3.0 °C
1.	9/9/25 152	1.	Comments:
RELINQUISHED BY SAMPLER:	DATE/TIME:	RECEIVED BY:	
2.		2.	
RELINQUISHED BY SAMPLER:	DATE/TIME:	RECEIVED BY:	
3.	9-9-25 1640	3.	

Page **1** of **1**

CLIENT: ☐ Hand Delivered ☐ Other

Shipment Complete
☐ YES ☐ NO