

## **DATA PACKAGE**

GENERAL CHEMISTRY

**PROJECT NAME : FLOOR DRAIN WATER 2025**

### **MAJOR PRODUCTS**

**66 Industrial Ave.**

**Little Ferry, NJ - 07643-**

**Phone No: 201-641-5555**

**ORDER ID : Q3070**

**ATTENTION : Paul Bustamante**



**Laboratory Certification ID # 20012**



1) Signature Page	3
2) Case Narrative	4
2.1) Genchem- Case Narrative	4
3) Qualifier Page	5
4) QA Checklist	6
5) Genchem Data	7
6) Shipping Document	10
6.1) CHAIN OF CUSTODY	11
6.2) Lab Certificate	12

## Cover Page

**Order ID :** Q3070

**Project ID :** Floor Drain Water 2025

**Client :** Major Products

**Lab Sample Number**

Q3070-01  
Q3070-02  
Q3070-03

**Client Sample Number**

DRAIN-WATER-TANK-1  
DRAIN-WATER-TANK-1MS  
DRAIN-WATER-TANK-1MSD

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature :

**APPROVED**

*By Nimisha Pandya, QA/QC Supervisor at 4:12 pm, Sep 17, 2025*

Date: 9/17/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

## **CASE NARRATIVE**

### **Major Products**

**Project Name: Floor Drain Water 2025**

**Project # N/A**

**Order ID # Q3070**

**Test Name: BOD5,Oil and Grease,pH,TPH,TSS**

### **A. Number of Samples and Date of Receipt:**

3 Water samples were received on 09/10/2025.

### **B. Parameters:**

According to the Chain of Custody document, the following analyses were requested: BOD5,Oil and Grease,pH,TPH,TSS. This data package contains results for BOD5,Oil and Grease,pH,TPH,TSS.

### **C. Analytical Techniques:**

The analysis of Oil and Grease,TPH was based on method 1664A, The analysis of pH was based on method 9040C, The analysis of TSS was based on method SM2540 D and The analysis of BOD5 was based on method SM5210 B.

### **D. QA/ QC Samples:**

The Holding Times were met for all samples except for DRAIN-WATER-TANK-1 of pH as sample was receive out of holding time.

The Blank Spike met requirements for all compounds.

The Duplicate analysis met criteria for all compounds.

The Matrix Spike analysis met criteria for all compounds.

The Matrix Spike Duplicate analysis met criteria for all compounds.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

### **E. Additional Comments:**

As per method 1664A(TPH), MS/MSD is required to be performed with the sample analysis. However, Lab did not receive sufficient volume to perform the MS/MSD therefore MS/MSD were not performed for this project.

---

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

**APPROVED**

*By Nimisha Pandya, QA/QC Supervisor at 4:13 pm, Sep 17, 2025*

Signature\_\_\_\_\_

## DATA REPORTING QUALIFIERS- INORGANIC

For reporting results, the following “ Results Qualifiers” are used:

<b>J</b>	Indicates the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL), but greater than or equal to the Instrument Detection Limit (IDL).
<b>U</b>	Indicates the analyte was analyzed for, but not detected.
<b>ND</b>	Indicates the analyte was analyzed for, but not detected
<b>E</b>	Indicates the reported value is estimated because of the presence of interference
<b>M</b>	Indicates Duplicate injection precision not met.
<b>N</b>	Indicates the spiked sample recovery is not within control limits.
<b>S</b>	Indicates the reported value was determined by the Method of Standard Addition (MSA).
<b>*</b>	Indicates that the duplicate analysis is not within control limits.
<b>+</b>	Indicates the correlation coefficient for the MSA is less than 0.995.
<b>D</b>	Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range.
<b>M</b>	Method qualifiers “P” for ICP instrument “PM” for ICP when Microwave Digestion is used “CV” for Manual Cold Vapor AA “AV” for automated Cold Vapor AA “CA” for MIDI-Distillation Spectrophotometric “AS” for Semi -Automated Spectrophotometric “C” for Manual Spectrophotometric “T” for Titrimetric “NR” for analyte not required to be analyzed
<b>OR</b>	Indicates the analyte’s concentration exceeds the calibrated range of the instrument for that specific analysis.
<b>Q</b>	Indicates the LCS did not meet the control limits requirements
<b>H</b>	Sample Analysis Out Of Hold Time

## APPENDIX A

### QA REVIEW GENERAL DOCUMENTATION

Project #: Q3070

Completed

For thorough review, the report must have the following:

#### GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

#### COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

#### CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

#### ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: SOHIL JODHANI

Date: 09/17/2025



# SAMPLE DATA

## Report of Analysis

Client:	Major Products	Date Collected:	09/10/25 11:30
Project:	Floor Drain Water 2025	Date Received:	09/10/25
Client Sample ID:	DRAIN-WATER-TANK-1	SDG No.:	Q3070
Lab Sample ID:	Q3070-01	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
BOD5	10100		1	0.20	2.00	mg/L		09/10/25 16:50	SM 5210 B-16
Oil and Grease	23.8		1	0.29	5.00	mg/L		09/15/25 10:00	1664A
pH	7.38	H	1	0	0	pH		09/11/25 09:20	9040C
TPH	4.00	J	1	0.29	5.00	mg/L		09/15/25 09:40	1664A
TSS	240		1	1.00	4.00	mg/L		09/15/25 11:00	SM 2540 D-20

Comments: pH result reported at temperature 20.8 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits



LAB CHRONICLE

OrderID:	Q3070	OrderDate:	9/10/2025 1:48:00 PM
Client:	Major Products	Project:	Floor Drain Water 2025
Contact:	Paul Bustamante	Location:	D21

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q3070-01	DRAIN-WATER-TANK-1	WATER			09/10/25 11:30			09/10/25
			BOD5	SM5210 B			09/10/25 16:50	
			Oil and Grease	1664A			09/15/25 10:00	
			pH	9040C			09/11/25 09:20	
			TPH	1664A			09/15/25 09:40	
			TSS	SM2540 D			09/15/25 11:00	



# SHIPPING DOCUMENTS

CLIENT INFORMATION

REPORT TO BE SENT TO:  
COMPANY: MAJOR PRODUCTS Co.  
ADDRESS: 66 Industrial Ave  
CITY: Little Ferry STATE: NJ ZIP: 07643  
ATTENTION: PAUL BUSTAMANTE  
PHONE: 2016415555 FAX:

CLIENT PROJECT INFORMATION

PROJECT NAME: Floor drain water  
PROJECT NO.: LOCATION:  
PROJECT MANAGER: PAUL BUSTAMANTE  
e-mail: Andres@majorproducts.com  
PHONE: 2016415555 FAX:

CLIENT BILLING INFORMATION

BILL TO: MAJOR PO#:  
ADDRESS:  
CITY: State: ZIP:  
ATTENTION: PHONE:

ANALYSIS

DATA TURNAROUND INFORMATION

FAX (RUSH) 5 DAYS\*  
HARDCOPY (DATA PACKAGE): DAYS\*  
EDD: DAYS\*  
\*TO BE APPROVED BY CHEMTECH  
STANDARD HARDCOPY TURNAROUND TIME IS 10 BUSINESS

DATA DELIVERABLE INFORMATION

☐ Level 1 (Results Only) ☐ Level 4 (QC + Full Raw Data)  
☐ Level 2 (Results + QC) ☐ NJ Reduced ☐ US EPA CLP  
☐ Level 3 (Results + QC) ☐ NYS ASP A ☐ NYS ASP B  
+ Raw Data ☐ Other  
☐ EDD FORMAT

Bad TDS 0.036 mg/l TRU PU.

ALLIANCE SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE		SAMPLE COLLECTION		# OF BOTTLES	PRESERVATIVES									COMMENTS	
			COMP	GRAB	DATE	TIME		E	E	E	E	E						← Specify Preservatives A-HCl D-NaOH B-HNO3 E-ICE C-H2SO4 F-OTHER
1.	Drainwater tank #1	H2O		✓	9-10	4:30	1	X	X									Plastic bottle
2.	" " " "	H2O		✓	"	"	3		X	X	X							Glass doc bottle
3.	" " " "	H2O		✓	"	"	3		X	X	X							Glass bottle or
4.	" " " "	H2O		✓	"	"	1					X						small glass bottle
5.																		
6.																		
7.																		
8.																		
9.																		
10.																		

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY SAMPLER:	DATE/TIME: 1200	RECEIVED BY:	Conditions of bottles or coolers at receipt: <input checked="" type="checkbox"/> COMPLIANT <input type="checkbox"/> NON COMPLIANT <input type="checkbox"/> COOLER TEMP 2.4°C
1. [Signature]	9/10/25	1. [Signature]	Comments:
RELINQUISHED BY SAMPLER:	DATE/TIME:	RECEIVED BY:	
2.		2.	
RELINQUISHED BY SAMPLER:	DATE/TIME:	RECEIVED BY:	
3.		3.	

Page \_\_\_\_ of CLIENT: ☒ Hand Delivered ☐ Other Shipment Complete ☒ YES ☐ NO

### Laboratory Certification

Certified By	License No.
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255425
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	TX-C25-00189
Virginia	460312