

Report of Analysis

Client:	G Environmental	Date Collected:	
Project:	Blanchard	Date Received:	
Client Sample ID:	PB169693BL	SDG No.:	Q3083
Lab Sample ID:	PB169693BL	Matrix:	Water
Analytical Method:	SW8270ESIM	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-SIM
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BN037777.D	1	09/15/25 12:00	09/18/25 15:10	PB169693

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
91-20-3	Naphthalene	0.040	U	0.040	0.10	ug/L
208-96-8	Acenaphthylene	0.040	U	0.040	0.10	ug/L
83-32-9	Acenaphthene	0.040	U	0.040	0.10	ug/L
86-73-7	Fluorene	0.040	U	0.040	0.10	ug/L
85-01-8	Phenanthrene	0.030	U	0.030	0.10	ug/L
120-12-7	Anthracene	0.040	U	0.040	0.10	ug/L
206-44-0	Fluoranthene	0.030	U	0.030	0.10	ug/L
129-00-0	Pyrene	0.030	U	0.030	0.10	ug/L
56-55-3	Benzo(a)anthracene	0.040	U	0.040	0.10	ug/L
218-01-9	Chrysene	0.040	U	0.040	0.10	ug/L
205-99-2	Benzo(b)fluoranthene	0.040	U	0.040	0.10	ug/L
207-08-9	Benzo(k)fluoranthene	0.050	U	0.050	0.10	ug/L
50-32-8	Benzo(a)pyrene	0.040	U	0.040	0.10	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	0.050	U	0.050	0.10	ug/L
53-70-3	Dibenzo(a,h)anthracene	0.050	U	0.050	0.10	ug/L
191-24-2	Benzo(g,h,i)perylene	0.040	U	0.040	0.10	ug/L
SURROGATES						
7297-45-2	2-Methylnaphthalene-d10	0.33		30 (20) - 150 (139)	82%	SPK: 0.4
93951-69-0	Fluoranthene-d10	0.32		30 (54) - 150 (157)	80%	SPK: 0.4
4165-60-0	Nitrobenzene-d5	0.38		30 (27) - 130 (154)	96%	SPK: 0.4
321-60-8	2-Fluorobiphenyl	0.40		30 (30) - 130 (155)	99%	SPK: 0.4
1718-51-0	Terphenyl-d14	0.36		30 (54) - 130 (175)	90%	SPK: 0.4
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	6670	7.84			
1146-65-2	Naphthalene-d8	17000	10.637			
15067-26-2	Acenaphthene-d10	7050	14.484			
1517-22-2	Phenanthrene-d10	11700	17.236			
1719-03-5	Chrysene-d12	9220	21.411			
1520-96-3	Perylene-d12	9000	23.75			

Report of Analysis

Client:	G Environmental		Date Collected:	
Project:	Blanchard		Date Received:	
Client Sample ID:	PB169693BL		SDG No.:	Q3083
Lab Sample ID:	PB169693BL		Matrix:	Water
Analytical Method:	SW8270ESIM		% Solid:	0
Sample Wt/Vol:	1000	Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:		uL	Test:	SVOC-SIM
Extraction Type :		Decanted : N	Level :	LOW
Injection Volume :		GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BN037777.D	1	09/15/25 12:00	09/18/25 15:10	PB169693

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products