

Report of Analysis

Client:	G Environmental	Date Collected:	09/11/25
Project:	Blanchard	Date Received:	09/12/25
Client Sample ID:	RE103D2-20250911MSD	SDG No.:	Q3083
Lab Sample ID:	Q3097-03MSD	Matrix:	Water
Analytical Method:	SW8270ESIM	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-SIM
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BN037773.D	1	09/15/25 12:00	09/18/25 12:25	PB169693

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
91-20-3	Naphthalene	0.32		0.040	0.10	ug/L
208-96-8	Acenaphthylene	0.34		0.040	0.10	ug/L
83-32-9	Acenaphthene	0.32		0.040	0.10	ug/L
86-73-7	Fluorene	0.31		0.040	0.10	ug/L
85-01-8	Phenanthrene	0.38		0.030	0.10	ug/L
120-12-7	Anthracene	0.36		0.040	0.10	ug/L
206-44-0	Fluoranthene	0.38		0.030	0.10	ug/L
129-00-0	Pyrene	0.40		0.030	0.10	ug/L
56-55-3	Benzo(a)anthracene	0.41		0.040	0.10	ug/L
218-01-9	Chrysene	0.42		0.040	0.10	ug/L
205-99-2	Benzo(b)fluoranthene	0.42		0.040	0.10	ug/L
207-08-9	Benzo(k)fluoranthene	0.42		0.050	0.10	ug/L
50-32-8	Benzo(a)pyrene	0.43		0.040	0.10	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	0.47		0.050	0.10	ug/L
53-70-3	Dibenzo(a,h)anthracene	0.46		0.050	0.10	ug/L
191-24-2	Benzo(g,h,i)perylene	0.43		0.040	0.10	ug/L
SURROGATES						
7297-45-2	2-Methylnaphthalene-d10	0.28		30 (20) - 150 (139)	70%	SPK: 0.4
93951-69-0	Fluoranthene-d10	0.36		30 (54) - 150 (157)	90%	SPK: 0.4
4165-60-0	Nitrobenzene-d5	0.33		30 (27) - 130 (154)	82%	SPK: 0.4
321-60-8	2-Fluorobiphenyl	0.31		30 (30) - 130 (155)	76%	SPK: 0.4
1718-51-0	Terphenyl-d14	0.41		30 (54) - 130 (175)	101%	SPK: 0.4
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	7160	7.833			
1146-65-2	Naphthalene-d8	19100	10.637			
15067-26-2	Acenaphthene-d10	8490	14.484			
1517-22-2	Phenanthrene-d10	14200	17.235			
1719-03-5	Chrysene-d12	12000	21.411			
1520-96-3	Perylene-d12	11700	23.747			

Report of Analysis

Client:	G Environmental	Date Collected:	09/11/25
Project:	Blanchard	Date Received:	09/12/25
Client Sample ID:	RE103D2-20250911MSD	SDG No.:	Q3083
Lab Sample ID:	Q3097-03MSD	Matrix:	Water
Analytical Method:	SW8270ESIM	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-SIM
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BN037773.D	1	09/15/25 12:00	09/18/25 12:25	PB169693

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products