

Report of Analysis

Client:	Arcadis		Date Collected:	
Project:	ARC Sayreville PostEx 2025		Date Received:	
Client Sample ID:	VV0917WBL01	SDG No.:	Q3084	
Lab Sample ID:	VV0917WBL01	Matrix:	Water	
Analytical Method:	SOM02.2-Trace	% Solid:	0	
Sample Wt/Vol:	25	Units:	mL	
Soil Aliquot Vol:			uL	
GC Column:	DB-624UI	ID :	0.18	
Prep Method :		Level :	VOCMS Group1	

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039120.D	1	09/17/25 10:33	VV091725

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-01-4	Vinyl chloride	0.097	U	0.097	0.50	ug/L
75-35-4	1,1-Dichloroethene	0.14	U	0.14	0.50	ug/L
75-09-2	Methylene chloride	0.15	U	0.15	0.50	ug/L
75-34-3	1,1-Dichloroethane	0.089	U	0.089	0.50	ug/L
156-59-2	cis-1,2-Dichloroethene	0.088	U	0.088	0.50	ug/L
67-66-3	Chloroform	0.12	U	0.12	0.50	ug/L
71-55-6	1,1,1-Trichloroethane	0.083	U	0.083	0.50	ug/L
71-43-2	Benzene	0.063	U	0.063	0.50	ug/L
107-06-2	1,2-Dichloroethane	0.10	U	0.10	0.50	ug/L
79-01-6	Trichloroethene	0.13	U	0.13	0.50	ug/L
108-88-3	Toluene	0.060	U	0.060	0.50	ug/L
127-18-4	Tetrachloroethene	0.34	U	0.34	0.50	ug/L
108-90-7	Chlorobenzene	0.083	U	0.083	0.50	ug/L
95-47-6	o-Xylene	0.073	U	0.073	0.50	ug/L
179601-23-1	m,p-Xylene	0.060	U	0.060	0.50	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.097	U	0.097	0.50	ug/L
106-46-7	1,4-Dichlorobenzene	0.15	U	0.15	0.50	ug/L
120-82-1	1,2,4-trichlorobenzene	0.35	U	0.35	0.50	ug/L
SURROGATES						
6745-35-3	Vinyl Chloride-d3	3.60		40 - 130	72.92%	SPK: 5
19199-91-8	Chloroethane-d5	4.40		65 - 130	87.76%	SPK: 5
22280-73-5	1,1-Dichloroethene-d2	3.90		60 - 125	77.24%	SPK: 5
24313-50-6	2-Butanone-d5	43.0		40 - 130	85.93%	SPK: 50
865-49-6	Chloroform-d	4.90		70 - 125	97.88%	SPK: 5
17060-07-0	1,2-Dichloroethane-d4	5.20		70 - 130	104.18%	SPK: 5
1076-43-3	Benzene-d6	4.40		70 - 125	88.24%	SPK: 5
93952-08-0	1,2-Dichloropropane-d6	5.00		60 - 140	100.08%	SPK: 5
2037-26-5	Toluene-d8	3.60		70 - 130	72.18%	SPK: 5
93951-86-1	trans-1,3-Dichloropropene-d4	4.00		55 - 130	80.22%	SPK: 5
4840-82-8	2-Hexanone-d5	40.0		45 - 130	79.25%	SPK: 50
33685-54-0	1,1,2,2-Tetrachloroethane-d2	4.90		65 - 120	97.28%	SPK: 5

Report of Analysis

Client:	Arcadis		Date Collected:	
Project:	ARC Sayreville PostEx 2025		Date Received:	
Client Sample ID:	VV0917WBL01		SDG No.:	Q3084
Lab Sample ID:	VV0917WBL01		Matrix:	Water
Analytical Method:	SOM02.2-Trace		% Solid:	0
Sample Wt/Vol:	25	Units: mL	Final Vol:	25000 uL
Soil Aliquot Vol:		uL	Test:	VOCMS Group1
GC Column:	DB-624UI	ID : 0.18	Level :	
Prep Method :				

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039120.D	1	09/17/25 10:33	VV091725

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
2199-69-1	1,2-Dichlorobenzene-d4	4.90		80 - 120	97.08%	SPK: 5
INTERNAL STANDARDS						
3114-55-4	Chlorobenzene-d5	370000	8.776			
540-36-3	1,4-Difluorobenzene	355000	5.535			
3855-82-1	1,4-Dichlorobenzene-d4	132000	11.175			
TENTATIVE IDENTIFIED COMPOUNDS						
E966796	Total Alkanes	0	J		99.0	ug/L

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products