

Report of Analysis

Client:	Arcadis	Date Collected:	09/11/25
Project:	ARC Sayreville PostEx 2025	Date Received:	09/11/25
Client Sample ID:	PMW-2(20250911)	SDG No.:	Q3084
Lab Sample ID:	Q3084-18	Matrix:	Water
Analytical Method:	SOM02.2-Trace	% Solid:	0
Sample Wt/Vol:	25 Units: mL	Final Vol:	25000 uL
Soil Aliquot Vol:	uL	Test:	VOCMS Group1
GC Column:	DB-624UI ID : 0.18	Level :	
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039096.D	100	09/16/25 11:18	VV091625

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-01-4	Vinyl chloride	25.0	JD	9.70	50.0	ug/L
75-35-4	1,1-Dichloroethene	230	D	14.0	50.0	ug/L
75-09-2	Methylene chloride	15.0	U	15.0	50.0	ug/L
75-34-3	1,1-Dichloroethane	1700	D	8.90	50.0	ug/L
156-59-2	cis-1,2-Dichloroethene	300	D	8.80	50.0	ug/L
67-66-3	Chloroform	12.0	U	12.0	50.0	ug/L
71-55-6	1,1,1-Trichloroethane	8.30	U	8.30	50.0	ug/L
71-43-2	Benzene	6.30	U	6.30	50.0	ug/L
107-06-2	1,2-Dichloroethane	10.0	U	10.0	50.0	ug/L
79-01-6	Trichloroethene	510	D	13.0	50.0	ug/L
108-88-3	Toluene	6.00	U	6.00	50.0	ug/L
127-18-4	Tetrachloroethene	34.0	U	34.0	50.0	ug/L
108-90-7	Chlorobenzene	8.30	U	8.30	50.0	ug/L
95-47-6	o-Xylene	7.30	U	7.30	50.0	ug/L
179601-23-1	m,p-Xylene	6.00	U	6.00	50.0	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	9.70	U	9.70	50.0	ug/L
106-46-7	1,4-Dichlorobenzene	15.0	U	15.0	50.0	ug/L
120-82-1	1,2,4-trichlorobenzene	35.0	U	35.0	50.0	ug/L
SURROGATES						
6745-35-3	Vinyl Chloride-d3	4.50		40 - 130	89.86%	SPK: 5
19199-91-8	Chloroethane-d5	4.90		65 - 130	98.72%	SPK: 5
22280-73-5	1,1-Dichloroethene-d2	4.50		60 - 125	89.44%	SPK: 5
24313-50-6	2-Butanone-d5	43.0		40 - 130	86.37%	SPK: 50
865-49-6	Chloroform-d	5.00		70 - 125	100.04%	SPK: 5
17060-07-0	1,2-Dichloroethane-d4	5.10		70 - 130	102.68%	SPK: 5
1076-43-3	Benzene-d6	4.70		70 - 125	94.76%	SPK: 5
93952-08-0	1,2-Dichloropropane-d6	5.10		60 - 140	101.7%	SPK: 5
2037-26-5	Toluene-d8	4.00		70 - 130	79.64%	SPK: 5
93951-86-1	trans-1,3-Dichloropropene-d4	4.30		55 - 130	86.76%	SPK: 5
4840-82-8	2-Hexanone-d5	42.0		45 - 130	83.91%	SPK: 50
33685-54-0	1,1,2,2-Tetrachloroethane-d2	5.00		65 - 120	99.76%	SPK: 5

Report of Analysis

Client:	Arcadis	Date Collected:	09/11/25
Project:	ARC Sayreville PostEx 2025	Date Received:	09/11/25
Client Sample ID:	PMW-2(20250911)	SDG No.:	Q3084
Lab Sample ID:	Q3084-18	Matrix:	Water
Analytical Method:	SOM02.2-Trace	% Solid:	0
Sample Wt/Vol:	25 Units: mL	Final Vol:	25000 uL
Soil Aliquot Vol:	uL	Test:	VOCMS Group1
GC Column:	DB-624UI ID : 0.18	Level :	
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039096.D	100	09/16/25 11:18	VV091625

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
2199-69-1	1,2-Dichlorobenzene-d4	5.20		80 - 120	104.32%	SPK: 5
INTERNAL STANDARDS						
3114-55-4	Chlorobenzene-d5	383000	8.777			
540-36-3	1,4-Difluorobenzene	370000	5.535			
3855-82-1	1,4-Dichlorobenzene-d4	141000	11.175			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products