

Report of Analysis

Client:	Arcadis	Date Collected:	09/09/25
Project:	ARC Sayreville PostEx 2025	Date Received:	09/11/25
Client Sample ID:	PMW-9S(20250909)	SDG No.:	Q3084
Lab Sample ID:	Q3084-01	Matrix:	Water
Analytical Method:	SOM02.2-Trace	% Solid:	0
Sample Wt/Vol:	25 Units: mL	Final Vol:	25000 uL
Soil Aliquot Vol:	uL	Test:	VOCMS Group1
GC Column:	DB-624UI ID : 0.18	Level :	
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039099.D	100	09/16/25 12:22	VV091625

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-01-4	Vinyl chloride	9.70	U	9.70	50.0	ug/L
75-35-4	1,1-Dichloroethene	14.0	U	14.0	50.0	ug/L
75-09-2	Methylene chloride	15.0	U	15.0	50.0	ug/L
75-34-3	1,1-Dichloroethane	8.90	U	8.90	50.0	ug/L
156-59-2	cis-1,2-Dichloroethene	8.80	U	8.80	50.0	ug/L
67-66-3	Chloroform	12.0	U	12.0	50.0	ug/L
71-55-6	1,1,1-Trichloroethane	8.30	U	8.30	50.0	ug/L
71-43-2	Benzene	6.30	U	6.30	50.0	ug/L
107-06-2	1,2-Dichloroethane	10.0	U	10.0	50.0	ug/L
79-01-6	Trichloroethene	13.0	U	13.0	50.0	ug/L
108-88-3	Toluene	6.00	U	6.00	50.0	ug/L
127-18-4	Tetrachloroethene	34.0	U	34.0	50.0	ug/L
108-90-7	Chlorobenzene	550	D	8.30	50.0	ug/L
95-47-6	o-Xylene	7.30	U	7.30	50.0	ug/L
179601-23-1	m,p-Xylene	6.00	U	6.00	50.0	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	9.70	U	9.70	50.0	ug/L
106-46-7	1,4-Dichlorobenzene	1300	D	15.0	50.0	ug/L
120-82-1	1,2,4-trichlorobenzene	35.0	U	35.0	50.0	ug/L
SURROGATES						
6745-35-3	Vinyl Chloride-d3	4.60		40 - 130	91.9%	SPK: 5
19199-91-8	Chloroethane-d5	5.10		65 - 130	101.88%	SPK: 5
22280-73-5	1,1-Dichloroethene-d2	4.50		60 - 125	89.62%	SPK: 5
24313-50-6	2-Butanone-d5	47.0		40 - 130	93.9%	SPK: 50
865-49-6	Chloroform-d	5.10		70 - 125	101.74%	SPK: 5
17060-07-0	1,2-Dichloroethane-d4	5.30		70 - 130	105.16%	SPK: 5
1076-43-3	Benzene-d6	4.70		70 - 125	93.22%	SPK: 5
93952-08-0	1,2-Dichloropropane-d6	5.10		60 - 140	101.8%	SPK: 5
2037-26-5	Toluene-d8	3.90		70 - 130	78%	SPK: 5
93951-86-1	trans-1,3-Dichloropropene-d4	4.30		55 - 130	85.92%	SPK: 5
4840-82-8	2-Hexanone-d5	44.0		45 - 130	87.99%	SPK: 50
33685-54-0	1,1,2,2-Tetrachloroethane-d2	5.00		65 - 120	99.84%	SPK: 5

Report of Analysis

Client:	Arcadis	Date Collected:	09/09/25
Project:	ARC Sayreville PostEx 2025	Date Received:	09/11/25
Client Sample ID:	PMW-9S(20250909)	SDG No.:	Q3084
Lab Sample ID:	Q3084-01	Matrix:	Water
Analytical Method:	SOM02.2-Trace	% Solid:	0
Sample Wt/Vol:	25 Units: mL	Final Vol:	25000 uL
Soil Aliquot Vol:	uL	Test:	VOCMS Group1
GC Column:	DB-624UI ID : 0.18	Level :	
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039099.D	100	09/16/25 12:22	VV091625

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
2199-69-1	1,2-Dichlorobenzene-d4	5.10		80 - 120	102.92%	SPK: 5
INTERNAL STANDARDS						
3114-55-4	Chlorobenzene-d5	377000	8.776			
540-36-3	1,4-Difluorobenzene	358000	5.535			
3855-82-1	1,4-Dichlorobenzene-d4	157000	11.175			
TENTATIVE IDENTIFIED COMPOUNDS						
541-73-1	1,3-Dichlorobenzene	340	J		11.1	ug/L
95-50-1	1,2-Dichlorobenzene	51.0	J		11.6	ug/L

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products