

Report of Analysis

Client:	Arcadis	Date Collected:	09/11/25
Project:	ARC Sayreville PostEx 2025	Date Received:	09/11/25
Client Sample ID:	VHBLK001	SDG No.:	Q3084
Lab Sample ID:	Q3084-25	Matrix:	Water
Analytical Method:	SOM02.2-Trace	% Solid:	0
Sample Wt/Vol:	25 Units: mL	Final Vol:	25000 uL
Soil Aliquot Vol:	uL	Test:	VOCMS Group1
GC Column:	DB-624UI ID : 0.18	Level :	
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039121.D	1	09/17/25 11:28	VV091725

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-01-4	Vinyl chloride	0.097	U	0.097	0.50	ug/L
75-35-4	1,1-Dichloroethene	0.14	U	0.14	0.50	ug/L
75-09-2	Methylene chloride	0.15	U	0.15	0.50	ug/L
75-34-3	1,1-Dichloroethane	0.089	U	0.089	0.50	ug/L
156-59-2	cis-1,2-Dichloroethene	0.088	U	0.088	0.50	ug/L
67-66-3	Chloroform	0.12	U	0.12	0.50	ug/L
71-55-6	1,1,1-Trichloroethane	0.083	U	0.083	0.50	ug/L
71-43-2	Benzene	0.063	U	0.063	0.50	ug/L
107-06-2	1,2-Dichloroethane	0.10	U	0.10	0.50	ug/L
79-01-6	Trichloroethene	0.13	U	0.13	0.50	ug/L
108-88-3	Toluene	0.060	U	0.060	0.50	ug/L
127-18-4	Tetrachloroethene	0.34	U	0.34	0.50	ug/L
108-90-7	Chlorobenzene	0.083	U	0.083	0.50	ug/L
95-47-6	o-Xylene	0.073	U	0.073	0.50	ug/L
179601-23-1	m,p-Xylene	0.060	U	0.060	0.50	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.097	U	0.097	0.50	ug/L
106-46-7	1,4-Dichlorobenzene	0.15	U	0.15	0.50	ug/L
120-82-1	1,2,4-trichlorobenzene	0.35	U	0.35	0.50	ug/L
SURROGATES						
6745-35-3	Vinyl Chloride-d3	4.40		40 - 130	88.48%	SPK: 5
19199-91-8	Chloroethane-d5	5.30		65 - 130	106.72%	SPK: 5
22280-73-5	1,1-Dichloroethene-d2	4.60		60 - 125	92.98%	SPK: 5
24313-50-6	2-Butanone-d5	53.0		40 - 130	105.45%	SPK: 50
865-49-6	Chloroform-d	5.70		70 - 125	114.84%	SPK: 5
17060-07-0	1,2-Dichloroethane-d4	6.20		70 - 130	124.94%	SPK: 5
1076-43-3	Benzene-d6	5.30		70 - 125	105.7%	SPK: 5
93952-08-0	1,2-Dichloropropane-d6	6.20		60 - 140	124.78%	SPK: 5
2037-26-5	Toluene-d8	4.30		70 - 130	86.36%	SPK: 5
93951-86-1	trans-1,3-Dichloropropene-d4	4.80		55 - 130	96.98%	SPK: 5
4840-82-8	2-Hexanone-d5	50.0		45 - 130	100.59%	SPK: 50
33685-54-0	1,1,2,2-Tetrachloroethane-d2	5.90		65 - 120	118.02%	SPK: 5

Report of Analysis

Client:	Arcadis	Date Collected:	09/11/25
Project:	ARC Sayreville PostEx 2025	Date Received:	09/11/25
Client Sample ID:	VHBLK001	SDG No.:	Q3084
Lab Sample ID:	Q3084-25	Matrix:	Water
Analytical Method:	SOM02.2-Trace	% Solid:	0
Sample Wt/Vol:	25 Units: mL	Final Vol:	25000 uL
Soil Aliquot Vol:	uL	Test:	VOCMS Group1
GC Column:	DB-624UI ID : 0.18	Level :	
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VV039121.D	1	09/17/25 11:28	VV091725

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
2199-69-1	1,2-Dichlorobenzene-d4	5.70		80 - 120	113.62%	SPK: 5
INTERNAL STANDARDS						
3114-55-4	Chlorobenzene-d5	330000	8.776			
540-36-3	1,4-Difluorobenzene	321000	5.535			
3855-82-1	1,4-Dichlorobenzene-d4	124000	11.175			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products