

DATA PACKAGE

METALS
GC SEMI-VOLATILES
SEMI-VOLATILE ORGANICS
VOLATILE ORGANICS

PROJECT NAME : PGW PHILA. GAS WORKS

ATLANTIC RECOVERY SERVICES, INC.

2080 Cabot Blvd W Suite 201

Langhorne, PA - 19047

Phone No: 267-797-5173

ORDER ID : Q3092

ATTENTION : Kenny Pyle



Laboratory Certification ID # 20012



1) Signature Page	3
2) Case Narrative	4
2.1) TCLP VOA- Case Narrative	4
2.2) TCLP BNA- Case Narrative	6
2.3) TCLP Herbicide,TCLP Pesticide- Case Narrative	8
2.4) Metals-TCLP- Case Narrative	10
3) Qualifier Page	11
4) QA Checklist	13
5) TCLP VOA Data	14
6) TCLP BNA Data	19
7) TCLP Pesticide Data	28
8) TCLP Herbicide Data	34
9) Metals-TCLP Data	40
10) Shipping Document	45
10.1) CHAIN OF CUSTODY	46
10.2) Lab Certificate	48

1
2
3
4
5
6
7
8
9
10

Cover Page

Order ID : Q3092

Project ID : PGW Phila. Gas Works

Client : Atlantic Recovery Services, Inc.

Lab Sample Number

Q3092-01
Q3092-02
Q3092-03
Q3092-04

Client Sample Number

291376
291376
279182
279182

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature :

APPROVED

By Nimisha Pandya, QA/QC Supervisor at 9:19 am, Sep 24, 2025

Date: 9/24/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

CASE NARRATIVE

Atlantic Recovery Services, Inc.

Project Name: PGW Phila. Gas Works

Project # N/A

Order ID # Q3092

Test Name: TCLP VOA

A. Number of Samples and Date of Receipt:

2 Solid samples were received on 09/12/2025.

B. Parameters

According to the Chain of Custody document, the following analyses were requested: TCLP VOA. This data package contains results for TCLP VOA.

C. Analytical Techniques:

The analysis performed on instrument MSVOA_N were done using GC column Rxi-624SIL MS 30m, 0.25mm, 1.4 um, Cat. #13868. The analysis of TCLP VOA was based on method 8260D and TCLP extraction method was 1311.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Surrogate recoveries were met for all analysis.

The Internal Standards Areas were met for all analysis.

The Retention Times were met for all analysis.

The RPD were met for all analysis.

The Blank Spike met requirements for all compounds.

The Blank Spike Duplicate met requirements for all compounds.

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements.

The Continuous Calibration met the requirements.

The Tuning criteria met requirements.

E. Additional Comments:

Samples for MS/MSD for VOC analysis were not provided with this set of samples. The Blank Spike Duplicate is reported with the data.

Trip Blank was not provided with this set of samples.

Please use %D calculated based on Avg RF and CCRF for all compounds using Average Response Factor when the %RSD value for a compound is <20% for the Initial Calibration curve and use %D calculated based on Amount added and Calculated amount for all compounds using Linear Regression when the %RSD value for a compound is > 20% for the Initial Calibration curve for SW-846 analysis.

F. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature _____

APPROVED

By Nimisha Pandya, QA/QC Supervisor at 9:19 am, Sep 24, 2025

CASE NARRATIVE

Atlantic Recovery Services, Inc.

Project Name: PGW Phila. Gas Works

Project # N/A

Order ID # Q3092

Test Name: TCLP BNA

A. Number of Samples and Date of Receipt:

2 Solid samples were received on 09/12/2025.

B. Parameters

According to the Chain of Custody document, the following analyses were requested: TCLP BNA. This data package contains results for TCLP BNA.

C. Analytical Techniques:

The samples were analyzed on instrument BNA_F using GC Column DB-UI 8270D which is 20 meters, 0.18 mm ID, 0.36 um df. The samples were analyzed on instrument BNA_P using GC Column ZB-SemiVolatiles Guardian which is 30 meters, 0.25 mm ID, 0.5 um df, Catalog # 7HG-G027-17-GGA. The analysis of TCLP BNA was based on method 8270E and extraction was done based on method 3510 and TCLP extraction method was 1311.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Surrogate recoveries were met for all analysis.

The Internal Standards Areas were met for all analysis.

The Retention Times were met for all analysis.

The MS {Q3082-02MS} with File ID: BF143757.D recoveries met the requirements for all compounds except for 2,4,5-Trichlorophenol[122%], 2,4,6-Trichlorophenol[124%] and 2,4-Dinitrotoluene[142%] due to sample matrix interference.

The MSD {Q3082-02MSD} with File ID: BF143758.D recoveries met the requirements for all compounds except for 2,4,6-Trichlorophenol[114%] due to sample matrix interference.

The RPD were met for all analysis.

The Blank Spike met requirements for all compounds.

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements.

The Continuous Calibration met the requirements.

The Tuning criteria met requirements.

E. Additional Comments:

Please use %D calculated based on Avg RF and CCRF for all compounds using Average Response Factor when the %RSD value for a compound is <20% for the Initial Calibration curve and use %D calculated based on Amount added and Calculated amount for all compounds using Linear Regression when the %RSD value for a compound is > 20% for the Initial Calibration curve for SW-846 analysis.

F. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____

APPROVED

By Nimisha Pandya, QA/QC Supervisor at 9:20 am, Sep 24, 2025

CASE NARRATIVE

Atlantic Recovery Services, Inc.

Project Name: PGW Phila. Gas Works

Project # N/A

Order ID # Q3092

Test Name: TCLP Herbicide, TCLP Pesticide

A. Number of Samples and Date of Receipt:

4 Solid samples were received on 09/12/2025.

B. Parameters

According to the Chain of Custody document, the following analyses were requested:

. This data package contains results for TCLP Herbicide(8151A), TCLP Pesticide(8081B).

C. Analytical Techniques:

TCLP Herbicide : The analysis was performed on instrument ECD_S. The front column is RTX-CLPesticides which is 30 meters, 0.32 mm ID, 0.5 um df,: Catalog # 11139. The rear column is RTX-CLPesticides2 which is 30 meters, 0.32 mm ID, 0.25 um df, Catalog #: 11324. The analysis of TCLP Herbicides was based on method 8151A and extraction was done based on method 3510 and TCLP extraction method was 1311.

TCLP Pesticide : The analysis was performed on instrument ECD_L. The front column is ZB-MR1 which is 30 meters, 0.32 mm ID, 0.5 um df,: Catalog # 7HM-G016-17. The rear column is ZB-MR2 which is 30 meters, 0.32 mm ID, 0.25 um df, Catalog #: 7HMG017- 11. The analysis of TCLP Pesticides was based on method 8081B and extraction was done based on method 3510 and TCLP extraction method was 1311.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Surrogate recoveries were met for all analysis.

The Retention Times were met for all analysis.

The MS recoveries met the requirements for all compounds.

The MSD recoveries met the requirements for all compounds.

The RPD were met for all analysis.

The Blank Spike met requirements for all compounds.

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements.

The Continuous Calibration met the requirements.



284 Sheffield Street, Mountainside, NJ 07092
Phone: 908 789 8900 Fax: 908 789 8922

E. Additional Comments:

F. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

APPROVED

By Nimisha Pandya, QA/QC Supervisor at 9:20 am, Sep 24, 2025

Signature_____



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

CASE NARRATIVE

Atlantic Recovery Services, Inc.

Project Name: PGW Phila. Gas Works

Project # N/A

Order ID # Q3092

Test Name: TCLP ICP Metals, TCLP Mercury

A. Number of Samples and Date of Receipt:

4 Solid samples were received on 09/12/2025.

B. Parameters:

According to the Chain of Custody document, the following analyses were requested: TCLP ICP Metals, TCLP Mercury. This data package contains results for TCLP ICP Metals, TCLP Mercury.

C. Analytical Techniques:

The analysis of TCLP ICP Metals was based on method 6010D, digestion based on method 3010 (waters). The analysis and digestion of TCLP Mercury was based on method 7470A and TCLP extraction method was 1311.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Blank Spike met requirements for all compounds.

The Duplicate analysis met criteria for all compounds.

The Matrix Spike (279182MS) analysis met criteria for all compounds except for Barium due to Chemical Interference during Digestion process.

The Matrix Spike Duplicate analysis met criteria for all compounds.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

The Serial Dilution met the acceptable requirements.

E. Additional Comments:

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

APPROVED

By Nimisha Pandya, QA/QC Supervisor at 9:20 am, Sep 24, 2025

Signature_____

DATA REPORTING QUALIFIERS- INORGANIC

For reporting results, the following “ Results Qualifiers” are used:

J	Indicates the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL), but greater than or equal to the Instrument Detection Limit (IDL).
U	Indicates the analyte was analyzed for, but not detected.
ND	Indicates the analyte was analyzed for, but not detected
E	Indicates the reported value is estimated because of the presence of interference
M	Indicates Duplicate injection precision not met.
N	Indicates the spiked sample recovery is not within control limits.
S	Indicates the reported value was determined by the Method of Standard Addition (MSA).
*	Indicates that the duplicate analysis is not within control limits.
+	Indicates the correlation coefficient for the MSA is less than 0.995.
D	Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range.
M	Method qualifiers “P” for ICP instrument “PM” for ICP when Microwave Digestion is used “CV” for Manual Cold Vapor AA “AV” for automated Cold Vapor AA “CA” for MIDI-Distillation Spectrophotometric “AS” for Semi -Automated Spectrophotometric “C” for Manual Spectrophotometric “T” for Titrimetric “NR” for analyte not required to be analyzed
OR	Indicates the analyte’s concentration exceeds the calibrated range of the instrument for that specific analysis.
Q	Indicates the LCS did not meet the control limits requirements
H	Sample Analysis Out Of Hold Time

DATA REPORTING QUALIFIERS- ORGANIC

For reporting results, the following “Results Qualifiers” are used:

Value	If the result is a value greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. “10 U”. This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
ND	Indicates the analyte was analyzed for, but not detected
J	Indicates an estimated value. This flag is used: <ul style="list-style-type: none"> (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3 ug/L was calculated report as 3 J. This flag is used when similar situation arise on any organic parameter i.e. Pest, PCB and others.
B	Indicates the analyte was found in the blank as well as the sample report as “12 B”.
E	Indicates the analyte ‘s concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide/PCB target analyte when there is >25% difference for detected concentrations between the two GC columns. The lower of the two values is reported on Form 1 and flagged with a “P”.
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
A	This flag indicates that a Tentatively Identified Compound is a suspected aldol-condensation product.
Q	Indicates the LCS did not meet the control limits requirements

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: Q3092

Completed

For thorough review, the report must have the following:

GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: SOHIL JODHANI

Date: 09/24/2025

Hit Summary Sheet
SW-846

SDG No.: Q3092
Client: Atlantic Recovery Services, Inc.

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID: Q3092-01	291376 291376	TCLP	2-Butanone	9.50	J	0.98	25.0	ug/L
			Total Voc :	9.50				
			Total Concentration:	9.50				
Client ID: Q3092-03	279182 279182	TCLP	2-Butanone	9.10	J	0.98	25.0	ug/L
			Total Voc :	9.10				
			Total Concentration:	9.10				

A

B

C

D



SAMPLE DATA

Report of Analysis

Client:	Atlantic Recovery Services, Inc.	Date Collected:	09/12/25
Project:	PGW Phila. Gas Works	Date Received:	09/12/25
Client Sample ID:	291376	SDG No.:	Q3092
Lab Sample ID:	Q3092-01	Matrix:	TCLP
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	TCLP VOA
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :	SW5035		

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VN087833.D	1	09/15/25 13:38	VN091525

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-01-4	Vinyl Chloride	0.26	U	0.26	5.00	ug/L
75-35-4	1,1-Dichloroethene	0.23	U	0.23	5.00	ug/L
78-93-3	2-Butanone	9.50	J	0.98	25.0	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	5.00	ug/L
67-66-3	Chloroform	0.25	U	0.25	5.00	ug/L
71-43-2	Benzene	0.15	U	0.15	5.00	ug/L
107-06-2	1,2-Dichloroethane	0.22	U	0.22	5.00	ug/L
79-01-6	Trichloroethene	0.090	U	0.090	5.00	ug/L
127-18-4	Tetrachloroethene	0.23	U	0.23	5.00	ug/L
108-90-7	Chlorobenzene	0.12	U	0.12	5.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	54.4		74 - 125	109%	SPK: 50
1868-53-7	Dibromofluoromethane	53.2		75 - 124	106%	SPK: 50
2037-26-5	Toluene-d8	49.9		86 - 113	100%	SPK: 50
460-00-4	4-Bromofluorobenzene	47.5		77 - 121	95%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	169000	8.206			
540-36-3	1,4-Difluorobenzene	395000	9.083			
3114-55-4	Chlorobenzene-d5	406000	11.847			
3855-82-1	1,4-Dichlorobenzene-d4	181000	13.77			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	Atlantic Recovery Services, Inc.	Date Collected:	09/12/25
Project:	PGW Phila. Gas Works	Date Received:	09/12/25
Client Sample ID:	279182	SDG No.:	Q3092
Lab Sample ID:	Q3092-03	Matrix:	TCLP
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	TCLP VOA
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :	SW5035		

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VN087835.D	1	09/15/25 14:20	VN091525

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-01-4	Vinyl Chloride	0.26	U	0.26	5.00	ug/L
75-35-4	1,1-Dichloroethene	0.23	U	0.23	5.00	ug/L
78-93-3	2-Butanone	9.10	J	0.98	25.0	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	5.00	ug/L
67-66-3	Chloroform	0.25	U	0.25	5.00	ug/L
71-43-2	Benzene	0.15	U	0.15	5.00	ug/L
107-06-2	1,2-Dichloroethane	0.22	U	0.22	5.00	ug/L
79-01-6	Trichloroethene	0.090	U	0.090	5.00	ug/L
127-18-4	Tetrachloroethene	0.23	U	0.23	5.00	ug/L
108-90-7	Chlorobenzene	0.12	U	0.12	5.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	54.2		74 - 125	108%	SPK: 50
1868-53-7	Dibromofluoromethane	51.4		75 - 124	103%	SPK: 50
2037-26-5	Toluene-d8	49.7		86 - 113	99%	SPK: 50
460-00-4	4-Bromofluorobenzene	46.2		77 - 121	92%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	171000	8.212			
540-36-3	1,4-Difluorobenzene	400000	9.083			
3114-55-4	Chlorobenzene-d5	403000	11.847			
3855-82-1	1,4-Dichlorobenzene-d4	183000	13.77			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

LAB CHRONICLE

OrderID:	Q3092	OrderDate:	9/12/2025 12:02:28 PM
Client:	Atlantic Recovery Services, Inc.	Project:	PGW Phila. Gas Works
Contact:	Kenny Pyle	Location:	D41

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q3092-01	291376	TCLP	TCLP VOA	8260D	09/12/25		09/15/25	09/12/25
Q3092-03	279182	TCLP	TCLP VOA	8260D	09/12/25		09/15/25	09/12/25



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Hit Summary Sheet SW-846

SDG No.: Q3092
Client: Atlantic Recovery Services, Inc.

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID :				0.000				
Total Svoc :					0.00			
Total Concentration:					0.00			



SAMPLE DATA

Report of Analysis

Client:	Atlantic Recovery Services, Inc.		Date Collected:	09/15/25	
Project:	PGW Phila. Gas Works		Date Received:	09/15/25	
Client Sample ID:	PB169677TB		SDG No.:	Q3092	
Lab Sample ID:	PB169677TB		Matrix:	TCLP	
Analytical Method:	8270E		% Solid:	0	
Sample Wt/Vol:	100	Units: mL	Final Vol:	1000	uL
Soil Aliquot Vol:		uL	Test:	TCLP BNA	
Extraction Type :		Decanted : N	Level :	LOW	
Injection Volume :		GPC Factor : 1.0	GPC Cleanup :	N	PH :
Prep Method :	SW3541				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143754.D	1	09/15/25 10:10	09/15/25 16:20	PB169696

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
110-86-1	Pyridine	12.8	U	12.8	50.0	ug/L
106-46-7	1,4-Dichlorobenzene	5.30	U	5.30	50.0	ug/L
95-48-7	2-Methylphenol	11.2	U	11.2	50.0	ug/L
65794-96-9	3+4-Methylphenols	11.0	U	11.0	100	ug/L
67-72-1	Hexachloroethane	6.50	U	6.50	50.0	ug/L
98-95-3	Nitrobenzene	7.60	U	7.60	50.0	ug/L
87-68-3	Hexachlorobutadiene	5.40	U	5.40	50.0	ug/L
88-06-2	2,4,6-Trichlorophenol	5.10	U	5.10	50.0	ug/L
95-95-4	2,4,5-Trichlorophenol	6.20	U	6.20	50.0	ug/L
121-14-2	2,4-Dinitrotoluene	12.2	U	12.2	50.0	ug/L
118-74-1	Hexachlorobenzene	5.20	U	5.20	50.0	ug/L
87-86-5	Pentachlorophenol	15.8	U	15.8	100	ug/L
SURROGATES						
367-12-4	2-Fluorophenol	148		23 - 138	99%	SPK: 150
13127-88-3	Phenol-d6	146		10 - 134	97%	SPK: 150
4165-60-0	Nitrobenzene-d5	97.2		67 - 132	97%	SPK: 100
321-60-8	2-Fluorobiphenyl	96.7		52 - 132	97%	SPK: 100
118-79-6	2,4,6-Tribromophenol	144		44 - 137	96%	SPK: 150
1718-51-0	Terphenyl-d14	101		42 - 152	101%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	17700	6.893			
1146-65-2	Naphthalene-d8	66300	8.175			
15067-26-2	Acenaphthene-d10	37200	9.928			
1517-22-2	Phenanthrene-d10	65600	11.422			
1719-03-5	Chrysene-d12	43800	14.063			
1520-96-3	Perylene-d12	31700	15.545			

Report of Analysis

Client:	Atlantic Recovery Services, Inc.		Date Collected:	09/15/25	
Project:	PGW Phila. Gas Works		Date Received:	09/15/25	
Client Sample ID:	PB169677TB		SDG No.:	Q3092	
Lab Sample ID:	PB169677TB		Matrix:	TCLP	
Analytical Method:	8270E		% Solid:	0	
Sample Wt/Vol:	100	Units: mL	Final Vol:	1000	uL
Soil Aliquot Vol:		uL	Test:	TCLP BNA	
Extraction Type :		Decanted : N	Level :	LOW	
Injection Volume :		GPC Factor : 1.0	GPC Cleanup :	N	PH :
Prep Method :	SW3541				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143754.D	1	09/15/25 10:10	09/15/25 16:20	PB169696

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	Atlantic Recovery Services, Inc.		Date Collected:	09/12/25	
Project:	PGW Phila. Gas Works		Date Received:	09/12/25	
Client Sample ID:	291376		SDG No.:	Q3092	
Lab Sample ID:	Q3092-02		Matrix:	TCLP	
Analytical Method:	8270E		% Solid:	0	
Sample Wt/Vol:	100	Units: mL	Final Vol:	1000	uL
Soil Aliquot Vol:		uL	Test:	TCLP BNA	
Extraction Type :		Decanted : N	Level :	LOW	
Injection Volume :		GPC Factor : 1.0	GPC Cleanup :	N	PH :
Prep Method :	SW3541				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143763.D	1	09/15/25 10:10	09/15/25 20:55	PB169696

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
110-86-1	Pyridine	12.8	U	12.8	50.0	ug/L
106-46-7	1,4-Dichlorobenzene	5.30	U	5.30	50.0	ug/L
95-48-7	2-Methylphenol	11.2	U	11.2	50.0	ug/L
65794-96-9	3+4-Methylphenols	11.0	U	11.0	100	ug/L
67-72-1	Hexachloroethane	6.50	U	6.50	50.0	ug/L
98-95-3	Nitrobenzene	7.60	U	7.60	50.0	ug/L
87-68-3	Hexachlorobutadiene	5.40	U	5.40	50.0	ug/L
88-06-2	2,4,6-Trichlorophenol	5.10	U	5.10	50.0	ug/L
95-95-4	2,4,5-Trichlorophenol	6.20	U	6.20	50.0	ug/L
121-14-2	2,4-Dinitrotoluene	12.2	U	12.2	50.0	ug/L
118-74-1	Hexachlorobenzene	5.20	U	5.20	50.0	ug/L
87-86-5	Pentachlorophenol	15.8	U	15.8	100	ug/L
SURROGATES						
367-12-4	2-Fluorophenol	148		23 - 138	98%	SPK: 150
13127-88-3	Phenol-d6	134		10 - 134	90%	SPK: 150
4165-60-0	Nitrobenzene-d5	106		67 - 132	106%	SPK: 100
321-60-8	2-Fluorobiphenyl	102		52 - 132	102%	SPK: 100
118-79-6	2,4,6-Tribromophenol	166		44 - 137	110%	SPK: 150
1718-51-0	Terphenyl-d14	103		42 - 152	103%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	17000	6.892			
1146-65-2	Naphthalene-d8	62600	8.175			
15067-26-2	Acenaphthene-d10	34500	9.928			
1517-22-2	Phenanthrene-d10	56700	11.422			
1719-03-5	Chrysene-d12	40400	14.063			
1520-96-3	Perylene-d12	26900	15.545			

Report of Analysis

Client:	Atlantic Recovery Services, Inc.		Date Collected:	09/12/25	
Project:	PGW Phila. Gas Works		Date Received:	09/12/25	
Client Sample ID:	291376		SDG No.:	Q3092	
Lab Sample ID:	Q3092-02		Matrix:	TCLP	
Analytical Method:	8270E		% Solid:	0	
Sample Wt/Vol:	100	Units: mL	Final Vol:	1000	uL
Soil Aliquot Vol:		uL	Test:	TCLP BNA	
Extraction Type :		Decanted : N	Level :	LOW	
Injection Volume :		GPC Factor : 1.0	GPC Cleanup :	N	PH :
Prep Method :	SW3541				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143763.D	1	09/15/25 10:10	09/15/25 20:55	PB169696

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	Atlantic Recovery Services, Inc.		Date Collected:	09/12/25	
Project:	PGW Phila. Gas Works		Date Received:	09/12/25	
Client Sample ID:	279182		SDG No.:	Q3092	
Lab Sample ID:	Q3092-04		Matrix:	TCLP	
Analytical Method:	8270E		% Solid:	0	
Sample Wt/Vol:	100	Units: mL	Final Vol:	1000	uL
Soil Aliquot Vol:		uL	Test:	TCLP BNA	
Extraction Type :		Decanted : N	Level :	LOW	
Injection Volume :		GPC Factor : 1.0	GPC Cleanup :	N	PH :
Prep Method :	SW3541				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025762.D	1	09/15/25 10:10	09/16/25 17:53	PB169696

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
110-86-1	Pyridine	12.8	U	12.8	50.0	ug/L
106-46-7	1,4-Dichlorobenzene	5.30	U	5.30	50.0	ug/L
95-48-7	2-Methylphenol	11.2	U	11.2	50.0	ug/L
65794-96-9	3+4-Methylphenols	11.0	U	11.0	100	ug/L
67-72-1	Hexachloroethane	6.50	U	6.50	50.0	ug/L
98-95-3	Nitrobenzene	7.60	U	7.60	50.0	ug/L
87-68-3	Hexachlorobutadiene	5.40	U	5.40	50.0	ug/L
88-06-2	2,4,6-Trichlorophenol	5.10	U	5.10	50.0	ug/L
95-95-4	2,4,5-Trichlorophenol	6.20	U	6.20	50.0	ug/L
121-14-2	2,4-Dinitrotoluene	12.2	U	12.2	50.0	ug/L
118-74-1	Hexachlorobenzene	5.20	U	5.20	50.0	ug/L
87-86-5	Pentachlorophenol	15.8	U	15.8	100	ug/L
SURROGATES						
367-12-4	2-Fluorophenol	133		23 - 138	89%	SPK: 150
13127-88-3	Phenol-d6	117		10 - 134	78%	SPK: 150
4165-60-0	Nitrobenzene-d5	88.2		67 - 132	88%	SPK: 100
321-60-8	2-Fluorobiphenyl	88.3		52 - 132	88%	SPK: 100
118-79-6	2,4,6-Tribromophenol	142		44 - 137	95%	SPK: 150
1718-51-0	Terphenyl-d14	93.4		42 - 152	93%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	150000	7.755			
1146-65-2	Naphthalene-d8	565000	10.525			
15067-26-2	Acenaphthene-d10	362000	14.372			
1517-22-2	Phenanthrene-d10	738000	17.166			
1719-03-5	Chrysene-d12	764000	21.619			
1520-96-3	Perylene-d12	803000	24.977			

Report of Analysis

Client:	Atlantic Recovery Services, Inc.		Date Collected:	09/12/25	
Project:	PGW Phila. Gas Works		Date Received:	09/12/25	
Client Sample ID:	279182		SDG No.:	Q3092	
Lab Sample ID:	Q3092-04		Matrix:	TCLP	
Analytical Method:	8270E		% Solid:	0	
Sample Wt/Vol:	100	Units: mL	Final Vol:	1000	uL
Soil Aliquot Vol:		uL	Test:	TCLP BNA	
Extraction Type :		Decanted : N	Level :	LOW	
Injection Volume :		GPC Factor : 1.0	GPC Cleanup :	N	PH :
Prep Method :	SW3541				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025762.D	1	09/15/25 10:10	09/16/25 17:53	PB169696

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

LAB CHRONICLE

OrderID:	Q3092	OrderDate:	9/12/2025 12:02:28 PM
Client:	Atlantic Recovery Services, Inc.	Project:	PGW Phila. Gas Works
Contact:	Kenny Pyle	Location:	D41

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q3092-02	291376	TCLP	TCLP BNA	8270E	09/12/25	09/15/25	09/15/25	09/12/25
Q3092-04	279182	TCLP	TCLP BNA	8270E	09/12/25	09/15/25	09/16/25	09/12/25

Hit Summary Sheet
SW-846

SDG No.: Q3092

Order ID: Q3092

Client: Atlantic Recovery Services, Inc.

Project ID: PGW Phila. Gas Works

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
-----------	-----------	--------	-----------	---------------	---	-----	-----	-------

Client ID :

Total Concentration: 0.000

A

B

C

D



SAMPLE DATA

Report of Analysis

Client:	Atlantic Recovery Services, Inc.		Date Collected:		
Project:	PGW Phila. Gas Works		Date Received:	09/22/25	
Client Sample ID:	PB169677TB		SDG No.:	Q3092	
Lab Sample ID:	PB169677TB		Matrix:	TCLP	
Analytical Method:	8081B		% Solid:	0	Decanted:
Sample Wt/Vol:	100	Units: mL	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	TCLP Pesticide	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL097337.D	1	09/22/25 10:05	09/22/25 20:14	PB169782

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
58-89-9	gamma-BHC (Lindane)	0.037	U	0.037	0.50	ug/L
76-44-8	Heptachlor	0.027	U	0.027	0.50	ug/L
1024-57-3	Heptachlor epoxide	0.096	U	0.096	0.50	ug/L
72-20-8	Endrin	0.032	U	0.032	0.50	ug/L
72-43-5	Methoxychlor	0.11	U	0.11	0.50	ug/L
8001-35-2	Toxaphene	1.70	U	1.70	10.0	ug/L
57-74-9	Chlordane	0.88	U	0.88	5.00	ug/L
SURROGATES						
2051-24-3	Decachlorobiphenyl	17.6		57 - 171	88%	SPK: 20
877-09-8	Tetrachloro-m-xylene	16.8		61 - 148	84%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Atlantic Recovery Services, Inc.		Date Collected:	09/12/25	
Project:	PGW Phila. Gas Works		Date Received:	09/12/25	
Client Sample ID:	291376		SDG No.:	Q3092	
Lab Sample ID:	Q3092-02		Matrix:	TCLP	
Analytical Method:	8081B		% Solid:	0	Decanted:
Sample Wt/Vol:	100	Units: mL	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	TCLP Pesticide	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL097334.D	1	09/22/25 10:05	09/22/25 19:33	PB169782

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
58-89-9	gamma-BHC (Lindane)	0.037	U	0.037	0.50	ug/L
76-44-8	Heptachlor	0.027	U	0.027	0.50	ug/L
1024-57-3	Heptachlor epoxide	0.096	U	0.096	0.50	ug/L
72-20-8	Endrin	0.032	U	0.032	0.50	ug/L
72-43-5	Methoxychlor	0.11	U	0.11	0.50	ug/L
8001-35-2	Toxaphene	1.70	U	1.70	10.0	ug/L
57-74-9	Chlordane	0.88	U	0.88	5.00	ug/L
SURROGATES						
2051-24-3	Decachlorobiphenyl	16.6		57 - 171	83%	SPK: 20
877-09-8	Tetrachloro-m-xylene	16.8		61 - 148	84%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Atlantic Recovery Services, Inc.		Date Collected:	09/12/25	
Project:	PGW Phila. Gas Works		Date Received:	09/12/25	
Client Sample ID:	279182		SDG No.:	Q3092	
Lab Sample ID:	Q3092-04		Matrix:	TCLP	
Analytical Method:	8081B		% Solid:	0	Decanted:
Sample Wt/Vol:	100	Units: mL	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	TCLP Pesticide	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL097342.D	1	09/22/25 10:05	09/22/25 21:49	PB169782

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
58-89-9	gamma-BHC (Lindane)	0.037	U	0.037	0.50	ug/L
76-44-8	Heptachlor	0.027	U	0.027	0.50	ug/L
1024-57-3	Heptachlor epoxide	0.096	U	0.096	0.50	ug/L
72-20-8	Endrin	0.032	U	0.032	0.50	ug/L
72-43-5	Methoxychlor	0.11	U	0.11	0.50	ug/L
8001-35-2	Toxaphene	1.70	U	1.70	10.0	ug/L
57-74-9	Chlordane	0.88	U	0.88	5.00	ug/L
SURROGATES						
2051-24-3	Decachlorobiphenyl	16.2		57 - 171	81%	SPK: 20
877-09-8	Tetrachloro-m-xylene	16.6		61 - 148	83%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

LAB CHRONICLE

OrderID:	Q3092	OrderDate:	9/12/2025 12:02:28 PM
Client:	Atlantic Recovery Services, Inc.	Project:	PGW Phila. Gas Works
Contact:	Kenny Pyle	Location:	D41

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q3092-02	291376	TCLP			09/12/25			09/12/25
			TCLP Herbicide	8151A		09/22/25	09/22/25	
			TCLP Pesticide	8081B		09/22/25	09/22/25	
Q3092-04	279182	TCLP			09/12/25			09/12/25
			TCLP Herbicide	8151A		09/22/25	09/22/25	
			TCLP Pesticide	8081B		09/22/25	09/22/25	

Hit Summary Sheet
SW-846

A

B

C

D

SDG No.:	Q3092	Order ID:	Q3092
Client:	Atlantic Recovery Services, Inc.	Project ID:	PGW Phila. Gas Works

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID :								

Total Concentration: 0.000



SAMPLE DATA

Report of Analysis

Client:	Atlantic Recovery Services, Inc.		Date Collected:		
Project:	PGW Phila. Gas Works		Date Received:	09/22/25	
Client Sample ID:	PB169677TB		SDG No.:	Q3092	
Lab Sample ID:	PB169677TB		Matrix:	TCLP	
Analytical Method:	8151A		% Solid:	0	Decanted:
Sample Wt/Vol:	100	Units: mL	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	TCLP Herbicide	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	8151A				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PS031787.D	1	09/22/25 10:20	09/22/25 18:40	PB169784

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
94-75-7	2,4-D	9.20	U	9.20	20.0	ug/L
93-72-1	2,4,5-TP (Silvex)	7.80	U	7.80	20.0	ug/L
SURROGATES						
19719-28-9	2,4-DCAA	446		61 - 136	89%	SPK: 500

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Atlantic Recovery Services, Inc.		Date Collected:	09/12/25	
Project:	PGW Phila. Gas Works		Date Received:	09/12/25	
Client Sample ID:	291376		SDG No.:	Q3092	
Lab Sample ID:	Q3092-02		Matrix:	TCLP	
Analytical Method:	8151A		% Solid:	0	Decanted:
Sample Wt/Vol:	100	Units: mL	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	TCLP Herbicide	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	8151A				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PS031790.D	1	09/22/25 10:20	09/22/25 19:53	PB169784

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
94-75-7	2,4-D	9.20	U	9.20	20.0	ug/L
93-72-1	2,4,5-TP (Silvex)	7.80	U	7.80	20.0	ug/L
SURROGATES						
19719-28-9	2,4-DCAA	584		61 - 136	117%	SPK: 500

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Atlantic Recovery Services, Inc.		Date Collected:	09/12/25	
Project:	PGW Phila. Gas Works		Date Received:	09/12/25	
Client Sample ID:	279182		SDG No.:	Q3092	
Lab Sample ID:	Q3092-04		Matrix:	TCLP	
Analytical Method:	8151A		% Solid:	0	Decanted:
Sample Wt/Vol:	100	Units: mL	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	TCLP Herbicide	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	8151A				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PS031795.D	1	09/22/25 10:20	09/22/25 22:18	PB169784

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
94-75-7	2,4-D	9.20	U	9.20	20.0	ug/L
93-72-1	2,4,5-TP (Silvex)	7.80	U	7.80	20.0	ug/L
SURROGATES						
19719-28-9	2,4-DCAA	484		61 - 136	97%	SPK: 500

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

LAB CHRONICLE

OrderID:	Q3092	OrderDate:	9/12/2025 12:02:28 PM
Client:	Atlantic Recovery Services, Inc.	Project:	PGW Phila. Gas Works
Contact:	Kenny Pyle	Location:	D41

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q3092-02	291376	TCLP			09/12/25			09/12/25
			TCLP Herbicide	8151A		09/22/25	09/22/25	
			TCLP Pesticide	8081B		09/22/25	09/22/25	
Q3092-04	279182	TCLP			09/12/25			09/12/25
			TCLP Herbicide	8151A		09/22/25	09/22/25	
			TCLP Pesticide	8081B		09/22/25	09/22/25	

Hit Summary Sheet
SW-846

SDG No.:	Q3092	Order ID:	Q3092
Client:	Atlantic Recovery Services, Inc.	Project ID:	PGW Phila. Gas Works

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID : 291376								
Q3092-02	291376	TCLP	Barium	1120		72.8	500	ug/L
Q3092-02	291376	TCLP	Lead	19.5	J	11.5	60.0	ug/L
Q3092-02	291376	TCLP	Mercury	1.18	J	0.76	2.00	ug/L
Q3092-02	291376	TCLP	Silver	11.0	J	8.10	50.0	ug/L
Client ID : 279182								
Q3092-04	279182	TCLP	Barium	1200		72.8	500	ug/L
Q3092-04	279182	TCLP	Lead	19.3	J	11.5	60.0	ug/L
Q3092-04	279182	TCLP	Silver	13.1	J	8.10	50.0	ug/L



SAMPLE DATA

Report of Analysis

Client:	Atlantic Recovery Services, Inc.	Date Collected:	09/12/25
Project:	PGW Phila. Gas Works	Date Received:	09/12/25
Client Sample ID:	291376	SDG No.:	Q3092
Lab Sample ID:	Q3092-02	Matrix:	TCLP
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-38-2	Arsenic	25.6	U	1	25.6	100	ug/L	09/15/25 12:30	09/15/25 16:21	6010D	SW3050
7440-39-3	Barium	1120	N	1	72.8	500	ug/L	09/15/25 12:30	09/15/25 16:21	6010D	SW3050
7440-43-9	Cadmium	2.50	U	1	2.50	30.0	ug/L	09/15/25 12:30	09/15/25 16:21	6010D	SW3050
7440-47-3	Chromium	10.6	U	1	10.6	50.0	ug/L	09/15/25 12:30	09/15/25 16:21	6010D	SW3050
7439-92-1	Lead	19.5	J	1	11.5	60.0	ug/L	09/15/25 12:30	09/15/25 16:21	6010D	SW3050
7439-97-6	Mercury	1.18	J	1	0.76	2.00	ug/L	09/15/25 14:50	09/16/25 10:57	7470A	
7782-49-2	Selenium	48.2	U	1	48.2	100	ug/L	09/15/25 12:30	09/15/25 16:21	6010D	SW3050
7440-22-4	Silver	11.0	J	1	8.10	50.0	ug/L	09/15/25 12:30	09/15/25 16:21	6010D	SW3050

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	TCLP-FULL			

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Atlantic Recovery Services, Inc.	Date Collected:	09/12/25
Project:	PGW Phila. Gas Works	Date Received:	09/12/25
Client Sample ID:	279182	SDG No.:	Q3092
Lab Sample ID:	Q3092-04	Matrix:	TCLP
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-38-2	Arsenic	25.6	U	1	25.6	100	ug/L	09/15/25 12:30	09/15/25 16:25	6010D	SW3050
7440-39-3	Barium	1200	N	1	72.8	500	ug/L	09/15/25 12:30	09/15/25 16:25	6010D	SW3050
7440-43-9	Cadmium	2.50	U	1	2.50	30.0	ug/L	09/15/25 12:30	09/15/25 16:25	6010D	SW3050
7440-47-3	Chromium	10.6	U	1	10.6	50.0	ug/L	09/15/25 12:30	09/15/25 16:25	6010D	SW3050
7439-92-1	Lead	19.3	J	1	11.5	60.0	ug/L	09/15/25 12:30	09/15/25 16:25	6010D	SW3050
7439-97-6	Mercury	0.76	U	1	0.76	2.00	ug/L	09/15/25 14:50	09/16/25 10:59	7470A	
7782-49-2	Selenium	48.2	U	1	48.2	100	ug/L	09/15/25 12:30	09/15/25 16:25	6010D	SW3050
7440-22-4	Silver	13.1	J	1	8.10	50.0	ug/L	09/15/25 12:30	09/15/25 16:25	6010D	SW3050

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	TCLP-FULL			

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	Q3092	OrderDate:	9/12/2025 12:02:28 PM
Client:	Atlantic Recovery Services, Inc.	Project:	PGW Phila. Gas Works
Contact:	Kenny Pyle	Location:	D41

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q3092-02	291376	TCLP			09/12/25			09/12/25
			TCLP ICP Metals	6010D		09/15/25	09/15/25	
			TCLP Mercury	7470A		09/15/25	09/16/25	
Q3092-04	279182	TCLP			09/12/25			09/12/25
			TCLP ICP Metals	6010D		09/15/25	09/15/25	
			TCLP Mercury	7470A		09/15/25	09/16/25	



SHIPPING DOCUMENTS

CLIENT INFORMATION

CLIENT PROJECT INFORMATION

CLIENT BILLING INFORMATION

COMPANY: **PGW / ATLANTIC**
ADDRESS: **3100 E. Venango**
CITY: **Philadelphia** STATE: **PA** ZIP:
ATTENTION: **Kenny Pyle**
PHONE: FAX:

PROJECT NAME: **Atlantic Recovery Services**
PROJECT NO.: LOCATION:
PROJECT MANAGER: **Kenny Pyle**
e-mail:
PHONE: FAX:

BILL TO: PO#:
ADDRESS:
CITY STATE: ZIP:
ATTENTION: PHONE:

ANALYSIS

DATA TURNAROUND INFORMATION

DATA DELIVERABLE INFORMATION

FAX (RUSH) DAYS*
HARDCOPY (DATA PACKAGE): DAYS*
EDD: DAYS*
*TO BE APPROVED BY CHEMTECH
STANDARD HARDCOPY TURNAROUND TIME IS 10 BUSINESS

☐ Level 1 (Results Only) ☐ Level 4 (QC + Full Raw Data)
☐ Level 2 (Results + QC) ☐ NJ Reduced ☐ US EPA CLP
☐ Level 3 (Results + QC) ☐ NYS ASP A ☐ NYS ASP B
+ Raw Data ☐ Other
☐ EDD FORMAT

1. **TCLP VOA**
2. **TCLP ZHE Extra**
3. **TCLP BNA**
4. **TCLP Herbicide**
5. **TCLP ICP Metals**
6. **TCLP Mercury**
7. **TCLP Pesticide**
8.
9.

ALLIANCE SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE		SAMPLE COLLECTION		# OF BOTTLES	PRESERVATIVES									COMMENTS	
			COMP	GRAB	DATE	TIME		1	2	3	4	5	6	7	8	9	← Specify Preservatives A-HCl D-NaOH B-HNO3 E-ICE C-H2SO4 F-OTHER	
1.	291376	Soil		X	9-12-25	1111	2	X									0.2ppm	
2.	291376		X			1122	4		X	X	X	X	X	X				
3.	279182			X		1131	2	X									0.0ppm	
4.	279182		X			1143	4		X	X	X	X	X	X				
5.																		
6.																		
7.																		
8.																		
9.																		
10.																		

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY SAMPLER: 1. JT	DATE/TIME: 1200 9-12-25	RECEIVED BY: 1.	Conditions of bottles or coolers at receipt: <input checked="" type="checkbox"/> COMPLIANT <input type="checkbox"/> NON COMPLIANT <input type="checkbox"/> COOLER TEMP 3.7 °C
RELINQUISHED BY SAMPLER: 2.	DATE/TIME:	RECEIVED BY: 2.	Comments:
RELINQUISHED BY SAMPLER: 3. JT	DATE/TIME: 1340 9-12-25	RECEIVED BY: 3.	

Page ____ of ____

CLIENT: ☐ Hand Delivered ☐ Other

Shipment Complete
☐ YES ☐ NO

**Environmental Laboratory**

www.chemtech.net | EMAIL: PM@chemtech.net

Project Name: Atlantic Recovery Services

Services

Service Order #:

Work Order #:

Labor WBS #:

Facility/Site:



Site Address:

Philadelphia PA.

Sampler Name: ITClient Project Coordinator & Phone: Kenny Pile/Amiel DiBaroPage #: 1 of 1Date: 9.12.25Arrive Time: 1100Depart Time: 1200Waste Stream (circle one): drum / oil-dr / soil pile / in-situ / linear construction / frac-tankSample Matrices (circle all that apply): Water / Soil / NAPL / Concrete / WipeCollection Depths: N/ATemp (range): _____ °C PID Readings (range): 0.0-0.2 PPMDimensions/CY: N/ASample Description: wet well siltOdor: 0 / N Color: Y 0Field Observations: 2 Roll-offs

Grid/Area Composite Map:

QA Control # A3041134

PGW Venango LocationSampler Signature: IT

Client Signature: _____

Supervisor Review/Date: _____

Date/Time Arrived at Lab: _____

Laboratory Certification

Certified By	License No.
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255425
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	TX-C25-00189
Virginia	460312