

Analytical Sequence

Client: Atlantic Recovery Services, Inc.	SDG No.: Q3092
Project: PGW Phila. Gas Works	Instrument ID: ECD_S
GC Column: RTX-CLP	ID: 0.32 (mm) Inst. Calib. Date(s): 09/09/2025 09/09/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

CLIENT ID	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCAA RT #	RT #
IBLK	IBLK	09/09/2025	11:08	PS031667.D	7.29	0.00
HSTDICC200	HSTDICC200	09/09/2025	11:32	PS031668.D	7.29	0.00
HSTDICC500	HSTDICC500	09/09/2025	11:56	PS031669.D	7.29	0.00
HSTDICC750	HSTDICC750	09/09/2025	12:20	PS031670.D	7.29	0.00
HSTDICC1000	HSTDICC1000	09/09/2025	12:44	PS031671.D	7.29	0.00
HSTDICC1500	HSTDICC1500	09/09/2025	13:08	PS031672.D	7.28	0.00
IBLK	IBLK	09/22/2025	10:27	PS031781.D	7.29	0.00
HSTDCCC750	HSTDCCC750	09/22/2025	10:51	PS031782.D	7.28	0.00
PB169784BL	PB169784BL	09/22/2025	17:52	PS031785.D	7.29	0.00
PB169784BS	PB169784BS	09/22/2025	18:16	PS031786.D	7.29	0.00
PB169677TB	PB169677TB	09/22/2025	18:40	PS031787.D	7.29	0.00
291376	Q3092-02	09/22/2025	19:53	PS031790.D	7.29	0.00
291376MS	Q3092-02MS	09/22/2025	20:17	PS031791.D	7.29	0.00
291376MSD	Q3092-02MSD	09/22/2025	20:41	PS031792.D	7.28	0.00
IBLK	IBLK	09/22/2025	21:05	PS031793.D	7.29	0.00
HSTDCCC750	HSTDCCC750	09/22/2025	21:53	PS031794.D	7.29	0.00
279182	Q3092-04	09/22/2025	22:18	PS031795.D	7.29	0.00
IBLK	IBLK	09/23/2025	02:18	PS031805.D	7.28	0.00
HSTDCCC750	HSTDCCC750	09/23/2025	02:42	PS031806.D	7.28	0.00

Analytical Sequence

Client: Atlantic Recovery Services, Inc.	SDG No.: Q3092
Project: PGW Phila. Gas Works	Instrument ID: ECD_S
GC Column: RTX-CLP2	ID: 0.32 (mm) Inst. Calib. Date(s): 09/09/2025 09/09/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

CLIENT ID	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCAA RT #	RT #
IBLK	IBLK	09/09/2025	11:08	PS031667.D	7.75	0.00
HSTDICC200	HSTDICC200	09/09/2025	11:32	PS031668.D	7.75	0.00
HSTDICC500	HSTDICC500	09/09/2025	11:56	PS031669.D	7.74	0.00
HSTDICC750	HSTDICC750	09/09/2025	12:20	PS031670.D	7.74	0.00
HSTDICC1000	HSTDICC1000	09/09/2025	12:44	PS031671.D	7.74	0.00
HSTDICC1500	HSTDICC1500	09/09/2025	13:08	PS031672.D	7.74	0.00
IBLK	IBLK	09/22/2025	10:27	PS031781.D	7.75	0.00
HSTDCCC750	HSTDCCC750	09/22/2025	10:51	PS031782.D	7.74	0.00
PB169784BL	PB169784BL	09/22/2025	17:52	PS031785.D	7.75	0.00
PB169784BS	PB169784BS	09/22/2025	18:16	PS031786.D	7.75	0.00
PB169677TB	PB169677TB	09/22/2025	18:40	PS031787.D	7.74	0.00
291376	Q3092-02	09/22/2025	19:53	PS031790.D	7.74	0.00
291376MS	Q3092-02MS	09/22/2025	20:17	PS031791.D	7.74	0.00
291376MSD	Q3092-02MSD	09/22/2025	20:41	PS031792.D	7.74	0.00
IBLK	IBLK	09/22/2025	21:05	PS031793.D	7.75	0.00
HSTDCCC750	HSTDCCC750	09/22/2025	21:53	PS031794.D	7.75	0.00
279182	Q3092-04	09/22/2025	22:18	PS031795.D	7.75	0.00
IBLK	IBLK	09/23/2025	02:18	PS031805.D	7.74	0.00
HSTDCCC750	HSTDCCC750	09/23/2025	02:42	PS031806.D	7.74	0.00