

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN091825\
 Data File : BN037784.D
 Acq On : 18 Sep 2025 19:25
 Operator : RC/JU
 Sample : Q3095-22
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 MW202D1-20250910

Quant Time: Sep 19 04:17:02 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN091125.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Sep 11 14:20:01 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.833	152	7721	0.400	ng	0.00
7) Naphthalene-d8	10.637	136	20880	0.400	ng	-0.01
13) Acenaphthene-d10	14.484	164	9442	0.400	ng	-0.01
19) Phenanthrene-d10	17.235	188	16202	0.400	ng	# 0.00
29) Chrysene-d12	21.411	240	13556	0.400	ng	0.00
35) Perylene-d12	23.741	264	13782	0.400	ng	#-0.01
System Monitoring Compounds						
4) 2-Fluorophenol	5.399	112	2651	0.150	ng	0.00
5) Phenol-d6	6.988	99	1924	0.084	ng	0.00
8) Nitrobenzene-d5	8.982	82	5656	0.370	ng	-0.01
11) 2-Methylnaphthalene-d10	12.233	152	9459	0.342	ng	-0.01
14) 2,4,6-Tribromophenol	15.982	330	1049	0.426	ng	0.00
15) 2-Fluorobiphenyl	13.105	172	14911	0.378	ng	-0.01
27) Fluoranthene-d10	19.262	212	14723	0.362	ng	0.00
31) Terphenyl-d14	19.861	244	10812	0.393	ng	0.00
Target Compounds						
34) Bis(2-ethylhexyl)phtha...	21.340	149	2668	0.190	ng	Qvalue 96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN091825\
Data File : BN037784.D
Acq On : 18 Sep 2025 19:25
Operator : RC/JU
Sample : Q3095-22
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
MW202D1-20250910


Quant Time: Sep 19 04:17:02 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN091125.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Sep 11 14:20:01 2025
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.833 min Scan# 659
Delta R.T. -0.007 min
Lab File: BN037784.D
Acq: 18 Sep 2025 19:25

Instrument :
BNA_N
ClientSampleId :
MW202D1-20250910







Tgt Ion:152 Resp: 7721
Ion Ratio Lower Upper
152 100
150 155.4 124.5 186.7
115 60.0 49.2 73.8



#4
2-Fluorophenol
Concen: 0.150 ng
RT: 5.399 min Scan# 321
Delta R.T. -0.000 min
Lab File: BN037784.D
Acq: 18 Sep 2025 19:25


Tgt Ion:112 Resp: 2651
Ion Ratio Lower Upper
112 100
64 53.9 44.9 67.3
63 30.7 24.7 37.1








#5
Phenol-d6
Concen: 0.084 ng
RT: 6.988 min Scan# 541
Delta R.T. -0.000 min
Lab File: BN037784.D
Acq: 18 Sep 2025 19:25


Instrument :
BNA_N
ClientSampleId :
MW202D1-20250910





Tgt Ion:	99	Resp:	1924
Ion	Ratio	Lower	Upper
99	100		
42	19.6	16.6	24.8
71	36.4	26.7	40.1




#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.637 min Scan# 942
Delta R.T. -0.011 min
Lab File: BN037784.D
Acq: 18 Sep 2025 19:25



Tgt Ion:	136	Resp:	20880
Ion	Ratio	Lower	Upper
136	100		
137	11.2	9.1	13.7
54	7.4	6.3	9.5
68	6.0	5.0	7.4









#8
Nitrobenzene-d5
Concen: 0.370 ng
RT: 8.982 min Scan# 71
Delta R.T. -0.011 min
Lab File: BN037784.D
Acq: 18 Sep 2025 19:25




Instrument :
BNA_N
ClientSampleId :
MW202D1-20250910


Tgt Ion: 82 Resp: 5656
Ion Ratio Lower Upper
82 100
128 45.4 38.3 57.5
54 51.1 41.4 62.2



#11
2-Methylnaphthalene-d10
Concen: 0.342 ng
RT: 12.233 min Scan# 1166
Delta R.T. -0.010 min
Lab File: BN037784.D
Acq: 18 Sep 2025 19:25

Tgt Ion:152 Resp: 9459
Ion Ratio Lower Upper
152 100
151 21.0 17.0 25.6









#13
 Acenaphthene-d10
 Concen: 0.400 ng
 RT: 14.484 min Scan# 1457
 Delta R.T. -0.011 min
 Lab File: BN037784.D
 Acq: 18 Sep 2025 19:25




Instrument :
 BNA_N
 ClientSampleId :
 MW202D1-20250910


Tgt Ion:164 Resp: 9442
 Ion Ratio Lower Upper
 164 100
 162 104.7 83.1 124.7
 160 53.1 44.3 66.5



#14
 2,4,6-Tribromophenol
 Concen: 0.426 ng
 RT: 15.982 min Scan# 1591
 Delta R.T. -0.000 min
 Lab File: BN037784.D
 Acq: 18 Sep 2025 19:25

Tgt Ion:330 Resp: 1049
 Ion Ratio Lower Upper
 330 100
 332 96.4 75.3 112.9
 141 40.0 35.0 52.4









#15
2-Fluorobiphenyl
Concen: 0.378 ng
RT: 13.105 min Scan# 11
Delta R.T. -0.011 min
Lab File: BN037784.D
Acq: 18 Sep 2025 19:25




Instrument : BNA_N
ClientSampleId : MW202D1-20250910


Tgt Ion:	172	Resp:	14911
Ion Ratio	Lower	Upper	
172	100		
171	36.6	28.6	43.0
170	24.8	19.8	29.8



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.235 min Scan# 1692
Delta R.T. -0.000 min
Lab File: BN037784.D
Acq: 18 Sep 2025 19:25

Tgt Ion:	188	Resp:	16202
Ion Ratio	Lower	Upper	
188	100		
94	0.0	0.0	0.0
80	9.3	10.6	15.8









#27
Fluoranthene-d10
Concen: 0.362 ng
RT: 19.262 min Scan# 1956
Delta R.T. -0.009 min
Lab File: BN037784.D
Acq: 18 Sep 2025 19:25




Instrument :
BNA_N
ClientSampleId :
MW202D1-20250910


Tgt Ion:212 Resp: 14723
Ion Ratio Lower Upper
212 100
106 15.3 12.2 18.2
104 8.6 6.9 10.3



#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.411 min Scan# 2273
Delta R.T. -0.009 min
Lab File: BN037784.D
Acq: 18 Sep 2025 19:25

Tgt Ion:240 Resp: 13556
Ion Ratio Lower Upper
240 100
120 13.5 9.2 13.8
236 28.8 22.6 33.8









#31
 Terphenyl-d14
 Concen: 0.393 ng
 RT: 19.861 min Scan# 2085
 Delta R.T. -0.009 min
 Lab File: BN037784.D
 Acq: 18 Sep 2025 19:25




Instrument :
 BNA_N
 ClientSampleId :
 MW202D1-20250910


Tgt Ion:244 Resp: 10812
 Ion Ratio Lower Upper
 244 100
 212 9.4 7.5 11.3
 122 16.9 13.2 19.8



#34
 Bis(2-ethylhexyl)phthalate
 Concen: 0.190 ng
 RT: 21.340 min Scan# 2265
 Delta R.T. -0.009 min
 Lab File: BN037784.D
 Acq: 18 Sep 2025 19:25


Tgt Ion:149 Resp: 2668
 Ion Ratio Lower Upper
 149 100
 167 23.5 20.8 31.2
 279 3.3 3.3 4.9





#35
Perylene-d12
Concen: 0.400 ng
RT: 23.741 min Scan# 21
Delta R.T. -0.012 min
Lab File: BN037784.D
Acq: 18 Sep 2025 19:25

Instrument :
BNA_N
ClientSampleId :
MW202D1-20250910



Tgt Ion:	264	Resp:	13782
Ion	Ratio	Lower	Upper
264	100		
260	27.2	21.8	32.8
265	69.2	39.4	59.2

