



SDG No.: Q3095

Client: AECOM Technical Services, Inc.

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Client ID:	MW305I-20250908								
Q3095-01	MW305I-20250908	Water	1,1,2-Trichlorotrifluoroethane	0.67	J	0.25	0.50	1.00	ug/L
Q3095-01	MW305I-20250908	Water	1,1-Dichloroethene	0.42	J	0.23	0.75	1.00	ug/L
Q3095-01	MW305I-20250908	Water	Trichloroethene	68.9		0.090	0.75	1.00	ug/L
Q3095-01	MW305I-20250908	Water	Tetrachloroethene	0.78	J	0.23	0.50	1.00	ug/L
			Total Voc :	70.8					
			Total Concentration:	70.8					
Client ID:	MW179D-20250908								
Q3095-02	MW179D-20250908	Water	Methyl tert-butyl Ether	1.70		0.16	0.50	1.00	ug/L
Q3095-02	MW179D-20250908	Water	cis-1,2-Dichloroethene	28.3		0.19	0.75	1.00	ug/L
Q3095-02	MW179D-20250908	Water	Trichloroethene	88.0		0.090	0.75	1.00	ug/L
Q3095-02	MW179D-20250908	Water	Tetrachloroethene	9.10		0.23	0.50	1.00	ug/L
			Total Voc :	127					
			Total Concentration:	127					
Client ID:	MW201D-20250908								
Q3095-03	MW201D-20250908	Water	Dichlorodifluoromethane	10.7		0.22	0.50	1.00	ug/L
Q3095-03	MW201D-20250908	Water	Trichlorofluoromethane	140		0.33	0.50	1.00	ug/L
Q3095-03	MW201D-20250908	Water	1,1,2-Trichlorotrifluoroethane	2.50		0.25	0.50	1.00	ug/L
Q3095-03	MW201D-20250908	Water	1,1-Dichloroethene	45.2		0.23	0.75	1.00	ug/L
Q3095-03	MW201D-20250908	Water	Methyl tert-butyl Ether	0.84	J	0.16	0.50	1.00	ug/L
Q3095-03	MW201D-20250908	Water	1,1-Dichloroethane	4.50		0.23	0.50	1.00	ug/L
Q3095-03	MW201D-20250908	Water	cis-1,2-Dichloroethene	2.10		0.19	0.75	1.00	ug/L
Q3095-03	MW201D-20250908	Water	Chloroform	7.60		0.25	0.50	1.00	ug/L
Q3095-03	MW201D-20250908	Water	1,1,1-Trichloroethane	4.30		0.20	0.50	1.00	ug/L
Q3095-03	MW201D-20250908	Water	Trichloroethene	83.3		0.090	0.75	1.00	ug/L
Q3095-03	MW201D-20250908	Water	1,1,2-Trichloroethane	0.39	J	0.21	0.50	1.00	ug/L
Q3095-03	MW201D-20250908	Water	Tetrachloroethene	86.5		0.23	0.50	1.00	ug/L
			Total Voc :	388					
			Total Concentration:	388					
Client ID:	MW179D1-20250908								
Q3095-04	MW179D1-20250908	Water	1,1-Dichloroethene	0.64	J	0.23	0.75	1.00	ug/L
Q3095-04	MW179D1-20250908	Water	Methyl tert-butyl Ether	0.75	J	0.16	0.50	1.00	ug/L
Q3095-04	MW179D1-20250908	Water	cis-1,2-Dichloroethene	13.5		0.19	0.75	1.00	ug/L
Q3095-04	MW179D1-20250908	Water	Trichloroethene	120		0.090	0.75	1.00	ug/L
Q3095-04	MW179D1-20250908	Water	Tetrachloroethene	13.0		0.23	0.50	1.00	ug/L
			Total Voc :	148					
			Total Concentration:	148					
Client ID:	MW203D2-20250909								

Hit Summary Sheet SW-846

SDG No.: Q3095

Client: AECOM Technical Services, Inc.

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Q3095-05	MW203D2-2025090	Water	1,1-Dichloroethene	1.20		0.23	0.75	1.00	ug/L
Q3095-05	MW203D2-2025090	Water	1,1-Dichloroethane	5.80		0.23	0.50	1.00	ug/L
Q3095-05	MW203D2-2025090	Water	cis-1,2-Dichloroethene	2.00		0.19	0.75	1.00	ug/L
Q3095-05	MW203D2-2025090	Water	Chloroform	0.46	J	0.25	0.50	1.00	ug/L
Q3095-05	MW203D2-2025090	Water	Trichloroethene	1.90		0.090	0.75	1.00	ug/L
Q3095-05	MW203D2-2025090	Water	Tetrachloroethene	0.78	J	0.23	0.50	1.00	ug/L
Total Voc :				12.1					
Total Concentration:				12.1					
Client ID:	MW203D1-20250909								
Q3095-08	MW203D1-2025090	Water	1,1-Dichloroethene	5.90		0.23	0.75	1.00	ug/L
Q3095-08	MW203D1-2025090	Water	Methyl tert-butyl Ether	0.92	J	0.16	0.50	1.00	ug/L
Q3095-08	MW203D1-2025090	Water	1,1-Dichloroethane	12.2		0.23	0.50	1.00	ug/L
Q3095-08	MW203D1-2025090	Water	Chloroform	0.85	J	0.25	0.50	1.00	ug/L
Q3095-08	MW203D1-2025090	Water	1,1,1-Trichloroethane	2.00		0.20	0.50	1.00	ug/L
Q3095-08	MW203D1-2025090	Water	Trichloroethene	4.60		0.090	0.75	1.00	ug/L
Q3095-08	MW203D1-2025090	Water	Tetrachloroethene	1.90		0.23	0.50	1.00	ug/L
Total Voc :				28.4					
Total Concentration:				28.4					
Client ID:	MW179D2-20250909								
Q3095-09	MW179D2-2025090	Water	1,1-Dichloroethene	1.30		0.23	0.75	1.00	ug/L
Q3095-09	MW179D2-2025090	Water	1,1-Dichloroethane	0.68	J	0.23	0.50	1.00	ug/L
Q3095-09	MW179D2-2025090	Water	Trichloroethene	7.30		0.090	0.75	1.00	ug/L
Q3095-09	MW179D2-2025090	Water	Tetrachloroethene	1.70		0.23	0.50	1.00	ug/L
Total Voc :				11.0					
Total Concentration:				11.0					
Client ID:	MW201D1-20250909								
Q3095-10	MW201D1-2025090	Water	Trichloroethene	0.59	J	0.090	0.75	1.00	ug/L
Q3095-10	MW201D1-2025090	Water	Tetrachloroethene	0.50	J	0.23	0.50	1.00	ug/L
Total Voc :				1.09					
Total Concentration:				1.09					
Client ID:	RE122D1-20250909								
Q3095-11	RE122D1-2025090	Water	1,1,2-Trichlorotrifluoroethane	1.50		0.25	0.50	1.00	ug/L
Q3095-11	RE122D1-2025090	Water	1,1-Dichloroethene	0.29	J	0.23	0.75	1.00	ug/L
Q3095-11	RE122D1-2025090	Water	trans-1,2-Dichloroethene	0.39	J	0.23	0.50	1.00	ug/L
Q3095-11	RE122D1-2025090	Water	cis-1,2-Dichloroethene	1.60		0.19	0.75	1.00	ug/L
Q3095-11	RE122D1-2025090	Water	Trichloroethene	250	E	0.090	0.75	1.00	ug/L
Q3095-11	RE122D1-2025090	Water	Tetrachloroethene	1.80		0.23	0.50	1.00	ug/L
Total Voc :				256					
Total Concentration:				256					

Hit Summary Sheet
SW-846

SDG No.: Q3095

Client: AECOM Technical Services, Inc.

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Client ID:	RE122D1-20250909DL								
Q3095-11DL	RE122D1-20250909	Water	1,1,2-Trichlorotrifluoroethane	1.80	JD	1.30	2.50	5.00	ug/L
Q3095-11DL	RE122D1-20250909	Water	Trichloroethene	270	D	0.47	3.80	5.00	ug/L
Q3095-11DL	RE122D1-20250909	Water	Tetrachloroethene	2.20	JD	1.20	2.50	5.00	ug/L
Total Voc :				274					
Total Concentration:				274					
Client ID:	MW202D-20250909								
Q3095-12	MW202D-20250909	Water	cis-1,2-Dichloroethene	0.56	J	0.19	0.75	1.00	ug/L
Q3095-12	MW202D-20250909	Water	Trichloroethene	4.60		0.090	0.75	1.00	ug/L
Q3095-12	MW202D-20250909	Water	Tetrachloroethene	2.20		0.23	0.50	1.00	ug/L
Total Voc :				7.36					
Total Concentration:				7.36					
Client ID:	MW178I1-20250909								
Q3095-13	MW178I1-20250909	Water	1,1-Dichloroethene	1.60		0.23	0.75	1.00	ug/L
Q3095-13	MW178I1-20250909	Water	Acetone	4.00	J	1.50	3.80	5.00	ug/L
Q3095-13	MW178I1-20250909	Water	Methyl tert-butyl Ether	0.39	J	0.16	0.50	1.00	ug/L
Q3095-13	MW178I1-20250909	Water	trans-1,2-Dichloroethene	0.40	J	0.23	0.50	1.00	ug/L
Q3095-13	MW178I1-20250909	Water	1,1-Dichloroethane	0.92	J	0.23	0.50	1.00	ug/L
Q3095-13	MW178I1-20250909	Water	cis-1,2-Dichloroethene	27.0		0.19	0.75	1.00	ug/L
Q3095-13	MW178I1-20250909	Water	Trichloroethene	370	E	0.090	0.75	1.00	ug/L
Q3095-13	MW178I1-20250909	Water	1,2-Dichloropropane	19.4		0.20	0.50	1.00	ug/L
Q3095-13	MW178I1-20250909	Water	1,1,2-Trichloroethane	0.32	J	0.21	0.50	1.00	ug/L
Q3095-13	MW178I1-20250909	Water	Tetrachloroethene	30.7		0.23	0.50	1.00	ug/L
Total Voc :				455					
Total Concentration:				455					
Client ID:	MW178I1-20250909DL								
Q3095-13DL	MW178I1-20250909	Water	cis-1,2-Dichloroethene	24.1	D	1.90	7.50	10.0	ug/L
Q3095-13DL	MW178I1-20250909	Water	Trichloroethene	370	D	0.93	7.50	10.0	ug/L
Q3095-13DL	MW178I1-20250909	Water	1,2-Dichloropropane	19.0	D	2.00	5.00	10.0	ug/L
Q3095-13DL	MW178I1-20250909	Water	Tetrachloroethene	30.3	D	2.30	5.00	10.0	ug/L
Total Voc :				443					
Total Concentration:				443					
Client ID:	RE123D1-20250909								
Q3095-14	RE123D1-20250909	Water	Trichloroethene	13.1		0.090	0.75	1.00	ug/L
Total Voc :				13.1					
Total Concentration:				13.1					
Client ID:	RE123D3-20250909								
Q3095-15	RE123D3-20250909	Water	Trichloroethene	0.23	J	0.090	0.75	1.00	ug/L
Total Voc :				0.23					

Hit Summary Sheet
SW-846

SDG No.: Q3095

Client: AECOM Technical Services, Inc.

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Total Concentration:				0.23					
Client ID:	MW305D-20250909								
Q3095-16	MW305D-20250909	Water	Trichlorofluoromethane	0.33	J	0.33	0.50	1.00	ug/L
Q3095-16	MW305D-20250909	Water	1,1,2-Trichlorotrifluoroethane	0.54	J	0.25	0.50	1.00	ug/L
Q3095-16	MW305D-20250909	Water	1,1-Dichloroethene	1.10		0.23	0.75	1.00	ug/L
Q3095-16	MW305D-20250909	Water	Methyl tert-butyl Ether	0.67	J	0.16	0.50	1.00	ug/L
Q3095-16	MW305D-20250909	Water	trans-1,2-Dichloroethene	0.40	J	0.23	0.50	1.00	ug/L
Q3095-16	MW305D-20250909	Water	1,1-Dichloroethane	0.53	J	0.23	0.50	1.00	ug/L
Q3095-16	MW305D-20250909	Water	cis-1,2-Dichloroethene	1.50		0.19	0.75	1.00	ug/L
Q3095-16	MW305D-20250909	Water	Trichloroethene	1100	E	0.090	0.75	1.00	ug/L
Q3095-16	MW305D-20250909	Water	Tetrachloroethene	1.70		0.23	0.50	1.00	ug/L
Total Voc :				1110					
Total Concentration:				1110					
Client ID:	MW305D-20250909DL								
Q3095-16DL	MW305D-20250909	Water	Trichloroethene	1000	D	1.90	15.0	20.0	ug/L
Total Voc :				1000					
Total Concentration:				1000					
Client ID:	DUP01-20250909								
Q3095-17	DUP01-20250909	Water	1,1,2-Trichlorotrifluoroethane	0.49	J	0.25	0.50	1.00	ug/L
Q3095-17	DUP01-20250909	Water	1,1-Dichloroethene	0.73	J	0.23	0.75	1.00	ug/L
Q3095-17	DUP01-20250909	Water	Methyl tert-butyl Ether	0.66	J	0.16	0.50	1.00	ug/L
Q3095-17	DUP01-20250909	Water	trans-1,2-Dichloroethene	0.31	J	0.23	0.50	1.00	ug/L
Q3095-17	DUP01-20250909	Water	1,1-Dichloroethane	0.49	J	0.23	0.50	1.00	ug/L
Q3095-17	DUP01-20250909	Water	cis-1,2-Dichloroethene	1.20		0.19	0.75	1.00	ug/L
Q3095-17	DUP01-20250909	Water	Trichloroethene	1000	E	0.090	0.75	1.00	ug/L
Q3095-17	DUP01-20250909	Water	Tetrachloroethene	1.60		0.23	0.50	1.00	ug/L
Total Voc :				1010					
Total Concentration:				1010					
Client ID:	DUP01-20250909DL								
Q3095-17DL	DUP01-20250909	D Water	Trichloroethene	1000	D	1.90	15.0	20.0	ug/L
Total Voc :				1000					
Total Concentration:				1000					
Client ID:	RE126D2-20250909								
Q3095-18	RE126D2-20250909	Water	1,1,2-Trichlorotrifluoroethane	0.48	J	0.25	0.50	1.00	ug/L
Q3095-18	RE126D2-20250909	Water	1,1-Dichloroethene	0.81	J	0.23	0.75	1.00	ug/L
Q3095-18	RE126D2-20250909	Water	1,1-Dichloroethane	0.79	J	0.23	0.50	1.00	ug/L
Q3095-18	RE126D2-20250909	Water	cis-1,2-Dichloroethene	0.48	J	0.19	0.75	1.00	ug/L
Q3095-18	RE126D2-20250909	Water	Chloroform	0.34	J	0.25	0.50	1.00	ug/L
Q3095-18	RE126D2-20250909	Water	Trichloroethene	380	E	0.090	0.75	1.00	ug/L

Hit Summary Sheet
SW-846

SDG No.: Q3095

Client: AECOM Technical Services, Inc.

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Q3095-18	RE126D2-20250909	Water	Tetrachloroethene	0.78	J	0.23	0.50	1.00	ug/L
			Total Voc :	384					
			Total Concentration:	384					
Client ID:	RE126D2-20250909DL								
Q3095-18DL	RE126D2-20250909	Water	Trichloroethene	380	D	0.47	3.80	5.00	ug/L
			Total Voc :	380					
			Total Concentration:	380					
Client ID:	RE126D3-20250909								
Q3095-19	RE126D3-20250909	Water	Trichloroethene	3.10		0.090	0.75	1.00	ug/L
Q3095-19	RE126D3-20250909	Water	Tetrachloroethene	2.50		0.23	0.50	1.00	ug/L
			Total Voc :	5.60					
			Total Concentration:	5.60					
Client ID:	MW178S-20250910								
Q3095-20	MW178S-20250910	Water	Acetone	2.50	J	1.50	3.80	5.00	ug/L
Q3095-20	MW178S-20250910	Water	Methyl tert-butyl Ether	1.50		0.16	0.50	1.00	ug/L
Q3095-20	MW178S-20250910	Water	Tetrachloroethene	0.26	J	0.23	0.50	1.00	ug/L
			Total Voc :	4.26					
			Total Concentration:	4.26					
Client ID:	RE126D1-20250910								
Q3095-21	RE126D1-20250910	Water	Trichloroethene	12.9		0.090	0.75	1.00	ug/L
Q3095-21	RE126D1-20250910	Water	Tetrachloroethene	1.10		0.23	0.50	1.00	ug/L
			Total Voc :	14.0					
			Total Concentration:	14.0					
Client ID:	MW202D1-20250910								
Q3095-22	MW202D1-20250910	Water	Acetone	6.50		1.50	3.80	5.00	ug/L
Q3095-22	MW202D1-20250910	Water	2-Butanone	7.80		0.98	2.50	5.00	ug/L
Q3095-22	MW202D1-20250910	Water	Trichloroethene	0.50	J	0.090	0.75	1.00	ug/L
			Total Voc :	14.8					
			Total Concentration:	14.8					
Client ID:	RE104D2-20250910								
Q3095-23	RE104D2-20250910	Water	1,1-Dichloroethene	0.78	J	0.23	0.75	1.00	ug/L
Q3095-23	RE104D2-20250910	Water	trans-1,2-Dichloroethene	0.73	J	0.23	0.50	1.00	ug/L
Q3095-23	RE104D2-20250910	Water	1,1-Dichloroethane	1.00		0.23	0.50	1.00	ug/L
Q3095-23	RE104D2-20250910	Water	cis-1,2-Dichloroethene	26.6		0.19	0.75	1.00	ug/L
Q3095-23	RE104D2-20250910	Water	Chloroform	1.20		0.25	0.50	1.00	ug/L
Q3095-23	RE104D2-20250910	Water	1,2-Dichloroethane	1.10		0.22	0.50	1.00	ug/L
Q3095-23	RE104D2-20250910	Water	Trichloroethene	280	E	0.090	0.75	1.00	ug/L
Q3095-23	RE104D2-20250910	Water	1,2-Dichloropropane	0.30	J	0.20	0.50	1.00	ug/L
Q3095-23	RE104D2-20250910	Water	1,1,2-Trichloroethane	0.27	J	0.21	0.50	1.00	ug/L

Hit Summary Sheet
SW-846

SDG No.: Q3095

Client: AECOM Technical Services, Inc.

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Q3095-23	RE104D2-20250910	Water	Tetrachloroethene	0.39	J	0.23	0.50	1.00	ug/L
			Total Voc :	312					
			Total Concentration:	312					
Client ID:	RE104D2-20250910DL								
Q3095-23DL	RE104D2-20250910	Water	cis-1,2-Dichloroethene	24.9	D	0.95	3.80	5.00	ug/L
Q3095-23DL	RE104D2-20250910	Water	Trichloroethene	290	D	0.47	3.80	5.00	ug/L
			Total Voc :	315					
			Total Concentration:	315					
Client ID:	MW178I-20250910								
Q3095-24	MW178I-20250910	Water	Acetone	2.50	J	1.50	3.80	5.00	ug/L
Q3095-24	MW178I-20250910	Water	Methyl tert-butyl Ether	0.69	J	0.16	0.50	1.00	ug/L
Q3095-24	MW178I-20250910	Water	Chloroform	0.37	J	0.25	0.50	1.00	ug/L
Q3095-24	MW178I-20250910	Water	Trichloroethene	0.90	J	0.090	0.75	1.00	ug/L
Q3095-24	MW178I-20250910	Water	Tetrachloroethene	0.43	J	0.23	0.50	1.00	ug/L
			Total Voc :	4.89					
			Total Concentration:	4.89					
Client ID:	DUP02-20250910								
Q3095-25	DUP02-20250910	Water	1,1,2-Trichlorotrifluoroethane	8.10		0.25	0.50	1.00	ug/L
Q3095-25	DUP02-20250910	Water	1,1-Dichloroethene	2.00		0.23	0.75	1.00	ug/L
Q3095-25	DUP02-20250910	Water	Carbon Tetrachloride	1.30		0.25	0.50	1.00	ug/L
Q3095-25	DUP02-20250910	Water	cis-1,2-Dichloroethene	1.80		0.19	0.75	1.00	ug/L
Q3095-25	DUP02-20250910	Water	Chloroform	0.81	J	0.25	0.50	1.00	ug/L
Q3095-25	DUP02-20250910	Water	Trichloroethene	2900	E	0.090	0.75	1.00	ug/L
Q3095-25	DUP02-20250910	Water	1,1,2-Trichloroethane	0.96	J	0.21	0.50	1.00	ug/L
Q3095-25	DUP02-20250910	Water	Tetrachloroethene	3.70		0.23	0.50	1.00	ug/L
			Total Voc :	2920					
			Total Concentration:	2920					
Client ID:	DUP02-20250910DL								
Q3095-25DL	DUP02-20250910D	Water	Trichloroethene	2900	D	4.70	37.5	50.0	ug/L
			Total Voc :	2900					
			Total Concentration:	2900					
Client ID:	DUP03-20250910								
Q3095-26	DUP03-20250910	Water	Acetone	19.1		1.50	3.80	5.00	ug/L
Q3095-26	DUP03-20250910	Water	Methyl tert-butyl Ether	1.50		0.16	0.50	1.00	ug/L
Q3095-26	DUP03-20250910	Water	2-Butanone	26.0		0.98	2.50	5.00	ug/L
Q3095-26	DUP03-20250910	Water	Trichloroethene	0.74	J	0.090	0.75	1.00	ug/L
Q3095-26	DUP03-20250910	Water	Tetrachloroethene	0.65	J	0.23	0.50	1.00	ug/L
			Total Voc :	48.0					
			Total Concentration:	48.0					

Hit Summary Sheet
SW-846

SDG No.: Q3095

Client: AECOM Technical Services, Inc.

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Client ID:	RE117D1-20250910								
Q3095-27	RE117D1-20250910	Water	1,1,2-Trichlorotrifluoroethane	1.90		0.25	0.50	1.00	ug/L
Q3095-27	RE117D1-20250910	Water	1,1-Dichloroethene	1.80		0.23	0.75	1.00	ug/L
Q3095-27	RE117D1-20250910	Water	Acetone	3.20	J	1.50	3.80	5.00	ug/L
Q3095-27	RE117D1-20250910	Water	Carbon Tetrachloride	1.30		0.25	0.50	1.00	ug/L
Q3095-27	RE117D1-20250910	Water	cis-1,2-Dichloroethene	1.10		0.19	0.75	1.00	ug/L
Q3095-27	RE117D1-20250910	Water	Chloroform	0.43	J	0.25	0.50	1.00	ug/L
Q3095-27	RE117D1-20250910	Water	Trichloroethene	120		0.090	0.75	1.00	ug/L
Q3095-27	RE117D1-20250910	Water	1,1,2-Trichloroethane	0.61	J	0.21	0.50	1.00	ug/L
			Total Voc :	130					
			Total Concentration:	130					
Client ID:	RE104D3-20250910								
Q3095-28	RE104D3-20250910	Water	Trichloroethene	2.30		0.090	0.75	1.00	ug/L
			Total Voc :	2.30					
			Total Concentration:	2.30					
Client ID:	RE122D2-20250910								
Q3095-29	RE122D2-20250910	Water	1,1,2-Trichlorotrifluoroethane	8.30		0.25	0.50	1.00	ug/L
Q3095-29	RE122D2-20250910	Water	1,1-Dichloroethene	2.10		0.23	0.75	1.00	ug/L
Q3095-29	RE122D2-20250910	Water	Carbon Tetrachloride	1.40		0.25	0.50	1.00	ug/L
Q3095-29	RE122D2-20250910	Water	cis-1,2-Dichloroethene	1.80		0.19	0.75	1.00	ug/L
Q3095-29	RE122D2-20250910	Water	Chloroform	0.81	J	0.25	0.50	1.00	ug/L
Q3095-29	RE122D2-20250910	Water	Trichloroethene	2900	E	0.090	0.75	1.00	ug/L
Q3095-29	RE122D2-20250910	Water	1,1,2-Trichloroethane	0.93	J	0.21	0.50	1.00	ug/L
Q3095-29	RE122D2-20250910	Water	Tetrachloroethene	4.20		0.23	0.50	1.00	ug/L
			Total Voc :	2920					
			Total Concentration:	2920					
Client ID:	RE122D2-20250910DL								
Q3095-29DL	RE122D2-20250910	Water	Trichloroethene	3000	D	4.70	37.5	50.0	ug/L
			Total Voc :	3000					
			Total Concentration:	3000					
Client ID:	RE104D1-20250910								
Q3095-30	RE104D1-20250910	Water	1,1,2-Trichlorotrifluoroethane	0.95	J	0.25	0.50	1.00	ug/L
Q3095-30	RE104D1-20250910	Water	Trichloroethene	44.9		0.090	0.75	1.00	ug/L
Q3095-30	RE104D1-20250910	Water	Tetrachloroethene	2.70		0.23	0.50	1.00	ug/L
			Total Voc :	48.5					
			Total Concentration:	48.5					
Client ID:	TT180D-20250911								
Q3095-31	TT180D-20250911	Water	Acetone	4.50	J	1.50	3.80	5.00	ug/L
Q3095-31	TT180D-20250911	Water	Trichloroethene	2.20		0.090	0.75	1.00	ug/L

Hit Summary Sheet
SW-846

SDG No.: Q3095

Client: AECOM Technical Services, Inc.

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Total Voc :				6.70					
Total Concentration:				6.70					
Client ID: Q3095-32	RE122D3-20250911 RE122D3-20250911	Water	Trichloroethene	1.80		0.090	0.75	1.00	ug/L
Total Voc :				1.80					
Total Concentration:				1.80					
Client ID: Q3095-33	TB01-20250911 TB01-20250911	Water	Acetone	1.50	J	1.50	3.80	5.00	ug/L
Total Voc :				1.50					
Total Concentration:				1.50					