

## Report of Analysis

Client:	ATC Group Services LLC		Date Collected:	09/15/25	
Project:	PS 190 Brooklyn		Date Received:	09/15/25	
Client Sample ID:	14A14B14C		SDG No.:	Q3099	
Lab Sample ID:	Q3099-09		Matrix:	CAULK	
Analytical Method:	8082A		% Solid:	100	Decanted:
Sample Wt/Vol:	1.12	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB Group1	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO113778.D	1	09/16/25 10:35	09/16/25 20:48	PB169705

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
<b>TARGETS</b>						
12674-11-2	Aroclor-1016	106	U	106	455	ug/kg
11104-28-2	Aroclor-1221	108	U	108	455	ug/kg
11141-16-5	Aroclor-1232	99.6	U	99.6	455	ug/kg
53469-21-9	Aroclor-1242	107	U	107	455	ug/kg
12672-29-6	Aroclor-1248	159	U	159	455	ug/kg
11097-69-1	Aroclor-1254	86.0	U	86.0	455	ug/kg
37324-23-5	Aroclor-1262	134	U	134	455	ug/kg
11100-14-4	Aroclor-1268	96.4	U	96.4	455	ug/kg
11096-82-5	Aroclor-1260	86.5	U	86.5	455	ug/kg
Total PCBs	Total PCBs	159	U	159	455	ug/kg
<b>SURROGATES</b>						
877-09-8	Tetrachloro-m-xylene	19.6		32 - 144	98%	SPK: 20
2051-24-3	Decachlorobiphenyl	21.8		32 - 175	109%	SPK: 20

### Comments:

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 E = Value Exceeds Calibration Range  
 P = Indicates >25% difference for detected concentrations between the two GC columns  
 Q = indicates LCS control criteria did not meet requirements  
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 N = Presumptive Evidence of a Compound  
 \* = Values outside of QC limits  
 D = Dilution  
 S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.  
 () = Laboratory InHouse Limit