

Report of Analysis

Client:	G Environmental	Date Collected:	09/15/25
Project:	61 Laurel Street	Date Received:	09/16/25
Client Sample ID:	MW2	SDG No.:	Q3108
Lab Sample ID:	Q3108-01	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOCMS Group1
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025796.D	1	09/17/25 09:05	09/19/25 13:01	PB169719

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
100-52-7	Benzaldehyde	3.90	U	3.90	10.0	ug/L
111-44-4	bis(2-Chloroethyl)ether	0.81	U	0.81	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	1.30	U	1.30	5.00	ug/L
98-86-2	Acetophenone	0.74	U	0.74	5.00	ug/L
621-64-7	n-Nitroso-di-n-propylamine	1.40	U	1.40	2.50	ug/L
67-72-1	Hexachloroethane	0.65	UQ	0.65	5.00	ug/L
98-95-3	Nitrobenzene	0.76	U	0.76	5.00	ug/L
78-59-1	Isophorone	0.75	U	0.75	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	0.68	U	0.68	5.00	ug/L
91-20-3	Naphthalene	3.30	J	0.50	5.00	ug/L
106-47-8	4-Chloroaniline	0.84	U	0.84	5.00	ug/L
87-68-3	Hexachlorobutadiene	0.54	U	0.54	5.00	ug/L
105-60-2	Caprolactam	1.10	U	1.10	10.0	ug/L
91-57-6	2-Methylnaphthalene	0.56	U	0.56	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	3.60	U	3.60	10.0	ug/L
92-52-4	1,1-Biphenyl	0.53	U	0.53	5.00	ug/L
91-58-7	2-Chloronaphthalene	0.61	U	0.61	5.00	ug/L
88-74-4	2-Nitroaniline	1.30	U	1.30	5.00	ug/L
131-11-3	Dimethylphthalate	0.61	U	0.61	5.00	ug/L
208-96-8	Acenaphthylene	0.75	UQ	0.75	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	0.92	U	0.92	5.00	ug/L
99-09-2	3-Nitroaniline	1.10	U	1.10	5.00	ug/L
83-32-9	Acenaphthene	0.55	U	0.55	5.00	ug/L
132-64-9	Dibenzofuran	0.61	U	0.61	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	1.20	U	1.20	5.00	ug/L
84-66-2	Diethylphthalate	0.69	U	0.69	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	0.68	U	0.68	5.00	ug/L
86-73-7	Fluorene	0.63	U	0.63	5.00	ug/L
100-01-6	4-Nitroaniline	1.50	U	1.50	5.00	ug/L

Report of Analysis

Client:	G Environmental	Date Collected:	09/15/25
Project:	61 Laurel Street	Date Received:	09/16/25
Client Sample ID:	MW2	SDG No.:	Q3108
Lab Sample ID:	Q3108-01	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOCMS Group1
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025796.D	1	09/17/25 09:05	09/19/25 13:01	PB169719

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
86-30-6	n-Nitrosodiphenylamine	0.58	U	0.58	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	0.40	U	0.40	5.00	ug/L
118-74-1	Hexachlorobenzene	0.52	U	0.52	5.00	ug/L
1912-24-9	Atrazine	1.00	U	1.00	5.00	ug/L
85-01-8	Phenanthrene	0.50	U	0.50	5.00	ug/L
120-12-7	Anthracene	0.61	U	0.61	5.00	ug/L
86-74-8	Carbazole	0.72	U	0.72	5.00	ug/L
84-74-2	Di-n-butylphthalate	1.20	U	1.20	5.00	ug/L
206-44-0	Fluoranthene	0.82	U	0.82	5.00	ug/L
129-00-0	Pyrene	0.50	U	0.50	5.00	ug/L
85-68-7	Butylbenzylphthalate	1.90	U	1.90	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	0.93	U	0.93	10.0	ug/L
218-01-9	Chrysene	0.44	U	0.44	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	1.60	U	1.60	5.00	ug/L
117-84-0	Di-n-octyl phthalate	2.30	U	2.30	10.0	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	0.59	U	0.59	5.00	ug/L
53-70-3	Dibenzo(a,h)anthracene	0.67	U	0.67	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	0.52	U	0.52	5.00	ug/L
123-91-1	1,4-Dioxane	1.00	U	1.00	5.00	ug/L

SURROGATES

4165-60-0	Nitrobenzene-d5	93.0	67 - 132	93%	SPK: 100
321-60-8	2-Fluorobiphenyl	89.5	52 - 132	90%	SPK: 100
1718-51-0	Terphenyl-d14	84.2	42 - 152	84%	SPK: 100

INTERNAL STANDARDS

3855-82-1	1,4-Dichlorobenzene-d4	166000	7.749
1146-65-2	Naphthalene-d8	650000	10.519
15067-26-2	Acenaphthene-d10	426000	14.372
1517-22-2	Phenanthrene-d10	855000	17.178
1719-03-5	Chrysene-d12	903000	21.624
1520-96-3	Perylene-d12	965000	24.983

Report of Analysis

Client:	G Environmental	Date Collected:	09/15/25
Project:	61 Laurel Street	Date Received:	09/16/25
Client Sample ID:	MW2	SDG No.:	Q3108
Lab Sample ID:	Q3108-01	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOCMS Group1
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025796.D	1	09/17/25 09:05	09/19/25 13:01	PB169719

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TENTATIVE IDENTIFIED COMPOUNDS						
000108-38-3	Benzene, 1,3-dimethyl-	110	J		5.46	ug/L
	unknown5.802	75.1	J		5.80	ug/L
000620-14-4	Benzene, 1-ethyl-3-methyl-	11.7	J		6.86	ug/L
000611-14-3	Benzene, 1-ethyl-2-methyl-	75.2	J		7.15	ug/L
000526-73-8	Benzene, 1,2,3-trimethyl-	20.2	J		7.41	ug/L
000095-63-6	Benzene, 1,2,4-trimethyl-	74.0	J		7.87	ug/L
000496-11-7	Indane	37.2	J		8.12	ug/L
000135-01-3	Benzene, 1,2-diethyl-	19.0	J		8.24	ug/L
000934-80-5	Benzene, 4-ethyl-1,2-dimethyl-	17.3	J		8.38	ug/L
001074-55-1	Benzene, 1-methyl-4-propyl-	10.9	J		8.54	ug/L
001758-88-9	Benzene, 2-ethyl-1,4-dimethyl-	9.00	J		8.69	ug/L
000527-84-4	o-Cymene	46.8	J		8.84	ug/L
000527-53-7	Benzene, 1,2,3,5-tetramethyl-	13.0	J		9.36	ug/L
000095-93-2	Benzene, 1,2,4,5-tetramethyl-	10.1	J		9.42	ug/L
105-67-9	2,4-Dimethylphenol	3.60	J		9.75	ug/L
002039-89-6	Benzene, 2-ethenyl-1,4-dimethyl-	32.6	J		9.93	ug/L
90-12-0	1-Methylnaphthalene	3.20	J		12.4	ug/L
000057-10-3	n-Hexadecanoic acid	11.4	J		18.1	ug/L
000057-11-4	Octadecanoic acid	9.40	J		19.4	ug/L

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products