

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.:	<u>Q3108</u>	Analytical Method:	<u>SW8260-Low</u>
Client:	<u>G Environmental</u>	Datafile :	<u>VN087850.D</u>

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VN0916WBS01	Dichlorodifluoromethane	20	18.5	ug/L	93			69	116	
	Chloromethane	20	19.0	ug/L	95			65	116	
	Vinyl chloride	20	17.9	ug/L	90			65	117	
	Bromomethane	20	19.8	ug/L	99			58	125	
	Chloroethane	20	18.1	ug/L	91			56	128	
	Trichlorofluoromethane	20	19.4	ug/L	97			73	115	
	1,1,2-Trichlorotrifluoroethane	20	18.3	ug/L	92			80	112	
	Tert butyl alcohol	100	90.0	ug/L	90			48	142	
	1,1-Dichloroethene	20	18.2	ug/L	91			74	110	
	Acetone	100	75.9	ug/L	76			60	125	
	Carbon disulfide	20	19.4	ug/L	97			64	112	
	Methyl tert-butyl Ether	20	18.0	ug/L	90			78	114	
	Methyl Acetate	20	19.6	ug/L	98			67	125	
	Methylene Chloride	20	19.2	ug/L	96			72	114	
	trans-1,2-Dichloroethene	20	18.3	ug/L	92			75	108	
	1,1-Dichloroethane	20	18.0	ug/L	90			78	112	
	Cyclohexane	20	17.7	ug/L	89			75	110	
	2-Butanone	100	87.0	ug/L	87			65	122	
	Carbon Tetrachloride	20	19.2	ug/L	96			77	113	
	cis-1,2-Dichloroethene	20	19.4	ug/L	97			77	110	
	Bromochloromethane	20	17.9	ug/L	90			70	124	
	Chloroform	20	18.9	ug/L	95			79	113	
	1,1,1-Trichloroethane	20	18.7	ug/L	94			80	108	
	Methylcyclohexane	20	17.4	ug/L	87			72	115	
	Benzene	20	19.1	ug/L	96			82	109	
	1,2-Dichloroethane	20	18.1	ug/L	91			80	115	
	Trichloroethene	20	18.9	ug/L	95			77	113	
	1,2-Dichloropropane	20	18.4	ug/L	92			83	111	
	Bromodichloromethane	20	19.1	ug/L	96			83	110	
	4-Methyl-2-Pentanone	100	92.8	ug/L	93			74	118	
	Toluene	20	18.6	ug/L	93			82	110	
	t-1,3-Dichloropropene	20	17.9	ug/L	90			79	110	
	cis-1,3-Dichloropropene	20	18.7	ug/L	94			82	110	
	1,1,2-Trichloroethane	20	19.4	ug/L	97			83	112	
	2-Hexanone	100	90.1	ug/L	90			73	117	
	Dibromochloromethane	20	18.9	ug/L	95			82	110	
	1,2-Dibromoethane	20	19.0	ug/L	95			81	110	
	Tetrachloroethene	20	19.2	ug/L	96			67	123	
	Chlorobenzene	20	19.2	ug/L	96			82	109	
	Ethyl Benzene	20	18.2	ug/L	91			83	109	
	m/p-Xylenes	40	37.6	ug/L	94			82	110	
	o-Xylene	20	18.8	ug/L	94			83	109	
	Styrene	20	18.8	ug/L	94			80	111	
	Bromoform	20	21.0	ug/L	105			79	109	
	Isopropylbenzene	20	16.7	ug/L	84			83	112	
	1,1,2,2-Tetrachloroethane	20	17.5	ug/L	88			76	118	
	1,3-Dichlorobenzene	20	18.0	ug/L	90			82	108	
	1,4-Dichlorobenzene	20	18.2	ug/L	91			82	107	

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.:	<u>Q3108</u>	Analytical Method:	<u>SW8260-Low</u>
Client:	<u>G Environmental</u>	Datafile :	<u>VN087850.D</u>

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VN0916WBS01	1,2-Dichlorobenzene	20	17.9	ug/L	90			82	109	
	1,2-Dibromo-3-Chloropropane	20	16.4	ug/L	82			68	112	
	1,2,4-Trichlorobenzene	20	18.0	ug/L	90			75	113	
	1,2,3-Trichlorobenzene	20	17.8	ug/L	89			76	114	