

Report of Analysis

Client:	G Environmental		Date Collected:	09/16/25	
Project:	Metuchen		Date Received:	09/16/25	
Client Sample ID:	MW1DL		SDG No.:	Q3109	
Lab Sample ID:	Q3109-02DL		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOCMS Group1	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047606.D	20	09/17/25 10:57	VX091725

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	4.40	UD	4.40	20.0	ug/L
74-87-3	Chloromethane	6.40	UD	6.40	20.0	ug/L
75-01-4	Vinyl Chloride	5.20	UD	5.20	20.0	ug/L
74-83-9	Bromomethane	28.8	UD	28.8	100	ug/L
75-00-3	Chloroethane	9.40	UD	9.40	20.0	ug/L
75-69-4	Trichlorofluoromethane	6.60	UD	6.60	20.0	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	5.00	UD	5.00	20.0	ug/L
75-35-4	1,1-Dichloroethene	4.60	UD	4.60	20.0	ug/L
67-64-1	Acetone	30.2	UD	30.2	100	ug/L
75-15-0	Carbon Disulfide	4.20	UD	4.20	20.0	ug/L
1634-04-4	Methyl tert-butyl Ether	3.20	UD	3.20	20.0	ug/L
79-20-9	Methyl Acetate	5.40	UD	5.40	20.0	ug/L
75-09-2	Methylene Chloride	5.60	UD	5.60	20.0	ug/L
156-60-5	trans-1,2-Dichloroethene	4.60	UD	4.60	20.0	ug/L
75-34-3	1,1-Dichloroethane	4.60	UD	4.60	20.0	ug/L
110-82-7	Cyclohexane	280	D	29.0	100	ug/L
78-93-3	2-Butanone	19.6	UD	19.6	100	ug/L
56-23-5	Carbon Tetrachloride	5.00	UD	5.00	20.0	ug/L
156-59-2	cis-1,2-Dichloroethene	3.80	UD	3.80	20.0	ug/L
74-97-5	Bromochloromethane	4.40	UD	4.40	20.0	ug/L
67-66-3	Chloroform	5.00	UD	5.00	20.0	ug/L
71-55-6	1,1,1-Trichloroethane	4.00	UD	4.00	20.0	ug/L
108-87-2	Methylcyclohexane	120	D	3.20	20.0	ug/L
71-43-2	Benzene	11.6	JD	3.00	20.0	ug/L
107-06-2	1,2-Dichloroethane	4.40	UD	4.40	20.0	ug/L
79-01-6	Trichloroethene	1.90	UD	1.90	20.0	ug/L
78-87-5	1,2-Dichloropropane	4.00	UD	4.00	20.0	ug/L
75-27-4	Bromodichloromethane	4.40	UD	4.40	20.0	ug/L
108-10-1	4-Methyl-2-Pentanone	13.6	UD	13.6	100	ug/L
108-88-3	Toluene	5.00	JD	2.80	20.0	ug/L

Report of Analysis

Client:	G Environmental		Date Collected:	09/16/25	
Project:	Metuchen		Date Received:	09/16/25	
Client Sample ID:	MW1DL		SDG No.:	Q3109	
Lab Sample ID:	Q3109-02DL		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOCMS Group1	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047606.D	20	09/17/25 10:57	VX091725

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	3.40	UD	3.40	20.0	ug/L
10061-01-5	cis-1,3-Dichloropropene	3.20	UD	3.20	20.0	ug/L
79-00-5	1,1,2-Trichloroethane	4.20	UD	4.20	20.0	ug/L
591-78-6	2-Hexanone	17.8	UD	17.8	100	ug/L
124-48-1	Dibromochloromethane	3.60	UD	3.60	20.0	ug/L
106-93-4	1,2-Dibromoethane	3.00	UD	3.00	20.0	ug/L
127-18-4	Tetrachloroethene	4.60	UD	4.60	20.0	ug/L
108-90-7	Chlorobenzene	2.40	UD	2.40	20.0	ug/L
100-41-4	Ethyl Benzene	1600	D	2.60	20.0	ug/L
179601-23-1	m/p-Xylenes	74.1	D	4.80	40.0	ug/L
95-47-6	o-Xylene	13.8	JD	2.40	20.0	ug/L
100-42-5	Styrene	3.00	UD	3.00	20.0	ug/L
75-25-2	Bromoform	3.80	UD	3.80	20.0	ug/L
98-82-8	Isopropylbenzene	79.2	D	2.40	20.0	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	5.20	UD	5.20	20.0	ug/L
541-73-1	1,3-Dichlorobenzene	3.20	UD	3.20	20.0	ug/L
106-46-7	1,4-Dichlorobenzene	3.80	UD	3.80	20.0	ug/L
95-50-1	1,2-Dichlorobenzene	3.20	UD	3.20	20.0	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	10.6	UD	10.6	20.0	ug/L
120-82-1	1,2,4-Trichlorobenzene	4.00	UD	4.00	20.0	ug/L
87-61-6	1,2,3-Trichlorobenzene	4.00	UD	4.00	20.0	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	46.5		74 - 125	93%	SPK: 50
1868-53-7	Dibromofluoromethane	44.6		75 - 124	89%	SPK: 50
2037-26-5	Toluene-d8	46.6		86 - 113	93%	SPK: 50
460-00-4	4-Bromofluorobenzene	51.6		77 - 121	103%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	157000	5.543			
540-36-3	1,4-Difluorobenzene	317000	6.751			
3114-55-4	Chlorobenzene-d5	305000	10.037			
3855-82-1	1,4-Dichlorobenzene-d4	149000	12.006			

Report of Analysis

Client:	G Environmental	Date Collected:	09/16/25
Project:	Metuchen	Date Received:	09/16/25
Client Sample ID:	MW1DL	SDG No.:	Q3109
Lab Sample ID:	Q3109-02DL	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5	Units:	mL
Soil Aliquot Vol:			uL
GC Column:	DB-624UI	ID :	0.18
Prep Method :		Level :	LOW
		Final Vol:	5000
		Test:	VOCMS Group1

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047606.D	20	09/17/25 10:57	VX091725

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products