

DATA PACKAGE

VOLATILE ORGANICS

PROJECT NAME : 157 JERICHO TURNPIKE MINEOLA NY

GFE LLC

58 Nokomis Ave

Lake Hiawatha, NJ - 07034

Phone No: 646-542-3465

ORDER ID : Q3112

ATTENTION : Frank Galdun



Laboratory Certification ID # 20012



1) Signature Page	3
2) Case Narrative	4
2.1) VOCMS Group2- Case Narrative	4
3) Qualifier Page	6
4) QA Checklist	7
5) VOCMS Group2 Data	8
6) Shipping Document	16
6.1) CHAIN OF CUSTODY	17
6.2) Lab Certificate	21
6.3) Internal COC	22

Cover Page

Order ID : Q3112

Project ID : 157 jericho turnpike mineola ny

Client : GFE LLC

Lab Sample Number

Q3112-01
Q3112-02
Q3112-03

Client Sample Number

SV1
SV2
SV3

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : _____

Date: 9/24/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

CASE NARRATIVE

GFE LLC

Project Name: 157 jericho turnpike mineola ny

Project # N/A

Order ID # Q3112

Test Name: VOCMS Group2

A. Number of Samples and Date of Receipt:

3 Air samples were received on 09/16/2025.

B. Parameters

According to the Chain of Custody document, the following analyses were requested: VOCMS Group2. This data package contains results for VOCMS Group2.

C. Analytical Techniques:

The analysis performed on instrument MSVOA_L were done using GC column RTX-1, which is 60 meters, 0.32 mm id, 1.0 um df, Restek Cat. #10157. The Trap was supplied by Entech, glass bead and Tenax , Entech 7100A Preconcentrator. The analysis of VOCMS Group2 was based on method TO-15.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Surrogate recoveries were met for all analysis.

The Internal Standards Areas were met for all analysis.

The Retention Times were met for all analysis.

The RPD for {Q3130-02DUP} with File ID: VL042970.D met criteria except for Tetrachloroethene[200%] due to difference in results of original and DUP.

The Blank Spike met requirements for all compounds.

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements.

The Tuning criteria met requirements.

Due to potential high concentration of target analytes, Samples SV1, SV2 and SV3 were initially diluted.

Sample SV2 was diluted due to high concentration.



284 Sheffield Street, Mountainside, NJ 07092
Phone: 908 789 8900 Fax: 908 789 8922

E. Additional Comments:

Alliance Technical Group, LLC - Newark holds certification for the analyte " Heptane". Currently, we are not eligible to report it, as we have not successfully completed the required Proficiency Testing (PT) study. We are actively engaged in the PT study process to gain reporting eligibility.

F. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____

DATA REPORTING QUALIFIERS- ORGANIC

For reporting results, the following “ Results Qualifiers” are used:

Value	If the result is a value greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. “10 U”. This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
ND	Indicates the analyte was analyzed for, but not detected
J	Indicates an estimated value. This flag is used: <ol style="list-style-type: none"> (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3 ug/L was calculated report as 3 J. This flag is used when similar situation arise on any organic parameter i.e. Pest, PCB and others.
B	Indicates the analyte was found in the blank as well as the sample report as “12 B”.
E	Indicates the analyte ‘s concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide/PCB target analyte when there is >25% difference for detected concentrations between the two GC columns. The lower of the two values is reported on Form 1 and flagged with a “P”.
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
A	This flag indicates that a Tentatively Identified Compound is a suspected aldol-condensation product.
Q	Indicates the LCS did not meet the control limits requirements

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: Q3112

Completed

For thorough review, the report must have the following:

GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: SOHIL JODHANI

Date: 09/24/2025

Hit Summary Sheet
SW-846

SDG No.: Q3112
Client: GFE LLC

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID:	SV1							
Q3112-01	SV1	Air	Heptane	8.61		2.79	8.20	ug/m3
Q3112-01	SV1	Air	Benzene	8.95		1.02	6.39	ug/m3
Q3112-01	SV1	Air	Toluene	20.4		2.41	7.54	ug/m3
Q3112-01	SV1	Air	Tetrachloroethene	6.78		0.41	0.81	ug/m3
Q3112-01	SV1	Air	m/p-Xylene	7.82	J	6.95	17.4	ug/m3
Q3112-01	SV1	Air	o-Xylene	4.00	J	3.65	8.69	ug/m3
Q3112-01	SV1	Air	1,2,4-Trimethylbenzene	5.41	J	3.54	9.83	ug/m3
Q3112-01	SV1	Air	Hexane	17.6		2.26	7.05	ug/m3
			Total Voc :		79.5			
			Total Concentration:		79.5			
Client ID:	SV2							
Q3112-02	SV2	Air	Toluene	2.41	J	2.41	7.54	ug/m3
Q3112-02	SV2	Air	Hexane	219	E	2.26	7.05	ug/m3
			Total Voc :		221			
			Total Concentration:		221			
Client ID:	SV2DL							
Q3112-02DL	SV2DL	Air	Hexane	150	D	22.6	70.5	ug/m3
			Total Voc :		150			
			Total Concentration:		150			
Client ID:	SV3							
Q3112-03	SV3	Air	Heptane	18.4		2.79	8.20	ug/m3
Q3112-03	SV3	Air	Cyclohexane	4.13	J	3.03	6.88	ug/m3
Q3112-03	SV3	Air	Benzene	16.0		1.02	6.39	ug/m3
Q3112-03	SV3	Air	Toluene	24.1		2.41	7.54	ug/m3
Q3112-03	SV3	Air	Tetrachloroethene	10.2		0.41	0.81	ug/m3
Q3112-03	SV3	Air	m/p-Xylene	7.82	J	6.95	17.4	ug/m3
Q3112-03	SV3	Air	o-Xylene	3.65	J	3.65	8.69	ug/m3
Q3112-03	SV3	Air	1,2,4-Trimethylbenzene	4.92	J	3.54	9.83	ug/m3
Q3112-03	SV3	Air	Hexane	32.1		2.26	7.05	ug/m3
			Total Voc :		121			
			Total Concentration:		121			



SAMPLE DATA

Report of Analysis

Client:	GFE LLC	Date Collected:	09/12/25
Project:	157 jericho turnpike mineola ny	Date Received:	09/16/25
Client Sample ID:	SV1	SDG No.:	Q3112
Lab Sample ID:	Q3112-01	Matrix:	Air
Analytical Method:	TO-15	Test:	VOCMS Group2
Sample Wt/Vol:	400	Units:	mL

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042962.D	4		09/22/25 18:04	VL092225

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL ug/m3	LOQ / CRQL ug/m3
TARGETS						
75-01-4	Vinyl Chloride	0.10	0.26	U	0.26	0.31
142-82-5	Heptane	2.10	8.61		2.79	8.20
75-34-3	1,1-Dichloroethane	0.52	2.10	U	2.10	8.09
110-82-7	Cyclohexane	0.88	3.03	U	3.03	6.88
156-59-2	cis-1,2-Dichloroethene	0.40	1.59	U	1.59	7.93
71-55-6	1,1,1-Trichloroethane	0.060	0.33	U	0.33	0.65
540-84-1	2,2,4-Trimethylpentane	0.56	2.62	U	2.62	9.34
71-43-2	Benzene	2.80	8.95		1.02	6.39
79-01-6	Trichloroethene	0.10	0.54	U	0.54	0.64
108-88-3	Toluene	5.40	20.4		2.41	7.54
127-18-4	Tetrachloroethene	1.00	6.78		0.41	0.81
100-41-4	Ethyl Benzene	0.76	3.30	U	3.30	8.69
179601-23-1	m/p-Xylene	1.80	7.82	J	6.95	17.4
95-47-6	o-Xylene	0.92	4.00	J	3.65	8.69
108-67-8	1,3,5-Trimethylbenzene	0.72	3.54	U	3.54	9.83
95-63-6	1,2,4-Trimethylbenzene	1.10	5.41	J	3.54	9.83
91-20-3	Naphthalene	0.050	0.26	U	0.26	2.10
110-54-3	Hexane	5.00	17.6		2.26	7.05
SURROGATES						
460-00-4	1-Bromo-4-Fluorobenzene	10.1			65 - 135	101% SPK: 10
INTERNAL STANDARDS						
74-97-5	Bromochloromethane	168000		2.797		
540-36-3	1,4-Difluorobenzene	513000		3.965		
3114-55-4	Chlorobenzene-d5	449000		8.885		

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	GFE LLC	Date Collected:	09/12/25
Project:	157 jericho turnpike mineola ny	Date Received:	09/16/25
Client Sample ID:	SV2	SDG No.:	Q3112
Lab Sample ID:	Q3112-02	Matrix:	Air
Analytical Method:	TO-15	Test:	VOCMS Group2
Sample Wt/Vol:	400	Units:	mL

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042964.D	4		09/22/25 19:14	VL092225

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL ug/m3	LOQ / CRQL ug/m3
TARGETS						
75-01-4	Vinyl Chloride	0.10	0.26	U	0.26	0.31
142-82-5	Heptane	0.68	2.79	U	2.79	8.20
75-34-3	1,1-Dichloroethane	0.52	2.10	U	2.10	8.09
110-82-7	Cyclohexane	0.88	3.03	U	3.03	6.88
156-59-2	cis-1,2-Dichloroethene	0.40	1.59	U	1.59	7.93
71-55-6	1,1,1-Trichloroethane	0.060	0.33	U	0.33	0.65
540-84-1	2,2,4-Trimethylpentane	0.56	2.62	U	2.62	9.34
71-43-2	Benzene	0.32	1.02	U	1.02	6.39
79-01-6	Trichloroethene	0.10	0.54	U	0.54	0.64
108-88-3	Toluene	0.64	2.41	J	2.41	7.54
127-18-4	Tetrachloroethene	0.060	0.41	U	0.41	0.81
100-41-4	Ethyl Benzene	0.76	3.30	U	3.30	8.69
179601-23-1	m/p-Xylene	1.60	6.95	U	6.95	17.4
95-47-6	o-Xylene	0.84	3.65	U	3.65	8.69
108-67-8	1,3,5-Trimethylbenzene	0.72	3.54	U	3.54	9.83
95-63-6	1,2,4-Trimethylbenzene	0.72	3.54	U	3.54	9.83
91-20-3	Naphthalene	0.050	0.26	U	0.26	2.10
110-54-3	Hexane	62.1	219	E	2.26	7.05
SURROGATES						
460-00-4	1-Bromo-4-Fluorobenzene	10.1			65 - 135	101% SPK: 10
INTERNAL STANDARDS						
74-97-5	Bromochloromethane	159000		2.794		
540-36-3	1,4-Difluorobenzene	480000		3.965		
3114-55-4	Chlorobenzene-d5	425000		8.888		

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	GFE LLC	Date Collected:	09/12/25
Project:	157 jericho turnpike mineola ny	Date Received:	09/16/25
Client Sample ID:	SV2DL	SDG No.:	Q3112
Lab Sample ID:	Q3112-02DL	Matrix:	Air
Analytical Method:	TO-15	Test:	VOCMS Group2
Sample Wt/Vol:	400	Units:	mL

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042965.D	40		09/22/25 19:49	VL092225

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL ug/m3	LOQ / CRQL ug/m3
TARGETS						
75-01-4	Vinyl Chloride	1.00	2.56	UD	2.56	3.07
142-82-5	Heptane	6.80	27.9	UD	27.9	82.0
75-34-3	1,1-Dichloroethane	5.20	21.1	UD	21.1	81.0
110-82-7	Cyclohexane	8.80	30.3	UD	30.3	68.8
156-59-2	cis-1,2-Dichloroethene	4.00	15.9	UD	15.9	79.3
71-55-6	1,1,1-Trichloroethane	0.64	3.49	UD	3.49	6.55
540-84-1	2,2,4-Trimethylpentane	5.60	26.2	UD	26.2	93.4
71-43-2	Benzene	3.20	10.2	UD	10.2	63.9
79-01-6	Trichloroethene	0.96	5.16	UD	5.16	6.45
108-88-3	Toluene	6.40	24.1	UD	24.1	75.4
127-18-4	Tetrachloroethene	0.60	4.07	UD	4.07	8.14
100-41-4	Ethyl Benzene	7.60	33.0	UD	33.0	86.9
179601-23-1	m/p-Xylene	16.4	71.2	UD	71.2	174
95-47-6	o-Xylene	8.40	36.5	UD	36.5	86.9
108-67-8	1,3,5-Trimethylbenzene	7.20	35.4	UD	35.4	98.3
95-63-6	1,2,4-Trimethylbenzene	7.20	35.4	UD	35.4	98.3
91-20-3	Naphthalene	0.52	2.73	UD	2.73	21.0
110-54-3	Hexane	42.7	150	D	22.6	70.5
SURROGATES						
460-00-4	1-Bromo-4-Fluorobenzene	9.70			65 - 135	97% SPK: 10
INTERNAL STANDARDS						
74-97-5	Bromochloromethane	159000		2.79		
540-36-3	1,4-Difluorobenzene	479000		3.965		
3114-55-4	Chlorobenzene-d5	423000		8.885		

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	GFE LLC	Date Collected:	09/12/25
Project:	157 jericho turnpike mineola ny	Date Received:	09/16/25
Client Sample ID:	SV3	SDG No.:	Q3112
Lab Sample ID:	Q3112-03	Matrix:	Air
Analytical Method:	TO-15	Test:	VOCMS Group2
Sample Wt/Vol:	400	Units:	mL

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042966.D	4		09/22/25 20:24	VL092225

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL ug/m3	LOQ / CRQL ug/m3
TARGETS						
75-01-4	Vinyl Chloride	0.10	0.26	U	0.26	0.31
142-82-5	Heptane	4.50	18.4		2.79	8.20
75-34-3	1,1-Dichloroethane	0.52	2.10	U	2.10	8.09
110-82-7	Cyclohexane	1.20	4.13	J	3.03	6.88
156-59-2	cis-1,2-Dichloroethene	0.40	1.59	U	1.59	7.93
71-55-6	1,1,1-Trichloroethane	0.060	0.33	U	0.33	0.65
540-84-1	2,2,4-Trimethylpentane	0.56	2.62	U	2.62	9.34
71-43-2	Benzene	5.00	16.0		1.02	6.39
79-01-6	Trichloroethene	0.10	0.54	U	0.54	0.64
108-88-3	Toluene	6.40	24.1		2.41	7.54
127-18-4	Tetrachloroethene	1.50	10.2		0.41	0.81
100-41-4	Ethyl Benzene	0.76	3.30	U	3.30	8.69
179601-23-1	m/p-Xylene	1.80	7.82	J	6.95	17.4
95-47-6	o-Xylene	0.84	3.65	J	3.65	8.69
108-67-8	1,3,5-Trimethylbenzene	0.72	3.54	U	3.54	9.83
95-63-6	1,2,4-Trimethylbenzene	1.00	4.92	J	3.54	9.83
91-20-3	Naphthalene	0.050	0.26	U	0.26	2.10
110-54-3	Hexane	9.10	32.1		2.26	7.05
SURROGATES						
460-00-4	1-Bromo-4-Fluorobenzene	10.0			65 - 135	100% SPK: 10
INTERNAL STANDARDS						
74-97-5	Bromochloromethane	159000		2.797		
540-36-3	1,4-Difluorobenzene	484000		3.968		
3114-55-4	Chlorobenzene-d5	428000		8.888		

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	GFE LLC	Date Collected:	
Project:	157 jericho turnpike mineola ny	Date Received:	
Client Sample ID:	131-1A-2DUP	SDG No.:	Q3112
Lab Sample ID:	Q3130-02DUP	Matrix:	Air
Analytical Method:	TO-15	Test:	VOCMS Group2
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042970.D	1		09/22/25 22:48	VL092225

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL ug/m3	LOQ / CRQL ug/m3
TARGETS						
75-01-4	Vinyl Chloride	0.030	0.080	U	0.080	0.080
142-82-5	Heptane	0.17	0.70	U	0.70	2.05
75-34-3	1,1-Dichloroethane	0.13	0.53	U	0.53	2.02
110-82-7	Cyclohexane	0.22	0.76	U	0.76	1.72
156-59-2	cis-1,2-Dichloroethene	0.10	0.40	U	0.40	1.98
71-55-6	1,1,1-Trichloroethane	0.020	0.11	U	0.11	0.16
540-84-1	2,2,4-Trimethylpentane	0.14	0.65	U	0.65	2.34
71-43-2	Benzene	0.18	0.58	J	0.26	1.60
79-01-6	Trichloroethene	0.020	0.11	U	0.11	0.16
108-88-3	Toluene	0.38	1.43	J	0.60	1.88
127-18-4	Tetrachloroethene	0.020	0.14	U	0.14	0.20
100-41-4	Ethyl Benzene	0.19	0.83	U	0.83	2.17
179601-23-1	m/p-Xylene	0.41	1.78	U	1.78	4.34
95-47-6	o-Xylene	0.21	0.91	U	0.91	2.17
108-67-8	1,3,5-Trimethylbenzene	0.18	0.88	U	0.88	2.46
95-63-6	1,2,4-Trimethylbenzene	0.18	0.88	U	0.88	2.46
91-20-3	Naphthalene	0.14	0.73		0.050	0.52
110-54-3	Hexane	2.40	8.46		0.56	1.76
SURROGATES						
460-00-4	1-Bromo-4-Fluorobenzene	10.2			65 - 135	102% SPK: 10
INTERNAL STANDARDS						
74-97-5	Bromochloromethane	147000		2.787		
540-36-3	1,4-Difluorobenzene	437000		3.959		
3114-55-4	Chlorobenzene-d5	390000		8.882		

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements


LAB CHRONICLE




OrderID:	Q3112	OrderDate:	9/16/2025 12:28:02 PM
Client:	GFE LLC	Project:	157 jericho turnpike mineola ny
Contact:	Frank Galdun	Location:	Air Lab,VOA Lab



LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q3112-01	SV1	Air	VOCMS Group2	TO-15	09/12/25		09/22/25	09/16/25
Q3112-02	SV2	Air	VOCMS Group2	TO-15	09/12/25		09/22/25	09/16/25
Q3112-02DL	SV2DL	Air	VOCMS Group2	TO-15	09/12/25		09/22/25	09/16/25
Q3112-03	SV3	Air	VOCMS Group2	TO-15	09/12/25		09/22/25	09/16/25



SHIPPING DOCUMENTS

Client Contact Information				Bottle Order ID : B2508043				Courier : F Galdun				1 of 3 COCs																
Client ID : GFEL01				Project ID : 233 FLORIDA ST ELIZABETH NJ				Sampler Name(s) : FRANK Galdun				Analysis		Matrix														
Customer Name : GFE LLC Address : 58 Nokomis Ave				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																				
				Phone Number : 646-542-3465																								
				Fax Number : 973-334-1692																								
Site Details: 157 JERICHO TRNPK MINEOLA NY																												
City : Lake Hiawatha				Analysis Turnaround Time 5 DAY				Data Package Type : RESULTS ONLY																				
State : NJ				Standard : 10 business days OR				EDD Type : PDF																				
Zip Code : 07034				Rush (Specify): 5 Days																								
Country :																												
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor Ambient Air	Soil Gas												
SV1	9/12/25	8:45	10:45	OVER 30	6	/	/	-30	-5.5	10550	10198	6 L	50	VL042860.D														
Temperature (Fahrenheit) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td>68</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td>72</td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start	68			Stop	72			GC/MS Analyst Signature (TO-15) 						
	Ambient	Maximum	Minimum																									
Start	68																											
Stop	72																											
Pressure (Inches of Hg) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				* Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY. THOSE ANALYTES ON THE ATTACHED LIST Please follow the instructions on the back of this COC.						
	Ambient	Maximum	Minimum																									
Start																												
Stop																												
Special Instructions/QC Requirements & Comments :																												
Suspected Contamination: High Medium Low PID Readings: 0.0																												
Sampling site (State):																												
Quick Connector required : NO																												
Canisters Shipped by: AK				Date/Time: 8/27/25				Canisters Received by: AK				Date/Time: 9/16/25 11:18				B2508043 - 2												
Samples Relinquished by: AK				Date/Time:				Received by:				Date/Time:																
Relinquished by:				Date/Time:				Received by:				Date/Time:																

Client Contact Information				Bottle Order ID : B2508043				Courier : FGALDUN				2 of 3 COCs				
Client ID : GFEL01				Project ID : 233-FLORIDA ST ELIZABETH NJ				Sampler Name(s) : FRANK GALDUN				Analysis		Matrix		
Customer Name : GFE LLC Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified								
				Phone Number : 646-542-3465												
				Fax Number : 973-334-1692												
				Site Details: 157 JERICHO TRPK MINESOTA NY												
Analysis Turnaround Time 5 DAY				Standard : 10 business days OR				Data Package Type : RESULTS ONLY								
Rush (Specify): 5 Days				EDD Type : PDF												
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
SV2	9/16/25	11:30	11:30	30	6	/	/	-30	75	10226	10606	6 L	50	VL042860.D		
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) 						
		Ambient	Maximum	Minimum												
Start		68														
Stop		72														
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.						
		Ambient	Maximum	Minimum												
Start																
Stop																
Special Instructions/QC Requirements & Comments :																
Suspected Contamination: High Medium Low																
Sampling site (State):																
Quick Connector required : NO																
Canisters Shipped by: 				Date/Time: 8/27/25				Canisters Received by: OR				Date/Time: 9/16/25 1118				B2508043 - 8
Samples Relinquished by: 				Date/Time:				Received by:				Date/Time:				
Relinquished by:				Date/Time:				Received by:				Date/Time:				

Client Contact Information				Bottle Order ID : B2508043				Courier : FGALDUN				3 of 3 COCs				
Client ID : GFELO1				Project ID : 2337 ELIZABETH NJ				Sampler Name(s) : FRANK GALDUN				Analysis		Matrix		
Customer Name : GFE LLC Address : 58 Nokomis Ave				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified								
				Phone Number : 646-542-3465												
				Fax Number : 973-334-1692												
				Site Details: 157 JERICHO TRAP MINEOLA, NY												
City : Lake Hiawatha				Analysis Turnaround Time 5 DAY				Data Package Type : RESULTS ONLY								
State : NJ				Standard : 10 business days OR				EDD Type : PIF								
Zip Code : 07034				Rush (Specify): 5 Days												
Country :																
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
SN3	9/14/25	11:13	11:13	26.5	6	/	/	-30	-5.9	10503	10279	6 L	50	VL042860.D	/	/
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) 						
		Ambient	Maximum	Minimum												
Start		68														
Stop		72														
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY: Please follow the instructions on the back of this COC.						
		Ambient	Maximum	Minimum												
Start																
Stop																
Special Instructions/QC Requirements & Comments :																
Suspected Contamination: High Medium Low PID Readings:																
Sampling site (State):																
Quick Connector required : NO																
Canisters Shipped by: 				Date/Time: 8/27/25				Canisters Received by: CR				Date/Time: 9/14/25 1118				B2508043 - 3
Samples Relinquished by:				Date/Time:				Received by:				Date/Time:				
Relinquished by:				Date/Time:				Received by:				Date/Time:				

REQUESTED ANALYTE LIST:**PCE****TCE****cis-1,2-DCE****1,1,1-TCA****1,1-DCE****Vinyl chloride****Benzene****Toluene****Ethylbenzene****Naphthalene****Cyclohexane****2,2,4-Trimethylpentane****1,2,4-Trimethylbenzene****1,3,5-Trimethylbenzene****o-xylene****m,p-xylene****Heptane****Hexane**

Laboratory Certification

Certified By	License No.
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255425
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	TX-C25-00189
Virginia	460312

Internal Chain of Custody

Instructions: Use 1 form for each 20 samples of aliquot

Laboratory Person Breaking Field Seal on Sample Shuttle & Accepting Responsibility for Sample

Laboratory: Chemtech

Location: 284 Sheffield Street, Mountainside, NJ 7092

NARGE

Title: Sample Custodian

Field Sample Seal No. Q3112



Date Broken 9/16/2025

Military Time Seal Broken: 11:18:00

Case No.: 157 JERICO TRNPK

Analytical Parameter/Fraction OCMS Group2

Sample No.	Aliquot/Extract No.	Sample No.	Aliquot/Extract No.
Q3112-01	SV1		
Q3112-02	SV2		
Q3112-03	SV3		

Date	Time	Relinquished By	Received By	Purpose of Change of Custody
9/16/25	1303	Signature 	Signature 	
		Printed Name <u>Cassanova Ponic</u>	Printed Name <u>Sample Custodian</u>	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	

Distribution: White - Original (Sent With Report)

Yellow - Contractor Archive

Pink - Sample Custodian - Interim Copy