

Report of Analysis

Client:	Parkway Generation Operating LLC		Date Collected:	
Project:	FO Tank - TP915		Date Received:	
Client Sample ID:	VN0919MBS01		SDG No.:	Q3122
Lab Sample ID:	VN0919MBS01		Matrix:	SOIL
Analytical Method:	8260D		% Solid:	100
Sample Wt/Vol:	5	Units: g	Final Vol:	10000 uL
Soil Aliquot Vol:	100	uL	Test:	VOC-BTEX
GC Column:	RXI-624	ID : 0.25	Level :	MED
Prep Method :				

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VN087902.D	1	09/19/25 11:26	VN091925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
71-43-2	Benzene	2100		79.0	500	ug/Kg
108-88-3	Toluene	2100		78.0	500	ug/Kg
100-41-4	Ethyl Benzene	2000		67.0	500	ug/Kg
179601-23-1	m/p-Xylenes	4300		120	1000	ug/Kg
95-47-6	o-Xylene	2000		82.0	500	ug/Kg
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	47.1		63 - 155	94%	SPK: 50
1868-53-7	Dibromofluoromethane	55.6		70 - 134	111%	SPK: 50
2037-26-5	Toluene-d8	50.5		74 - 123	101%	SPK: 50
460-00-4	4-Bromofluorobenzene	51.8		17 - 146	104%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	227000	8.206			
540-36-3	1,4-Difluorobenzene	428000	9.083			
3114-55-4	Chlorobenzene-d5	404000	11.847			
3855-82-1	1,4-Dichlorobenzene-d4	220000	13.77			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products