

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN091925\
 Data File : BN037840.D
 Acq On : 20 Sep 2025 07:26
 Operator : RC/JU
 Sample : Q3127-11
 Misc :
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 RE135D3-20250915

Quant Time: Sep 22 00:36:19 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN091125.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Sep 11 14:20:01 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.825	152	6083	0.400	ng	-0.01
7) Naphthalene-d8	10.626	136	16094	0.400	ng	-0.02
13) Acenaphthene-d10	14.484	164	6777	0.400	ng	-0.01
19) Phenanthrene-d10	17.223	188	11688	0.400	ng	-0.01
29) Chrysene-d12	21.402	240	9654	0.400	ng	#-0.02
35) Perylene-d12	23.736	264	8997	0.400	ng	#-0.02
System Monitoring Compounds						
4) 2-Fluorophenol	5.392	112	1761	0.126	ng	0.00
5) Phenol-d6	6.980	99	1293	0.071	ng	0.00
8) Nitrobenzene-d5	8.971	82	3819	0.324	ng	-0.02
11) 2-Methylnaphthalene-d10	12.227	152	5700	0.267	ng	-0.02
14) 2,4,6-Tribromophenol	15.969	330	705	0.399	ng	-0.01
15) 2-Fluorobiphenyl	13.105	172	9080	0.320	ng	-0.01
27) Fluoranthene-d10	19.257	212	10571	0.360	ng	-0.01
31) Terphenyl-d14	19.856	244	8106	0.414	ng	-0.01
Target Compounds						
2) 1,4-Dioxane	3.297	88	1467	0.232	ng	# 86
34) Bis(2-ethylhexyl)phtha...	21.331	149	1058	0.106	ng	# 91


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN091925\
Data File : BN037840.D
Acq On : 20 Sep 2025 07:26
Operator : RC/JU
Sample : Q3127-11
Misc :
ALS Vial : 28 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
RE135D3-20250915


Quant Time: Sep 22 00:36:19 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN091125.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Sep 11 14:20:01 2025
Response via : Initial Calibration








#1
 1,4-Dichlorobenzene-d4
 Concen: 0.400 ng
 RT: 7.825 min Scan# 61
 Delta R.T. -0.015 min
 Lab File: BN037840.D
 Acq: 20 Sep 2025 07:26

Instrument :
 BNA_N
 ClientSampleId :
 RE135D3-20250915



Tgt Ion:152 Resp: 6083




Ion	Ratio	Lower	Upper
152	100		
150	157.4	124.5	186.7
115	62.1	49.2	73.8




#2
 1,4-Dioxane
 Concen: 0.232 ng
 RT: 3.297 min Scan# 30
 Delta R.T. -0.007 min
 Lab File: BN037840.D
 Acq: 20 Sep 2025 07:26

Tgt Ion: 88 Resp: 1467

Ion	Ratio	Lower	Upper
88	100		
43	57.4	26.8	40.2
58	78.6	61.9	92.9









#4
2-Fluorophenol
Concen: 0.126 ng
RT: 5.392 min Scan# 31
Delta R.T. -0.007 min
Lab File: BN037840.D
Acq: 20 Sep 2025 07:26




Instrument :
BNA_N
ClientSampleId :
RE135D3-20250915


Tgt Ion:112 Resp: 1761
Ion Ratio Lower Upper
112 100
64 57.5 44.9 67.3
63 31.3 24.7 37.1



#5
Phenol-d6
Concen: 0.071 ng
RT: 6.980 min Scan# 540
Delta R.T. -0.007 min
Lab File: BN037840.D
Acq: 20 Sep 2025 07:26

Tgt Ion: 99 Resp: 1293
Ion Ratio Lower Upper
99 100
42 21.2 16.6 24.8
71 39.2 26.7 40.1









#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.626 min Scan# 94
Delta R.T. -0.021 min
Lab File: BN037840.D
Acq: 20 Sep 2025 07:26




Instrument :
BNA_N
ClientSampleId :
RE135D3-20250915


Tgt Ion:136	Resp:	16094
Ion Ratio	Lower	Upper
136	100	
137	11.5	9.1 13.7
54	9.3	6.3 9.5
68	7.0	5.0 7.4



#8
Nitrobenzene-d5
Concen: 0.324 ng
RT: 8.971 min Scan# 786
Delta R.T. -0.021 min
Lab File: BN037840.D
Acq: 20 Sep 2025 07:26

Tgt Ion: 82	Resp:	3819
Ion Ratio	Lower	Upper
82	100	
128	38.9	38.3 57.5
54	57.8	41.4 62.2









#11
2-Methylnaphthalene-d10
Concen: 0.267 ng
RT: 12.227 min Scan# 1165
Delta R.T. -0.015 min
Lab File: BN037840.D
Acq: 20 Sep 2025 07:26




Instrument :
BNA_N
ClientSampleId :
RE135D3-20250915


Tgt Ion:152 Resp: 5700
Ion Ratio Lower Upper
152 100
151 21.7 17.0 25.6



#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.484 min Scan# 1457
Delta R.T. -0.011 min
Lab File: BN037840.D
Acq: 20 Sep 2025 07:26


Tgt Ion:164 Resp: 6777
Ion Ratio Lower Upper
164 100
162 103.6 83.1 124.7
160 54.9 44.3 66.5








#14
2,4,6-Tribromophenol
Concen: 0.399 ng
RT: 15.969 min Scan# 1590
Delta R.T. -0.013 min
Lab File: BN037840.D
Acq: 20 Sep 2025 07:26

Instrument :
BNA_N
ClientSampleId :
RE135D3-20250915







Tgt Ion:330 Resp: 705
Ion Ratio Lower Upper
330 100
332 94.2 75.3 112.9
141 47.2 35.0 52.4



#15
2-Fluorobiphenyl
Concen: 0.320 ng
RT: 13.105 min Scan# 1328
Delta R.T. -0.011 min
Lab File: BN037840.D
Acq: 20 Sep 2025 07:26

Tgt Ion:172 Resp: 9080
Ion Ratio Lower Upper
172 100
171 35.7 28.6 43.0
170 23.6 19.8 29.8









#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.223 min Scan# 1692
Delta R.T. -0.013 min
Lab File: BN037840.D
Acq: 20 Sep 2025 07:26




Instrument :
BNA_N
ClientSampleId :
RE135D3-20250915


Tgt Ion:188 Resp: 11688
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 13.4 10.6 15.8



#27
Fluoranthene-d10
Concen: 0.360 ng
RT: 19.257 min Scan# 1955
Delta R.T. -0.014 min
Lab File: BN037840.D
Acq: 20 Sep 2025 07:26

Tgt Ion:212 Resp: 10571
Ion Ratio Lower Upper
212 100
106 17.0 12.2 18.2
104 9.7 6.9 10.3





#29

Chrysene-d12

Concen: 0.400 ng

RT: 21.402 min Scan# 21

Delta R.T. -0.018 min

Lab File: BN037840.D

Acq: 20 Sep 2025 07:26

Instrument :

BNA_N

ClientSampleId :

RE135D3-20250915





Tgt Ion:240 Resp: 9654

Ion Ratio Lower Upper

240 100

120 20.2 9.2 13.8#

236 29.4 22.6 33.8



#31

Terphenyl-d14

Concen: 0.414 ng

RT: 19.856 min Scan# 2084

Delta R.T. -0.014 min

Lab File: BN037840.D

Acq: 20 Sep 2025 07:26




Tgt Ion:244 Resp: 8106


Ion Ratio Lower Upper

244 100

212 9.5 7.5 11.3

122 17.5 13.2 19.8









#34
Bis(2-ethylhexyl)phthalate
Concen: 0.106 ng
RT: 21.331 min Scan# 21
Delta R.T. -0.018 min
Lab File: BN037840.D
Acq: 20 Sep 2025 07:26

Instrument :
BNA_N
ClientSampleId :
RE135D3-20250915

Tgt Ion:149 Resp: 1058
Ion Ratio Lower Upper
149 100
167 20.5 20.8 31.2#
279 4.3 3.3 4.9



#35
Perylene-d12
Concen: 0.400 ng
RT: 23.736 min Scan# 2839
Delta R.T. -0.018 min
Lab File: BN037840.D
Acq: 20 Sep 2025 07:26

Tgt Ion:264 Resp: 8997
Ion Ratio Lower Upper
264 100
260 27.7 21.8 32.8
265 87.4 39.4 59.2#

