

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN092225\
 Data File : BN037856.D
 Acq On : 22 Sep 2025 14:33
 Operator : RC/JU
 Sample : Q3127-08DL 2X
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 RE132D6-20250916DL

Quant Time: Sep 22 15:02:34 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN091125.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Sep 11 14:20:01 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.825	152	5456	0.400	ng	-0.01
7) Naphthalene-d8	10.626	136	14189	0.400	ng	-0.02
13) Acenaphthene-d10	14.484	164	5837	0.400	ng	-0.01
19) Phenanthrene-d10	17.223	188	11015	0.400	ng	-0.01
29) Chrysene-d12	21.402	240	9607	0.400	ng	#-0.02
35) Perylene-d12	23.733	264	9066	0.400	ng	#-0.02
System Monitoring Compounds						
4) 2-Fluorophenol	5.391	112	832	0.066	ng	0.00
5) Phenol-d6	6.980	99	647	0.040	ng	0.00
8) Nitrobenzene-d5	8.971	82	1721	0.166	ng	-0.02
11) 2-Methylnaphthalene-d10	12.222	152	2335	0.124	ng	-0.02
14) 2,4,6-Tribromophenol	15.969	330	352	0.231	ng	-0.01
15) 2-Fluorobiphenyl	13.105	172	3548	0.145	ng	-0.01
27) Fluoranthene-d10	19.257	212	5352	0.194	ng	-0.01
31) Terphenyl-d14	19.852	244	3913	0.201	ng	-0.02
Target Compounds						
2) 1,4-Dioxane	3.297	88	15763	2.774	ng	97
6) bis(2-Chloroethyl)ether	7.240	93	318	0.022	ng	88
34) Bis(2-ethylhexyl)phtha...	21.331	149	920	0.093	ng	# 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN092225\
Data File : BN037856.D
Acq On : 22 Sep 2025 14:33
Operator : RC/JU
Sample : Q3127-08DL 2X
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
RE132D6-20250916DL


Quant Time: Sep 22 15:02:34 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN091125.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Sep 11 14:20:01 2025
Response via : Initial Calibration








#1
 1,4-Dichlorobenzene-d4
 Concen: 0.400 ng
 RT: 7.825 min Scan# 61
 Delta R.T. -0.015 min
 Lab File: BN037856.D
 Acq: 22 Sep 2025 14:33

Instrument :
 BNA_N
 ClientSampleId :
 RE132D6-20250916DL







Tgt Ion:152 Resp: 5456
 Ion Ratio Lower Upper
 152 100
 150 154.2 124.5 186.7
 115 60.9 49.2 73.8



#2
 1,4-Dioxane
 Concen: 2.774 ng
 RT: 3.297 min Scan# 30
 Delta R.T. -0.007 min
 Lab File: BN037856.D
 Acq: 22 Sep 2025 14:33

Tgt Ion: 88 Resp: 15763
 Ion Ratio Lower Upper
 88 100
 43 32.9 26.8 40.2
 58 73.9 61.9 92.9









#4
2-Fluorophenol
Concen: 0.066 ng
RT: 5.391 min Scan# 31
Delta R.T. -0.007 min
Lab File: BN037856.D
Acq: 22 Sep 2025 14:33




Instrument :
BNA_N
ClientSampleId :
RE132D6-20250916DL


Tgt Ion:112 Resp: 832
Ion Ratio Lower Upper
112 100
64 56.3 44.9 67.3
63 33.8 24.7 37.1



#5
Phenol-d6
Concen: 0.040 ng
RT: 6.980 min Scan# 540
Delta R.T. -0.007 min
Lab File: BN037856.D
Acq: 22 Sep 2025 14:33

Tgt Ion: 99 Resp: 647
Ion Ratio Lower Upper
99 100
42 32.3 16.6 24.8#
71 41.1 26.7 40.1#









#6
bis(2-Chloroethyl)ether
Concen: 0.022 ng
RT: 7.240 min Scan# 51
Delta R.T. -0.015 min
Lab File: BN037856.D
Acq: 22 Sep 2025 14:33




Instrument :
BNA_N
ClientSampleId :
RE132D6-20250916DL


Tgt Ion: 93 Resp: 318
Ion Ratio Lower Upper
93 100
63 87.7 60.6 90.8
95 36.5 26.0 39.0



#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.626 min Scan# 941
Delta R.T. -0.022 min
Lab File: BN037856.D
Acq: 22 Sep 2025 14:33

Tgt Ion: 136 Resp: 14189
Ion Ratio Lower Upper
136 100
137 11.4 9.1 13.7
54 8.8 6.3 9.5
68 6.6 5.0 7.4









#8
 Nitrobenzene-d5
 Concen: 0.166 ng
 RT: 8.971 min Scan# 71
 Delta R.T. -0.022 min
 Lab File: BN037856.D
 Acq: 22 Sep 2025 14:33




Instrument :
 BNA_N
 ClientSampleId :
 RE132D6-20250916DL


Tgt Ion:	82	Resp:	1721
Ion	Ratio	Lower	Upper
82	100		
128	42.4	38.3	57.5
54	58.1	41.4	62.2



#11
 2-Methylnaphthalene-d10
 Concen: 0.124 ng
 RT: 12.222 min Scan# 1164
 Delta R.T. -0.020 min
 Lab File: BN037856.D
 Acq: 22 Sep 2025 14:33

Tgt Ion:	152	Resp:	2335
Ion	Ratio	Lower	Upper
152	100		
151	23.5	17.0	25.6









#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.484 min Scan# 1457
Delta R.T. -0.011 min
Lab File: BN037856.D
Acq: 22 Sep 2025 14:33




Instrument :
BNA_N
ClientSampleId :
RE132D6-20250916DL


Tgt Ion:164 Resp: 5837
Ion Ratio Lower Upper
164 100
162 105.9 83.1 124.7
160 57.4 44.3 66.5



#14
2,4,6-Tribromophenol
Concen: 0.231 ng
RT: 15.969 min Scan# 1590
Delta R.T. -0.013 min
Lab File: BN037856.D
Acq: 22 Sep 2025 14:33

Tgt Ion:330 Resp: 352
Ion Ratio Lower Upper
330 100
332 93.2 75.3 112.9
141 43.5 35.0 52.4









#15
2-Fluorobiphenyl
Concen: 0.145 ng
RT: 13.105 min Scan# 11
Delta R.T. -0.011 min
Lab File: BN037856.D
Acq: 22 Sep 2025 14:33




Instrument :
BNA_N
ClientSampleId :
RE132D6-20250916DL


Tgt Ion:	172	Resp:	3548
Ion	Ratio	Lower	Upper
172	100		
171	36.2	28.6	43.0
170	25.4	19.8	29.8



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.223 min Scan# 1691
Delta R.T. -0.013 min
Lab File: BN037856.D
Acq: 22 Sep 2025 14:33


Tgt Ion:	188	Resp:	11015
Ion	Ratio	Lower	Upper
188	100		
94	0.0	0.0	0.0
80	12.8	10.6	15.8








#27
Fluoranthene-d10
Concen: 0.194 ng
RT: 19.257 min Scan# 1955
Delta R.T. -0.014 min
Lab File: BN037856.D
Acq: 22 Sep 2025 14:33

Instrument :
BNA_N
ClientSampleId :
RE132D6-20250916DL







Tgt Ion:212 Resp: 5352
Ion Ratio Lower Upper
212 100
106 16.0 12.2 18.2
104 9.1 6.9 10.3



#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.402 min Scan# 2272
Delta R.T. -0.018 min
Lab File: BN037856.D
Acq: 22 Sep 2025 14:33


Tgt Ion:240 Resp: 9607
Ion Ratio Lower Upper
240 100
120 20.0 9.2 13.8#
236 29.3 22.6 33.8








#31
 Terphenyl-d14
 Concen: 0.201 ng
 RT: 19.852 min Scan# 2083
 Delta R.T. -0.019 min
 Lab File: BN037856.D
 Acq: 22 Sep 2025 14:33

Instrument :
 BNA_N
 ClientSampleId :
 RE132D6-20250916DL







Tgt Ion:244 Resp: 3913
 Ion Ratio Lower Upper
 244 100
 212 10.9 7.5 11.3
 122 20.2 13.2 19.8#



#34
 Bis(2-ethylhexyl)phthalate
 Concen: 0.093 ng
 RT: 21.331 min Scan# 2264
 Delta R.T. -0.018 min
 Lab File: BN037856.D
 Acq: 22 Sep 2025 14:33


Tgt Ion:149 Resp: 920
 Ion Ratio Lower Upper
 149 100
 167 25.7 20.8 31.2
 279 5.1 3.3 4.9#





#35
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.733 min Scan# 21
 Delta R.T. -0.021 min
 Lab File: BN037856.D
 Acq: 22 Sep 2025 14:33

Instrument :
 BNA_N
 ClientSampleId :
 RE132D6-20250916DL



Tgt Ion:264 Resp: 9066

Ion	Ratio	Lower	Upper
264	100		
260	27.6	21.8	32.8
265	89.3	39.4	59.2#

