

Client Contact Information						Bottle Order ID : B2509029				Courier :				1 of 2 COCs			
Client ID : RTPE01		Project ID : Air Chadwick Square						Sampler Name(s) :				Analysis		Matrix			
Customer Name : RTP Environmental		Project Manager : David gabel						AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified				TO-15	Indoor/Ambient Air	Soil Gas			
		Phone Number : 732-968-9600															
		Fax Number :															
Address : 239 US Highway 22 East		Site Details: 141 JUNIPER DRIVE															
City : Green Brook		Analysis Turnaround Time						Data Package Type : Full									
State : NJ		Standard : 10 business days OR						EDD Type : Hazite Plus Excel of CT.									
Zip Code : 08812		Rush (Specify): Days															
Country :																	
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID			
141-1A-1	9/14/25 9/17/25	1030	0915	-30	-11	70	70	-30	-6.7	10478	10275	6 L	4.16	VL042854.D	X	X	
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>Sub</i>							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Special Instructions/QC Requirements & Comments :																	
Suspected Contamination: High Medium Low PID Readings:																	
Sampling site (State):																	
Quick Connector required : NO																	
Canisters Shipped by: Sam		Date/Time: 9/15/25			Canisters Received by: DF			Date/Time: 9/15/25			B2509029 - 3						
Samples Relinquished by: CW		Date/Time: 9/17/25			Received by: DF			Date/Time: 9/17/25 1530									
Relinquished by:		Date/Time:			Received by:			Date/Time:									

Client Contact Information						Bottle Order ID : B2509029				Courier :				<u>2</u> of <u>2</u> COCs					
Client ID : RTPE01 Project ID : <u>air Chalwich Square</u>						Sampler Name(s) :				Analysis				Matrix					
Customer Name : RTP Environmental Address : 239 US Highway 22 East City : Green Brook State : NJ Zip Code : 08812 Country :						Project Manager : David gabel				AIR ANALYSIS CHAIN-OF-CUSTODY Individual Certified									
						Phone Number : 732-968-9600													
						Fax Number :													
						Site Details: 141 JUNIPER DRIVE													
Analysis Turnaround Time						Standard : 10 business days OR				Data Package Type :									
Rush (Specify): Days						EDD Type :													
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15			Indoor/Ambinet Air	Soil Gas
<u>141-1A-2</u>	<u>9/16/25 to 9/17/25</u>	<u>1032</u>	<u>0915-30</u>	<u>-5</u>	<u>70</u>	<u>70</u>	<u>-30</u>	<u>-6.7</u>	<u>10771</u>	<u>10282</u>	<u>6 L</u>	<u>4.16</u>	<u>VL042854.D</u>	<u>X</u>			<u>X</u>		
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <u>[Signature]</u>									
	Ambient	Maximum	Minimum																
Start																			
Stop																			
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.									
	Ambient	Maximum	Minimum																
Start																			
Stop																			
Special Instructions/QC Requirements & Comments :																			
Suspected Contamination: High Medium Low PID Readings:																			
Sampling site (State):																			
Quick Connector required : <u>No</u>																			
Canisters Shipped by: <u>SCW</u>					Date/Time: <u>09/12/25</u>					Canisters Received by: <u>OG</u>					Date/Time: <u>9/15/25</u>				
Samples Relinquished by: <u>CW</u>					Date/Time: <u>9/17/25</u>					Received by: <u>[Signature]</u>					Date/Time: <u>9/17/25 1530</u>				
Relinquished by:					Date/Time:					Received by:					Date/Time:				
B2509029 - 4																			

Analyst Signature:

Supervisor Signature:

Pressure Gauge ID:

Document Control # A3041228

CHEMTECH

284 Sheffield Street, Mountlake, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #:

141-1A-2

Client Name:

RTP

Project Name:

Chadwick Square: 141 Juniper

Date:

9/16 to 9/17/25 Time: 10:32 to 9:15

Analysis:

T0-15

Comments:

Storage Location: Air Lab

Sample: Q3131-02

Cust #: 141-1A-2

CHEMTECH'S SAMP

Date Received:

B2509029

CHEMTECH

284 Sheffield Street, Mountlake, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #:

141-1A-1

Client Name:

RTP

Project Name:

Chadwick Square: 141 Juniper

Date:

9/16-9/17/25 Time: 10:30 to 09:15

Analysis:

T0-15

Comments:

Storage Location: Air Lab

Sample: Q3131-01

Cust #: 141-1A-1

CHEMTECH'S SAMPLE

Date Received:

B2509029