

Report of Analysis

Client:	PSEG	Date Collected:	09/18/25
Project:	Kearny - Manhole	Date Received:	09/18/25
Client Sample ID:	MH-121	SDG No.:	Q3135
Lab Sample ID:	Q3135-01	Matrix:	Water
Analytical Method:	NJEPH	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH
Prep Method :	SW3510		

Prep Date :	Date Analyzed :	Prep Batch ID
09/22/25 08:32	09/22/25 19:57	PB169763

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units	
TARGETS								
Aliphatic C9-C12	Aliphatic C9-C12	30.0	U	1	8.28	30.0	ug/l	FE055933.D
Aliphatic C12-C16	Aliphatic C12-C16	20.7		1	13.5	20.0	ug/l	FE055933.D
Aliphatic C16-C21	Aliphatic C16-C21	11.2	J	1	8.34	30.0	ug/l	FE055933.D
Aliphatic C21-C28	Aliphatic C21-C28	40.0	U	1	12.5	40.0	ug/l	FE055933.D
Aliphatic C28-C40	Aliphatic C28-C40	221		1	23.8	60.0	ug/l	FE055933.D
Aromatic C10-C12	Aromatic C10-C12	3.95	J	1	2.07	20.0	ug/l	FF016425.D
Aromatic C12-C16	Aromatic C12-C16	53.1		1	4.26	30.0	ug/l	FF016425.D
Aromatic C16-C21	Aromatic C16-C21	112		1	8.27	50.0	ug/l	FF016425.D
Aromatic C21-C36	Aromatic C21-C36	80.0	U	1	23.8	80.0	ug/l	FF016425.D
Total AliphaticEPH	Total AliphaticEPH	253			66.4	180	ug/l	
Total AromaticEPH	Total AromaticEPH	169	J		38.4	180	ug/l	
Total EPH	Total EPH	422			105	360	ug/l	

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	PSEG	Date Collected:	09/18/25
Project:	Kearny - Manhole	Date Received:	09/18/25
Client Sample ID:	MH-121	SDG No.:	Q3135
Lab Sample ID:	Q3135-01	Matrix:	Water
Analytical Method:	NJEPH	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH
Prep Method :	SW3510		

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FE055933.D	1	09/22/25	09/22/25	PB169763

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C12	Aliphatic C9-C12	30.0	U	8.28	30.0	ug/l
Aliphatic C12-C16	Aliphatic C12-C16	20.7		13.5	20.0	ug/l
Aliphatic C16-C21	Aliphatic C16-C21	11.2	J	8.34	30.0	ug/l
Aliphatic C21-C28	Aliphatic C21-C28	40.0	U	12.5	40.0	ug/l
Aliphatic C28-C40	Aliphatic C28-C40	221		23.8	60.0	ug/l
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	50.5		40 - 140	101%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	0.00		40 - 140	0%	SPK: 50

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q3135-01	Acq On:	22 Sep 2025 19:57
Client Sample ID:	MH-121	Operator:	YP\AJ
Data file:	FE055933.D	Misc:	
Instrument:	FID_E	ALS Vial:	21
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.312	6.947	461247	3.592	300	ug/ml
Aliphatic C12-C16	6.948	10.400	1397007	10.341	200	ug/ml
Aliphatic C16-C21	10.401	13.780	810327	5.619	300	ug/ml
Aliphatic C21-C28	13.781	17.452	609915	4.258	400	ug/ml
Aliphatic C28-C40	17.453	22.472	15245796	110.702	600	ug/ml
Aliphatic EPH	3.312	22.472	18524292	134.512		ug/ml
ortho-Terphenyl (SURR)	0.000	0.000	0	0		ug/ml
1-chlorooctadecane (SURR)	13.512	13.512	6318555	50.53		ug/ml
Aliphatic C9-C28	3.312	17.452	3278496	23.81	1200	ug/ml