

SOP ID : M9030B-Sulfide-13

SDG No : N/A

Matrix : SOIL

Pipette ID : WC

Balance ID : WC SC-7

Hood ID : HOOD#2

Block ID : WC-DIST-BLOCK-1

Weigh By : RM

Start Digest Date: 09/23/2025 Time : 11:20 Temp : N/A

End Digest Date: 09/23/2025 Time : 12:50 Temp : N/A

Digestion tube ID : M5595

Block Thermometer ID : N/A

Filter paper ID : N/A

Prep Technician Signature: RM

pH Meter ID : N/A

Supervisor Signature: 12

Standardized Name	MLS USED	STD REF. # FROM LOG
PBS003	50.0ML	W3112
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
0.5M ZINC ACETATE	5.0ML	WP114311
FORMALDEHYDE	2.0ML	W3220
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Extraction Conformance/Non-Conformance Comments:

N/A

09/23/2025
RM

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Weight (g)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/ Nitrite	Comment	Prep Pos
PB169798BL	PBS798	5.00	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3138-08	MOO-25-0239-0241	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3150-01	MER RD CON ED	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3150-03	MID SITE GRID 5-7	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3153-04	OR-500-COMP-39	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3153-08	OR-500-COMP-40	5.05	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3159-02	VNJ-245	5.05	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3159-04	VNJ-255	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
Q3159-04DUP	VNJ-255DUP	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A