

Report of Analysis

Client:	Scalamandre – Tully JV		Date Collected:	09/18/25	
Project:	NYC DOT Harper Street Yard North		Date Received:	09/19/25	
Client Sample ID:	Mid Site Grid 5-7RE		SDG No.:	Q3150	
Lab Sample ID:	Q3150-04RE		Matrix:	SOIL	
Analytical Method:	8260D		% Solid:	76.7	
Sample Wt/Vol:	5.06	Units: g	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOCMS Group1	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VW032326.D	1	10/02/25 12:51	VW100225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
75-71-8	Dichlorodifluoromethane	1.50	U	1.50	6.40	ug/Kg
74-87-3	Chloromethane	1.50	U	1.50	6.40	ug/Kg
75-01-4	Vinyl Chloride	1.00	U	1.00	6.40	ug/Kg
74-83-9	Bromomethane	1.40	U	1.40	6.40	ug/Kg
75-00-3	Chloroethane	1.60	U	1.60	6.40	ug/Kg
75-69-4	Trichlorofluoromethane	1.60	U	1.60	6.40	ug/Kg
76-13-1	1,1,2-Trichlorotrifluoroethane	1.40	U	1.40	6.40	ug/Kg
75-35-4	1,1-Dichloroethene	1.30	U	1.30	6.40	ug/Kg
67-64-1	Acetone	18.5	J	6.10	32.2	ug/Kg
75-15-0	Carbon Disulfide	1.40	U	1.40	6.40	ug/Kg
1634-04-4	Methyl tert-butyl Ether	0.94	U	0.94	6.40	ug/Kg
79-20-9	Methyl Acetate	2.00	U	2.00	6.40	ug/Kg
75-09-2	Methylene Chloride	11.1	JQ	4.50	12.9	ug/Kg
156-60-5	trans-1,2-Dichloroethene	1.10	U	1.10	6.40	ug/Kg
75-34-3	1,1-Dichloroethane	1.00	U	1.00	6.40	ug/Kg
110-82-7	Cyclohexane	1.00	U	1.00	6.40	ug/Kg
78-93-3	2-Butanone	8.40	U	8.40	32.2	ug/Kg
56-23-5	Carbon Tetrachloride	1.20	U	1.20	6.40	ug/Kg
156-59-2	cis-1,2-Dichloroethene	0.97	U	0.97	6.40	ug/Kg
74-97-5	Bromochloromethane	1.50	U	1.50	6.40	ug/Kg
67-66-3	Chloroform	1.10	U	1.10	6.40	ug/Kg
71-55-6	1,1,1-Trichloroethane	1.20	U	1.20	6.40	ug/Kg
108-87-2	Methylcyclohexane	1.20	U	1.20	6.40	ug/Kg
71-43-2	Benzene	1.00	U	1.00	6.40	ug/Kg
107-06-2	1,2-Dichloroethane	1.00	U	1.00	6.40	ug/Kg
79-01-6	Trichloroethene	1.00	U	1.00	6.40	ug/Kg
78-87-5	1,2-Dichloropropane	1.20	U	1.20	6.40	ug/Kg
75-27-4	Bromodichloromethane	1.00	U	1.00	6.40	ug/Kg
108-10-1	4-Methyl-2-Pentanone	4.60	U	4.60	32.2	ug/Kg
108-88-3	Toluene	1.00	U	1.00	6.40	ug/Kg

Report of Analysis

Client:	Scalamandre – Tully JV		Date Collected:	09/18/25	
Project:	NYC DOT Harper Street Yard North		Date Received:	09/19/25	
Client Sample ID:	Mid Site Grid 5-7RE		SDG No.:	Q3150	
Lab Sample ID:	Q3150-04RE		Matrix:	SOIL	
Analytical Method:	8260D		% Solid:	76.7	
Sample Wt/Vol:	5.06	Units: g	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOCMS Group1	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VW032326.D	1	10/02/25 12:51	VW100225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
10061-02-6	t-1,3-Dichloropropene	0.84	U	0.84	6.40	ug/Kg
10061-01-5	cis-1,3-Dichloropropene	0.80	U	0.80	6.40	ug/Kg
79-00-5	1,1,2-Trichloroethane	1.20	U	1.20	6.40	ug/Kg
591-78-6	2-Hexanone	4.80	U	4.80	32.2	ug/Kg
124-48-1	Dibromochloromethane	1.10	U	1.10	6.40	ug/Kg
106-93-4	1,2-Dibromoethane	1.10	U	1.10	6.40	ug/Kg
127-18-4	Tetrachloroethene	1.40	U	1.40	6.40	ug/Kg
108-90-7	Chlorobenzene	1.20	U	1.20	6.40	ug/Kg
100-41-4	Ethyl Benzene	0.86	U	0.86	6.40	ug/Kg
179601-23-1	m/p-Xylenes	1.60	U	1.60	12.9	ug/Kg
95-47-6	o-Xylene	1.10	U	1.10	6.40	ug/Kg
100-42-5	Styrene	0.91	U	0.91	6.40	ug/Kg
75-25-2	Bromoform	1.10	U	1.10	6.40	ug/Kg
98-82-8	Isopropylbenzene	1.00	U	1.00	6.40	ug/Kg
79-34-5	1,1,2,2-Tetrachloroethane	1.60	U	1.60	6.40	ug/Kg
541-73-1	1,3-Dichlorobenzene	2.20	U	2.20	6.40	ug/Kg
106-46-7	1,4-Dichlorobenzene	2.00	U	2.00	6.40	ug/Kg
95-50-1	1,2-Dichlorobenzene	1.90	U	1.90	6.40	ug/Kg
96-12-8	1,2-Dibromo-3-Chloropropane	2.40	U	2.40	6.40	ug/Kg
120-82-1	1,2,4-Trichlorobenzene	3.80	U	3.80	6.40	ug/Kg
87-61-6	1,2,3-Trichlorobenzene	4.10	U	4.10	6.40	ug/Kg
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	56.4		63 - 155	113%	SPK: 50
1868-53-7	Dibromofluoromethane	52.5		70 - 134	105%	SPK: 50
2037-26-5	Toluene-d8	48.0		74 - 123	96%	SPK: 50
460-00-4	4-Bromofluorobenzene	37.5		17 - 146	75%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	66200	7.959			
540-36-3	1,4-Difluorobenzene	135000	8.849			
3114-55-4	Chlorobenzene-d5	118000	11.629			
3855-82-1	1,4-Dichlorobenzene-d4	44500	13.55			

Report of Analysis

Client:	Scalamandre – Tully JV	Date Collected:	09/18/25
Project:	NYC DOT Harper Street Yard North	Date Received:	09/19/25
Client Sample ID:	Mid Site Grid 5-7RE	SDG No.:	Q3150
Lab Sample ID:	Q3150-04RE	Matrix:	SOIL
Analytical Method:	8260D	% Solid:	76.7
Sample Wt/Vol:	5.06 Units: g	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOCMS Group1
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VW032326.D	1	10/02/25 12:51	VW100225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products