

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN092525\
 Data File : BN037910.D
 Acq On : 26 Sep 2025 04:41
 Operator : RC/JU
 Sample : Q3156-11
 Misc :
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 RE132D1-20250918

Quant Time: Sep 26 07:39:20 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN092325.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Sep 24 11:00:01 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.818	152	6685	0.400	ng	0.00
7) Naphthalene-d8	10.626	136	20112	0.400	ng	0.00
13) Acenaphthene-d10	14.473	164	10348	0.400	ng	0.00
19) Phenanthrene-d10	17.223	188	21581	0.400	ng	0.00
29) Chrysene-d12	21.402	240	17777	0.400	ng	0.00
35) Perylene-d12	23.730	264	15083	0.400	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.384	112	2170	0.142	ng	0.00
5) Phenol-d6	6.973	99	1651	0.082	ng	0.00
8) Nitrobenzene-d5	8.971	82	5337	0.348	ng	0.00
11) 2-Methylnaphthalene-d10	12.217	152	8685	0.311	ng	0.00
14) 2,4,6-Tribromophenol	15.969	330	1434	0.365	ng	0.00
15) 2-Fluorobiphenyl	13.094	172	15469	0.365	ng	0.00
27) Fluoranthene-d10	19.253	212	24917	0.459	ng	0.00
31) Terphenyl-d14	19.847	244	19156	0.541	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	3.290	88	9412	1.387	ng	99
34) Bis(2-ethylhexyl)phtha...	21.322	149	2695	0.110	ng	# 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN092525\
Data File : BN037910.D
Acq On : 26 Sep 2025 04:41
Operator : RC/JU
Sample : Q3156-11
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
RE132D1-20250918


Quant Time: Sep 26 07:39:20 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN092325.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Sep 24 11:00:01 2025
Response via : Initial Calibration








#1
 1,4-Dichlorobenzene-d4
 Concen: 0.400 ng
 RT: 7.818 min Scan# 61
 Delta R.T. -0.007 min
 Lab File: BN037910.D
 Acq: 26 Sep 2025 04:41

Instrument :
 BNA_N
 ClientSampleId :
 RE132D1-20250918




Tgt Ion:152 Resp: 6685

Ion	Ratio	Lower	Upper
152	100		
150	154.3	121.0	181.4
115	59.9	47.4	71.0






#2
 1,4-Dioxane
 Concen: 1.387 ng
 RT: 3.290 min Scan# 29
 Delta R.T. -0.007 min
 Lab File: BN037910.D
 Acq: 26 Sep 2025 04:41



Tgt Ion: 88 Resp: 9412

Ion	Ratio	Lower	Upper
88	100		
43	35.1	26.6	39.8
58	74.0	58.9	88.3









#4
2-Fluorophenol
Concen: 0.142 ng
RT: 5.384 min Scan# 319
Delta R.T. 0.000 min
Lab File: BN037910.D
Acq: 26 Sep 2025 04:41




Instrument :
BNA_N
ClientSampleId :
RE132D1-20250918


Tgt Ion: 112 Resp: 2170
Ion Ratio Lower Upper
112 100
64 56.6 44.6 66.8
63 30.2 24.9 37.3



#5
Phenol-d6
Concen: 0.082 ng
RT: 6.973 min Scan# 539
Delta R.T. 0.000 min
Lab File: BN037910.D
Acq: 26 Sep 2025 04:41

Tgt Ion: 99 Resp: 1651
Ion Ratio Lower Upper
99 100
42 25.2 17.2 25.8
71 36.2 27.3 40.9









#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.626 min Scan# 941
Delta R.T. 0.000 min
Lab File: BN037910.D
Acq: 26 Sep 2025 04:41




Instrument :
BNA_N
ClientSampleId :
RE132D1-20250918


Tgt Ion:	136	Resp:	20112
Ion	Ratio	Lower	Upper
136	100		
137	11.4	9.0	13.4
54	6.2	5.8	8.8
68	4.8	4.3	6.5



#8
Nitrobenzene-d5
Concen: 0.348 ng
RT: 8.971 min Scan# 786
Delta R.T. 0.000 min
Lab File: BN037910.D
Acq: 26 Sep 2025 04:41

Tgt Ion:	82	Resp:	5337
Ion	Ratio	Lower	Upper
82	100		
128	46.5	34.8	52.2
54	49.1	42.2	63.2









#11
2-Methylnaphthalene-d10
Concen: 0.311 ng
RT: 12.217 min Scan# 1163
Delta R.T. 0.000 min
Lab File: BN037910.D
Acq: 26 Sep 2025 04:41




Instrument :
BNA_N
ClientSampleId :
RE132D1-20250918


Tgt Ion:152 Resp: 8685
Ion Ratio Lower Upper
152 100
151 22.0 17.4 26.2



#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.473 min Scan# 1456
Delta R.T. 0.000 min
Lab File: BN037910.D
Acq: 26 Sep 2025 04:41


Tgt Ion:164 Resp: 10348
Ion Ratio Lower Upper
164 100
162 104.6 84.8 127.2
160 55.8 46.1 69.1








#14
 2,4,6-Tribromophenol
 Concen: 0.365 ng
 RT: 15.969 min Scan# 1590
 Delta R.T. 0.000 min
 Lab File: BN037910.D
 Acq: 26 Sep 2025 04:41

Instrument :
 BNA_N
 ClientSampleId :
 RE132D1-20250918







Tgt Ion:330 Resp: 1434
 Ion Ratio Lower Upper
 330 100
 332 95.8 77.2 115.8
 141 46.0 37.2 55.8



#15
 2-Fluorobiphenyl
 Concen: 0.365 ng
 RT: 13.094 min Scan# 1327
 Delta R.T. 0.000 min
 Lab File: BN037910.D
 Acq: 26 Sep 2025 04:41

Tgt Ion:172 Resp: 15469
 Ion Ratio Lower Upper
 172 100
 171 35.7 28.6 43.0
 170 24.0 19.7 29.5









#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.223 min Scan# 1691
Delta R.T. 0.000 min
Lab File: BN037910.D
Acq: 26 Sep 2025 04:41




Instrument :
BNA_N
ClientSampleId :
RE132D1-20250918


Tgt Ion:188 Resp: 21581
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 8.5 7.6 11.4



#27
Fluoranthene-d10
Concen: 0.459 ng
RT: 19.253 min Scan# 1954
Delta R.T. 0.000 min
Lab File: BN037910.D
Acq: 26 Sep 2025 04:41

Tgt Ion:212 Resp: 24917
Ion Ratio Lower Upper
212 100
106 16.3 12.6 19.0
104 9.2 7.4 11.0









#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.402 min Scan# 21
Delta R.T. 0.000 min
Lab File: BN037910.D
Acq: 26 Sep 2025 04:41




Instrument :
BNA_N
ClientSampleId :
RE132D1-20250918


Tgt Ion:240	Resp:	17777
Ion	Ratio	Lower Upper
240	100	
120	13.8	11.4 17.2
236	29.0	23.0 34.6



#31
Terphenyl-d14
Concen: 0.541 ng
RT: 19.847 min Scan# 2082
Delta R.T. -0.005 min
Lab File: BN037910.D
Acq: 26 Sep 2025 04:41

Tgt Ion:244	Resp:	19156
Ion	Ratio	Lower Upper
244	100	
212	9.1	7.6 11.4
122	18.8	13.9 20.9









#34
 Bis(2-ethylhexyl)phthalate
 Concen: 0.110 ng
 RT: 21.322 min Scan# 2132
 Delta R.T. 0.000 min
 Lab File: BN037910.D
 Acq: 26 Sep 2025 04:41

Instrument :
 BNA_N
 ClientSampleId :
 RE132D1-20250918

Tgt Ion:149 Resp: 2695
 Ion Ratio Lower Upper
 149 100
 167 24.8 20.4 30.6
 279 4.0 2.4 3.6#



#35
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.730 min Scan# 2837
 Delta R.T. 0.003 min
 Lab File: BN037910.D
 Acq: 26 Sep 2025 04:41

Tgt Ion:264 Resp: 15083
 Ion Ratio Lower Upper
 264 100
 260 27.3 21.5 32.3
 265 76.2 53.8 80.6

