

Hit Summary Sheet
SW-846

SDG No.: Q3156
Client: AECOM Technical Services, Inc.

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Client ID:	RE10-MW01S-20250918								
Q3156-02	RE10-MW01S-20250918	Water	Acetone	2.20	J	1.50	3.80	5.00	ug/L
Q3156-02	RE10-MW01S-20250918	Water	Tetrachloroethene	6.00		0.23	0.50	1.00	ug/L
			Total Voc :	8.20					
			Total Concentration:	8.20					
Client ID:	RE131D3-20250918								
Q3156-03	RE131D3-20250918	Water	1,1,2-Trichlorotrifluoroethane	490	E	0.25	0.50	1.00	ug/L
Q3156-03	RE131D3-20250918	Water	1,1-Dichloroethene	3.40		0.23	0.75	1.00	ug/L
Q3156-03	RE131D3-20250918	Water	cis-1,2-Dichloroethene	1.40		0.19	0.75	1.00	ug/L
Q3156-03	RE131D3-20250918	Water	Chloroform	0.28	J	0.25	0.50	1.00	ug/L
Q3156-03	RE131D3-20250918	Water	Trichloroethene	46.3		0.090	0.75	1.00	ug/L
Q3156-03	RE131D3-20250918	Water	1,2-Dichloropropane	2.30		0.20	0.50	1.00	ug/L
Q3156-03	RE131D3-20250918	Water	Tetrachloroethene	47.9		0.23	0.50	1.00	ug/L
			Total Voc :	592					
			Total Concentration:	592					
Client ID:	RE131D3-20250918DL								
Q3156-03DL	RE131D3-20250918	Water	1,1,2-Trichlorotrifluoroethane	460	D	2.50	5.00	10.0	ug/L
Q3156-03DL	RE131D3-20250918	Water	Trichloroethene	42.5	D	0.93	7.50	10.0	ug/L
Q3156-03DL	RE131D3-20250918	Water	Tetrachloroethene	43.5	D	2.30	5.00	10.0	ug/L
			Total Voc :	546					
			Total Concentration:	546					
Client ID:	TT190D1-20250918								
Q3156-04	TT190D1-20250918	Water	Dichlorodifluoromethane	0.28	J	0.22	0.50	1.00	ug/L
Q3156-04	TT190D1-20250918	Water	1,1,2-Trichlorotrifluoroethane	5.20		0.25	0.50	1.00	ug/L
Q3156-04	TT190D1-20250918	Water	1,1-Dichloroethene	2.80		0.23	0.75	1.00	ug/L
Q3156-04	TT190D1-20250918	Water	Carbon Tetrachloride	2.20		0.25	0.50	1.00	ug/L
Q3156-04	TT190D1-20250918	Water	cis-1,2-Dichloroethene	3.30		0.19	0.75	1.00	ug/L
Q3156-04	TT190D1-20250918	Water	Chloroform	1.80		0.25	0.50	1.00	ug/L
Q3156-04	TT190D1-20250918	Water	Trichloroethene	340	E	0.090	0.75	1.00	ug/L
Q3156-04	TT190D1-20250918	Water	1,1,2-Trichloroethane	2.40		0.21	0.50	1.00	ug/L
Q3156-04	TT190D1-20250918	Water	Tetrachloroethene	0.30	J	0.23	0.50	1.00	ug/L
			Total Voc :	358					
			Total Concentration:	358					
Client ID:	TT190D1-20250918DL								
Q3156-04DL	TT190D1-20250918	Water	Trichloroethene	320	D	0.47	3.80	5.00	ug/L
			Total Voc :	320					
			Total Concentration:	320					
Client ID:	RE132D2-20250918								
Q3156-05	RE132D2-20250918	Water	Dichlorodifluoromethane	1.50		0.22	0.50	1.00	ug/L

Hit Summary Sheet SW-846

SDG No.: Q3156

Client: AECOM Technical Services, Inc.

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Q3156-05	RE132D2-20250918	Water	1,1,2-Trichlorotrifluoroethane	3.50		0.25	0.50	1.00	ug/L
Q3156-05	RE132D2-20250918	Water	Trichloroethene	2.00		0.090	0.75	1.00	ug/L
Total Voc :				7.00					
Total Concentration:				7.00					
Client ID:	RE132D2-20250918RE								
Q3156-05RE	RE132D2-20250918	Water	Dichlorodifluoromethane	2.00		0.22	0.50	1.00	ug/L
Q3156-05RE	RE132D2-20250918	Water	1,1,2-Trichlorotrifluoroethane	3.90		0.25	0.50	1.00	ug/L
Q3156-05RE	RE132D2-20250918	Water	Trichloroethene	1.50		0.090	0.75	1.00	ug/L
Total Voc :				7.40					
Total Concentration:				7.40					
Client ID:	RE132D4-20250918								
Q3156-06	RE132D4-20250918	Water	Dichlorodifluoromethane	0.70	J	0.22	0.50	1.00	ug/L
Q3156-06	RE132D4-20250918	Water	1,1,2-Trichlorotrifluoroethane	5.10		0.25	0.50	1.00	ug/L
Q3156-06	RE132D4-20250918	Water	1,1-Dichloroethene	0.50	J	0.23	0.75	1.00	ug/L
Q3156-06	RE132D4-20250918	Water	Acetone	2.20	J	1.50	3.80	5.00	ug/L
Q3156-06	RE132D4-20250918	Water	Methylene Chloride	0.32	J	0.28	0.50	1.00	ug/L
Q3156-06	RE132D4-20250918	Water	cis-1,2-Dichloroethene	1.50		0.19	0.75	1.00	ug/L
Q3156-06	RE132D4-20250918	Water	Trichloroethene	170	E	0.090	0.75	1.00	ug/L
Q3156-06	RE132D4-20250918	Water	Tetrachloroethene	4.80		0.23	0.50	1.00	ug/L
Total Voc :				185					
Total Concentration:				185					
Client ID:	RE132D4-20250918DL								
Q3156-06DL	RE132D4-20250918	Water	1,1,2-Trichlorotrifluoroethane	5.20	D	1.30	2.50	5.00	ug/L
Q3156-06DL	RE132D4-20250918	Water	Trichloroethene	160	D	0.47	3.80	5.00	ug/L
Q3156-06DL	RE132D4-20250918	Water	Tetrachloroethene	4.90	JD	1.20	2.50	5.00	ug/L
Total Voc :				170					
Total Concentration:				170					
Client ID:	TT189D2-20250918								
Q3156-07	TT189D2-20250918	Water	Dichlorodifluoromethane	0.83	J	0.22	0.50	1.00	ug/L
Q3156-07	TT189D2-20250918	Water	1,1,2-Trichlorotrifluoroethane	21.0		0.25	0.50	1.00	ug/L
Q3156-07	TT189D2-20250918	Water	1,1-Dichloroethene	1.80		0.23	0.75	1.00	ug/L
Q3156-07	TT189D2-20250918	Water	cis-1,2-Dichloroethene	4.20		0.19	0.75	1.00	ug/L
Q3156-07	TT189D2-20250918	Water	Chloroform	0.47	J	0.25	0.50	1.00	ug/L
Q3156-07	TT189D2-20250918	Water	Trichloroethene	110		0.090	0.75	1.00	ug/L
Q3156-07	TT189D2-20250918	Water	Tetrachloroethene	0.73	J	0.23	0.50	1.00	ug/L
Total Voc :				139					
Total Concentration:				139					
Client ID:	TT149I1-20250918								
Q3156-08	TT149I1-20250918	Water	Acetone	3.20	J	1.50	3.80	5.00	ug/L

Hit Summary Sheet
SW-846

SDG No.: Q3156

Client: AECOM Technical Services, Inc.

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Q3156-08	TT149I1-20250918	Water	Methyl tert-butyl Ether	0.53	J	0.16	0.50	1.00	ug/L
Q3156-08	TT149I1-20250918	Water	Trichloroethene	0.48	J	0.090	0.75	1.00	ug/L
Total Voc :				4.21					
Total Concentration:				4.21					
Client ID:	RE132D3-20250918								
Q3156-09	RE132D3-20250918	Water	Dichlorodifluoromethane	0.85	J	0.22	0.50	1.00	ug/L
Q3156-09	RE132D3-20250918	Water	1,1,2-Trichlorotrifluoroethane	3.80		0.25	0.50	1.00	ug/L
Q3156-09	RE132D3-20250918	Water	cis-1,2-Dichloroethene	0.76	J	0.19	0.75	1.00	ug/L
Q3156-09	RE132D3-20250918	Water	Trichloroethene	70.3		0.090	0.75	1.00	ug/L
Q3156-09	RE132D3-20250918	Water	Tetrachloroethene	1.90		0.23	0.50	1.00	ug/L
Total Voc :				77.6					
Total Concentration:				77.6					
Client ID:	TT180D1-20250918								
Q3156-10	TT180D1-20250918	Water	Dichlorodifluoromethane	1.30		0.22	0.50	1.00	ug/L
Q3156-10	TT180D1-20250918	Water	1,1,2-Trichlorotrifluoroethane	1.40		0.25	0.50	1.00	ug/L
Q3156-10	TT180D1-20250918	Water	1,1-Dichloroethene	0.65	J	0.23	0.75	1.00	ug/L
Q3156-10	TT180D1-20250918	Water	Acetone	1.70	J	1.50	3.80	5.00	ug/L
Q3156-10	TT180D1-20250918	Water	cis-1,2-Dichloroethene	0.35	J	0.19	0.75	1.00	ug/L
Q3156-10	TT180D1-20250918	Water	Chloroform	0.39	J	0.25	0.50	1.00	ug/L
Q3156-10	TT180D1-20250918	Water	Trichloroethene	75.0		0.090	0.75	1.00	ug/L
Q3156-10	TT180D1-20250918	Water	1,1,2-Trichloroethane	0.31	J	0.21	0.50	1.00	ug/L
Total Voc :				81.1					
Total Concentration:				81.1					
Client ID:	RE132D1-20250918								
Q3156-11	RE132D1-20250918	Water	Dichlorodifluoromethane	0.43	J	0.22	0.50	1.00	ug/L
Q3156-11	RE132D1-20250918	Water	1,1,2-Trichlorotrifluoroethane	1.30		0.25	0.50	1.00	ug/L
Q3156-11	RE132D1-20250918	Water	Acetone	2.20	J	1.50	3.80	5.00	ug/L
Q3156-11	RE132D1-20250918	Water	Methyl tert-butyl Ether	0.32	J	0.16	0.50	1.00	ug/L
Q3156-11	RE132D1-20250918	Water	Chloroform	0.68	J	0.25	0.50	1.00	ug/L
Q3156-11	RE132D1-20250918	Water	Trichloroethene	36.6		0.090	0.75	1.00	ug/L
Q3156-11	RE132D1-20250918	Water	Tetrachloroethene	1.70		0.23	0.50	1.00	ug/L
Total Voc :				43.2					
Total Concentration:				43.2					
Client ID:	TT190D2-20250918								
Q3156-12	TT190D2-20250918	Water	Dichlorodifluoromethane	0.47	J	0.22	0.50	1.00	ug/L
Q3156-12	TT190D2-20250918	Water	1,1,2-Trichlorotrifluoroethane	16.2		0.25	0.50	1.00	ug/L
Q3156-12	TT190D2-20250918	Water	1,1-Dichloroethene	1.70		0.23	0.75	1.00	ug/L
Q3156-12	TT190D2-20250918	Water	cis-1,2-Dichloroethene	1.20		0.19	0.75	1.00	ug/L

Hit Summary Sheet
SW-846

SDG No.: Q3156

Client: AECOM Technical Services, Inc.

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Q3156-12	TT190D2-20250918	Water	Trichloroethene	53.5		0.090	0.75	1.00	ug/L
			Total Voc :	73.1					
			Total Concentration:	73.1					
Client ID:	EB02-20250918								
Q3156-13	EB02-20250918	Water	Acetone	14.0		1.50	3.80	5.00	ug/L
			Total Voc :	14.0					
			Total Concentration:	14.0					
Client ID:	EB03-20250918								
Q3156-14	EB03-20250918	Water	Acetone	11.8		1.50	3.80	5.00	ug/L
Q3156-14	EB03-20250918	Water	2-Butanone	5.60		0.98	2.50	5.00	ug/L
			Total Voc :	17.4					
			Total Concentration:	17.4					
Client ID:	TT191D2-20250918								
Q3156-17	TT191D2-20250918	Water	1,1,2-Trichlorotrifluoroethane	2.80		0.25	0.50	1.00	ug/L
Q3156-17	TT191D2-20250918	Water	1,1-Dichloroethene	0.70	J	0.23	0.75	1.00	ug/L
Q3156-17	TT191D2-20250918	Water	Acetone	3.80	J	1.50	3.80	5.00	ug/L
Q3156-17	TT191D2-20250918	Water	cis-1,2-Dichloroethene	0.67	J	0.19	0.75	1.00	ug/L
Q3156-17	TT191D2-20250918	Water	Chloroform	0.35	J	0.25	0.50	1.00	ug/L
Q3156-17	TT191D2-20250918	Water	Trichloroethene	70.0		0.090	0.75	1.00	ug/L
			Total Voc :	78.3					
			Total Concentration:	78.3					
Client ID:	TT191D1-20250918								
Q3156-19	TT191D1-20250918	Water	Dichlorodifluoromethane	1.20		0.22	0.50	1.00	ug/L
Q3156-19	TT191D1-20250918	Water	1,1,2-Trichlorotrifluoroethane	2.20		0.25	0.50	1.00	ug/L
Q3156-19	TT191D1-20250918	Water	1,1-Dichloroethene	0.76	J	0.23	0.75	1.00	ug/L
Q3156-19	TT191D1-20250918	Water	Acetone	2.50	J	1.50	3.80	5.00	ug/L
Q3156-19	TT191D1-20250918	Water	Chloroform	0.58	J	0.25	0.50	1.00	ug/L
Q3156-19	TT191D1-20250918	Water	Trichloroethene	10.3		0.090	0.75	1.00	ug/L
			Total Voc :	17.5					
			Total Concentration:	17.5					
Client ID:	DUP09-20250918								
Q3156-20	DUP09-20250918	Water	Dichlorodifluoromethane	0.88	J	0.22	0.50	1.00	ug/L
Q3156-20	DUP09-20250918	Water	1,1,2-Trichlorotrifluoroethane	1.70		0.25	0.50	1.00	ug/L
Q3156-20	DUP09-20250918	Water	1,1-Dichloroethene	0.52	J	0.23	0.75	1.00	ug/L
Q3156-20	DUP09-20250918	Water	Acetone	2.10	J	1.50	3.80	5.00	ug/L
Q3156-20	DUP09-20250918	Water	Chloroform	0.50	J	0.25	0.50	1.00	ug/L
Q3156-20	DUP09-20250918	Water	Trichloroethene	8.10		0.090	0.75	1.00	ug/L
			Total Voc :	13.8					
			Total Concentration:	13.8					

Hit Summary Sheet
SW-846

SDG No.: Q3156

Client: AECOM Technical Services, Inc.

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Client ID: Q3156-21	RW9-MW01D3-20250918 RW9-MW01D3-20% Water		Acetone	2.80	J	1.50	3.80	5.00	ug/L
			Total Voc :	2.80					
			Total Concentration:	2.80					
Client ID: Q3156-23	RW9-MW01D2-20250919 RW9-MW01D2-20% Water		Acetone	2.40	J	1.50	3.80	5.00	ug/L
			Total Voc :	2.40					
			Total Concentration:	2.40					