

Report of Analysis

Client:	Always Available Construction LLC.		Date Collected:	
Project:	Yard Soil Cleanup		Date Received:	
Client Sample ID:	VX0922WBS01		SDG No.:	Q3157
Lab Sample ID:	VX0922WBS01		Matrix:	TCLP
Analytical Method:	8260D		% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:		uL	Test:	TCLP VOA
GC Column:	DB-624UI	ID : 0.18	Level :	LOW
Prep Method :				

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047692.D	1	09/22/25 10:54	VX092225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-01-4	Vinyl Chloride	23.8		0.26	1.00	ug/L
75-35-4	1,1-Dichloroethene	22.4		0.23	1.00	ug/L
78-93-3	2-Butanone	95.1		0.98	5.00	ug/L
56-23-5	Carbon Tetrachloride	20.8		0.25	1.00	ug/L
67-66-3	Chloroform	22.1		0.25	1.00	ug/L
71-43-2	Benzene	21.5		0.15	1.00	ug/L
107-06-2	1,2-Dichloroethane	20.4		0.22	1.00	ug/L
79-01-6	Trichloroethene	21.7		0.090	1.00	ug/L
127-18-4	Tetrachloroethene	21.3		0.23	1.00	ug/L
108-90-7	Chlorobenzene	21.1		0.12	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	55.1		74 - 125	110%	SPK: 50
1868-53-7	Dibromofluoromethane	55.0		75 - 124	110%	SPK: 50
2037-26-5	Toluene-d8	54.9		86 - 113	110%	SPK: 50
460-00-4	4-Bromofluorobenzene	56.8		77 - 121	114%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	172000	5.531			
540-36-3	1,4-Difluorobenzene	312000	6.745			
3114-55-4	Chlorobenzene-d5	283000	10.037			
3855-82-1	1,4-Dichlorobenzene-d4	142000	12			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products