

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.:	<u>Q3157</u>	Analytical Method:	<u>SW8260D</u>
Client:	<u>Always Available Construction LLC.</u>	Datafile :	<u>VN087936.D</u>

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VN0924WBS01	Dichlorodifluoromethane	20	20.6	ug/L	103			69	116	
	Chloromethane	20	19.4	ug/L	97			65	116	
	Vinyl chloride	20	19.6	ug/L	98			65	117	
	Bromomethane	20	20.3	ug/L	102			58	125	
	Chloroethane	20	20.4	ug/L	102			56	128	
	Trichlorofluoromethane	20	19.4	ug/L	97			73	115	
	1,1,2-Trichlorotrifluoroethane	20	20.1	ug/L	101			80	112	
	1,1-Dichloroethene	20	20.0	ug/L	100			74	110	
	Acetone	100	110	ug/L	110			60	125	
	Carbon disulfide	20	19.5	ug/L	98			64	112	
	Methyl tert-butyl Ether	20	19.8	ug/L	99			78	114	
	Methyl Acetate	20	21.6	ug/L	108			67	125	
	Methylene Chloride	20	20.6	ug/L	103			72	114	
	trans-1,2-Dichloroethene	20	19.3	ug/L	97			75	108	
	1,1-Dichloroethane	20	20.6	ug/L	103			78	112	
	Cyclohexane	20	19.8	ug/L	99			75	110	
	2-Butanone	100	100	ug/L	100			65	122	
	Carbon Tetrachloride	20	19.0	ug/L	95			77	113	
	cis-1,2-Dichloroethene	20	20.4	ug/L	102			77	110	
	Bromochloromethane	20	17.9	ug/L	90			70	124	
	Chloroform	20	20.5	ug/L	103			79	113	
	1,1,1-Trichloroethane	20	20.2	ug/L	101			80	108	
	Methylcyclohexane	20	18.4	ug/L	92			72	115	
	Benzene	20	19.8	ug/L	99			82	109	
	1,2-Dichloroethane	20	19.6	ug/L	98			80	115	
	Trichloroethene	20	20.0	ug/L	100			77	113	
	1,2-Dichloropropane	20	19.7	ug/L	99			83	111	
	Bromodichloromethane	20	19.6	ug/L	98			83	110	
	4-Methyl-2-Pentanone	100	100	ug/L	100			74	118	
	Toluene	20	19.7	ug/L	99			82	110	
	t-1,3-Dichloropropene	20	19.0	ug/L	95			79	110	
	cis-1,3-Dichloropropene	20	19.7	ug/L	99			82	110	
	1,1,2-Trichloroethane	20	20.4	ug/L	102			83	112	
	2-Hexanone	100	94.6	ug/L	95			73	117	
	Dibromochloromethane	20	19.5	ug/L	98			82	110	
	1,2-Dibromoethane	20	20.0	ug/L	100			81	110	
	Tetrachloroethene	20	18.1	ug/L	91			67	123	
	Chlorobenzene	20	19.6	ug/L	98			82	109	
	Ethyl Benzene	20	18.8	ug/L	94			83	109	
	m/p-Xylenes	40	38.4	ug/L	96			82	110	
	o-Xylene	20	18.7	ug/L	94			83	109	
	Styrene	20	19.2	ug/L	96			80	111	
	Bromoform	20	19.2	ug/L	96			79	109	
	Isopropylbenzene	20	18.5	ug/L	93			83	112	
	1,1,2,2-Tetrachloroethane	20	19.6	ug/L	98			76	118	
	1,3-Dichlorobenzene	20	19.5	ug/L	98			82	108	
	1,4-Dichlorobenzene	20	19.4	ug/L	97			82	107	
	1,2-Dichlorobenzene	20	19.5	ug/L	98			82	109	

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: Q3157

Analytical Method: SW8260D

Client: Always Available Construction LLC.

Datafile : VN087936.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits	RPD
									High	
VN0924WBS01	1,2-Dibromo-3-Chloropropane	20	19.2	ug/L	96			68	112	
	1,2,4-Trichlorobenzene	20	19.3	ug/L	97			75	113	
	1,2,3-Trichlorobenzene	20	19.2	ug/L	96			76	114	