

PESTICIDE CALIBRATION VERIFICATION SUMMARY

Lab Name: Alliance

Contract: ROYF02

Lab Code: ACE

SDG NO.: Q3176

GC Column: ZB-MR1 ID: 0.32 (mm) Initi. Calib. Date(s): 09/18/2025 09/18/2025

Client Sample No. (PEM): PEM - PD090328.D Date Analyzed: 09/18/2025

Lab Sample No.(PEM): PEM Time Analyzed: 10:03

PEM COMPOUND	RT	RT WINDOW		CALC AMOUNT(ng)	NOM AMOUNT(ng)	%D
		FROM	TO			
Decachlorobiphenyl	9.066	8.970	9.170	16.390	20.000	-18.1
Tetrachloro-m-xylene	3.546	3.500	3.600	16.190	20.000	-19.1
alpha-BHC	3.995	3.940	4.050	7.010	10.000	-29.9
beta-BHC	4.512	4.460	4.560	7.900	10.000	-21.0
gamma-BHC (Lindane)	4.325	4.270	4.380	7.190	10.000	-28.1
Endrin	6.569	6.500	6.640	38.000	50.000	-24.0
4,4'-DDT	7.016	6.950	7.090	74.700	100.000	-25.3
Methoxychlor	7.489	7.420	7.560	174.520	250.000	-30.2

GC Column: ZB-MR2 ID: 0.32 (mm) Initi. Calib. Date(s): 09/18/2025 09/18/2025

Client Sample No. (PEM): PEM - PD090328.D Date Analyzed: 09/18/2025

Lab Sample No.(PEM): PEM Time Analyzed: 10:03

PEM COMPOUND	RT	RT WINDOW		CALC AMOUNT(ng)	NOM AMOUNT(ng)	%D
		FROM	TO			
Decachlorobiphenyl	8.063	7.960	8.160	15.820	20.000	-20.9
Tetrachloro-m-xylene	2.876	2.830	2.930	15.940	20.000	-20.3
alpha-BHC	3.388	3.340	3.440	8.280	10.000	-17.2
beta-BHC	4.020	3.970	4.070	8.430	10.000	-15.7
gamma-BHC (Lindane)	3.724	3.670	3.770	8.260	10.000	-17.4
Endrin	5.782	5.710	5.850	37.930	50.000	-24.1
4,4'-DDT	6.176	6.110	6.250	73.820	100.000	-26.2
Methoxychlor	6.746	6.680	6.820	155.590	250.000	-37.8