

## Report of Analysis

Client:	Weston Solutions, Inc.		Date Collected:	09/23/25	
Project:	RFP 916		Date Received:	09/23/25	
Client Sample ID:	EME-TS14-01		SDG No.:	Q3178	
Lab Sample ID:	Q3178-01		Matrix:	SOIL	
Analytical Method:	8082A		% Solid:	71.4	Decanted:
Sample Wt/Vol:	30.02	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO114037.D	1	09/25/25 08:50	09/25/25 17:37	PB169825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
<b>TARGETS</b>						
12674-11-2	Aroclor-1016	5.50	U	5.50	23.8	ug/kg
11104-28-2	Aroclor-1221	5.60	U	5.60	23.8	ug/kg
11141-16-5	Aroclor-1232	5.20	U	5.20	23.8	ug/kg
53469-21-9	Aroclor-1242	5.60	U	5.60	23.8	ug/kg
12672-29-6	Aroclor-1248	8.30	U	8.30	23.8	ug/kg
11097-69-1	Aroclor-1254	4.50	U	4.50	23.8	ug/kg
37324-23-5	Aroclor-1262	7.00	U	7.00	23.8	ug/kg
11100-14-4	Aroclor-1268	5.00	U	5.00	23.8	ug/kg
11096-82-5	Aroclor-1260	4.50	U	4.50	23.8	ug/kg
<b>SURROGATES</b>						
877-09-8	Tetrachloro-m-xylene	15.3		32 - 144	76%	SPK: 20
2051-24-3	Decachlorobiphenyl	8.25		32 - 175	41%	SPK: 20

### Comments:

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 E = Value Exceeds Calibration Range  
 P = Indicates >25% difference for detected concentrations between the two GC columns  
 Q = indicates LCS control criteria did not meet requirements  
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 N = Presumptive Evidence of a Compound  
 \* = Values outside of QC limits  
 D = Dilution  
 S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.  
 () = Laboratory InHouse Limit