

Report of Analysis

Client:	Weston Solutions, Inc.		Date Collected:	09/23/25	
Project:	RFP 916		Date Received:	09/23/25	
Client Sample ID:	EME-TS14-01		SDG No.:	Q3178	
Lab Sample ID:	Q3178-01		Matrix:	SOIL	
Analytical Method:	8081B		% Solid:	71.4	Decanted:
Sample Wt/Vol:	30.02	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	Pesticide-TCL	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL097442.D	1	09/25/25 08:51	09/30/25 13:35	PB169826

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
319-84-6	alpha-BHC	0.18	U	0.18	2.40	ug/kg
319-85-7	beta-BHC	0.25	U	0.25	2.40	ug/kg
319-86-8	delta-BHC	0.55	U	0.55	2.40	ug/kg
58-89-9	gamma-BHC (Lindane)	0.20	U	0.20	2.40	ug/kg
76-44-8	Heptachlor	0.17	U	0.17	2.40	ug/kg
309-00-2	Aldrin	0.17	U	0.17	2.40	ug/kg
1024-57-3	Heptachlor epoxide	0.27	U	0.27	2.40	ug/kg
959-98-8	Endosulfan I	0.20	U	0.20	2.40	ug/kg
60-57-1	Dieldrin	0.46	JP	0.20	2.40	ug/kg
72-55-9	4,4-DDE	0.66	J	0.20	2.40	ug/kg
72-20-8	Endrin	0.20	U	0.20	2.40	ug/kg
33213-65-9	Endosulfan II	0.41	U	0.41	2.40	ug/kg
72-54-8	4,4-DDD	0.21	U	0.21	2.40	ug/kg
1031-07-8	Endosulfan Sulfate	0.18	U	0.18	2.40	ug/kg
50-29-3	4,4-DDT	0.20	U	0.20	2.40	ug/kg
72-43-5	Methoxychlor	0.52	U	0.52	2.40	ug/kg
53494-70-5	Endrin ketone	0.27	U	0.27	2.40	ug/kg
7421-93-4	Endrin aldehyde	0.52	U	0.52	2.40	ug/kg
5103-71-9	alpha-Chlordane	0.77	JP	0.17	2.40	ug/kg
5103-74-2	gamma-Chlordane	0.50	JP	0.21	2.40	ug/kg
8001-35-2	Toxaphene	7.60	U	7.60	46.2	ug/kg
SURROGATES						
2051-24-3	Decachlorobiphenyl	7.17		20 - 144	36%	SPK: 20
877-09-8	Tetrachloro-m-xylene	10.4		19 - 148	52%	SPK: 20

Report of Analysis

Client:	Weston Solutions, Inc.		Date Collected:	09/23/25	
Project:	RFP 916		Date Received:	09/23/25	
Client Sample ID:	EME-TS14-01		SDG No.:	Q3178	
Lab Sample ID:	Q3178-01		Matrix:	SOIL	
Analytical Method:	8081B		% Solid:	71.4	Decanted:
Sample Wt/Vol:	30.02	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	Pesticide-TCL	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL097442.D	1	09/25/25 08:51	09/30/25 13:35	PB169826

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit